

Standard ECMA-366

1st Edition / June 2005

**WS-Session - Web
Services for Application
Session Services**

Standard

ECMA-366

1st Edition / June 2005

**WS-Session - Web Services
for Application Session
Services**

Brief history

ECMA-354, Application Session Services, specifies XML protocols that can be used to create and manage application sessions that are independent of the transport layer protocols. This Standard (WS-Session) specifies Web services for ECMA-354.

This Ecma Standard has been adopted by the General Assembly of June 2005.

Table of contents

1	Scope	1
2	Conformance	1
3	References	1
4	Definitions	1
4.1	Namespaces	2
5	Service Provider WSDL Abstract Definitions	3
6	Service Provider WSDL SOAP Binding	5
	Annex A (Informative) Service WSDL with SOAP/HTTP Binding	7
	Annex B (Informative) SOAP XML Templates for ECMA-354 Messages	9
	Annex C (Informative) WS-Session Events	13

1 Scope

This Standard specifies Web Services (in WSDL) and a SOAP binding for the Application Session Services defined in ECMA-354. The Application Session Services allow Applications to create and maintain a relationship with Servers termed Application Session. The Web services specified herein, allow Service Subscribers (Applications in ECMA-354) and Service Providers (Servers in ECMA-354) to create and maintain such Application Sessions.

This Standard builds upon and imports the XML schema definitions from ECMA-354.

Although this Standard only specifies the abstract WSDL definitions and its SOAP binding, Annex A shows an example WSDL binding with SOAP/HTTP.

Annex B lists SOAP XML Templates for ECMA-354 Messages.

Annex C illustrates how WS-Eventing can be used to establish event channels to receive ApplicationSessionTerminated messages.

2 Conformance

Conforming implementations support the port type and the WSDL to SOAP binding as specified in this Standard.

To support the port type, conforming implementations support all operations in the port type.

For each operation, conforming implementations also satisfy all the requirements that ECMA-354 specifies for the corresponding service definition.

3 References

Ecma references

ECMA-354 Application Session Services, June 2004: <http://www.ecma-international.org/publications/standards/Ecma-354.htm>

W3C references

SOAP 1.1 Simple Object Access Protocol 1.1, W3C Note 08 May 2000

WSDL 1.1 Web Service Description Language 1.1, W3C Note 15 March 2001

XML Schema 1.0: XML Schema Language Part 1: Structure, W3C Recommendation 28 October 2004

XML Schema Language Part 2: Data Types, W3C Recommendation 28 October 2004

4 Definitions

Consult ECMA-354 for Application Session Services specific terms.

This Standard refers to these two main Web services concepts:

1. Service Subscriber – provides the following major functions: 1) queries a Service Provider for services, and 2) binds and interacts with a Service Provider.
2. Service Provider – provides the following major functions: 1) publishes its services (e.g. WSDL document), and 2) interacts with a Service Subscriber.

4.1 Namespaces

This Standard uses these two Ecma namespaces:

1. **aps:** http://www.ecma-international.org/standards/ecma-354/appl_session: This Standard imports all XML messages defined in ECMA-354 from the aps namespace.
2. **tns:** <http://www.ecma-international.org/standards/ecma-366/ws-session>: The target namespace for this Standard.

This Standard refers to these other namespaces:

1. <http://schemas.xmlsoap.org/wsdl/>: This contains the W3C WSDL 1.1 schema.
2. <http://www.w3.org/2001/XMLSchema>: This contains the W3C XML Schema definition.
3. <http://schemas.xmlsoap.org/wsdl/soap>: This contains the W3C SOAP bindings for WSDL 1.1.

5 Service Provider WSDL Abstract Definitions

This Clause specifies the abstract WSDL definitions to support the services specified in ECMA-354.

```

<definitions
  xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session"
  xmlns:tns="http://www.ecma-international.org/standards/ecma-366/ws-session"
  targetNamespace="http://www.ecma-international.org/standards/ecma-366/ws-session">
  <types>
    <xs:schema
      <xs:import namespace="http://www.ecma-international.org/standards/ecma-354/appl_session"
      schemaLocation="http://www.ecma-international.org/standards/ecma-354/appl_session/start-application-session.xsd"/>
      <xs:import namespace="http://www.ecma-international.org/standards/ecma-354/appl_session"
      schemaLocation="http://www.ecma-international.org/standards/ecma-354/appl_session/stop-application-session.xsd"/>
      <xs:import namespace="http://www.ecma-international.org/standards/ecma-354/appl_session"
      schemaLocation="http://www.ecma-international.org/standards/ecma-354/appl_session/reset-application-session-timer.xsd"/>
      <xs:import namespace="http://www.ecma-international.org/standards/ecma-354/appl_session"
      schemaLocation="http://www.ecma-international.org/standards/ecma-354/appl_session/application-session-terminated.xsd"/>
    </xs:schema>
  </types>
  <message name="startApplicationSession">
    <part name="parameter" element="aps:StartApplicationSession"/>
  </message>
  <message name="startApplicationSessionPosResponse">
    <part name="parameter" element="aps:StartApplicationSessionPosResponse"/>
  </message>
  <message name="startApplicationSessionNegResponse">
    <part name="parameter" element="aps:StartApplicationSessionNegResponse"/>
  </message>
  <message name="stopApplicationSession">
    <part name="parameter" element="aps:StopApplicationSession"/>
  </message>
  <message name="stopApplicationSessionPosResponse">
    <part name="parameter" element="aps:StopApplicationSessionPosResponse"/>
  </message>
  <message name="stopApplicationSessionNegResponse">
    <part name="parameter" element="aps:StopApplicationSessionNegResponse"/>
  </message>
  <message name="resetApplicationSessionTimer">
    <part name="parameter" element="aps:ResetApplicationSessionTimer"/>
  </message>
  <message name="resetApplicationSessionTimerPosResponse">
    <part name="parameter" element="aps:ResetApplicationSessionTimerPosResponse"/>
  </message>
  <message name="resetApplicationSessionTimerNegResponse">
    <part name="parameter" element="aps:ResetApplicationSessionTimerNegResponse"/>
  </message>
  <message name="applicationSessionTerminated">
    <part name="parameter" element="aps:ApplicationSessionTerminated"/>
  </message>

```

```
<portType name="ApplicationSessionServicesPortType">
  <operation name="tns:StartApplicationSession">
    <input message="tns:startApplicationSession"/>
    <output message="tns:startApplicationSessionPosResponse"/>
    <fault name="StartFault" message="tns:startApplicationSessionNegResponse"/>
  </operation>
  <operation name="tns:StopApplicationSession">
    <input message="tns:stopApplicationSession"/>
    <output message="tns:stopApplicationSessionPosResponse"/>
    <fault name="StopFault" message="tns:stopApplicationSessionNegResponse"/>
  </operation>
  <operation name="tns:ResetApplicationSessionTimer">
    <input message="tns:resetApplicationSessionTimer"/>
    <output message="tns:resetApplicationSessionTimerPosResponse"/>
    <fault name="ResetFault" message="tns:resetApplicationSessionTimerNegResponse"/>
  </operation>
  <operation name="tns:ApplicationSessionTerminated">
    <output message="tns:applicationSessionTerminated"/>
  </operation>
</portType>
</definitions>
```

6 Service Provider WSDL SOAP Binding

This Clause specifies the binding of the abstract WSDL definitions in Clause 5 with SOAP Messages. ECMA-354 requires Applications to include the `aps:sessionId` in some service requests, in these cases, the corresponding Service Subscribers shall include the `aps:sessionId` as a header block in the application SOAP message.

```

<definitions
  xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session"
  xmlns:tns="http://www.ecma-international.org/standards/ecma-354/ws-session"
  targetNamespace="http://www.ecma-international.org/standards/ecma-366/ws-session"
  <import namespace="http://www.ecma-international.org/standards/ecma-366/ws-session"
    location="http://www.ecma-international.org/standards/ecma-366/ws-session/ws-session-wsdl-
abstract-definitions.wsdl" />
  <binding name="xs:nmtoken" type="tns:ApplicationSessionServicesPortType">
    <soap:binding style="document" transport="xs:anyURI"/>
    <operation name="tns:StartApplicationSession">
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
      <fault name="StartFault">
        <soap:fault name="StartFault" use="literal"/>
      </fault>
    </operation>
    <operation name="tns:StopApplicationSession">
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
      <fault name="StopFault">
        <soap:fault name="StopFault " use="literal"/>
      </fault>
    </operation>
    <operation name="tns:ResetApplicationSessionTimer">
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
      <fault name="ResetFault">
        <soap:fault name="ResetFault " use="literal"/>
      </fault>
    </operation>
    <operation name="tns:ApplicationSessionTerminated">
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
  </binding>
</definitions>

```



Annex A (Informative)

Service WSDL with SOAP/HTTP Binding

This Annex provides an example WSDL binding with SOAP/HTTP.

```

<definitions xmlns="http://schemas.xmlsoap.org/wsdl/" xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session"
  xmlns:tns="http://www.ecma-international.org/standards/ecma-366/ws-session"
  targetNamespace="http://www.ecma-international.org/standards/ecma-366/ws-session">
  <import namespace="http://www.ecma-international.org/standards/ecma-366/ws-session"
    location="http://www.ecma-international.org/standards/ecma-366/ws-session/ws-session-wsdl-
abstract-definitions.wsdl" />
  <binding name="SOAP_HTTP" type="tns:ApplicationSessionServicesPortType">
    <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
    <operation name="tns:StartApplicationSession">
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
      <fault name="StartFault">
        <soap:fault name="StartFault" use="literal"/>
      </fault>
    </operation>
    <operation name="tns:StopApplicationSession">
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
      <fault name="StopFault">
        <soap:fault name="StopFault" use="literal"/>
      </fault>
    </operation>
    <operation name="tns:ResetApplicationSessionTimer">
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
      <fault name="ResetFault">
        <soap:fault name="ResetFault" use="literal"/>
      </fault>
    </operation>
    <operation name="tns:ApplicationSessionTerminated">
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
  </binding>
  <service name="ApplicationSessionServices">
    <port name="ApplicationSessionServicesSoapHttpPort" binding="tns:SOAP_HTTP">
      <soap:address location="http://ecma_ws-session.com"/>
    </port>
  </service>
</definitions>

```



Annex B (Informative)

SOAP XML Templates for ECMA-354 Messages

B.1 StartApplicationSession request message template

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Body>aps:StartApplicationSession</S:Body>
</S:Envelope>
```

B.1.1 StartApplicationSession Positive response message template

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Body>aps:StartApplicationSessionPosResponse</S:Body>
</S:Envelope>
```

B.1.2 StartApplicationSession negative response message template

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Body>aps:StartApplicationSessionNegResponse</S:Body>
</S:Envelope>
```

B.2 StopApplicationSession request message template

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Body>aps:StopApplicationSession</S:Body>
</S:Envelope>
```

B.2.1 StopApplicationSession positive response message template

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Body>aps:StopApplicationSessionPosResponse</S:Body>
</S:Envelope>
```

B.2.2 StopApplicationSession negative response message template

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Body>aps:StopApplicationSessionNegResponse</S:Body>
</S:Envelope>
```

B.3 ResetApplicationSessionTimer request message template

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Body>aps:ResetApplicationSessionTimer</S:Body>
</S:Envelope>
```

B.3.1 ResetApplicationSessionTimer positive response message template

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Body>aps:ResetApplicationSessionTimerPosResponse</S:Body>
</S:Envelope>
```

B.3.2 Reset Application Session Timer negative response message template

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Body>aps:ResetApplicationSessionTimerNegResponse</S:Body>
</S:Envelope>
```

B.3.3 ApplicationSessionTerminated

ApplicationSessionTerminated operation is discussed in Annex C.



Annex C (Informative)

WS-Session Events

C.1 Event Sink of Application Session Terminated Service

The ApplicationSessionTerminated operation defines an outbound asynchronous event notification. The Service Subscriber should subscribe to receive the ApplicationSessionTerminated event from the Service Provider according to WS-Eventing [WS-Eventing]. It should provide to the Service Provider the URI of the event sink, so that it can receive the event notification.

The Service Subscriber should subscribe to receive the ApplicationSessionTerminated event immediately after the successful completion of the StartApplicationSession operation. The subscription message must include the mandatory elements of WS-Addressing (i.e. <wsa:To>, <wsa:Action>, <wsa:MessageID> and <wsa:ReplyTo>) and the unique aps:sessionID obtained from the StartApplicationSession operation.

Message header processing should follow the conformance requirement of WS-Addressing, e.g. the <wsa:MessageID> in the Service Subscriber subscription message should be copied back in the <wsa:RelatesTo> field of the response message from the Service Provider.

The aps:sessionID element should be the first level child element of the subscription endpoint reference parameters [WS-Addressing]. The subscription message from the Service Subscriber must provide at least one event sink endpoint reference [WS-Addressing] to the Service Provider.

The Service Provider should use the push delivery mode to deliver the event notification. The Service Provider should send event notification to each of the event sink endpoint declared in the event subscription message. The Service Provider shall copy the endpoint reference from the Service Subscriber to the <wsa:To> header block of the notification.

The event notification message from the Service Provider should include the sink endpoint reference parameters, so that the Service Subscriber can correlate the event notification obtained from the Service Provider with the corresponding session and event operation.

If the application session abnormally terminated, before the ApplicationSessionTerminated event can be subscribed, the subsequent subscription of ApplicationSessionTerminated event by the Service Subscriber will result in a SOAP faultstring invalidSessionID and the faultcode is wse:EventSourceUnableToProcess. The Service Provider should only send the notifications for valid event subscriptions.

When a session terminates, any subscription associated with the session is deemed invalid.

C.2 Event Sink WSDL Specification

The event sink interface specified by the Service Subscriber in the event subscription message should provide a one-way Web service event notification operation to receive the notification of ApplicationSessionTerminated event from the Service Provider.

The generic event sink described in this Annex should be the default event sink, and the additional typed event sink described in this Annex is optional. But if it has a typed event sink, Service Subscriber should declare it in the ApplicationSessionTerminated event subscription message to the Service Provider; and the Service Provider should send the notification of ApplicationSessionTerminated event to the typed event sink of the Service Subscriber. In this case, the generic event sink should still be used as the default event sink for other event notifications within the session.

C.2.1 Generic Event Sink Interface for WS-Session

The generic event sink described in this Annex can be used as a default event sink for all subscriptions within the session. The WSDL specification below contains a generic event notification operation NotifyEvent in the event sink.

```
<definitions
  xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:tns="http://www.ecma-international.org/standards/ecma-366/ws-session/generic_sink"
  targetNamespace="http://www.ecma-international.org/standards/ecma-366/ws-session/generic_sink">
  <types>
    <xs:schema targetNamespace="http://www.ecma-international.org/standards/ecma-366/ws-
session/generic_sink">
      <xs:complexType name="EventType" mixed="true">
        <xs:sequence>
          <xs:any namespace="##any" processContents="lax" minOccurs="0"
maxOccurs="unbounded"/>
        </xs:sequence>
      </xs:complexType>
    </xs:schema>
  </types>
  <message name="notifyEvent">
    <part name="parameter" type="tns:EventType"/>
  </message>
  <portType name="GenericSinkPortType">
    <operation name="NotifyEvent">
      <input message="tns:notifyEvent"/>
    </operation>
  </portType>
</definitions>
```

C.2.2 Typed Event Sink Interface for WS-Session

The Service Subscriber can declare an additional typed event sink interface. It contains a typed operation derived from the Service Provider's WSDL which is a "reversal" of the outbound operation of ApplicationSessionTerminated event operation of the Service Provider. The WSDL for the typed event sink interface of WS-Session is specified as follows:

```
<definitions
  xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session"
  xmlns:tns="http://www.ecma-international.org/standards/ecma-366/ws-session/sink"
  targetNamespace="http://www.ecma-international.org/standards/ecma-366/ws-session/sink">
  <types>
    <xs:schema>
      <xs:import namespace="http://www.ecma-international.org/standards/ecma-354/appl_session"
        schemaLocation="
http://www.ecma-international.org/standards/ecma-354/appl_session/application-session-terminated.xsd"/>
    </xs:schema>
  </types>
  <message name="applicationSessionTerminated">
    <part name="parameter" element="aps:ApplicationSessionTerminated"/>
  </message>
  <portType name="ApplicationSessionTerminatedSinkPortType">
    <operation name="tns:ApplicationSessionTerminated">
      <input message="tns:applicationSessionTerminated"/>
    </operation>
  </portType>
</definitions>
```

C.3 Event Subscription SOAP Messages

C.3.1 SOAP Message for ApplicationSessionTerminated Event Subscription

The event subscription message from the Service Subscriber for ApplicationSessionTerminated Service contains the unique `aps:sessionID` element obtained from the StartApplicationSession operation. The unique `aps:sessionID` is bound to the SOAP message as a header block.

The Service Subscriber should declare the event sink type (i.e. generic or typed+generic) using WS-Addressing Endpoint Reference.

The event subscription message should include mandatory `aps:sessionID` element in the SOAP header, and other mandatory elements of WS-Addressing.

The XML Schema definition of the event sink type elements (*generic* or *typed+generic*) of the sink interface in the `wse:Subscribe` message is as follows:

```
<xs:schema
  targetNamespace="http://www.ecma-international.org/standards/ecma-366/ws-session/event_sink_interface"
  xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="interface">
    <xs:complexType>
      <xs:sequence>
        <xs:any namespace="##any" minOccurs="0" maxOccurs="unbounded" />
      </xs:sequence>
      <xs:attribute name="type">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:enumeration value="generic"/>
            <xs:enumeration value="typed+generic"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:attribute>
      <xs:anyAttribute namespace="##other" />
    </xs:complexType>
  </xs:element>
</xs:schema>
```

For the rest of this Annex, the SOAP XML message templates related to ApplicationSessionTerminated event subscription are described.

C.4 WS-Session Event SOAP XML message templates

C.4.1 ApplicationSessionTerminated Event Subscription SOAP message template

The subscription to the ApplicationSessionTerminated event is shown below.

```

<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2005/02/addressing"
  xmlns:wse="http://schemas.xmlsoap.org/ws/2004/08/eventing"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session"
  xmlns:esi="http://www.ecma-international.org/standards/ecma-366/ws-session/event_sink_interface">
  <S:Header>
    <wsa:To>xs:anyURI</wsa:To>
    <aps:sessionID>xs:string</aps:sessionID>
    <wsa:ReplyTo><wsa:Address>xs:anyURI</wsa:Address></wsa:ReplyTo>
    <wsa:MessageID>xs:anyURI</wsa:MessageID>
    <wsa:Action>http://schemas.xmlsoap.org/ws/2004/08/eventing/Subscribe</wsa:Action>
    xs:any*
  </S:Header>
  <S:Body>
    <wse:Subscribe>
      <wse:Delivery>
        <wse:NotifyTo>
          <wsa:Address>xs:anyURI</wsa:Address>
          <esi:interface type="generic|typed+generic" />
        </wse:NotifyTo>
      </wse:Delivery>
    </wse:Subscribe>
  </S:Body>
</S:Envelope>

```

C.4.2 Template of positive response to the event subscription

The positive response to the ApplicationSessionTerminated event subscription is shown below.

```

<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2005/02/addressing"
  xmlns:wse="http://schemas.xmlsoap.org/ws/2004/08/eventing"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Header>
    <aps:sessionID>xs:string</aps:sessionID>
    <wsa:To>xs:anyURI</wsa:To>
    <wsa:RelatesTo>xs:anyURI</wsa:RelatesTo>
    <wsa:Action>http://schemas.xmlsoap.org/ws/2004/08/eventing/SubscribeResponse</wsa:Action>
    xs:any*
  </S:Header>
  <S:Body>
    <wse:SubscribeResponse>
      <wse:SubscriptionManager>
        wsa:EndpointReferenceType
      </wse:SubscriptionManager>
    </wse:SubscribeResponse>
  </S:Body>
</S:Envelope>

```

C.4.3 Template of negative response (fault) to event subscription

The negative response to the ApplicationSessionTerminated event subscription is shown below.

```

<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2005/02/addressing"
  xmlns:wse="http://schemas.xmlsoap.org/ws/2004/08/eventing"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Header>
    <aps:sessionID>xs:anyURI</aps:sessionID>
    <wsa:To>xs:anyURI</wsa:To>
    <wsa:RelatesTo>xs:anyURI</wsa:RelatesTo>
    <wsa:Action>http://schemas.xmlsoap.org/ws/2004/08/addressing/fault</wsa:Action>
    xs:any*
  </S:Header>
  <S:Body >
    <S:Fault>S:Fault</S:Fault>
  </S:Body>
</S:Envelope>

```

C.4.4 Template of Unsubscribe message

The request to unsubscribe to an existing subscription is shown below.

```

<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2005/02/addressing"
  xmlns:wse="http://schemas.xmlsoap.org/ws/2004/08/eventing"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Header>
    <wsa:To>xs:anyURI</wsa:To>
    <aps:sessionID>xs:string</aps:sessionID>
    <wsa:ReplyTo>xs:anyURI</wsa:ReplyTo>
    <wsa:MessageID>xs:anyURI</wsa:MessageID>
    <wsa:Action>http://schemas.xmlsoap.org/ws/2004/08/eventing/Unsubscribe</wsa:Action>
    xs:any*
  </S:Header>
  <S:Body>
    <wse:Unsubscribe />
  </S:Body>
</S:Envelope>

```

C.4.5 Template of positive response to Unsubscribe message

The positive response to unsubscribe to an existing subscription is shown below.

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2005/02/addressing"
  xmlns:wse="http://schemas.xmlsoap.org/ws/2004/08/eventing"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Header>
    <aps:sessionID>xs:string</aps:sessionID>
    <wsa:To>xs:anyURI</wsa:To>
    <wsa:RelatesTo>xs:anyURI</wsa:RelatesTo>
    <wsa:Action>http://schemas.xmlsoap.org/ws/2004/08/eventing/UnsubscribeResponse</wsa:Action>
    xs:any*
  </S:Header>
  <S:Body>
  </S:Body>
</S:Envelope>
```

C.4.6 Template of ApplicationSessionTerminated event notification to typed event sink

The event notification of ApplicationSessionTerminated event to the typed event sink is shown below.

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2005/02/addressing"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Header>
    <aps:sessionID>xs:string</aps:sessionID>
    <wsa:To>xs:anyURI</wsa:To>
    <wsa:Action>http://www.ecma-international.org/standards/ecma-366/ws-
    session/sink/ApplicationSessionSinkPortType/ApplicationSessionTerminated</wsa:Action>
    xs:any*
  </S:Header>
  <S:Body>aps:ApplicationSessionTerminated</S:Body>
</S:Envelope>
```

C.4.7 Template of ApplicationSessionTerminated event notification to generic event sink

The event notification of ApplicationSessionTerminated event to the generic event sink is shown below.

```
<S:Envelope
  xmlns:S="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2005/02/addressing"
  xmlns:aps="http://www.ecma-international.org/standards/ecma-354/appl_session">
  <S:Header>
    <aps:sessionID>xs:string</aps:sessionID>
    <wsa:To>xs:anyURI</wsa:To>
    <wsa:Action>http://www.ecma-international.org/standards/ecma-366/ws-
session/generic_sink/GenericSinkPortType/NotifyEvent</wsa:Action>
    xs:any*
  </S:Header>
  <S:Body>aps:ApplicationSessionTerminated</S:Body>
</S:Envelope>
```

C.5 WS-Session Event supporting documents

1. WS-Addressing: Web Service Addressing (WS-Addressing) 1.0 from W3C:
WS-Addressing 1.0 Core: W3C last call Working Draft (February 15, 2005),
<http://www.w3.org/TR/2005/WD-ws-addr-core-20050215/>
WS-Addressing 1.0 SOAP Biding: W3C last call Working Draft (February 15, 2005),
<http://www.w3.org/TR/2005/WD-ws-addr-soap-20050215/>
WS-Addressing 1.0 WSDL Binding: W3C Working Draft (February 15, 2005),
<http://www.w3.org/TR/2005/WD-ws-addr-wsdl-20050215/>
2. WS-Eventing: Web Service Eventing (WS-Eventing) from Oasis, August, 2004, by IBM, Microsoft, BEA, Computer Associates, TIBCO Software, and Sun Microsystems (<ftp://www6.software.ibm.com/software/developer/library/ws-eventing/WS-Eventing.pdf>).

