

INTERNATIONAL STANDARD



**Multicore and symmetrical pair/quad cables for digital communications –
Part 1-4: Assessment of conductor heating in bundled cables due to the
deployment of remote powering**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.



IEC 61156-1-4

Edition 1.0 2018-10

INTERNATIONAL STANDARD



**Multicore and symmetrical pair/quad cables for digital communications –
Part 1-4: Assessment of conductor heating in bundled cables due to the
deployment of remote powering**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.120.20

ISBN 978-2-8322-5968-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms, definitions and symbols.....	6
3.1 Terms and definitions.....	6
3.2 Symbols.....	7
4 Testing procedure.....	8
4.1 General.....	8
4.2 Bundling of cables	8
4.3 Testing current and measurement accuracy	10
4.4 Test conditions	10
4.5 Environmental conditions	10
4.6 Assessment of the concatenated loop resistance of all pairs	13
4.7 Data submission	13
4.8 Expression of results	14
Annex A (informative) Modelling of cable bundle heating [3]	15
A.1 Cable heating model	15
A.2 Evaluation of recorded data	18
Bibliography.....	19
Figure 1 – Bundle of cables under test.....	9
Figure 2 – Thermocouple placement	9
Figure 3 – Free air	11
Figure 4 – Open conduit (Tray)	11
Figure 5 – Conduit	12
Figure 6 – Sealed conduit	13
Table 1 – Supporting information	14
Table 2 – Test data format.....	14

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES
FOR DIGITAL COMMUNICATIONS –****Part 1-4: Assessment of conductor heating in bundled cables
due to the deployment of remote powering**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61156-1-4 has been prepared by subcommittee 46C: Wires and symmetric cables, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories.

This first edition cancels and replaces IEC PAS 61156-1-4, published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Several test arrangements are considered;
- b) The mathematical approach was revised

The text of this document is based on the following documents:

CDV	Report on voting
46C/1089/CDV	46C/1098A/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61156 series, published under the general title: *Multicore and symmetrical pair/quad cables for digital communications*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The use of remote powering causes a temperature rise in cables installed in bundles.

This document specifies a method to assess the temperature increase in cable bundles by measuring the temperature change using thermocouples placed on the sheath of the cable at the centre of the bundle.

Several test arrangements are considered as well as current values.

MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES FOR DIGITAL COMMUNICATIONS –

Part 1-4: Assessment of conductor heating in bundled cables due to the deployment of remote powering

1 Scope

This document specifies a method to assess the thermal behaviour of cables arranged in bundles, for digital communications. A method is described to determine the temperature increase in cable bundles for certain remote powering currents as a basis to analyse the expected performance under several test arrangements described in standards dealing with the installation of cabling systems (e.g. [1]¹, [2]).

It is only intended to provide guidance to assess the thermal behaviour of cables for digital communications in reference environmental conditions and arrangements. It is therefore not intended to become a type of test method.

The following test arrangements are considered:

- c) free air;
- d) cable tray;
- e) conduits;
- f) conduit with sealed ends.

Even though this document covers four-pair data grade cables, the same principles can be applied to other cable types.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61156-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification*

3 Terms, definitions and symbols

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61156-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

¹ Numbers in square brackets refer to the Bibliography.

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

current carrying capacity ampacity

maximum amount of current that a conductor can carry while remaining within the maximum allowable temperature for the cable insulation

3.1.2

PoE

power over Ethernet

technology describing a system to pass electrical power safely, along with data, on Ethernet cabling

3.1.3

PoEP

power over Ethernet Plus

evolution of PoE to allow higher power

3.1.4

remote powering

supply of power to application-specific equipment via balanced cabling

3.1.5

temperature rise

difference in temperature (°C) between the initial temperature of the conductor surface without power and the final temperature at the surface of the powered conductor at steady state

3.2 Symbols

For the purposes of this document, the following symbols are used.

d	cable diameter (m)
i_c	current per conductor (A)
M	number of layers surrounding the centre cable
N	number of cables carrying remote powering current
n_c	number of conductors per cable carrying remote powering current i_c
R_{amb}	average DC resistance per unit length (Ω/m) of conductors carrying remote powering current at ambient temperature
$R(T)$	average DC resistance per unit length (Ω/m) of conductors carrying remote powering current at temperature T
T_{amb}	ambient temperature (°C)
T_c	temperature at the centre of the bundle (°C)
T_s	temperature of the outer surface of the bundle (°C)
ΔT	total temperature rise in reference to the ambient temperature
α	temperature coefficient of resistance
ρ_{th}	specific constant relating to cable construction
ρ_u	specific constant relating to environmental conditions
k_{th}	global constant relating to cable construction
k_u	global constant relating to environmental conditions

4 Testing procedure

4.1 General

In this document the current carrying capacity of conductors refers to the conductor surface temperature.

This temperature is of utmost importance in terms of the suitability of the insulation material at the interface with the conductor in order to avoid overheating and consecutive degradation of the insulation and transmission characteristics. In addition, health and safety issues may arise, such as a melt down and the potential danger of self-ignition.

The test protocol provides test configurations, methods and data submission formats that are necessary to produce effective comparative data.

4.2 Bundling of cables

To determine the maximum permissible heating of the data grade cables, consideration of the worst-case conditions prevailing is required. These conditions occur in tightly bundled cables.

Only cables with the densest hexagonal packing structure (see Figure 1) have a repetitive heat dissipation performance in a well-defined environment.

The densest hexagonal packing structure is characterized by the following number of cables in a bundle:

$$N = \left(1 + \sum_{i=1}^M 6 \times i \right) = 3 \times M^2 + 3 \times M + 1 \quad (1)$$

where

N is the total number of cables in the densest hexagonal packing structure
 $N = 1, 7, 19, 37, 61, 91, \dots$;

M is the number of layers surrounding the centre cable.

The quantities listed above are used in order to produce cable bundles with complete layers surrounding a centre cable as shown in Figure 1.




Figure 1 – Bundle of cables under test

NOTE Bundles can be constructed with lower numbers of cables (e.g. 7 or 19) where smaller containment systems are under investigation – but these are considered inappropriate for the needs of this document.




Figure 2 – Thermocouple placement

The bundle length should be about 4 m. To reduce end effects, the length of the centre cable shall be less than 80 % but more than 70 % of the length of the surrounding cable layers.

The cables are configured to allow the balanced pairs within them to be fed with a constant direct current. All conductors are connected in series, so the same current flows through the whole setup. It has been determined that only a eight-conductor powered configuration is required [3].

A minimum of six thermocouples, with size as small as possible to avoid the influence on temperature change, shall be placed within the length of the “perfect bundle”: four (T_{2a} , T_{2b} , T_{2c} and T_{2d}) shall be placed in the middle of the bundle length, with each one measuring the temperature of successive layers of cables, and one either side (T_1 and T_3) of the centre cable sheath at a distance of $(0,6 \pm 0,05)$ m from the middle. This configuration is shown in Figure 2.

A further thermocouple T_a is used to obtain ambient temperature information.

Additional thermocouples may be used to provide temperature information for particular arrangements (e.g. for fire barrier material placed around the central area of the bundle). Any information from these thermocouples is considered additional to that of T_1 , T_2 and T_3 .

NOTE The thermocouple configuration and bundle length described in this clause have been shown to provide a uniform temperature profile along the bundle. Shorter lengths show temperature drop-off towards the ends of the bundles.

4.3 Testing current and measurement accuracy

The tests are undertaken with eight conductors for each cable powered. The voltage shall be adjusted to maintain a stable current. The current stability shall be within 10 mA.

Thermocouples T_1 , T_2 and T_3 (and any other temperature profile thermocouples used) shall have an accuracy of ± 1 °C. The measurements obtained from T_1 , T_2 and T_3 shall be within ± 2 °C.

Thermocouple T_a may be a more appropriate ambient temperature meter (or built into a mass that limits sensitivity of the thermocouple to air movement).

4.4 Test conditions

In order to obtain comparative data, the following conductor current levels (i_c) should be used:

- a) 175 mA on four conductors acting as two pairs (equivalent to PoE);
- b) 300 mA on four conductors acting as two pairs (equivalent to PoEP);
- c) 300 mA on eight conductors, acting as four pairs;
- d) 500 mA on eight conductors, acting as four pairs.

Other currents may be used but the above conditions are chosen for the purposes of data comparison.

Applied current should remain for enough time to reach a stable final temperature.


4.5 Environmental conditions

It is intended that the temperature will rise when the cable bundle is subjected to a variety arrangements, including:

- a) free air;
- b) cable tray;
- c) conduit;
- d) conduit sealed at both ends;


and at different, higher ambient temperatures for all of the above.

Figures 3 to 6 are reported as an example of how to arrange a set-up for different environmental conditions [4].



IEC

Figure 3 – Free air



IEC

Figure 4 – Open conduit (Tray)




Figure 5 – Conduit



IEC

Figure 6 – Sealed conduit

4.6 Assessment of the concatenated loop resistance of all pairs

To verify the suitability of the used constant current source, it is recommended to assess the total loop resistance of the bundle so as to have a minimum length suitable to match the used constant current source, the milli- or micro-voltmeter used and possibly a floating resistance meter or bridge.

4.7 Data submission

In order for the data to be directly compared, the following information shall be supplied:

- a) cable construction;
- b) cable diameter (data sheet information);
- c) cable bundle size (number of cables in the bundle);
- d) number of layers;
- e) the average resistance (Ω/m at $\sim 20\text{ }^\circ\text{C}$) of the cable used – this may be obtained from a total resistance value of the rig divided by the actual physical length of the cable used;
- f) the average resistance (Ω/m) of the cable used at any other ambient temperature to be employed – this may be obtained from a total resistance value of the rig divided by the actual physical length of the cable used;
- g) the radial position of thermocouples T_{2a} , T_{2b} , T_{2c} and T_{2d} (if different than defined above);
- h) current injected (mA);
- i) duration of applied current before temperature reading;
- j) schematic showing placement of any additional thermocouples;

- k) a measurement of the relative humidity (at least at the point at which the cabling is judged to have reached steady state conditions);
- l) photographs of test environment and arrangement are recommended;
- m) test data over time:
 - 1) time stamp (recording start of test);
 - 2) voltage;
 - 3) current;
 - 4) temperature measured by thermocouple T_1 ;
 - 5) temperature measured by thermocouple T_{2a} ;
 - 6) temperature measured by thermocouple T_{3a} ;
 - 7) temperatures measured by additional thermocouples T_{2b} , T_{2c} and T_{2d} ;
 - 8) ambient temperature T_{amb} .

Table 1 and Table 2 show an example of recorded data:

Table 1 – Supporting information

Test file ID	001
Wires used	8
Cable type (U/UTP, etc.)	U/UTP
Cable diameter	7,3 mm
Bundle size (number of cables in the bundle)	37
Average conductor resistance	0,076 Ω/m at 21 °C (see note)
Environmental conditions	Free air
Relative humidity (at steady state heated condition)	41 %
Images attached	IMG001.JPG
NOTE Obtained from a DC loop resistance of 15,5 Ω for a physical length of 102 m.	

Table 2 – Test data format

Time min	T_1	T_{2a}	T_{2b}	T_{2c}	T_{2d}	T_3	T_{amb}	Voltage V	Current mA
0	21	21	21	21	21	21	21	24	300
5	22	22	22	21	21	22	21	24,2	300
10	23	23	23	22	22	23	21	24,3	300
15	25	25	24	24	23	25	21	24,4	300
20	27	27	26	25	24	27	21	24,5	300

4.8 Expression of results

The measurement results should be used to determine the coefficients of the interpolation formula to obtain the temperature rise as a function of bundle size for each current:

$$\Delta T(N, i_c) = (C_1 N + C_2 \sqrt{N}) \times i_c^2 \quad (2)$$

Details on Formula (2) are given in Annex A.

Annex A (informative)

Modelling of cable bundle heating [3]

A.1 Cable heating model

Empirical investigations have shown that in a cable bundle the temperature rise is a function of both current and number of cables.

The temperature rise of the cable at the centre of the bundle can be accurately approximated with the Function (A.1):

$$\Delta T(N, i_c) = (C_1 N + C_2 \sqrt{N}) \times i_c^2 \quad (^\circ\text{C}) \quad (\text{A.1})$$

where

ΔT is the total temperature rise at the centre of the cable bundle in reference to the ambient temperature;

N is the number of cables carrying remote powering current;

i_c is the current per conductor (A).

Coefficients C_1 and C_2 can be formulated as in Equations (A.2) and (A.3):

$$C_1 = \frac{\rho_{th} \times n_c}{4\pi} \times R(T) = k_{th} \times R(T) \quad (\text{A.2})$$

$$C_2 = \frac{\rho_u \times n_c}{d \times \left(\sqrt[4]{\frac{3}{4} \pi^6} \right)} \times R(T) = k_u \times R(T) \quad (\text{A.3})$$

As a first approximation, the average resistance of the conductors in the bundle can be expressed as in Equation (A.4) using for T the average of the centre (T_c) and surface temperature (T_s):

$$R(T) = R_{amb} \times \left[1 + \alpha \times \left(\frac{T_c + T_s}{2} - T_{amb} \right) \right] \quad (\text{A.4})$$

where

R_{amb} is the resistance at ambient temperature (Ω/m);

T_c is the temperature at the centre of the bundle ($^\circ\text{C}$);

T_s is the temperature at the outer surface of the bundle ($^\circ\text{C}$).

The total temperature rise at the centre of the cable bundle in reference to the ambient temperature can be expressed as in Equation (A.5):

$$\Delta T = \Delta T_{\text{bundle}} + \Delta T_{\text{surface}} = (T_c - T_s) + (T_s - T_{amb}) \quad (\text{A.5})$$

where $\Delta T_{\text{bundle}} \propto N$ and $\Delta T_{\text{surface}} \propto \sqrt{N}$.

The temperature difference between the centre and the surface can be written as in Equation (A.6):

$$\Delta T_{\text{bundle}} = T_c - T_s = \frac{\rho_{th} \times n_c}{4\pi} \times R(T) \times N \times i_c^2 = k_{th} \times R(T) \times N \times i_c^2 \quad (\text{A.6})$$

Equations (A.1), (A.4) and (A.6) can be written in matrix form, as in Formula (A.7):

$$\begin{bmatrix} 1 & \frac{-\alpha \times R_{amb}}{2} & \frac{-\alpha \times R_{amb}}{2} \\ -(k_{th} \times N + k_u \times \sqrt{N}) \times i_c^2 & 1 & 0 \\ k_{th} \times N \times i_c^2 & -1 & 1 \end{bmatrix} \times \begin{bmatrix} R(T) \\ T_c \\ T_s \end{bmatrix} = \begin{bmatrix} R_{amb} \times (1 - \alpha \times T_{amb}) \\ T_{amb} \\ 0 \end{bmatrix} \quad (\text{A.7})$$

A more accurate approach takes into account the temperature of each layer in the bundle.

In the case of a 37-cable bundle, the conductor resistance might be better approximated by Equations (A.8) and (A.9):

$$R(T) = \frac{1}{37} \times (R_{centre} + 6 \times R_{layer1} + 12 \times R_{layer2} + 18 \times R_{layer3}) \quad (\text{A.8})$$

where

$$R_{centre} = R_{amb} \times [1 + \alpha \times (T_c - T_{amb})] \quad (\text{A.9})$$

If the temperatures T_1 , T_2 , T_3 of layers 1, 2, 3, ... were known, the terms in Equation (A.8) could be written as Equations (A.10), (A.11) and (A.12):

$$R_{layer1} = R_{amb} \times [1 + \alpha \times (T_1 - T_{amb})] \quad (\text{A.10})$$

$$R_{layer2} = R_{amb} \times [1 + \alpha \times (T_2 - T_{amb})] \quad (\text{A.11})$$

$$R_{layer3} = R_{amb} \times [1 + \alpha \times (T_3 - T_{amb})] \quad (\text{A.12})$$

The temperatures T_1 , T_2 , T_3 can be approximated as linear functions of the temperatures T_c and T_s . When considering the resistance of the m^{th} layer of a bundle containing M layers surrounding a centre cable, the temperature T_m is as illustrated in Equation (A.13):

$$T_m \cong T_c - \frac{2 \cdot m}{2 \cdot M + 1} \times (T_c - T_s) \quad (\text{A.13})$$

In the case of a bundle of 37 cables, Equations (A.10) to (A.12) become:

$$R_{layer1} \cong R_{amb} \times \left[1 + \alpha \times \left(T_c - \frac{2}{7} \cdot (T_c - T_s) - T_{amb} \right) \right] \quad (\text{A.14})$$

$$R_{layer2} \cong R_{amb} \times \left[1 + \alpha \times \left(T_c - \frac{4}{7} \cdot (T_c - T_s) - T_{amb} \right) \right] \quad (\text{A.15})$$

$$R_{layer3} \cong R_{amb} \times \left[1 + \alpha \times \left(T_c - \frac{6}{7} \cdot (T_c - T_s) - T_{amb} \right) \right] \quad (\text{A.16})$$

This more accurate version of the resistance for the case of a 37-cable bundle changes Equation (A.7) as shown in Equation (A.17):

$$\begin{bmatrix} 1 & \frac{-13 \cdot \alpha \times R_{amb}}{37} & \frac{-24 \cdot \alpha \times R_{amb}}{37} \\ -\left(k_{th} \times N + k_u \times \sqrt{N}\right) \times i_c^2 & 1 & 0 \\ k_{th} \times N \times i_c^2 & -1 & 1 \end{bmatrix} \times \begin{bmatrix} R(T) \\ T_c \\ T_s \end{bmatrix} = \begin{bmatrix} R_{amb} \times (1 - \alpha \times T_{amb}) \\ T_{amb} \\ 0 \end{bmatrix} \quad (\text{A.17})$$

The case of a 37-cable bundle can be generalized to any cable bundles containing M layers surrounding a centre cable, in which $R(T)$ becomes as given in Equation (A.18):

$$R(T) = \frac{R_{amb}}{M^2 + M - 1} \times \left[\left(M^2 + M + 1 \right) \times \left(\alpha \times T_c - 3 \cdot \alpha \times T_{amb} + 2 \cdot \alpha \times T_s + 3 \right) - 2 \cdot \alpha \times T_s \right] \quad (\text{A.18})$$

And the solution to Equation (A.17) becomes as in Equation (A.19):

$$\begin{bmatrix} R(T) \\ T_c \\ T_s \end{bmatrix} = \begin{bmatrix} 1 & \frac{\left(M^2 + M + 1 \right) \times \alpha \times R_{amb}}{\left(3 \times M^2 + 3 \times M + 1 \right)} & \frac{2 \times \left(M^2 + M \right) \times \alpha \times R_{amb}}{\left(3 \times M^2 + 3 \times M + 1 \right)} \\ -\left(k_{th} \times N + k_u \times \sqrt{N}\right) \times i_c^2 & 1 & 0 \\ k_{th} \times N \times i_c^2 & -1 & 1 \end{bmatrix}^{-1} \times \begin{bmatrix} R_{amb} \times (1 - \alpha \times T_{amb}) \\ T_{amb} \\ 0 \end{bmatrix} \quad (\text{A.19})$$

A.2 Evaluation of recorded data

Using the data recorded, as described in 4.7 for different bundle sizes for a chosen value of current, the coefficients C_1 and C_2 can be found as shown in Equation (A.20):

$$\begin{bmatrix} C_1 \\ C_2 \end{bmatrix} = \begin{bmatrix} \sum_{i=1}^Q N_i^2 & \sum_{i=1}^Q N_i^{3/2} \\ \sum_{i=1}^Q N_i^{3/2} & \sum_{i=1}^Q N_i \end{bmatrix}^{-1} \times \begin{bmatrix} \sum_{i=1}^Q \frac{\Delta T_i(0)}{i_c^2} \times N_i \\ \sum_{i=1}^Q \frac{\Delta T_i(0)}{i_c^2} \times N_i^{1/2} \end{bmatrix} \quad (\text{A.20})$$

where

N_i is the bundle size (number of cables) of set data i ;

Q is the number of sets of data (minimum 2);

$\Delta T_i(0)$ is the difference between the temperature $T(0)$ of centre cable of set i and ambient temperature T_{amb} .

Bibliography

- [1] CLC/TR 50174-99-1, *Information technology – Cabling installation – Part 99-1: Remote powering*
 - [2] ISO/IEC TR 29125, *Information technology – Telecommunications cabling requirements for remote powering of terminal equipment*
 - [3] HOPKINSON, W. *Evolving Methods of Evaluating Cable Heating*. In proceedings of the 65th IWCS Conference
 - [4] Photographs taken from the document “Cable heating results – Arlington 2014.pdf” presented at the IEC SC46C/WG7 meeting held in Arlington on May 2014
 - [5] IEEE 802.3af-2003, *IEEE Standard for Information Technology – Telecommunications and Information Exchange Between Systems – Local and Metropolitan Area Networks – Specific Requirements – Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications – Data Terminal Equipment (DTE) Power Via Media Dependent Interface (MDI)*
 - [6] IEEE 802.3at-2009 (Amendment to IEEE Std 802.3-2008) – *IEEE Standard for Information technology – Local and metropolitan area networks – Specific requirements – Part 3: CSMA/CD Access Method and Physical Layer Specifications – Amendment 3: Data Terminal Equipment (DTE) Power via the Media Dependent Interface (MDI) Enhancements*
-

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

3, rue de Varembé
PO Box 131
CH-1211 Geneva 20
Switzerland

Tel: + 41 22 919 02 11
Fax: + 41 22 919 03 00
info@iec.ch
www.iec.ch