

American National Standard for Roadway Lighting Equipment— Enclosed Side-Mounted Luminaires for Horizontal-Burning High-Intensity- Discharge Lamps—Mechanical Interchangeability of Refractors

Sponsor

Accredited Standards Committee on Roadway Lighting Equipment, C136

Accredited by the

American National Standards Institute

Secretariat

The Institute of Electrical and Electronics Engineers, Inc.

Approved 30 April 1997

American National Standards Institute

Abstract: The dimensional features and the material of refractors as described in ANSI C136.14-1988, American National Standard for Roadway Lighting Equipment—Enclosed Side-Mounted Luminaires for Horizontal-Burning High-Intensity Discharge Lamps, are covered.

Keywords: mechanical interchangeability, refractors, side-mounted luminaires

The Institute of Electrical and Electronics Engineers, Inc.
345 East 47th Street, New York, NY 10017-2394, USA

Copyright © 1997 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 1997. Printed in the United States of America.

ISBN 1-55937-930-8

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Board. Members of the committees serve voluntarily and without compensation. They are not necessarily members of the Institute. The standards developed within IEEE represent a consensus of the broad expertise on the subject within the Institute as well as those activities outside of IEEE that have expressed an interest in participating in the development of the standard.

Use of an IEEE Standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of all concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration.

Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE Standards Board
445 Hoes Lane
P.O. Box 1331
Piscataway, NJ 08855-1331
USA

Note: Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents for which a license may be required by an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; (508) 750-8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

(This introduction is not a part of ANSI C136.17-1997, American National Standard for Roadway Lighting Equipment—Enclosed Side-Mounted Luminaires for Horizontal-Burning High-Intensity-Discharge Lamps—Mechanical Interchangeability of Refractors.)

This standard was prepared by the Roadway Luminaire Task Force of Subcommittee C136-1, Subcommittee on Luminaires and Light-Sensitive Control Devices.

Greg Steinman, Chair

The Accredited Standards Committee on Roadway Lighting, C136, had the following voting members at the time this standard was approved:

Richard E. Hildreth, Chair

Rosemary Tennis, Staff Liaison

<i>Organization Represented</i>	<i>Name of Representative</i>
Alabama Power Company	Scott Thurman
Area Lighting Research, Inc.	George Duve
CEW Lighting, Inc.....	Dan Pitcher
Dark to Light, Inc.....	Jeff D. Walters
Detroit Edison Company.....	Donald Edwards
Duke Power Company	Stokes White
Edison Electric Institute	Matthew Mingoia
Entergy	Al Maguire
Federal Highway Administration	Charles Craig
Fisher-Pierce Corporation.....	Mark Martich
General Electric Company	W. W. Alexander
Georgia Power Company	Mike Stevens
Hapco	Thomas M. Fawley
Holophane Lighting Company	Randall P. Crothers
Hubbell, Inc.....	Thomas D. Hirt
Illuminating Engineering Society.....	Richard E. Stark
Lampas Controls, Inc.....	Vance Spillman
Los Angeles Bureau of Street Lighting.....	Philip H. Reed
Memphis Light, Gas and Water Division	Robert E. Beanblossom
National Electrical Manufacturers Association	Richard Snow
Pennsylvania Power and Light	Robert L. Nickel

PSI Energy	Richard E. Hildreth
Ripley Photocontrol	John Mills
Shakespeare, Inc.	William D. Griffin
Sherman Utility Structures	Ricky Miskelley
Thomas & Betts Corporation	Rick Kauffman (<i>Alt.</i>)
Union Metal Corporation	Joseph Brindlinger
Valmont Industries	Dennis Havranek
Virginia Power	Frank I. Hinkle
W. J. Whatley, Inc.	George Maybee
Wisconsin Department of Transportation	Balu Ananthanarayanan
Wisconsin Electric Power	Richard G. Monsoor
Individual Members	Frank M. Alverson
	Andrew S. Kosiorek

Valerie E. Zelenty
IEEE Standards Project Editor

Contents

1. Overview.....	1
2. Physical dimensions.....	2
3. Materials	2

American National Standard for Roadway Lighting Equipment— Enclosed Side-Mounted Luminaires for Horizontal-Burning High-Intensity- Discharge Lamps—Mechanical Interchangeability of Refractors

1. Overview

1.1 Scope

This standard covers the dimensional features and the material of refractors of the approximate shape shown in Figures 1 through 3, and as described in ANSI C136.14-1988, American National Standard for Roadway Lighting Equipment—Enclosed Side-Mounted Luminaires for Horizontal-Burning High-Intensity-Discharge Lamps.

1.2 Purpose

This standard provides

- a) A description and diagrams of substitute refractors for the original refractor when replacement is necessary.
- b) The dimensions for a good fit for the refractor at the points of contact, the points of attachment, or both, to the reflector or the housing, or to both the reflector and the housing.
- c) Requirements for light distribution acceptable to the user, but not necessarily equal to the original optical system.

NOTE—The optics package consisting of the lamp, the reflector, and the refractor configuration is unique to the individual fixture. Replacement of a single fixture component will not guarantee the same optical performance.

The requirements and figures in this standard will help keep the number of refractors needed on service vehicles to a minimum.


2. Physical dimensions

Figures 1 through 3 show the refractors' points of contact, points of attachment, or both, to the reflector, the housing, or both.

The dimensions given in these figures are for interchangeability, and other variants satisfying nondimensioned provisions may be capable of otherwise equivalent performance.

3. Materials

Refractors may be made of heat-resistant glass, polycarbonate, acrylics, or other suitable materials as specified by the user.



Tolerance (Unless otherwise marked)	
No. of decimals	Tolerance
2	± 0.03 in (0.76 mm)
3	± 0.015 in (0.38 mm)

(b)

(a)

NOTE—All dimensions are in inches (millimeters).

Figure 1—Flange dimensions for refractors for small horizontal-burning HID luminaires






Figure 2—Flange dimensions for refractors for medium horizontal-burning HID luminaires



NOTE—All dimensions are in inches (millimeters).

Figure 2—Flange dimensions for refractors for medium horizontal-burning HID luminaires (Continued)



NOTE—All dimensions are in inches (millimeters).

Figure 3—Flange dimensions for refractors for large horizontal-burning HID luminaries