



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

G.853.6

(03/99)

SERIES G: TRANSMISSION SYSTEMS AND MEDIA,
DIGITAL SYSTEMS AND NETWORKS

Digital transmission systems – Digital networks –
Management of transport network

Information viewpoint for trail management

ITU-T Recommendation G.853.6

(Previously CCITT Recommendation)

ITU-T G-SERIES RECOMMENDATIONS
TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS

INTERNATIONAL TELEPHONE CONNECTIONS AND CIRCUITS	G.100–G.199
INTERNATIONAL ANALOGUE CARRIER SYSTEM	
GENERAL CHARACTERISTICS COMMON TO ALL ANALOGUE CARRIER-TRANSMISSION SYSTEMS	G.200–G.299
INDIVIDUAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON METALLIC LINES	G.300–G.399
GENERAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON RADIO-RELAY OR SATELLITE LINKS AND INTERCONNECTION WITH METALLIC LINES	G.400–G.449
COORDINATION OF RADIOTELEPHONY AND LINE TELEPHONY	G.450–G.499
TESTING EQUIPMENTS	
TRANSMISSION MEDIA CHARACTERISTICS	G.600–G.699
DIGITAL TRANSMISSION SYSTEMS	
TERMINAL EQUIPMENTS	G.700–G.799
DIGITAL NETWORKS	G.800–G.899
General aspects	G.800–G.809
Design objectives for digital networks	G.810–G.819
Quality and availability targets	G.820–G.829
Network capabilities and functions	G.830–G.839
SDH network characteristics	G.840–G.849
Management of transport network	G.850–G.859
SDH radio and satellite systems integration	G.860–G.869
Optical transport networks	G.870–G.879
DIGITAL SECTIONS AND DIGITAL LINE SYSTEM	G.900–G.999

For further details, please refer to ITU-T List of Recommendations.

ITU-T RECOMMENDATION G.853.6

INFORMATION VIEWPOINT FOR TRAIL MANAGEMENT

Summary

The trail management service provides functionality for:

- creation/deletion of trail termination points;
- association/disassociation of trail termination points with/from subnetworks or access groups;
- set-up/release and modification of trails between a specified set of endpoints and/or access groups at the boundary of a layer network.

Source

ITU-T Recommendation G.853.6 was prepared by ITU-T Study Group 4 (1997-2000) and was approved under the WTSC Resolution No. 1 procedure on the 26th of March 1999.

FOREWORD

ITU (International Telecommunication Union) is the United Nations Specialized Agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of the ITU. The ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Conference (WTSC), which meets every four years, establishes the topics for study by the ITU-T Study Groups which, in their turn, produce Recommendations on these topics.

The approval of Recommendations by the Members of the ITU-T is covered by the procedure laid down in WTSC Resolution No. 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation the term *recognized operating agency (ROA)* includes any individual, company, corporation or governmental organization that operates a public correspondence service. The terms *Administration*, *ROA* and *public correspondence* are defined in the *Constitution of the ITU (Geneva, 1992)*.

INTELLECTUAL PROPERTY RIGHTS

The ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. The ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, the ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementors are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database.

© ITU 1999

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

CONTENTS

	Page
1 Scope	1
2 References	1
3 Definitions	1
4 Abbreviations	1
5 Conventions.....	2
6 Class diagrams.....	2
6.1 UML class diagram representing relationships between classes.....	2
6.2 UML class diagram representing the inheritance hierarchy.....	3
7 Label references.....	4
8 Information object class definitions	4
8.1 tmAccessGroup	4
8.2 tmLayerNetworkDomain.....	4
8.3 tmNetworkTTP.....	5
8.4 tmSubnetwork	5
8.5 tmSubnetworkConnection	5
8.6 tmSubnetworkTP.....	6
8.7 tmTrail.....	6
8.8 tmTrafficDescriptor.....	6
8.9 tmTrailServiceCharacteristics	7
9 Information relationship definitions.....	7
9.1 tmTrailHasImmediateTrafficDescriptor.....	7
9.2 tmTrailHasTSC	7
10 Static schemas	8
11 Dynamic schemas.....	8
12 Attributes.....	8

Recommendation G.853.6

INFORMATION VIEWPOINT FOR TRAIL MANAGEMENT

(Geneva, 1999)

1 Scope

This information viewpoint specification is related to the trail management enterprise specification defined in Recommendation G.852.6.

2 References

The following ITU-T Recommendations and other references contain provisions which, through reference in this text, constitute provisions of this Recommendation. At the time of publication, the editions indicated were valid. All Recommendations and other references are subject to revision; all users of this Recommendation are therefore encouraged to investigate the possibility of applying the most recent edition of the Recommendations and other references listed below. A list of the currently valid ITU-T Recommendations is regularly published.

- [1] ITU-T Recommendation G.851.1 (1996), *Management of the transport network – Application of the RM-ODP framework.*
- [2] ITU-T Recommendation G.853.1 (1999), *Common elements of the information viewpoint for the management of a transport network.*
- [3] ITU-T Recommendation G.853.2 (1996), *Subnetwork connection management information viewpoint.*
- [4] ITU-T Recommendation G.852.6 (1999), *Enterprise viewpoint for trail management.*
- [5] ITU-T Recommendation G.854.6 (1999), *Computational viewpoint for trail management.*

3 Definitions

None.

4 Abbreviations

This Recommendation uses the following abbreviations:

Id	Identifier
imp	imported
inh	inherited
RM-ODP	Reference Model for Open Distributed Processing
tm	Trail Management
TTP	Trail Termination Point
UML	Unified Modelling Language

5 Conventions

For further study.

6 Class diagrams

6.1 UML class diagram representing relationships between classes





Figure 1/G.853.6 – UML class diagram representing relationships between classes

6.2 UML class diagram representing the inheritance hierarchy



T0410040-98

Figure 2/G.853.6 – Information object class inheritance diagram

7 Label references

Full label reference	Local label reference
<"Rec. G.853.1", INFORMATION_OBJECT: accessGroup>	accessGroup
<"Rec. G.853.1", INFORMATION_OBJECT: layerNetworkDomain>	layerNetworkDomain
<"Rec. G.853.1", INFORMATION_OBJECT: networkTTP>	networkTTP
<"Rec. G.853.2", INFORMATION_OBJECT: serviceCharacteristics>	serviceCharacteristics
<"Rec. G.853.1", INFORMATION_OBJECT: subnetwork>	subnetwork
<"Rec. G.853.1", INFORMATION_OBJECT: subnetworkConnection>	subnetworkConnection
<"Rec. G.853.1", INFORMATION_OBJECT: subnetworkTP>	subnetworkTP
<"Rec. G.853.1", INFORMATION_OBJECT: trail>	trail
<"Rec.G.853.1", INFORMATION_RELATIONSHIP: accessGroupIsMadeOfNetworkTTPs>	accessGroupIsMadeOfNetworkTTPs
<"Rec. G.853.1", INFORMATION_RELATIONSHIP: layerNetworkDomainIsMadeOf>	layerNetworkDomainIsMadeOf
<"Rec.G.853.1", INFORMATION_RELATIONSHIP: subnetworkIsDelimitedBy>	subnetworkIsDelimitedBy
<"Rec.G.853.1", INFORMATION_RELATIONSHIP: subnetworkConnectionIsTerminatedByPointToPoint>	subnetworkConnectionIsTerminatedByPointToPoint
<"Rec.G.853.1", INFORMATION_RELATIONSHIP: subnetworkTPIsRelatedToExtremity>	subnetworkTPIsRelatedToExtremity
<"Rec.G.853.1", INFORMATION_RELATIONSHIP: trailIsTerminatedByPointToPoint>	trailIsTerminatedByPointToPoint
<"Rec.G.853.1", INFORMATION_ATTRIBUTE: signalIdentification>	signalIdentification
<"Rec.G.853.1", INFORMATION_ATTRIBUTE: userLabel>	userLabel

8 Information object class definitions

8.1 tmAccessGroup

<COMMUNITY: trail management, ROLE: access group>

DEFINITION

"This object class is derived from <accessGroup>."

ATTRIBUTE

-- none additional

RELATIONSHIP

<layerNetworkDomainIsMadeOf>
<accessGroupIsMadeOfNetworkTTPs>

8.2 tmLayerNetworkDomain

<COMMUNITY: trail management, COMMUNITY_POLICY: signalId>

DEFINITION

"This object class is derived from <layerNetworkDomain>."

ATTRIBUTE

-- none additional

RELATIONSHIP

<layerNetworkDomainIsMadeOf>

8.3 tmNetworkTTP

<COMMUNITY: trail management, ROLE: trail termination point>

DEFINITION

"This object class is derived from <networkTTP>."

ATTRIBUTE

<userLabel>

"<COMMUNITY: trail management, ACTION: create trail termination point, ACTION_POLICY: inputUserLabel>

This attribute is imported from G.853.1 and is used as a user friendly label for the networkTTP."

RELATIONSHIP

<accessGroupIsMadeOfNetworkTTPs>

<trailIsTerminatedByPointToPoint>

<subnetworkTPIsRelatedToExtremity>

<layerNetworkDomainIsMadeOf>

8.4 tmSubnetwork

<COMMUNITY: trail management, ROLE: subnetwork>

DEFINITION

"This object class is derived from <subnetwork>."

ATTRIBUTE

-- none additional

RELATIONSHIP

<subnetworkIsDelimitedBy>

<layerNetworkDomainIsMadeOf>

8.5 tmSubnetworkConnection

<COMMUNITY: trail management, ROLE: subnetwork connection>

DEFINITION

"This object class is derived from <subnetwork connection>."

ATTRIBUTE

-- none additional

RELATIONSHIP

<subnetworkConnectionIsTerminatedByPointToPoint>

<layerNetworkDomainIsMadeOf>

8.6 tmSubnetworkTP

<COMMUNITY: trail management, ACTION: delete trail termination point, ACTION_POLICY notAssociatedWithSubnetwork>

<COMMUNITY: trail management, ACTION: associate trail termination point with subnetwork, ACTION_POLICY tTPNotAlreadyAssociated>

<COMMUNITY: trail management, ACTION: disassociate trail termination point from subnetwork, ACTION_POLICY tTPNotDisassociated>

DEFINITION

"This object class is derived from <subnetworkTP>."

ATTRIBUTE

-- none additional

RELATIONSHIP

<subnetworkTPsRelatedToExtremity>
<subnetworkIsDelimitedBy>
<subnetworkConnectionIsTerminatedByPointToPoint>
<layerNetworkDomainIsMadeOf>

8.7 tmTrail

<COMMUNITY: trail management, ROLE: trail>

DEFINITION

"This object class is derived from <trail>."

ATTRIBUTE

<userLabel>
" <COMMUNITY: trail management, ACTION: set up point-to-point trail, ACTION_POLICY: inputUserLabel>
This attribute is imported from G.853.1 and is used as a user-friendly name for the trail."

RELATIONSHIP

<trailIsTerminatedByPointToPoint>
<tmTrailHasTSC>
<tmTrailHasImmediateTrafficDescriptor>
<layerNetworkDomainIsMadeOf>

8.8 tmTrafficDescriptor

<COMMUNITY: trail management, ACTION: set up point-to-point trail, ACTION_POLICY: trafficCharacteristics>

DEFINITION

"This object class reflects all the characteristics associated with the requested transport service. This class will be refined based on technology-dependent characteristics."

ATTRIBUTE

<signalIdentification>
"This attribute is imported from G.853.1 and it specifies the signal format of the resources whose traffic descriptors are determined by the <tmTrafficDescriptor> information object. The specific format values will be defined in technology-specific extensions."

RELATIONSHIP

<tmTrailHasImmediateTrafficDescriptor>

8.9 tmTrailServiceCharacteristics

<COMMUNITY: trail management, ACTION: set up point-to-point trail, ACTION_POLICY: trafficCharacteristics>

<COMMUNITY: trail management, ACTION: set up point-to-point trail, ACTION_POLICY: routingConstraints>

DEFINITION

"This object class is derived from <serviceCharacteristics>.

This object class will be refined due to the technological-dependent characteristics."

ATTRIBUTE

<signalIdentification>

"This attribute is imported from G.853.1 and it specifies the signal format of the resources whose service characteristics are determined by the tmTrailServiceCharacteristics information object. The specific format values will be defined in technology-specific extensions."

RELATIONSHIP

<tmTrailHasTSC>

9 Information relationship definitions

9.1 tmTrailHasImmediateTrafficDescriptor

<COMMUNITY: trail management, ACTION: set up point-to-point trail, ACTION_POLICY: trafficCharacteristics>

DEFINITION

"This information relationship represents the relationship which exists between a trail and a traffic descriptor."

ROLE

trailTD

"Played by instances of the <tmTrail> information object class and subclasses."

immediateTrafficDescriptorTrail

"Played by an instance of the <tmTrafficDescriptor> object class."

INVARIANT

inv_1

"Several objects playing the trailTD role may be involved in the relationship."

inv_2

"Only one object playing the immediateTrafficDescriptorTrail role may be involved in the relationship."

9.2 tmTrailHasTSC

<COMMUNITY: trail management, ACTION: set up point-to-point trail, ACTION_POLICY: routingConstraints>

DEFINITION

"The tmTrailHasTSC relationship describes the association between a trail and the related quality of transport service characteristics."

ROLE

transportQualifiedTrail

"Played by instances of the <tmTrail> information object class and subclasses."

transportQualifierTSC

"Played by an instance of the <tmTrailServiceCharacteristics> object class."

INVARIANT

inv_1

"Several objects playing the transportQualifiedTrail role may be involved in the relationship."

inv_2

"Only one object playing the transportQualifierTSC role may be involved in the relationship."

10 Static schemas

None.

11 Dynamic schemas

None.

12 Attributes

None additional.

ITU-T RECOMMENDATIONS SERIES

- Series A Organization of the work of the ITU-T
- Series B Means of expression: definitions, symbols, classification
- Series C General telecommunication statistics
- Series D General tariff principles
- Series E Overall network operation, telephone service, service operation and human factors
- Series F Non-telephone telecommunication services
- Series G Transmission systems and media, digital systems and networks**
- Series H Audiovisual and multimedia systems
- Series I Integrated services digital network
- Series J Transmission of television, sound programme and other multimedia signals
- Series K Protection against interference
- Series L Construction, installation and protection of cables and other elements of outside plant
- Series M TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
- Series N Maintenance: international sound programme and television transmission circuits
- Series O Specifications of measuring equipment
- Series P Telephone transmission quality, telephone installations, local line networks
- Series Q Switching and signalling
- Series R Telegraph transmission
- Series S Telegraph services terminal equipment
- Series T Terminals for telematic services
- Series U Telegraph switching
- Series V Data communication over the telephone network
- Series X Data networks and open system communications
- Series Y Global information infrastructure and Internet protocol aspects
- Series Z Languages and general software aspects for telecommunication systems