



ITU-T Rec. J.Sup1 (11/98) Example of linking options between annexes of ITU-T Recommendation J.112 and annexes of ITU-T Recommendation J.83

ITU-T Rec. J.Sup2 (11/98) Guidelines for the implementation of Annex A of Recommendation J.112, "Transmission systems for interactive cable television services" - Example of digital video broadcasting (DVB) interaction channel for cable television di...

ITU-T Rec. J.Sup3 (11/98) Guidelines for the implementation of Recommendation J.111 "Network independent protocols" - Example of Digital Video Broadcasting (DVB) systems for interactive services

ITU-T Rec. J.1 (03/98) Terminology for new services in television and sound-programme transmission

ITU-T Rec. J.1 Amd 1 (11/98)

ITU-T Rec. J.2 (03/98) Guidelines on the use of ITU-T Recommendations in the J series

ITU-T Rec. J.11 (11/88) Hypothetical reference circuits for sound-programme transmissions

ITU-T Rec. J.12 (11/88) Types of sound-programme circuits established over the international telephone network

ITU-T Rec. J.13 (11/80) Definitions for international sound-programme circuits

ITU-T Rec. J.14 (11/88) Relative levels and impedances on an international sound-programme connection

ITU-T Rec. J.15 (11/88) Lining-up and monitoring an international sound-programme connection

ITU-T Rec. J.16 (11/80) Measurement of weighted noise in sound-programme circuits

ITU-T Rec. J.17 (12/72) Pre-emphasis used on sound-programme circuits

ITU-T Rec. J.18 (11/80) Crosstalk in sound-programme circuits set up on carrier systems



ITU-T Rec. J.19 (11/80) A conventional test signal simulating sound-programme signals for measuring interference in other channels

ITU-T Rec. J.21 (08/94) Performance characteristics of 15 kHz-type sound-programme circuits - Circuits for high quality monophonic and stereophonic transmissions

ITU-T Rec. J.23 (11/88) Performance characteristics of 7 kHz type (narrow-bandwidth) sound-programme circuits

ITU-T Rec. J.24 (02/82) Modulation of signals carried by sound-program circuits by interfering signals from power supply sources

ITU-T Rec. J.25 (05/86) Estimation of transmission performance of sound-program circuits shorter or longer than the hypothetical reference circuit

ITU-T Rec. J.26 (06/90) Test signals to be used on international sound-program connections

ITU-T Rec. J.27 (06/90) Signals for the alignment of international sound-program connections

ITU-T Rec. J.41 (11/88) Characteristics of equipment for the coding of analogue high quality sound programme signals for transmission on 384 kbit/s channels

ITU-T Rec. J.42 (11/88) Characteristics of equipment for the coding of analogue medium quality sound-programme signals for transmission on 384-kbit/s channels

ITU-T Rec. J.43 (11/88) Characteristics of equipment for the coding of analogue high quality sound programme signals for transmission on 320 kbit/s channels

ITU-T Rec. J.44 (11/88) Characteristics of equipment for the coding of analogue medium quality sound-programme signals for transmission on 320 kbit/s channels

ITU-T Rec. J.51 (08/94) General principles and user requirements for the digital transmission of high quality sound programmes



ITU-T Rec. J.52 (07/96) Digital transmission of high-quality sound-programme signals using one, two or three 64 kbit/s channels per mono signal (and up to six per stereo signal)

ITU-T Rec. J.53 (06/90) Sampling frequency to be used for the digital transmission of high-quality sound-programme signals

ITU-T Rec. J.54 (05/86) Transmission of analogue high-quality sound-programme signals on mixed analogue-and-digital circuits using 384 kbit/s channels

ITU-T Rec. J.55 (06/90) Digital transmission of high-quality sound-programme signals on distribution circuits using 480 kbit/s (496 kbit/s) per audio channel

ITU-T Rec. J.56 (06/90) Transmission of high-quality sound-programme analogue signals over mixed analogue/digital circuits at 320 kbit/s

ITU-T Rec. J.57 Notice (12/96)

ITU-T Rec. J.57 (06/90) Transmission of digital studio quality sound signals over HI channels

ITU-T Rec. J.61 (06/90) Transmission performance of television circuits designed for use in international connections

ITU-T Rec. J.62 (02/78) Single value of the signal-to-noise ratio for all television systems

ITU-T Rec. J.63 (06/90) Insertion of test signals in the field-blanking interval of monochrome and colour television signals

ITU-T Rec. J.64 (02/86) Definitions of parameters for simplified automatic measurement of television insertion test signals

ITU-T Rec. J.65 (02/78) Standard test signal for conventional loading of a television channel



ITU-T Rec. J.66 (02/78) Transmission of one sound programme associated with analogue television signal by means of time division multiplex in the line synchronizing pulse

ITU-T Rec. J.67 (08/94) Test signals and measurement techniques for transmission circuits carrying MAC/packet signals or HD-MAC signals

ITU-T Rec. J.68 (02/82) Hypothetical reference chain for television transmissions over very long distances

ITU-T Rec. J.80 (09/93) Transmission of component-coded digital television signals for contribution-quality applications at bit rates near 140 Mbit/s

ITU-T Rec. J.81 Cor 1 (10/96) Corrigendum 1

ITU-T Rec. J.81 (09/93) Transmission of component-coded digital television signals for contribution-quality applications at the third hierarchical level of ITU-T Recommendation G.702

ITU-T Rec. J.81 Amd 1 (10/95) Appendix II to Annex A to Recommendation J.81 - Guidelines for implementation of a complete television codec

ITU-T Rec. J.81 Amd 2 (03/98) Appendix IV to Annex A - Results of 34 Mbit/s codec interworking tests (February 1996)

ITU-T Rec. J.82 (07/96) Transport of MPEG-2 constant bit rate television signals in B-ISDN

ITU-T CORRIGENDUM TO Recommendation J 83 (04/97) Digital multi-programme systems for television sound and data services for c

ITU-T Rec. J.83 (04/97) Digital multi-programme systems for television, sound and data services for cable distribution

ITU-T Rec. J.84 (04/97) Distribution of digital multi-programme signals for television, sound and data services through SMATV networks



ITU-T Rec. J.85 (06/90) Digital television transmission over long distances - General principles

ITU-T Rec. J.86 (06/90) Mixed analogue-and-digital transmission of analogue composite television signals over long distances

ITU-T Rec. J.87 (03/98) Use of hybrid cable television links for the secondary distribution of television into the user's premises

ITU-T Rec. J.90 (04/97) Electronic programme guides for delivery by digital cable television and similar methods

ITU-T Rec. J.91 (08/94) Technical methods for ensuring privacy in long-distance international television transmission

ITU-T Rec. J.92 (04/97) Recommended operating guidelines for point-to-point transmission of television programmes

ITU-T Rec. J.93 (03/98) Requirements for conditional access in the secondary distribution of digital television on cable television systems

ITU-T Rec. J.94 (11/98) Service information for digital broadcasting in cable television systems

ITU-T Rec. J.100 (06/90) Tolerances for transmission time differences between the vision and sound components of a television signal

ITU-T Rec. J.101 (06/90) Measurement methods and test procedures for teletext signals

ITU-T Rec. J.110 (04/97) Basic principles for a worldwide common family of systems for the provision of interactive television services

ITU-T Rec. J.111 (03/98) Network independent protocols for interactive systems

ITU-T Rec. J.112 (03/98) Transmission systems for interactive cable television services



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T Rec. J.113 (03/98) Digital video broadcasting interaction channel through the PSTN/ISDN

ITU-T Rec. J.131 (03/98) Transport of MPEG-2 signals in PDH networks

ITU-T Rec. J.132 (03/98) Transport of MPEG-2 signals in SDH networks

ITU-T Rec. J.140 (03/98) Subjective picture quality assessment for digital cable television systems

ITU-T Rec. J.150 (03/98) Operational functionalities for the delivery of digital multiprogramme television, sound and data services through multichannel, multipoint distribution systems (MMDS)