



ITU-T Rec. Q.Sup3 (05/98) Number portability - Scope and capability set 1 architecture

ITU-T Rec. Series Q Supplement 4 (05/98) NUMBER PORTABILITY - CAPABILITY SET 1 REQUIREMENTS FOR SERVICE PROVIDER PORTABILITY [AL

ITU-T Series Q Supplement 5 (03/99) NUMBER PORTABILITY - CAPABILITY SET 2 REQUIREMENTS FOR SERVICE PROVIDER PORTABILITY (QUER...

ITU-T Rec. Q.Sup6 (03/99) Technical report TRQ.2000: Roadmap for the TRQ.2xxx-series technical reports

ITU-T Rec. Q.Sup7 (03/99) Technical report TRQ.2001: General aspects for the development of unified signalling requirements

ITU-T Rec. Q.Sup8 (03/99) Technical report TRQ.2400: Transport control signalling requirements - Signalling requirements for AAL Type 2 link control capability set 1

ITU-T Rec. Q.1 (11/88) Signal receivers for manual working

ITU-T Rec. Q.2 (11/88) Signal receivers for automatic and semi-automatic working, used for manual working

ITU-T Rec. Q.4 (11/88) Automatic switching functions for use in national networks

ITU-T Rec. Q.5 - Advantages of semi-automatic service in the international telephone service

ITU-T Rec. Q.6 - Advantages of international automatic working

ITU-T Rec. Q.7 - Signalling systems to be used for international automatic and semi-automatic telephone working

ITU-T Rec. Q.8 (11/88) Signalling systems to be used for international manual and automatic working on analogue leased circuits



ITU-T Rec. Q.9 (11/88) Vocabulary of switching and signalling terms

ITU-T Rec. Q.11 ter (11/88) Timetable for coordinated implementation of the full capability of the numbering plan for the ISDN era (Recommendation E.164)

ITU-T Rec. Q.12 (11/88) Overflow - alternative routing - rerouting - automatic repeat attempt

ITU-T Rec. Q.14 (11/88) Means to control the number of satellite links in an international telephone connection

ITU-T Rec. Q.20 (11/88) Comparative advantages of "in-band" and "out-band" systems

ITU-T Rec. Q.21 (11/88) Systems recommended for out-band signalling

ITU-T Rec. Q.22 (11/88) Frequencies to be used for in-band signalling

ITU-T Rec. Q.23 (11/88) Technical features of push-button telephone sets

ITU-T Rec. Q.24 (11/88) Multifrequency push-button signal reception

ITU-T Rec. Q.25 (11/88) Splitting arrangements and signal recognition times in "in-band" signalling systems

ITU-T Rec. Q.26 (11/88) Direct access to the international network from the national network

ITU-T Rec. Q.27 (11/88) Transmission of the answer signal

ITU-T Rec. Q.28 (11/88) Determination of the moment of the called subscriber's answer in the automatic service

ITU-T Rec. Q.29 (11/88) Causes of noise and ways of reducing noise in telephone exchanges



ITU-T Rec. Q.30 (11/88) Improving the reliability of contacts in speech circuits

ITU-T Rec. Q.31 (11/88) Noise in a national 4-wire automatic exchange

ITU-T Rec. Q.32 (11/88) Reduction of the risk of instability by switching means

ITU-T Rec. Q.33 (11/88) Protection against the effects of faulty transmission on groups of circuits

ITU-T Rec. E.180/Q.35 (03/98) TECHNICAL CHARACTERISTICS OF TONES¹ FOR THE TELEPHONE SERVICE

ITU-T Rec. Q.44 (11/88) Attenuation distortion

ITU-T Rec. Q.45 bis (11/88) Transmission characteristics of an analogue international exchange

ITU-T Rec. Q.45 (10/84) Transmission characteristics of an analogue international exchange

ITU-T Rec. Q.48 (11/88) Demand assignment signalling systems

ITU-T Rec. Q.50 (06/97) Signalling between circuit multiplication equipments (CME) and international switching centres (ISC)

ITU-T Rec. Q.65 (06/97) The unified functional methodology for the characterization of services and network capabilities

ITU-T Rec. Q.68 (03/93) Overview of methodology for developing management services

ITU-T Rec. Q.71 (03/93) ISDN circuit mode switched bearer services

ITU-T Rec. Q.72 (03/93) Stage 2 description for packet mode services



ITU-T Rec. Q.76 (02/95) Service procedures for Universal Personal Telecommunication - Functional modelling and information flows

ITU-T Rec. Q.80 (11/88) Introduction to stage 2 service descriptions for supplementary services

ITU-T Rec. Q.81.1 (11/88) Direct dialling-in

CCITT Rec. Q.81 - STAGE 2 DESCRIPTION FOR NUMBER IDENTIFICATION SUPPLEMENTARY SERVICES

ITU-T Rec. Q.81.3 (09/91) Calling line identification presentation (CLIP) and calling line identification restriction (CLIR)

ITU-T Rec. Q.81.7 (06/97) Stage 2 description for number identification supplementary services: Malicious call identification (MCID)

ITU-T Rec. Q.82.1 (11/88) Call transfer

ITU-T Rec. Q.82.2 (03/93) Call forwarding

ITU-T Rec. Q.82.4 (11/88) Line hunting

ITU-T Rec. Q.82.7 (07/96) Explicit call transfer

ITU-T Rec. Q.83.1 (09/91) Call waiting (CW)

ITU-T Rec. Q.83.2 (02/92) Call hold

ITU-T Rec. Q.83.3 (11/88) Completion of call to busy subscriber

ITU-T Rec. Q.83.1 (09/91) Call waiting (CW)



ITU-T Rec. Q.84.1 (03/93) Conference calling (CONF)

ITU-T Rec. Q.84.2 (10/95) Three-party service

ITU-T Rec. Q.85.1 (02/92) Closed user group

ITU-T Rec. Q.85.6 (02/95) Global Virtual Network Service (GVSN)

ITU-T Rec. Q.85.6 Annex A (07/96) SERVICE PROCEDURES AND INFORMATION FLOWS BASED ON INTELLIGENT NETWORK CS-1 CAPABILITIES

ITU-T Rec. Q.86.1 (11/88) Credit card call

ITU-T Rec. Q.86.2 (10/95) Advice of charge (AOC)

ITU-T Rec. Q.86.3 (03/93) Reverse charging (REV)

ITU-T Rec. Q.86.4 (06/97) Stage 2 description for charging supplementary services: International Freephone Service (IFS)

ITU-T Rec. Q.86.7 (10/95) International Telecommunication Charge Card (ITCC)

ITU-T Rec. Q.87.1 (03/93) User-to-user signalling (UUS)

ITU-T Rec. Q.87.2 (11/88) User signalling bearer services

ITU-T Rec. Q.101 (11/88) Facilities provided in international semi-automatic working

ITU-T Rec. Q.102 (11/88) Facilities provided in international automatic working

ITU-T Rec. Q.103 (11/88) Numbering used



ITU-T Rec. Q.104 (11/88) Language digit or discriminating digit

ITU-T Rec. Q.105 (11/88) National (significant) number

ITU-T Rec. Q.106 (11/88) The sending-finished signal

ITU-T Rec. Q.107 bis (03/93) Analysis of forward address information for routing

ITU-T Rec. Q.107 (11/88) Standard sending sequence of forward address information

ITU-T Rec. Q.108 (11/88) One-way or both-way operation of international circuits

ITU-T Rec. Q.109 (11/88) Transmission of the answer signal in international exchanges

ITU-T Rec. Q.110 (11/88) General aspects of the utilization of standardized CCITT signalling systems on PCM links

ITU-T Rec. Q.112 (11/88) Signal levels and signal receiver sensitivity

ITU-T Rec. Q.113 (11/88) Connection of signal receivers in the circuit

ITU-T Rec. Q.114 (11/88) Typical transmission requirements for signal senders and receivers

ITU-T Rec. Q.115 (06/97) Logic for the control of echo control devices

ITU-T Rec. Q.116 (11/88) Indication given to the outgoing operator or calling subscriber in case of an abnormal condition

ITU-T Rec. Q.117 (11/88) Alarms for technical staff and arrangements in case of faults

ITU-T Rec. Q.118 bis (11/88) Indication of congestion conditions at transit exchanges



- ITU-T Rec. Q.118 (09/97) Abnormal conditions - Special release arrangements
- ITU-T Rec. Q.120 (11/88) Definition and function of signals
- ITU-T Rec. Q.121 (11/88) Signal code
- ITU-T Rec. Q.122 (11/88) Signal sender and signal receiver
- ITU-T Rec. Q.123 (11/88) Signal receiver
- ITU-T Rec. Q.124 (11/88) Splitting arrangements
- ITU-T Rec. Q.125 (11/88) Speed of switching in international exchanges
- ITU-T Rec. Q.126 (11/88) Analysis and transfer of digital information
- ITU-T Rec. Q.127 (11/88) Release of registers
- ITU-T Rec. Q.128 (11/88) Switching to speech position
- ITU-T Rec. Q.129 (11/88) Maximum duration of a blocking signal
- ITU-T Rec. Q.130 (11/88) Special arrangements in case of failures in the sequence of signals
- ITU-T Rec. Q.131 (11/88) Abnormal release conditions of the outgoing register causing release of the international circuit
- ITU-T Rec. Q.133 (11/88) Numbering for access to automatic measuring and testing devices
- ITU-T Rec. Q.134 (11/88) Routine testing of equipment (local maintenance)



ITU-T Rec. Q.135 (11/88) Principles of rapid transmission testing equipment

ITU-T Rec. Q.136 (11/88) Loop transmission measurements

ITU-T Rec. Q.137 (11/88) Automatic testing equipment

ITU-T Rec. Q.138 (11/88) Instruments for checking equipment and measuring signals

ITU-T Rec. Q.139 (11/88) Manual testing

ITU-T Rec. Q.140 (11/88) Definition and function of signals

ITU-T Rec. Q.141 (03/93) Signal code for line signalling

ITU-T Rec. Q.142 (11/88) Double seizing with both-way operation

ITU-T Rec. Q.143 (11/88) Line signal sender

ITU-T Rec. Q.144 (03/93) Line signal receiver

ITU-T Rec. Q.145 (11/88) Splitting arrangements

ITU-T Rec. Q.146 (11/88) Speed of switching in international exchanges

ITU-T Rec. Q.151 (11/88) Signal code for register signalling

ITU-T Rec. Q.152 (11/88) End-of-Pulsing conditions - Register arrangements concerning ST (end-of-pulsing) signal

ITU-T Rec. Q.153 (11/88) Multifrequency signal sender



- ITU-T Rec. Q.154 (11/88) Multifrequency signal receiver
- ITU-T Rec. Q.155 (11/88) Analysis of digital information for routing
- ITU-T Rec. Q.156 (11/88) Release of international registers
- ITU-T Rec. Q.157 (11/88) Switching to the speech position
- ITU-T Rec. Q.161 (11/88) General arrangements for manual testing
- ITU-T Rec. Q.162 (11/88) Routine testing of equipment (local maintenance)
- ITU-T Rec. Q.163 (11/88) Manual testing
- ITU-T Rec. Q.164 (11/88) Testing equipment for checking equipment and signals
- ITU-T Rec. Q.180 (11/88) Interworking of signalling systems No. 4 and No. 5
- ITU-T Rec. Q.251 (11/88) General
- ITU-T Rec. Q.252 (11/88) Signal transfer time definitions
- ITU-T Rec. Q.253 (11/88) Association between signalling and speech networks
- ITU-T Rec. Q.254 (11/88) Telephone signals
- ITU-T Rec. Q.255 (11/88) Signalling-system-control signals
- ITU-T Rec. Q.256 (11/88) Management signal
- ITU-T Rec. Q.257 (11/88) General



ITU-T Rec. Q.258 (11/88) Telephone signals

ITU-T Rec. Q.259 (11/88) Signalling-system-control signals

ITU-T Rec. Q.260 (11/88) Management signals

ITU-T Rec. Q.261 (11/88) Normal call set-up

ITU-T Rec. Q.262 (11/88) Analysis of digital information for routing

ITU-T Rec. Q.263 (11/88) Double seizing with both-way operation

ITU-T Rec. Q.264 (11/88) Potential for automatic repeat attempt and re-routing

ITU-T Rec. Q.265 (11/88) Speed of switching and signal transfer in international exchanges

ITU-T Rec. Q.266 (11/88) Blocking and unblocking sequences and control of quasi-associated signalling

ITU-T Rec. Q.267 (11/88) Unreasonable and superfluous messages

ITU-T Rec. Q.268 (11/88) Release of international connections and associated equipment

ITU-T Rec. Q.271 (11/88) General

ITU-T Rec. Q.272 (11/88) Requirements for the signalling data link

ITU-T Rec. Q.273 (11/88) Data transmission rate

ITU-T Rec. Q.274 (11/88) Transmission methods. Modem and interface requirements

ITU-T Rec. Q.275 (11/88) Data channel failure detection



ITU-T Rec. Q.276 (11/88) Service dependability

ITU-T Rec. Q.277 (11/88) Error control

ITU-T Rec. Q.278 (11/88) Synchronization

ITU-T Rec. Q.279 (11/88) Drift compensation

ITU-T Rec. Q.285 (11/88) Signal priority categories

ITU-T Rec. Q.286 (11/88) Signalling channel loading and queueing delays

ITU-T Rec. Q.287 (11/88) Signal transfer time requirements

ITU-T Rec. Q.291 (11/88) General

ITU-T Rec. Q.292 (11/88) Reserve facilities provided

ITU-T Rec. Q.293 (11/88) Intervals at which security measures are to be invoked

ITU-T Rec. Q.295 (11/88) Overall tests of Signalling System No. 6

ITU-T Rec. Q.296 (11/88) Monitoring and maintenance of the common signalling channel

ITU-T Rec. Q.297 (11/88) Network management

ITU-T Rec. Q.300 (11/88) Interworking between CCITT Signalling System No. 6 and national common channel signalling systems

ITU-T Rec. Q.310 (11/88) Definition and function of signals



ITU-T Rec. Q.311 (11/88) 2600 Hz line signalling

ITU-T Rec. Q.312 (11/88) 2600 Hz line signal sender (transmitter)

ITU-T Rec. Q.313 (11/88) 2600 Hz line signal receiving equipment

ITU-T Rec. Q.314 (11/88) PCM line signalling

ITU-T Rec. Q.315 (11/88) PCM line signal sender (transmitter)

ITU-T Rec. Q.316 (11/88) PCM line signal receiver

ITU-T Rec. Q.317 (11/88) Further specification clauses relative to line signalling

ITU-T Rec. Q.318 (11/88) Double seizing with both-way operation

ITU-T Rec. Q.319 (11/88) Speed of switching in international exchanges

ITU-T Rec. Q.320 (11/88) Signal code for register signalling

ITU-T Rec. Q.321 (11/88) End-of-pulsing conditions - Register arrangements concerning ST signal

ITU-T Rec. Q.322 (11/88) Multifrequency signal sender

ITU-T Rec. Q.323 (11/88) Multifrequency signal receiving equipment

ITU-T Rec. Q.324 (11/88) Analysis of address information for routing

ITU-T Rec. Q.325 (11/88) Release of registers

ITU-T Rec. Q.326 (11/88) Switching to the speech position



ITU-T Rec. Q.327 (11/88) General arrangements

ITU-T Rec. Q.328 (11/88) Routine testing of equipment (local maintenance)

ITU-T Rec. Q.329 (11/88) Manual testing

ITU-T Rec. Q.330 (11/88) Automatic transmission and signalling testing

ITU-T Rec. Q.331 (11/88) Test equipment for checking equipment and signals

ITU-T Rec. Q.332 (11/88) Interworking

ITU-T Rec. Q.400 (11/88) Forward line signals

ITU-T Rec. Q.411 (11/88) Line signalling code

ITU-T Rec. Q.412 (11/88) Clauses for exchange line signalling equipment

ITU-T Rec. Q.414 (11/88) Signal sender

ITU-T Rec. Q.415 (11/88) Signal receiver

ITU-T Rec. Q.416 (11/88) Interruption control

ITU-T Rec. Q.421 (11/88) Digital line signalling code

ITU-T Rec. Q.422 (11/88) Clauses for exchange line signalling equipment

ITU-T Rec. Q.424 (11/88) Protection against the effects of faulty transmission

ITU-T Rec. Q.430 (11/88) Conversion between analogue and digital versions of System R2 line signalling



ITU-T Rec. Q.440 (11/88) General

ITU-T Rec. Q.441 (11/88) Signalling code

ITU-T Rec. Q.442 (11/88) Pulse transmission of backward signals A-3, A-4, A-6 or A-15. Multifrequency signalling equipment

ITU-T Rec. Q.44 Annex A (11/88)

ITU-T Rec. Q.450 (11/88) General

ITU-T Rec. Q.451 (11/88) Definitions

ITU-T Rec. Q.452 (11/88) Requirements relating to transmission conditions

ITU-T Rec. Q.454 (11/88) The sending part of the multifrequency signalling equipment

ITU-T Rec. Q.455 (11/88) The receiving part of the multifrequency equipment. Range, speed and reliability of interregister signalling

ITU-T Rec. Q.457 (11/88) Range of interregister signalling

ITU-T Rec. Q.458 (11/88) Reliability of interregister signalling

ITU-T Rec. Q.460 (11/88) Normal call set-up procedures for international working

ITU-T Rec. Q.462 (11/88) Signalling between the outgoing international R2 register and an incoming R2 register in an international exchange

ITU-T Rec. Q.463 (11/88) Signalling between the outgoing international R2 register and an incoming R2 register in a national exchange in the destination country



ITU-T Rec. Q.464 (11/88) Signalling between the outgoing international R2 register and the last incoming R2 register

ITU-T Rec. Q.465 (11/88) Particular cases

ITU-T Rec. Q.466 (11/88) Supervision and release of the call

ITU-T Rec. Q.468 (11/88) Routing and numbering for international working - Termination of interregister signalling

ITU-T Rec. Q.470 (11/88) At an incoming R2 register situated in a transit exchange

ITU-T Rec. Q.471 (11/88) At the last incoming R2 register situated in the exchange to which the called subscriber is connected

ITU-T Rec. Q.472 (11/88) At the last incoming R2 register situated in a transit exchange

ITU-T Rec. Q.473 (11/88) Use of end-of-pulsing signal I-15 in international working

ITU-T Rec. Q.474 (11/88) Use of group B signals

ITU-T Rec. Q.475 (11/88) Normal release of outgoing and incoming R2 registers

ITU-T Rec. Q.476 (11/88) Abnormal release of outgoing and incoming R2 registers

ITU-T Rec. Q.478 (11/88) Relay and regeneration of R2 interregister signals by an outgoing R2 register in a transit exchange

ITU-T Rec. Q.479 (11/88) Echo-suppressor control - Signalling requirements

ITU-T Rec. Q.480 (11/88) Miscellaneous procedures



ITU-T Rec. Q.490 (11/88) Testing and maintenance

ITU-T Annex A to Rec. Q.400-Q.490 - Provision of a forward-transfer signalling facility

ITU-T Rec. Q.500 (11/88) Digital local, combined, transit and international exchanges, introduction and field of application

ITU-T Rec. Q.511 (11/88) Exchange interfaces towards other exchanges

ITU-T Rec. Q.512 (02/95) Digital exchange interfaces for subscriber access

ITU-T Rec. Q.513 (03/93) Digital exchange interfaces for operations, administration and maintenance

ITU-T Rec. Q.521 (03/93) Digital exchange functions

ITU-T Rec. Q.522 (11/88) Digital exchange connections, signalling and ancillary functions

ITU-T Rec. Q.541 (03/93) Digital exchange design objectives - General

ITU-T Rec. Q.542 (03/93) Digital exchange design objectives - Operations and maintenance

ITU-T Rec. Q.543 (03/93) Digital exchange performance design objectives

ITU-T Rec. Q.544 (11/88) Digital exchange measurements

ITU-T Rec. Q.551 (11/96) Transmission characteristics of digital exchanges

ITU-T Rec. Q.552 (11/96) Transmission characteristics at 2-wire analogue interfaces of digital exchanges

ITU-T Rec. Q.553 (11/96) Transmission characteristics at 4-wire analogue interfaces of digital exchanges



ITU-T Rec. Q.554 (11/96) Transmission characteristics at digital interfaces of digital exchanges

ITU-T Rec. Q.601 (03/93) Interworking of signalling systems - General

ITU-T Rec. Q.602 (03/93) Interworking of signalling systems - Introduction

ITU-T Rec. Q.603 (11/88) Events

ITU-T Rec. Q.604 (03/93) Interworking of signalling systems - Information analysis tables

ITU-T Rec. Q.605 (11/88) Drawing conventions

ITU-T Rec. Q.606 (11/88) Logic procedures

ITU-T Rec. Q.607 (11/88) Interworking requirements for new signalling systems

ITU-T Rec. Q.608 (11/88) Miscellaneous interworking aspects

ITU-T Rec. Q.611 (11/88) Logic procedures for incoming signalling system No. 4

ITU-T Rec. Q.612 (11/88) Logic procedures for incoming signalling system No. 5

ITU-T Rec. Q.613 (11/88) Logic procedures for incoming signalling system No. 6

ITU-T Rec. Q.614 (03/93) Logic procedures for incoming Signalling System No. 7 (TUP)

ITU-T Rec. Q.615 (11/88) Logic procedures for incoming signalling system R1

ITU-T Rec. Q.616 (11/88) Logic procedures for incoming signalling system R2

ITU-T Rec. Q.617 (03/93) Logic procedures for incoming signalling system No. 7 (ISUP)



- ITU-T Rec. Q.621 (11/88) Logic procedures for outgoing signalling system No. 4
- ITU-T Rec. Q.622 (11/88) Logic procedures for outgoing signalling system No. 5
- ITU-T Rec. Q.623 (11/88) Logic procedures for outgoing signalling system No. 6
- ITU-T Rec. Q.624 (03/93) Logic procedures for outgoing Signalling System No. 7 (TUP)
- ITU-T Rec. Q.625 (11/88) Logic procedures for outgoing signalling system R1
- ITU-T Rec. Q.626 (11/88) Logic procedures for outgoing signalling system R2
- ITU-T Rec. Q.627 (03/93) Logic procedures for outgoing Signalling System No. 7 (ISUP)
- ITU-T Rec. Q.634 (11/88) Logic procedures for interworking of signalling system No. 4 to R2
- ITU-T Rec. Q.642 (11/88) Logic procedures for interworking of signalling system No. 5 to No. 6
- ITU-T Rec. Q.643 (11/88) Logic procedures for interworking of signalling system No. 5 to No. 7 (TUP)
- ITU-T Rec. Q.644 (11/88) Logic procedures for interworking of signalling system No. 5 to R1
- ITU-T Rec. Q.645 (11/88) Logic procedures for interworking of signalling system No. 5 to R2
- ITU-T Rec. Q.646 (03/93) Logic procedures for interworking of Signalling System No. 5 to Signalling System No. 7 (ISUP)
- ITU-T Rec. Q.652 (11/88) Logic procedures for interworking of signalling system No. 6 to No. 5
- ITU-T Rec. Q.653 (11/88) Logic procedures for interworking of signalling system No. 6 to No. 7 (TUP)



- ITU-T Rec. Q.654 (11/88) Logic procedures for interworking of signalling system No. 6 to R1
- ITU-T Rec. Q.655 (11/88) Logic procedures for interworking of signalling system No. 6 to R2
- ITU-T Rec. Q.656 (03/93) Logic procedures for interworking of Signalling System No. 6 to Signalling System No. 7 (ISUP)
- ITU-T Rec. Q.662 (11/88) Logic procedures for interworking of signalling system No. 7 (TUP) to No. 5
- ITU-T Rec. Q.663 (11/88) Logic procedures for interworking of signalling system No. 7 (TUP) to No. 6
- ITU-T Rec. Q.664 (11/88) Logic procedures for interworking of signalling system No. 7 (TUP) to No. 7 (TUP)
- ITU-T Rec. Q.665 (11/88) Logic procedures for interworking of signalling system No. 7 (TUP) to R1
- ITU-T Rec. Q.666 (11/88) Logic procedures for interworking of signalling system No. 7 (TUP) to R2
- ITU-T Rec. Q.667 (03/93) Logic procedures for interworking of Signalling System No. 7 (TUP) to Signalling System No. 7 (ISUP)
- ITU-T Rec. Q.671 (11/88) Logic procedures for interworking of signalling system R1 to No. 5
- ITU-T Rec. Q.672 (11/88) Logic procedures for interworking of signalling system R1 to No. 6
- ITU-T Rec. Q.673 (11/88) Logic procedures for interworking of signalling system R1 to No. 7 (TUP)
- ITU-T Rec. Q.674 (11/88) Logic procedures for interworking of signalling system R1 to R2
- ITU-T Rec. Q.675 (03/93) Logic procedures for interworking of Signalling System R1 to Signalling System No. 7 (ISUP)



- ITU-T Rec. Q.681 (11/88) Logic procedures for interworking of signalling system R2 to No. 4
- ITU-T Rec. Q.682 (11/88) Logic procedures for interworking of signalling system R2 to No. 5
- ITU-T Rec. Q.683 (11/88) Logic procedures for interworking of signalling system R2 to No. 6
- ITU-T Rec. Q.684 (11/88) Logic procedures for interworking of signalling system R2 to No. 7 (TUP)
- ITU-T Rec. Q.685 (11/88) Logic procedures for interworking of signalling system R2 to R1
- ITU-T Rec. Q.686 (03/93) Logic procedures for interworking of Signalling System R2 to Signalling System No. 7 (ISUP)
- ITU-T Rec. Q.690 (03/93) Logic procedures for interworking of Signalling System No. 7 (ISUP) to No. 5
- ITU-T Rec. Q.691 (03/93) Logic procedures for interworking of Signalling System No.7 (ISUP) to No. 6
- ITU-T Rec. Q.692 (03/93) Logic procedures for interworking of Signalling System No. 7 (ISUP) to No. 7 (TUP)
- ITU-T Rec. Q.694 (03/93) Logic procedures for interworking of signalling system No. 7 (ISUP) to R1
- ITU-T Rec. Q.695 (03/93) Logic procedures for interworking of Signalling System No. 7 (ISUP) to R2
- ITU-T Rec. Q.696 (06/97) Interworking between the Signalling System No. 7 ISDN User Part (ISUP) and Signalling Systems No. 5, R2 and Signalling System No. 7 TUP
- ITU-T Rec. Q.698 (03/93) Interworking of Signalling System No. 7 ISUP, TUP and Signalling System No. 6 using arrow diagrams
- ITU-T Rec. Q.699 (09/97) Interworking between ISDN access and non-ISDN access over ISDN User Part of Signalling System No. 7



ITU-T Rec. Q.699.1 (05/98) Interworking between ISDN access and non-ISDN access over ISDN user part of Signalling System No. 7: Support of VPN applications with PSSI information flows

ITU-T Rec. Q.601-Q.695 Annex A (03/93) Lists and meanings of FITEs, BITEs and SPITEs - Representation of information contents of signals of the signalling systems

ITU-T Rec. Q.601-Q.695 Annex B (03/93) Narrative presentation of interworking

ITU-T Rec. Q.700 (03/93) Introduction to CCITT Signalling System No. 7

ITU-T Rec. Q.701 (08/97) Information technology - Open Systems Interconnection - Systems management overview

ITU-T Rec. Q.702 (11/88) Signalling data link

ITU-T Rec. Q.703 (10/97) Information technology - Open Distributed Management Architecture

ITU-T Rec. Q.704 (07/96) Signalling network functions and messages

ITU-T Rec. Q.705 (03/93) Signalling network structure

ITU-T Rec. Q.706 (03/93) Message transfer part signalling performance

ITU-T Rec. Q.707 (11/88) Testing and maintenance

ITU-T Rec. Q.708 (03/99) Assignment procedures for international signalling point codes

ITU-T Rec. Q.709 (03/93) Hypothetical signalling reference connection

ITU-T Rec. Q.710 (11/88) Simplified MTP version for small systems



- ITU-T Rec. Q.711 (07/96) Functional description of the Signalling Connection Control Part
- ITU-T Rec. Q.712 (07/96) Definition and function of signalling connection control part messages
- ITU-T Rec. Q.713 (07/96) Signalling Connection Control Part formats and codes
- ITU-T Rec. Q.714 (07/96) Signalling connection control part procedures
- ITU-T Rec. Q.715 (07/96) Signalling connection control part user guide
- ITU-T Rec. Q.716 (03/93) Signalling System No. 7 - Signalling connection control part (SCCP) performance
- ITU-T Rec. Q.721 (11/88) Functional description of the Signalling System No. 7 Telephone User Part (TUP)
- ITU-T Rec. Q.722 (11/88) General function of telephone messages and signals
- ITU-T Rec. Q.723 (11/88) Formats and codes
- ITU-T Rec. Q.724 (11/88) Signalling procedures
- ITU-T Rec. Q.725 (03/93) Signalling performance in the telephone application
- ITU-T Rec. Q.730 (09/97) ISDN User Part supplementary services
- ITU-T Rec. Q.731.1 (07/96) Direct-dialling-In (DDI)
- ITU-T Rec. Q.731.3 (03/93) Calling line identification presentation (CLIP)
- ITU-T Rec. Q.731.7 (06/97) Malicious call identification (MCID)
- ITU-T Rec. Q.731.8 (02/92) Sub-addressing (SUB)



ITU-T Rec. Q.732.2 (07/96) Call diversion services: - Call forwarding busy - Call forwarding no reply - Call forwarding unconditional - Call deflection

ITU-T Rec. Q.732.7 (07/96) Stage 3 description for call offering supplementary services using Signalling System No. 7: Explicit Call Transfer

ITU-T Rec. Q.733.1 (02/92) Call waiting (CW)

ITU-T Rec. Q.733.2 (03/93) Call hold (HOLD)

ITU-T Rec. Q.733.3 (06/97) Completion of calls to busy subscriber (CCBS)

ITU-T Rec. Q.734.1 (03/93) Conference calling

ITU-T Rec. Q.734.2 (07/96) Stage 3 description for multiparty supplementary services using Signalling System No. 7: Three-party service

ITU-T Rec. Q.735.1 (03/93) Closed user group (CUG)

ITU-T Rec. Q.735.6 (07/96) Stage 3 description for community of interest supplementary services using Signalling System No. 7: Global Virtual Network Service (GVNS)

ITU-T Rec. Q.736.1 (10/95) International Telecommunication Charge Card (ITCC)

ITU-T Rec. Q.736.3 (10/95) Reverse charging (REV)

ITU-T Rec. Q.737 - Stage 3 description for additional information transfer supplementary services using Signalling System No. 7

ITU-T Rec. Q.737.1 (06/97) User-to-user signalling (UUS)

ITU-T Rec. Q.741 (11/88) Signalling System No. 7 - Data user part



ITU-T Rec. Q.750 (06/97) Overview of Signalling System No. 7 management

ITU-T Rec. Q.751.1 (10/95) Network element management information model for the Message Transfer Part (MTP)

ITU-T Rec. Q.751.2 (06/97) Network element management information model for the Signalling Connection Control Part

ITU-T Rec. Q.751.3 (09/97) Network element information model for MTP accounting

ITU-T Rec. Q.751.4 (05/98) Network element information model for SCCP accounting and accounting verification

ITU-T Rec. Q.752 (06/97) Monitoring and measurements for Signalling System No. 7 networks

ITU-T Rec. Q.753 (06/97) Signalling System No. 7 management functions MRVT, SRVT and CVT and definition of the OMASE-user

ITU-T Rec. Q.754 (06/97) Signalling System No. 7 management Application Service Element (ASE) definitions

ITU-T Rec. Q.755 (03/93) Signalling System No. 7 protocol tests

ITU-T Rec. Q.755.1 (05/98) MTP Protocol Tester

ITU-T Rec. Q.755.2 (09/97) Transaction capabilities test responder

ITU-T Rec. Q.756 (06/97) Guidebook to Operations, Maintenance and Administration Part (OMAP)

ITU-T Rec. Q.761 Addendum I (05/98)

ITU-T Rec. Q.761 (09/97) Signalling System No. 7 - ISDN User Part functional description



ITU-T Rec. Q.762 Addendum I (05/98)

ITU-T Rec. Q.762 (09/97) Signalling System No. 7 - ISDN user part general functions of messages and signals

ITU-T Rec. Q.763 Addendum I (05/98)

ITU-T Rec. Q.763 (09/97) Signalling System No. 7 - ISDN user part formats and codes

ITU-T Rec. Q.764 Addendum I (05/98)

ITU-T Rec. Q.764 (09/97) Signalling System No. 7 - ISDN user part signalling procedures

ITU-T Rec. Q.765 (05/98) Signalling system No. 7 - Application transport mechanism

ITU-T Rec. Q.765.I (05/98) Signalling System No. 7 - Application transport mechanism - Support of VPN applications with PSSI information flows

ITU-T Rec. Q.766 (03/93) Performance objectives in the integrated services digital network application

ITU-T Rec. Q.767 (02/91) Application of the ISDN user part of CCITT signalling system No. 7 for international ISDN interconnections

ITU-T Rec. Q.768 (10/95) Signalling interface between an international switching centre (ISC) and an ISDN satellite subnetwork

ITU-T Rec. Q.771 (06/97) Functional description of transaction capabilities

ITU-T Rec. Q.772 (06/97) Transaction capabilities information element definitions

ITU-T Rec. Q.773 (06/97) Transaction capabilities formats and encoding



ITU-T Rec. Q.774 (06/97) Transaction capabilities procedures

ITU-T Rec. Q.775 (06/97) Guidelines for using transaction capabilities

ITU-T Rec. Q.780 (10/95) Signalling System No. 7 test specification - General description

ITU-T Rec. Q.780 Supplement 1 (10/95) - Signalling System No. 7 testing and planning tools

ITU-T Rec. Q.781 (07/96) MTP level 2 test specification

ITU-T Rec. Q.782 (07/96) MTP level 3 test specification

ITU-T Rec. Q.783 (11/88) TUP test specification

ITU-T Rec. Q.784 (02/91) ISUP basic call test specification

ITU-T Rec. Q.784 Annex A (03/93) TTCN version of Recommendation Q.784

ITU-T Rec. Q.784.1 (07/96) ISUP basic call test specification: Validation and compatibility for ISUP'92 and Q.767 protocols

ITU-T Rec. Q.784.2 (06/97) ISUP basic call test specification: Abstract test suite for ISUP'92 basic call control procedures

ITU-T Rec. Q.785 (09/91) ISUP protocol test specification for supplementary services

ITU-T Rec. Q.785.2 (03/99) ISUP'97 supplementary services ... Test suite structure and test purposes (TSS & TP)

ITU-T Rec. Q.786 (03/93) SCCP test specification



ITU-T Rec. Q.787 (09/97) Transaction Capabilities (TC) test specification

ITU-T Rec. Q.788 (06/97) User-network-interface to user-network-interface compatibility test specifications for ISDN, non-ISDN and undetermined accesses interworking over international ISUP

ITU-T Rec. Q.811 (06/97) Lower layer protocol profiles for the Q3 and X interfaces

ITU-T Rec. Q.812 (06/97) Upper layer protocol profiles for the Q3 and X interfaces

ITU-T Rec. Q.812 Amendment 1 (03/99) UPPER LAYER PROTOCOL PROFILES FOR THE Q3 AND X INTERFACES

ITU-T Rec. Q.812 Appendix 1 (03/99) UPPER LAYER PROTOCOL PROFILES FOR THE Q3 AND X INTERFACES

ITU-T Rec. Q.813 (06/98) Security Transformations Application Service Element for Remote Operations Service Element (STASE-ROSE)

ITU-T Rec. Q.821 Cor 1 (03/99) Technical Corrigendum 1

ITU-T Rec. Q.821 (03/93) Stage 2 and stage 3 description for the Q3 interface - Alarm surveillance

ITU-T Rec. Q.822 (04/94) Stage 1, stage 2 and stage 3 description for the Q3 interface - Performance management

ITU-T Rec. Q.823 (07/96) Stage 2 and Stage 3 functional specifications for traffic management

ITU-T Rec. Q.823.1 (10/97) Management Conformance Statement Proformas

ITU-T Rec. Q.824.0 (10/95) Common information

ITU-T Rec. Q.824.1 (10/95) Integrated Services Digital Network (ISDN) basic and primary rate access



ITU-T Rec. Q.824.2 (10/95) Integrated Services Digital Network (ISDN) supplementary services

ITU-T Rec. Q.824.3 (10/95) Integrated Services Digital Network (ISDN) optional user facilities

ITU-T Rec. Q.824.4 (10/95) Integrated Services Digital Network (ISDN) teleservices

ITU-T Rec. Q.824.5 (10/97) Configuration management of V5 interface environments and associated customer profiles

ITU-T Rec. Q.824.6 (06/98) Broadband switch management

ITU-T Rec. Q.825 (06/98) Specification of TMN applications at the Q3 interface: Call detail recording

ITU-T Rec. Q.831 (10/97) Fault and performance management of V5 interface environments and associated customer profiles

ITU-T Rec. Q.832.1 (06/98) VB5.1 Management

ITU-T Rec. Q.832.2 (03/99) VB5.2 Management

ITU-T Rec. Q.835 (03/99) Line and line circuit test management of ISDN and analogue customer accesses

ITU-T Rec. Q.850 (05/98) Usage of cause and location in the Digital Subscriber Signalling System No. 1 and the Signalling System No. 7 ISDN User Part

ITU-T Rec. Q.920 (03/93) ISDN user-network interface data link layer - General aspects

ITU-T Rec. Q.921 bis (03/93) Abstract test suite for LAPD conformance testing

ITU-T Rec. Q.921 (09/97) ISDN user-network interface - Data link layer specification



- ITU-T Rec. Q.922 (02/92) ISDN data link layer specification for frame mode bearer services
- ITU-T Rec. Q.923 (02/95) Specification of a synchronization and coordination function for the provision of the OSI connection-mode network service in an ISDN environment
- ITU-T Rec. Q.930 (03/93) ISDN user-network interface layer 3 - General aspects
- ITU-T Rec. Q.931 (05/98) ISDN USER-NETWORK INTERFACE LAYER 3 SPECIFICATION FOR BASIC CALL CONTROL
- ITU-T Rec. Q.932 (05/98) Digital Subscriber Signalling System No. 1 - Generic procedures for the control of ISDN supplementary services
- ITU-T Rec. Q.933 (10/95) Integrated services digital network (ISDN) digital subscriber signalling system No. 1 (DSS 1) - Signalling specifications for frame mode switched and permanent virtual connection control and status monitoring
- ITU-T Rec. Q.939 (03/93) Typical DSS 1 service indicator codings for ISDN telecommunications services
- ITU-T Rec. Q.940 (11/88) ISDN user-network interface protocol for management - General aspects
- ITU-T Rec. Q.941 (03/93) +ISDN user-network interface protocol profile for management
- ITU-T Rec. Q.950 (06/97) Supplementary services protocols, structure and general principles
- ITU-T Rec. Q.951.1 (02/92) Direct-dialling-in (DDI)
- ITU-T Rec. Q.951.3 (03/93) Calling line identification presentation
- ITU-T Rec. Q.951.7 (06/97) Stage 3 description for number identification supplementary services using DSS 1: Malicious Call Identification (MCID)



- ITU-T Rec. Q.952 (03/93) Stage 3 service description for call offering supplementary services using DSS 1: Diversion supplementary services
- ITU-T Rec. Q.952.7 (06/97) Stage 3 description for call offering supplementary services using DSS 1: Explicit Call Transfer (ECT)
- ITU-T Rec. Q.953.1 (02/92) Call waiting
- ITU-T Rec. Q.953.2 (03/93) Call hold
- ITU-T Rec. Q.953.3 (06/97) Completion of Calls to Busy Subscribers (CCBS)
- ITU-T Rec. Q.953.4 (10/95) Terminal Portability (TP)
- ITU-T Rec. Q.954.1 (03/93) Conference calling
- ITU-T Rec. Q.954.2 (10/95) Three party (3PTY)
- ITU-T Rec. Q.955.1 (02/92) Closed user group
- ITU-T Rec. Q.955.3 (03/93) Multi-level precedence and preemption (MLPP)
- ITU-T Rec. Q.956.2 (10/95) INTEGRATED SERVICES DIGITAL NETWORK [ISDN] - STAGE 3 SERVICE DESCRIPTION FOR CHARGING SUPPLEMENTARY SERVICES USING DSS 1 - Clause 2 - Advice of charge
- ITU-T Rec. Q.956.3 (10/95) Reverse charging
- ITU-T Rec. Q.957.1 (07/96) Stage 3 description for additional information transfer supplementary services using DSS 1: User-to-User Signalling (UUS)
- ITU-T Rec. Q.1000 (11/88) Structure of the Q.1000-Series Recommendations for public land mobile networks



ITU-T Rec. Q.1001 (11/88) General aspects of public land mobile networks

ITU-T Rec. Q.1002 (11/88) Network functions

ITU-T Rec. Q.1003 (11/88) Location registration procedures

ITU-T Rec. Q.1004 (11/88) Location register restoration procedures

ITU-T Rec. Q.1005 (11/88) Handover procedures

ITU-T Rec. Q.1031 (11/88) General signalling requirements on interworking between the ISDN or PSTN and the PLMN

ITU-T Rec. Q.1032 (11/88) Signalling requirements relating to routing of calls to mobile subscribers

ITU-T Rec. Q.1061 (11/88) General aspects and principles relating to digital PLMN access signalling reference points

ITU-T Rec. Q.1062 (11/88) Digital PLMN access signalling reference configurations

ITU-T Rec. Q.1063 (11/88) Digital PLMN channel structures and access capabilities at the radio interface (Um reference point)

ITU-T Rec. Q.1100 (03/93) Structure of the Recommendations on the INMARSAT mobile satellite systems

ITU-T Rec. Q.1101 (11/88) General requirements for the interworking of the terrestrial telephone network and INMARSAT Standard A system

ITU-T Rec. Q.1102 (11/88) Interworking between Signalling System R2 and INMARSAT Standard A system

ITU-T Rec. Q.1103 (11/88) Interworking between Signalling System No. 5 and INMARSAT Standard A system



ITU-T Rec. Q.1111 (03/93) Interfaces between the INMARSAT Standard B system and the international public switched telephone network/ISDN

ITU-T Rec. Q.1112 (03/93) Procedures for interworking between INMARSAT Standard-B system and the international public switched telephone network/ISDN

ITU-T Rec. Q.1151 (03/93) Interfaces for interworking between the INMARSAT aeronautical mobile-satellite system and the international public switched telephone network/ISDN

ITU-T Rec. Q.1152 (03/93) Procedures for interworking between INMARSAT aeronautical mobile satellite system and the international public switched telephone network/ISDN

ITU-T Rec. Q.1200 (09/97) General series Intelligent Network Recommendation structure

ITU-T Rec. Q.1201 (10/92) Principles of intelligent network architecture

ITU-T Rec. I.328/Q.1202 (09/97) INTELLIGENT NETWORK - SERVICE PLANE ARCHITECTURE

ITU-T Rec. I.329/Q.1203 (09/97) INTELLIGENT NETWORK - GLOBAL FUNCTIONAL PLANE ARCHITECTURE

ITU-T Rec. Q.1204 (03/93) Intelligent network distributed functional plane architecture

ITU-T Rec. Q.1205 (03/93) Intelligent network physical plane architecture

ITU-T Rec. Q.1208 (09/97) General aspects of the Intelligent Network Application protocol

ITU-T Rec. Q.1210 (10/95) Q.121x-series Intelligent network Recommendation structure

ITU-T Rec. Q.1211 (03/93) Introduction to intelligent network capability set I

ITU-T Rec. Q.1213 (10/95) Global functional plane for intelligent network CS-I



- ITU-T Rec. Q.1214 (10/95) Distributed functional plane for intelligent network CS-1
- ITU-T Rec. Q.1215 (10/95) Physical plane for intelligent network CS-1
- ITU-T Rec. Q.1218 Addendum I (09/97) Definition for two new contexts in the SDF data model
- ITU-T Rec. Q.1218 (10/95) Interface Recommendation for intelligent network CS-1
- ITU-T Rec. Q.1219 (04/94) Intelligent network user's guide for capability set 1
- ITU-T Rec. Q.1219 Supplement I (09/97) INTELLIGENT NETWORK USER'S GUIDE: SUPPLEMENT FOR IN CS-1
- ITU-T Rec. Q.1220 (09/97) Q.1220-series Intelligent Network Capability Set 2 Recommendation structure
- ITU-T Rec. Q.1221 (09/97) Introduction to Intelligent Network Capability Set 2
- ITU-T Rec. Q.1222 (09/97) Service plane for Intelligent Network Capability Set 2
- ITU-T Rec. Q.1223 (09/97) Global functional plane for Intelligent Network Capability Set 2
- ITU-T Rec. Q.1224 (09/97) Distributed functional plane for intelligent network Capability Set 2
- ITU-T Rec. Q.1224 (09/97) Distributed functional plane for intelligent network Capability Set 2
- ITU-T Rec. Q.1224 (09/97) Distributed functional plane for intelligent network Capability Set 2
- ITU-T Rec. Q.1225 (09/97) Physical plane for Intelligent Network Capability Set 2
- ITU-T Rec. Q.1228 (09/97) Interface Recommendation for intelligent network Capability Set 2
- ITU-T Rec. Q.1228 (09/97) Interface Recommendation for intelligent network Capability Set 2



- ITU-T Rec. Q.1228 (09/97) Interface Recommendation for intelligent network Capability Set 2
- ITU-T Rec. Q.1228 (09/97) Interface Recommendation for intelligent network Capability Set 2
- ITU-T Rec. Q.1228 (09/97) Interface Recommendation for intelligent network Capability Set 2
- ITU-T Rec. Q.1229 (03/99) Intelligent Network user's guide for capability Set 2
- ITU-T Rec. Q.1290 (05/98) Glossary of terms used in the definition of intelligent networks
- ITU-T Rec. Q.1300 (10/95) Telecommunication applications for switches and computers (TASC) - General overview
- ITU-T Rec. Q.1301 (10/95) Telecommunication applications for switches and computers (TASC) - TASC Architecture
- ITU-T Rec. Q.1302 (10/95) Telecommunication applications for switches and computers (TASC) - TASC functional services
- ITU-T Rec. Q.1303 (10/95) Telecommunication applications for switches and computers (TASC) - TASC Management : Architecture, methodology and requirements
- ITU-T Rec. Q.1400 Addendum I (02/95) Architecture framework for the development of signalling and OAM protocols using OSI concepts
- ITU-T Rec. Q.1400 (03/93) Architecture framework for the development of signalling and OA&M protocols using OSI concepts
- ITU-T Rec. Q.1541 (05/98) UPT stage 2 for Service Set I on IN CS-I - Procedures for universal personal telecommunication: Functional modelling and information flows
- ITU-T Rec. Q.1551 (06/97) Application of Intelligent Network Application Protocols (INAP) CS-I for UPT Service Set I



ITU-T Rec. Q.1600 (09/97) Signalling system No. 7 - Interaction between ISUP and INAP

ITU-T Rec. Q.1701 (03/99) Framework for IMT-2000 networks

ITU-T Rec. Q.1711 (03/99) Network functional model for IMT-2000

ITU-T Rec. Q.2010 (02/95) Broadband integrated services digital network overview - Signalling capability set 1, release 1

ITU-T Rec. Q.2100 (07/94) B-ISDN signalling ATM adaptation layer (SAAL) overview description

ITU-T Rec. Q.2110 (07/94) B-ISDN ATM adaptation layer - Service specific connection oriented protocol (SSCOP)

ITU-T Rec. Q.2119 (07/96) B-ISDN ATM adaptation layer - Convergence function for SSCOP above the frame relay core service

ITU-T Rec. Q.2120 (02/95) B-ISDN meta-signalling protocol

ITU-T Rec. Q.2130 (07/94) B-ISDN signalling ATM adaptation layer - Service specific coordination function for support of signalling at the user-network interface (SSCF at UNI)

ITU-T Rec. Q.2140 (02/95) B-ISDN ATM adaptation layer - Service specific coordination function for signalling at the network node interface (SSCF AT NNI)

ITU-T Rec. Q.2144 (10/95) B-ISDN signalling ATM adaptation layer (SAAL) - Layer management for the SAAL at the network node interface (NNI)

ITU-T Rec. Q.2210 (07/96) Message transfer part level 3 functions and messages using the services of ITU-T Recommendation Q.2140

ITU-T Rec. Q.2610 (02/95) Usage of cause and location in B-ISDN user part and DSS 2



ITU-T Rec. Q.2650 (02/95) Interworking between Signalling System No. 7 broadband ISDN User Part (B-ISUP) and digital subscriber Signalling System No. 2 (DSS 2)

ITU-T Rec. Q.2660 (02/95) Interworking between Signalling System No. 7 - Broadband ISDN User Part (B-ISUP) and Narrow-band ISDN User Part (N-ISUP)

ITU-T Rec. Q.2721.1 (07/96) B-ISDN user part - Overview of the B-ISDN Network Node Interface Signalling Capability Set 2, Step 1

ITU-T Rec. Q.2722.1 (07/96) B-ISDN User Part - Network Node Interface specification for point-to-multipoint call/connection control

ITU-T Rec. Q.2723.1 (07/96) B-ISDN User Part - Support of additional traffic parameters for Sustainable Cell Rate and Quality of Service

ITU-T Rec. Q.2723.2 (09/97) Extensions to the B-ISDN User Part - Support of ATM transfer capability in the broadband bearer capability parameter

ITU-T Rec. Q.2723.3 (09/97) Extensions to the B-ISDN User Part - Signalling capabilities to support traffic parameters for the Available Bit Rate (ABR) ATM transfer capability

ITU-T Rec. Q.2723.4 (09/97) Extensions to the B-ISDN User Part - Signalling capabilities to support traffic parameters for the ATM Block Transfer (ABT) ATM transfer capability

ITU-T Rec. Q.2723.5 (03/99) B-ISDN User Part - Support of cell delay variation tolerance indication

ITU-T Rec. Q.2723.6 (05/98) Extensions to the Signalling System No. 7 B-ISDN User Part - Signalling capabilities to support the indication of the Statistical Bit Rate configuration 2 (SBR 2) and 3 (SBR 3) ATM transfer capabilities

ITU-T Rec. Q.2724.1 (07/96) B-ISDN User Part - Look-ahead without state change for the Network Node Interface (NNI)



ITU-T Rec. Q.2725.1 (05/98) B-ISDN User Part - Support of negotiation during connection setup

ITU-T Rec. Q.2725.2 (07/96) B ISDN User Part - Modification procedures

ITU-T Rec. Q.2725.3 (09/97) Extensions to the B-ISDN User Part - Modification procedures for sustainable cell rate parameters

ITU-T Rec. Q.2725.4 (05/98) Extensions to the Signalling System No. 7 B-ISDN User Part - Modification procedures with negotiation

ITU-T Rec. Q.2726.1 (07/96) B-ISDN user part - ATM end system address

ITU-T Rec. Q.2726.2 (07/96) B-ISDN user part - Call priority

ITU-T Rec. Q.2726.3 (07/96) B-ISDN user part - Network generated session identifier

ITU-T Rec. Q.2726.4 (09/97) Extensions to the B-ISDN user part - Application generated identifiers

ITU-T Rec. Q.2727 (07/96) B-ISDN user part - Support of frame relay

ITU-T Rec. Q.2730 (02/95) Signalling System No. 7 B-ISDN User Part (B-ISUP) - Supplementary services

ITU-T Rec. Q.2735.1 (06/97) Stage 3 description for community of interest supplementary services for B-ISDN using SS No.7: Closed User Group (CUG)

ITU-T Rec. Q.2751.1 (09/97) Extension of Q.751.1 for SAAL signalling links

ITU-T Rec. Q.2761 (02/95) Functional description of the B-ISDN user part (B-ISUP) of signalling system No. 7

ITU-T Rec. Q.2762 (02/95) General Functions of messages and signals of the B-ISDN user part (B-ISUP) of Signalling System No. 7



ITU-T Rec. Q.2763 (02/95) Signalling System No. 7 B-ISDN User Part (B-ISUP) - Formats and codes

ITU-T Rec. Q.2764 (02/95) Signalling System No. 7 B-ISDN User Part (B-ISUP) - Basic call procedures

ITU-T Rec. Q.2766.1 (05/98) Switched virtual path capability

ITU-T Rec. Q.2767.1/Cor.1 - Soft PVC capability

ITU-T Rec. Q.2767.1 (05/98) Soft PVC capability

ITU-T Rec. Q.2931 (02/95) Digital Subscriber Signalling System No. 2 (DSS 2) - User-Network Interface (UNI) layer 3 specification for basic call/connection control

ITU-T Rec. Q.2931 Amd 1 (06/97) Digital Subscriber Signalling System No. 2 - User-Network Interface (UNI) layer 3 specification for basic call/connection control

ITU-T Rec. Q.2931 Amd 2 (03/99)

ITU-T Rec. Q.2931 Amd 3 (03/99)

ITU-T Rec. Q.2932.1 (07/96) Digital subscriber signalling system No. 2 - Generic functional protocol: Core functions

ITU-T Rec. Q.2933 (07/96) Digital subscriber Signalling System No. 2 (DSS 2) - Signalling specification for Frame Relay service

ITU-T Rec. Q.2934 (05/98) Digital Subscriber Signalling System No. 2 - Switched virtual path capability

ITU-T Rec. Q.2939.1 (09/97) Digital Subscriber Signalling System No. 2 - Application of DSS 2 service-related information elements by equipment supporting B-ISDN services

ITU-T Rec. Q.2941.1 (09/97) Digital subscriber Signalling System No. 2 - Generic identifier transport



ITU-T Rec. Q.2951 Cor 1 (05/98)

ITU-T Rec. Q.2951 (02/95) Stage 3 description for number identification supplementary services using B-ISDN digital subscriber Signalling System No. 2 (DSS 2) - Basic Call

ITU-T Rec. Q.2955.1 (06/97) Stage 3 description for community of interest supplementary services using B-ISDN Digital Subscriber Signalling System No. 2 (DSS 2): Closed User Group (CUG)

ITU-T Rec. Q.2957.1 (02/95) User-to-user signalling (UUS)

ITU-T Rec. Q.2959 (07/96) Digital subscriber signalling system No. 2 - Call priority

ITU-T Rec. Q.2961.2 Corrigendum 1 (03/99) DIGITAL SUBSCRIBER SIGNALLING SYSTEM No. 2 - ADDITIONAL TRAFFIC PARAMETERS: SUPPORT...

ITU-T Rec. Q.2961 - Digital subscriber signalling system No. 2 - Additional traffic parameters

ITU-T Rec. Q.2961.2 (06/97) Support of ATM transfer capability in the broadband bearer capability information element

ITU-T Rec. Q.2961.3 (09/97) Signalling capabilities to support traffic parameters for the available bit rate (ABR) ATM transfer capability

ITU-T Rec. Q.2961.4 (09/97) Signalling capabilities to support traffic parameters for the ATM Block Transfer (ABT) ATM transfer capability

ITU-T Rec. Q.2961.5 (03/99) Digital subscriber signalling system No. 2 - Additional traffic parameters: Additional traffic parameters for cell delay variation tolerance indication

ITU-T Rec. Q.2961.6 (05/98) Additional signalling procedures for the support of the SBR2 and SBR3 ATM transfer capabilities



ITU-T Rec. Q.2962 (05/98) Digital Subscriber Signalling System No. 2 - Connection characteristics negotiation during call/connection establishment phase

ITU-T Rec. Q.2963.1 (07/96) Digital Subscriber Signalling System No. 2 - Connection modification: Peak cell rate modification by the connection owner

ITU-T Rec. Q.2963.2 (09/97) Modification procedures for sustainable cell rate parameters

ITU-T Rec. Q.2963.3 (05/98) ATM traffic descriptor modification with negotiation by the connection owner

ITU-T Rec. Q.2964.1 (07/96) Digital Subscriber Signalling System No. 2: Basic Look-Ahead

ITU-T Rec. Q.2965.1 (03/99) Digital subscriber signalling system No. 2 - Support of Quality of Service classes

ITU-T Rec. Q.2971 (10/95) Broadband integrated services digital network (B-ISDN) - Digital subscriber signalling system No. 2 (DSS 2) - User-network interface layer 3 specification for point-to-multipoint call/connection control

ITU-T Rec. Q.2971 (10/95) Broadband integrated services digital network (B-ISDN) - Digital subscriber signalling system No. 2 (DSS 2) - User-network interface layer 3 specification for point-to-multipoint call/connection control

ITU-T Rec. Q.2971 (10/95) Broadband integrated services digital network (B-ISDN) - Digital subscriber signalling system No. 2 (DSS 2) - User-network interface layer 3 specification for point-to-multipoint call/connection control

ITU-T Rec. Q.2971 (10/95) Broadband integrated services digital network (B-ISDN) - Digital subscriber signalling system No. 2 (DSS 2) - User-network interface layer 3 specification for point-to-multipoint call/connection control

ITU-T Rec. Q.2971 (10/95) Broadband integrated services digital network (B-ISDN) - Digital subscriber signalling system No. 2 (DSS 2) - User-network interface layer 3 specification for point-to-multipoint call/connection control



ITU-T Rec. Q.734 (03/93) Covering Note - Stage 3 description for multiparty supplementary services using Signalling System no. 7

ITU-T Rec. Q.764 (12/99) Signalling System No. 7 - ISDN User Part signalling procedures

ITU-T Rec. Q.764 (12/99) Signalling System No. 7 - ISDN User Part signalling procedures

ITU-T Rec. Q.764 (12/99) Signalling System No. 7 - ISDN User Part signalling procedures

ITU-T Rec. Q.764 (12/99) Signalling System No. 7 - ISDN User Part signalling procedures

ITU-T Rec. Q.85.6 Annex A (07/96) Service procedures and information flows based on Intelligent Network CS-I capabilities

ITU-T Rec. Q.954.1 Covering Note (03/93) Stage 3 description for multiparty supplementary services using DSS I