



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

X.520

(08/97)

SERIES X: DATA NETWORKS AND OPEN SYSTEM
COMMUNICATIONS

Directory

**Information technology – Open Systems
Interconnection – The Directory: Selected
attribute types**

ITU-T Recommendation X.520

(Previously CCITT Recommendation)

ITU-T X-SERIES RECOMMENDATIONS
DATA NETWORKS AND OPEN SYSTEM COMMUNICATIONS

PUBLIC DATA NETWORKS	
Services and facilities	X.1–X.19
Interfaces	X.20–X.49
Transmission, signalling and switching	X.50–X.89
Network aspects	X.90–X.149
Maintenance	X.150–X.179
Administrative arrangements	X.180–X.199
OPEN SYSTEMS INTERCONNECTION	
Model and notation	X.200–X.209
Service definitions	X.210–X.219
Connection-mode protocol specifications	X.220–X.229
Connectionless-mode protocol specifications	X.230–X.239
PICS proformas	X.240–X.259
Protocol Identification	X.260–X.269
Security Protocols	X.270–X.279
Layer Managed Objects	X.280–X.289
Conformance testing	X.290–X.299
INTERWORKING BETWEEN NETWORKS	
General	X.300–X.349
Satellite data transmission systems	X.350–X.399
MESSAGE HANDLING SYSTEMS	X.400–X.499
DIRECTORY	X.500–X.599
OSI NETWORKING AND SYSTEM ASPECTS	
Networking	X.600–X.629
Efficiency	X.630–X.639
Quality of service	X.640–X.649
Naming, Addressing and Registration	X.650–X.679
Abstract Syntax Notation One (ASN.1)	X.680–X.699
OSI MANAGEMENT	
Systems Management framework and architecture	X.700–X.709
Management Communication Service and Protocol	X.710–X.719
Structure of Management Information	X.720–X.729
Management functions and ODMA functions	X.730–X.799
SECURITY	X.800–X.849
OSI APPLICATIONS	
Commitment, Concurrency and Recovery	X.850–X.859
Transaction processing	X.860–X.879
Remote operations	X.880–X.899
OPEN DISTRIBUTED PROCESSING	X.900–X.999

For further details, please refer to ITU-T List of Recommendations.

INTERNATIONAL STANDARD 9594-6

ITU-T RECOMMENDATION X.520

**INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –
THE DIRECTORY: SELECTED ATTRIBUTE TYPES**

Summary

This Recommendation | International Standard defines a number of attribute types and matching rules which may be found useful across a range of applications of the Directory. One particular use for many of the attributes defined is in the formation of names, particularly for the classes of object defined in ITU-T Rec. X.521 | ISO/IEC 9594-7.

Source

The ITU-T Recommendation X.520 was approved on the 9th of August 1997. The identical text is also published as ISO/IEC International Standard 9594-6.

FOREWORD

ITU (International Telecommunication Union) is the United Nations Specialized Agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of the ITU. The ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Conference (WTSC), which meets every four years, establishes the topics for study by the ITU-T Study Groups which, in their turn, produce Recommendations on these topics.

The approval of Recommendations by the Members of the ITU-T is covered by the procedure laid down in WTSC Resolution No. 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation the term *recognized operating agency (ROA)* includes any individual, company, corporation or governmental organization that operates a public correspondence service. The terms *Administration*, *ROA* and *public correspondence* are defined in the *Constitution of the ITU (Geneva, 1992)*.

INTELLECTUAL PROPERTY RIGHTS

The ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. The ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, the ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementors are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database.

ITU 1999

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

CONTENTS

	<i>Page</i>
1 Scope	1
2 Normative references	1
2.1 Identical Recommendations International Standards	1
2.2 Other references.....	2
3 Definitions	2
4 Conventions	2
5 Definition of selected attribute types	3
5.2 Labelling attribute types	3
5.3 Geographical Attribute Types.....	5
5.4 Organizational attribute types.....	7
5.5 Explanatory attribute types	8
5.6 Postal Addressing attribute types.....	9
5.7 Telecommunications Addressing attribute types	10
5.8 Preferences attribute types.....	13
5.9 OSI Application attribute types	13
5.10 Relational attribute types	14
5.11 Domain attribute types.....	15
6 Definition of matching rules	15
6.1 String matching rules	15
6.2 Syntax-based matching rules	18
6.3 Time matching rules	20
6.4 First component matching rules.....	21
6.5 Word matching rules	22
7 Definition of Context Types	22
7.1 Language Context.....	22
7.2 Temporal Context.....	23
7.3 Locale Context.....	26
Annex A – Selected attribute types in ASN.1	27
Annex B – Summary of attribute types	40
Annex C – Upper bounds.....	41
Annex D – Alphabetical index of attributes and matching rules	42
Annex E – Amendments and corrigenda.....	43

Introduction

This Recommendation | International Standard, together with other Recommendations | International Standards, has been produced to facilitate the interconnection of information processing systems to provide directory services. A set of such systems, together with the directory information which they hold, can be viewed as an integrated whole, called the *Directory*. The information held by the Directory, collectively known as the Directory Information Base (DIB), is typically used to facilitate communication between, with or about objects such as application entities, people, terminals, and distribution lists.

The Directory plays a significant role in Open Systems Interconnection, whose aim is to allow, with a minimum of technical agreement outside of the interconnection standards themselves, the interconnection of information processing systems:

- from different manufacturers;
- under different managements;
- of different levels of complexity; and
- of different ages.

This Recommendation | International Standard defines a number of attribute types which may be found useful across a range of applications of the Directory, as well as a number of standard attribute syntaxes and matching rules. One particular use for many of the attributes defined herein is in the formation of names, particularly for the classes of object defined in ITU-T Rec. X.521 | ISO/IEC 9594-7.

This third edition technically revises and enhances, but does not replace, the second edition of this Recommendation | International Standard. Implementations may still claim conformance to the second edition. However, at some point, the second edition will not be supported (i.e. reported defects will no longer be resolved). It is recommended that implementations conform to this third edition as soon as possible.

This third edition specifies version 1 and version 2 of the Directory protocols.

The first and second editions also specified version 1. Most of the services and protocols specified in this edition are designed to function under version 1. When version 1 has been negotiated differences between the services and between the protocols defined in the three editions are accommodated using the rules of extensibility defined in this edition of ITU-T Rec. X.519 | ISO/IEC 9594-5. However some enhanced services and protocols, e.g. signed errors, will not function unless all Directory entities involved in the operation have negotiated version 2.

Implementors should note that a defect resolution process exists and that corrections may be applied to this part of this International Standard in the form of technical corrigenda. The identical corrections will be applied to this Recommendation in the form of corrigenda and/or an Implementor's Guide. A list of approved technical corrigenda for this part of this International Standard can be obtained from the subcommittee secretariat. Published technical corrigenda are available from your national standards organization. The ITU-T corrigenda and Implementor's Guides may be obtained from the ITU Web site.

Annex A, which is an integral part of this Recommendation | International Standard, provides the ASN.1 notation for the complete module which defines the attributes, attribute syntaxes, and matching rules.

Annex B, which is not an integral part of this Recommendation | International Standard, provides a table of attribute types, for easy reference.

Annex C, which is not an integral part of this Recommendation | International Standard, provides suggested upper bounds value constraints used in these Directory Specifications.

Annex D, which is not an integral part of this Recommendation | International Standard, lists alphabetically the attributes and matching rules defined in this Directory Specification.

Annex E, which is not an integral part of this Recommendation | International Standard, lists the amendments and defect reports that have been incorporated to form this edition of this Recommendation | International Standard.

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

**INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –
THE DIRECTORY: SELECTED ATTRIBUTE TYPES**

SECTION 1 – GENERAL

1 Scope

This Recommendation | International Standard defines a number of attribute types and matching rules which may be found useful across a range of applications of the Directory.

Attribute types and matching rules fall into three categories, as described below.

Some attribute types and matching rules are used by a wide variety of applications or are understood and/or used by the Directory itself.

NOTE – It is recommended that an attribute type or matching rule defined in this document be used, in preference to the generation of a new one, whenever it is appropriate for the application.

Some attribute types and matching rules are internationally standardized, but are application-specific. These are defined in the standards associated with the application concerned.

Any administrative authority can define its own attribute types and matching rules for any purpose. These are not internationally standardized, and are available to others beyond the administrative authority which created them only by bilateral agreement.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.200 (1994) | ISO/IEC 7498-1:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model.*
- ITU-T Recommendation X.500 (1997) | ISO/IEC 9594-1:1998, *Information technology – Open Systems Interconnection – The Directory: Overview of concepts, models and services.*
- ITU-T Recommendation X.501 (1997) | ISO/IEC 9594-2:1998, *Information technology – Open Systems Interconnection – The Directory: Models.*
- ITU-T Recommendation X.509 (1997) | ISO/IEC 9594-8:1998, *Information technology – Open Systems Interconnection – The Directory: authentication framework.*
- ITU-T Recommendation X.511 (1997) | ISO/IEC 9594-3:1998, *Information technology – Open Systems Interconnection – The Directory: Abstract service definition.*
- ITU-T Recommendation X.518 (1997) | ISO/IEC 9594-4:1998, *Information technology – Open Systems Interconnection – The Directory: Procedures for distributed operation.*

- ITU-T Recommendation X.519 (1997) | ISO/IEC 9594-5:1998, *Information technology – Open Systems Interconnection – The Directory: Protocol specifications.*
- ITU-T Recommendation X.521 (1997) | ISO/IEC 9594-7:1998, *Information technology – Open Systems Interconnection – The Directory: Selected object classes.*
- ITU-T Recommendation X.525 (1997) | ISO/IEC 9594-9:1998, *Information technology – Open Systems Interconnection – The Directory: Replication.*
- ITU-T Recommendation X.530 (1997) | ISO/IEC 9594-10:1998, *Information technology – Open Systems Interconnection – The Directory: Use of system management for Administration of the Directory.*
- ITU-T Recommendation X.680 (1997) | ISO/IEC 8824-1:1998, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*
- ITU-T Recommendation X.681 (1997) | ISO/IEC 8824-2:1998, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- ITU-T Recommendation X.682 (1997) | ISO/IEC 8824-3:1998, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- ITU-T Recommendation X.683 (1997) | ISO/IEC 8824-4:1998, *Information technology – Abstract Syntax Notation One (ASN.1): Parametrization of ASN.1 specifications.*

2.2 Other references

- CCITT Recommendation E.123 (1988), *Notation for National and International Telephone numbers.*
- ITU-T Recommendation E.164 (1997), *The international public telecommunication numbering plan.*
- ITU-T Recommendation F.1 (1998), *Operational provisions for the international public telegram service.*
- CCITT Recommendation F.31 (1988), *Telegram retransmission system.*
- CCITT Recommendation F.401 (1992), *Naming and addressing for public message handling services.*
- ITU-T Recommendation T.30 (1996), *Procedures for document facsimile transmission in the general switched telephone network.*
- ITU-T Recommendation T.62 (1993), *Control procedures for teletex and Group 4 facsimile services.*
- ITU-T Recommendation X.121 (1996), *International numbering plan for public data networks.*
- ISO 3166 (all parts), *Codes for the representation of names of countries and their subdivisions.*
- ISO 639-2:1998, *Codes for the representation of names of languages – Part 2: Alpha 3 code.*
- ISO/IEC 9945-2:1993 *Information technology – Portable Operating System Interface (POSIX) – Part 2: Shell and Utilities.*

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

The following terms are defined in ITU-T Rec. X.501 | ISO/IEC 9594-2:

- a) *attribute type;*
- b) *object class;*
- c) *matching rule.*

4 Conventions

With minor exceptions, this Directory Specification has been prepared according to the "Presentation of ITU-T | ISO/IEC common text" guidelines in the Guide for ITU-T and ISO/IEC JTC 1 Cooperation.

The term "Directory Specification" (as in "this Directory Specification") shall be taken to mean ITU-T Rec. X.520 | ISO/IEC 9594-6. The term "Directory Specifications" shall be taken to mean the X.500-series Recommendations | parts of ISO/IEC 9594.

This Directory Specification uses the term "1988 edition systems" to refer to systems conforming to the first (1988) edition of the Directory Specifications, i.e. the 1988 edition of the series of CCITT X.500 Recommendations and the ISO/IEC 9594:1990 edition. This Directory Specification uses the term "1993 edition systems" to refer to systems conforming to the second (1993) edition of the Directory Specifications, i.e. the 1993 edition of the series of ITU-T X.500 Recommendations and the ISO/IEC 9594:1995 edition. Systems conforming to this third edition of the Directory Specifications are referred to as "1997 edition systems".

This Directory Specification presents ASN.1 notation in the bold Helvetica typeface. When ASN.1 types and values are referenced in normal text, they are differentiated from normal text by presenting them in the bold Helvetica typeface. The names of procedures, typically referenced when specifying the semantics of processing, are differentiated from normal text by displaying them in bold Times. Access control permissions are presented in italicized Times.

Attribute types and matching rules are defined in this Recommendation | International Standard by use of the **ATTRIBUTE** and **MATCHING-RULE** information object classes defined in ITU-T Rec. X.501 | ISO/IEC 9594-2.

Examples of the use of the attribute types are described using an informal notation, where attribute type and value pairs are represented by an acronym for the attribute type, followed by an equals sign ("="), followed by the example value for the attribute.

SECTION 2 – SELECTED ATTRIBUTE TYPES

5 Definition of selected attribute types

This Directory Specification defines a number of attribute types which may be found useful across a range of applications of the Directory.

Many of the attributes defined in this Specification are based on a common ASN.1 syntax:

```
DirectoryString { INTEGER : maxSize } ::= CHOICE {
  teletexString      TeletexString (SIZE (1..maxSize)),
  printableString    PrintableString (SIZE (1..maxSize)),
  bmpString          BMPString (SIZE (1..maxSize)),
  universalString    UniversalString (SIZE (1..maxSize)) }
```

Some implementations of the Directory do not support **BMPString** or **UniversalString**, and will not be able to generate, match, or display attributes having such a syntax.

5.1 System attribute types

5.1.1 Knowledge Information

The *Knowledge Information* attribute type specifies a human readable accumulated description of knowledge mastered by a specific DSA.

NOTE – This attribute is now obsolete.

```
knowledgeInformation ATTRIBUTE ::= {
  WITH SYNTAX      DirectoryString {ub-knowledge-information}
  EQUALITY MATCHING RULE caseIgnoreMatch
  ID               id-at-knowledgeInformation }
```

5.2 Labelling attribute types

These attributes type are concerned with information about objects which has been explicitly associated with the objects by a labelling process.

5.2.1 Name

The *Name* attribute type is the attribute supertype from which string attribute types typically used for naming may be formed.

```
name ATTRIBUTE ::= {
  WITH SYNTAX      DirectoryString {ub-name} EQUALITY MATCHING
  RULE             caseIgnoreMatch SUBSTRINGS MATCHING RULE
  caseIgnoreSubstringsMatch ID id-at-name }
```

5.2.2 Common Name

The *Common Name* attribute type specifies an identifier of an object. A Common Name is not a directory name; it is a (possibly ambiguous) name by which the object is commonly known in some limited scope (such as an organization) and conforms to the naming conventions of the country or culture with which it is associated.

An attribute value for common name is a string chosen either by the person or organization it describes or the organization responsible for the object it describes for devices and application entities. For example, a typical name of a person in an English-speaking country comprises a personal title (e.g. Mr., Ms., Rd, Professor, Sir, Lord), a first name, middle name(s), last name, generation qualifier (if any, e.g. Jr.) and decorations and awards (if any, e.g. QC).

Examples:

CN = "Mr. Robin Lachlan McLeod BSc(Hons) CEng MIEE";

CN = "Divisional Coordination Committee";

CN = "High Speed Modem".

Any variants should be associated with the named object as separate and alternative attribute values.

Other common variants should also be admitted, e.g. use of a middle name as a preferred first name; use of "Bill" in place of "William", etc.

```

commonName ATTRIBUTE ::= {
    SUBTYPE OF           name
    WITH SYNTAX       DirectoryString {ub-common-name}
    ID                 id-at-commonName }

```

5.2.3 Surname

The *Surname* attribute type specifies the linguistic construct which normally is inherited by an individual from the individual's parent or assumed by marriage, and by which the individual is commonly known.

An attribute value for Surname is a string, e.g. "McLeod".

```

surname ATTRIBUTE ::= {
    SUBTYPE OF         name
    WITH SYNTAX      DirectoryString {ub-surname}
    ID                 id-at-surname }

```

5.2.4 Given Name

The *Given Name* attribute type specifies the linguistic construct which is normally given to an individual by the individual's parent, or is chosen by the individual, or by which the individual is commonly known.

An attribute value for Given Name is a string, e.g. "David", or "Jean Paul".

```

givenName ATTRIBUTE ::= {
    SUBTYPE OF        name
    WITH SYNTAX     DirectoryString {ub-name}
    ID               id-at-givenName }

```

5.2.5 Initials

The *Initials* attribute type contains the initials of some or all of an individual's names, but not the surname(s).

An attribute value for Initials is a string, e.g. "D" or "D." or "J.P.".

```

initials ATTRIBUTE ::= {
    SUBTYPE OF       name
    WITH SYNTAX    DirectoryString {ub-name}
    ID             id-at-initials }

```

5.2.6 Generation Qualifier

The *Generation Qualifier* attribute type contains a string which is used to provide generation information to qualify an individual's name.

An attribute value for Generation Qualifier is a string, e.g. "Jr." or "II".

```

generationQualifier ATTRIBUTE ::= {
  SUBTYPE OF           name
  WITH SYNTAX        DirectoryString {ub-name}
  ID                  id-at-generationQualifier }

```

5.2.7 Unique Identifier

The *Unique Identifier* attribute type specifies an identifier which may be used to distinguish between object references when a distinguished name has been reused. It may be, for example, an encoded object identifier, certificate, date, timestamp, or some other form of certification on the validity of the distinguished name.

An attribute value for Unique Identifier is a bit string.

```

uniqueIdentifier ATTRIBUTE ::= {
  WITH SYNTAX         UniqueIdentifier
  EQUALITY MATCHING RULE bitStringMatch
  ID                  id-at-uniqueIdentifier }
UniqueIdentifier ::= BIT STRING

```

5.2.8 DN Qualifier

The *DN Qualifier* attribute type specifies disambiguating information to add to the relative distinguished name of an entry. It is intended to be used for entries held in multiple DSAs which would otherwise have the same name, and that its value be the same in a given DSA for all entries to which this information has been added.

```

dnQualifier ATTRIBUTE ::= {
  WITH SYNTAX         PrintableString
  EQUALITY MATCHING RULE caseIgnoreMatch
  ORDERING MATCHING RULE caseIgnoreOrderingMatch
  SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
  ID                  id-at-dnQualifier }

```

5.2.9 Serial Number

The *Serial Number* attribute type specifies an identifier, the serial number of a device.

An attribute value for Serial Number is a printable string.

```

serialNumber ATTRIBUTE ::= {
  WITH SYNTAX         PrintableString (SIZE (1..ub-serialNumber))
  EQUALITY MATCHING RULE caseIgnoreMatch
  SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
  ID                  id-at-serial-number }

```

5.3 Geographical Attribute Types

These attribute types are concerned with geographical positions or regions with which objects are associated.

5.3.1 Country Name

The *Country Name* attribute type specifies a country. When used as a component of a directory name, it identifies the country in which the named object is physically located or with which it is associated in some other important way.

An attribute value for country name is a string chosen from ISO 3166.

```

countryName ATTRIBUTE ::= {
  SUBTYPE OF          name
  WITH SYNTAX        CountryName
  SINGLE VALUE        TRUE
  ID                  id-at-countryName }

```

CountryName ::= PrintableString (SIZE(2)) -- ISO 3166 codes only

5.3.2 Locality Name

The *Locality Name* attribute type specifies a locality. When used as a component of a directory name, it identifies a geographical area or locality in which the named object is physically located or with which it is associated in some other important way.

An attribute value for Locality Name is a string, e.g. L = "Edinburgh".

```

localityName ATTRIBUTE ::= {
  SUBTYPE OF           name
  WITH SYNTAX        DirectoryString {ub-locality-name}
  ID                 id-at-localityName }

```

The *Collective Locality Name* attribute type specifies a locality name for a collection of entries.

```

collectiveLocalityName ATTRIBUTE ::= {
  SUBTYPE OF          localityName
  COLLECTIVE         TRUE
  ID                 id-at-collectiveLocalityName }

```

5.3.3 State or Province Name

The *State or Province Name* attribute type specifies a state or province. When used as a component of a directory name, it identifies a geographical subdivision in which the named object is physically located or with which it is associated in some other important way.

An attribute value for State or Province Name is a string, e.g. S = "Ohio".

```

stateOrProvinceName ATTRIBUTE ::= {
  SUBTYPE OF         name
  WITH SYNTAX       DirectoryString {ub-state-name}
  ID                 id-at-stateOrProvinceName }

```

The *Collective State or Province Name* attribute type specifies a state or province name for a collection of entries.

```

collectiveStateOrProvinceName ATTRIBUTE ::= {
  SUBTYPE OF         stateOrProvinceName
  COLLECTIVE       TRUE
  ID                 id-at-collectiveStateOrProvinceName }

```

5.3.4 Street Address

The *Street Address* attribute type specifies a site for the local distribution and physical delivery in a postal address, i.e. the street name, place, avenue, and the house number. When used as a component of a directory name, it identifies the street address at which the named object is located or with which it is associated in some other important way.

An attribute value for Street Address is a string, e.g. "Arnulfstraße 60".

```

streetAddress ATTRIBUTE ::= {
  WITH SYNTAX        DirectoryString {ub-street-address}
  EQUALITY MATCHING RULE caseIgnoreMatch
  SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
  ID                 id-at-streetAddress }

```

The *Collective Street Address* attribute type specifies a street address for a collection of entries.

```

collectiveStreetAddress ATTRIBUTE ::= {
  SUBTYPE OF         streetAddress
  COLLECTIVE       TRUE
  ID                 id-at-collectiveStreetAddress }

```

5.3.5 House Identifier

The *House Identifier* attribute type specifies a linguistic construct used to identify a particular building, for example a house number or house name relative to a street, avenue, town or city, etc.

An attribute value for House Identifier is a string, e.g. "14".

```

houseIdentifier ATTRIBUTE ::= {
  WITH SYNTAX        DirectoryString {ub-name}
  EQUALITY MATCHING RULE caseIgnoreMatch
  SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
  ID                 id-at-houseIdentifier }

```

5.4 Organizational attribute types

These attribute types are concerned with organizations and can be used to describe objects in terms of organizations with which they are associated.

5.4.1 OrganizationName

The *OrganizationName* attribute type specifies an organization. When used as a component of a directory name it identifies an organization with which the named object is affiliated.

An attribute value for OrganizationName is a string chosen by the organization (e.g. O = "Scottish Telecommunications plc"). Any variants should be associated with the named Organization as separate and alternative attribute values.

```

organizationName ATTRIBUTE ::= {
  SUBTYPE OF name
  WITH SYNTAX DirectoryString {ub-organization-name}
  ID id-at-organizationName }

```

The *Collective Organization Name* attribute type specifies an organization name for a collection of entries.

```

collectiveOrganizationName ATTRIBUTE ::= {
  SUBTYPE OF organizationName
  COLLECTIVE TRUE
  ID id-at-collectiveOrganizationName }

```

5.4.2 Organizational Unit Name

The *Organizational Unit Name* attribute type specifies an organizational unit. When used as a component of a directory name it identifies an organizational unit with which the named object is affiliated.

The designated organizational unit is understood to be part of an organization designated by an OrganizationName attribute. It follows that if an Organizational Unit Name attribute is used in a directory name, it must be associated with an OrganizationName attribute.

An attribute value for Organizational Unit Name is a string chosen by the organization of which it is part (e.g. OU = "Technology Division"). Note that the commonly used abbreviation "TD" would be a separate and alternative attribute value.

Example:

O = "Scottel", OU = "TD"

```

organizationalUnitName ATTRIBUTE ::= {
  SUBTYPE OF name
  WITH SYNTAX DirectoryString {ub-organizational-unit-name}
  ID id-at-organizationalUnitName }

```

The *Collective Organizational Unit Name* attribute type specifies an organizational unit name for a collection of entries.

```

collectiveOrganizationalUnitName ATTRIBUTE ::= {
  SUBTYPE OF organizationalUnitName
  COLLECTIVE TRUE
  ID id-at-collectiveOrganizationalUnitName }

```

5.4.3 Title

The *Title* attribute type specifies the designated position or function of the object within an organization.

An attribute value for Title is a string.

Example:

T = "Manager, Distributed Applications"

```

title ATTRIBUTE ::= {
  SUBTYPE OF name
  WITH SYNTAX DirectoryString {ub-title}
  ID id-at-title }

```

5.5 Explanatory attribute types

These attribute types are concerned with explanations (e.g. in a natural language) of something about an object.

5.5.1 Description

The *Description* attribute type specifies text which describes the associated object.

For example, the object "Standards Interest" might have the associated description "distribution list for exchange of information about intra-company standards development".

An attribute value for Description is a string.

```

description ATTRIBUTE ::= {
  WITH SYNTAX DirectoryString {ub-description}
  EQUALITY MATCHING RULE caseIgnoreMatch
  SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
  ID id-at-description }
    
```

5.5.2 Search Guide

The *Search Guide* attribute type specifies information of suggested search criteria which may be included in some entries expected to be a convenient base-object for the search operation, e.g. country or organization.

Search criteria consist of an optional identifier for the type of object sought and combinations of attribute types and logical operators to be used in the construction of a filter. It is possible to specify for each search criteria item the matching level, e.g. approximate match.

The Search Guide attribute may recur to reflect the various types of requests, e.g. search for a Residential Person or an Organizational Person, which may be fulfilled from the given base-object where the Search Guide is read.

```

searchGuide ATTRIBUTE ::= {
  WITH SYNTAX Guide
  ID id-at-searchGuide }

Guide ::= SET {
  objectClass [0] OBJECT-CLASS.&id OPTIONAL,
  criteria [1] Criteria }

Criteria ::= CHOICE {
  type [0] CriterialItem,
  and [1] SET OF Criteria,
  or [2] SET OF Criteria,
  not [3] Criteria }

CriterialItem ::= CHOICE {
  equality [0] AttributeType,
  substrings [1] AttributeType,
  greaterOrEqual [2] AttributeType,
  lessOrEqual [3] AttributeType,
  approximateMatch [4] AttributeType }
    
```

Example:

The following is a potential value of the Search Guide attribute that could be stored in entries of object class Locality to indicate how entries of object class Residential Person might be found:

```

residential-person-guide Guide ::= {
  objectClass residentialPerson.&id,
  criteria and : {
    type : substrings : commonName.&id,
    type : substrings : streetAddress.&id }}
    
```

The construction of a filter from this value of Guide is straightforward.

Step (1) produces the intermediate Filter value

```

intermediate-filter Filter ::=
  and : {
    item : substrings {
      type commonName.&id,
      strings { any : teletexString : "Dubois" } },
    item : substrings {
      type streetAddress.&id,
      strings { any : teletexString "Hugo" } }
  }

```

Step (2) produces a filter for matching Residential Person entries in the subtree:

```

residential-person-filter Filter ::=
  and : {
    item : equality : {
      type objectClass.&id,
      assertion residentialPerson.&id },
    intermediateFilter }

```

5.5.3 Enhanced Search Guide

The *Enhanced Search Guide* attribute provides an enhancement of the **searchGuide** attribute, adding information about the recommended search depth for searches among subordinate objects of a given object class.

```

enhancedSearchGuide ATTRIBUTE ::= {
  WITH SYNTAX           EnhancedGuide
  ID                     id-at-enhancedSearchGuide }

EnhancedGuide ::= SEQUENCE {
  objectClass           [0] OBJECT-CLASS.&id,
  criteria               [1] Criteria,
  subset                [2] INTEGER
  { baseObject (0), oneLevel (1), wholeSubtree (2) } DEFAULT oneLevel }

```

5.5.4 Business Category

The *Business Category* attribute type specifies information concerning the occupation of some common objects, e.g. people. For example, this attribute provides the facility to interrogate the Directory about people sharing the same occupation.

```

businessCategory ATTRIBUTE ::= {
  WITH SYNTAX           DirectoryString {ub-business-category}
  EQUALITY MATCHING RULE caseIgnoreMatch
  SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
  ID                     id-at-businessCategory }

```

5.6 Postal Addressing attribute types

These attribute types are concerned with information required for physical postal delivery to an object.

5.6.1 Postal Address

The *Postal Address* attribute type specifies the address information required for the physical delivery of postal messages by the postal authority to the named object.

An attribute value for Postal Address will be typically composed of selected attributes from the MHS Unformatted Postal O/R Address version 1 according to CCITT Recommendation F.401 and limited to 6 lines of 30 characters each, including a Postal Country Name. Normally the information contained in such an address could include an addressee's name, street address, city, state or province, postal code and possibly a Post Office Box number depending on the specific requirements of the named object.

```

postalAddress ATTRIBUTE ::= {
  WITH SYNTAX           PostalAddress
  EQUALITY MATCHING RULE caseIgnoreListMatch
  SUBSTRINGS MATCHING RULE caseIgnoreListSubstringsMatch
  ID                     id-at-postalAddress }

PostalAddress ::= SEQUENCE SIZE(1..ub-postal-line) OF DirectoryString {ub-postal-string}

```

The *Collective Postal Address* attribute type specifies a postal address for a collection of entries.

```
collectivePostalAddress ATTRIBUTE ::= {
  SUBTYPE OF          postalAddress
  COLLECTIVE          TRUE
  ID                  id-at-collectivePostalAddress }
```

5.6.2 Postal Code

The *Postal Code* attribute type specifies the postal code of the named object. If this attribute value is present it will be part of the object's postal address.

An attribute value for Postal Code is a string.

```
postalCode ATTRIBUTE ::= {
  WITH SYNTAX          DirectoryString {ub-postal-code}
  EQUALITY MATCHING RULE caseIgnoreMatch
  SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
  ID                  id-at-postalCode }
```

The *Collective Postal Code* attribute type specifies a postal code for a collection of entries.

```
collectivePostalCode ATTRIBUTE ::= {
  SUBTYPE OF          postalCode
  COLLECTIVE          TRUE
  ID                  id-at-collectivePostalCode }
```

5.6.3 Post Office Box

The *Post Office Box* attribute type specifies the Post Office Box by which the object will receive physical postal delivery. If present, the attribute value is part of the object's postal address.

```
postOfficeBox ATTRIBUTE ::= {
  WITH SYNTAX          DirectoryString {ub-post-office-box}
  EQUALITY MATCHING RULE caseIgnoreMatch
  SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
  ID                  id-at-postOfficeBox }
```

The *Collective Post Office Box* attribute type specifies a post office box for a collection of entries.

```
collectivePostOfficeBox ATTRIBUTE ::= {
  SUBTYPE OF          postOfficeBox
  COLLECTIVE          TRUE
  ID                  id-at-collectivePostOfficeBox }
```

5.6.4 Physical Delivery Office Name

The Physical Delivery Office Name attribute type specifies the name of the city, village, etc. where a physical delivery office is situated.

An attribute value for Physical Delivery Office Name is a string.

```
physicalDeliveryOfficeName ATTRIBUTE ::= {
  WITH SYNTAX          DirectoryString {ub-physical-office-name}
  EQUALITY MATCHING RULE caseIgnoreMatch
  SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
  ID                  id-at-physicalDeliveryOfficeName }
```

The *Collective Physical Delivery Office Name* attribute type specifies a physical delivery office name for a collection of entries.

```
collectivePhysicalDeliveryOfficeName ATTRIBUTE ::= {
  SUBTYPE OF          physicalDeliveryOfficeName
  COLLECTIVE          TRUE
  ID                  id-at-collectivePhysicalDeliveryOfficeName }
```

5.7 Telecommunications Addressing attribute types

These attribute types are concerned with addressing information needed to communicate with the object using telecommunication means.

5.7.1 Telephone Number

The *Telephone Number* attribute type specifies a telephone number associated with an object.

An attribute value for Telephone Number is a string that complies with the internationally agreed format for showing international telephone numbers, CCITT Recommendation E.123 (e.g. "+ 44 582 10101").

```

telephoneNumber ATTRIBUTE ::= {
  WITH SYNTAX TelephoneNumber
  EQUALITY MATCHING RULE telephoneNumberMatch
  SUBSTRINGS MATCHING RULE telephoneNumberSubstringsMatch
  ID id-at-telephoneNumber }

TelephoneNumber ::= PrintableString (SIZE(1..ub-telephone-number))
  -- String complying with CCITT Recommendation E.123 only

```

The *Collective Telephone Number* attribute type specifies a telephone number for a collection of entries.

```

collectiveTelephoneNumber ATTRIBUTE ::= {
  SUBTYPE OF telephoneNumber
  COLLECTIVE TRUE
  ID id-at-collectiveTelephoneNumber }

```

5.7.2 Telex Number

The *Telex Number* attribute type specifies the telex number, country code, and answerback code of a telex terminal associated with an object.

```

telexNumber ATTRIBUTE ::= {
  WITH SYNTAX TelexNumber
  ID id-at-telexNumber }

TelexNumber ::= SEQUENCE {
  telexNumber PrintableString (SIZE (1..ub-telex-number)),
  countryCode PrintableString (SIZE (1..ub-country-code)),
  answerback PrintableString (SIZE (1..ub-answerback)) }

```

The *Collective Telex Number* attribute type specifies a telex number for a collection of entries.

```

collectiveTelexNumber ATTRIBUTE ::= {
  SUBTYPE OF telexNumber
  COLLECTIVE TRUE
  ID id-at-collectiveTelexNumber }

```

5.7.3 Teletex Terminal Identifier

Since CCITT Recommendation F.200 has been withdrawn and has not been replaced, the use of the *teletexTerminalIdentifier* and the *collectiveTeletexTerminalIdentifier* attribute types is deprecated.

The *Teletex Terminal Identifier* attribute type specifies the Teletex terminal identifier (and, optionally, parameters) for a teletex terminal associated with an object.

An attribute value for Teletex Terminal Identifier is a string which complies with CCITT Recommendation F.200 and an optional set whose components are according to ITU-T Recommendation T.62.

```

-- teletexTerminalIdentifier ATTRIBUTE ::= {
  -- WITH SYNTAX TeletexTerminalIdentifier
  -- ID id-at-teletexTerminalIdentifier }
-- TeletexTerminalIdentifier ::= SEQUENCE {
  -- teletexTerminal PrintableString (SIZE(1..ub-teletex-terminal-id)),
  -- parameters TeletexNonBasicParameters OPTIONAL}

```

The *Collective Teletex Terminal Identifier* attribute type specifies a teletex terminal identifier for a collection of entries.

```

-- collectiveTeletexTerminalIdentifier ATTRIBUTE ::= {
  -- SUBTYPE OF teletexTerminalIdentifier
  -- COLLECTIVE TRUE
  -- ID id-at-collectiveTeletexTerminalIdentifier }

```

5.7.4 Facsimile Telephone Number

The Facsimile Telephone Number attribute type specifies a telephone number for a facsimile terminal (and optionally its parameters) associated with an object.

An attribute value for the facsimile telephone number is a string that complies with the internationally agreed format for showing international telephone numbers, CCITT Recommendation E.123 (e.g. "+81 3 347 7418") and an optional bit string (formatted according to CCITT Recommendation T.30).

```

facsimileTelephoneNumber ATTRIBUTE ::= {
  WITH SYNTAX          FacsimileTelephoneNumber
  ID                   id-at-facsimileTelephoneNumber }

FacsimileTelephoneNumber ::= SEQUENCE {
  telephoneNumber      TelephoneNumber,
  parameters           G3FacsimileNonBasicParameters OPTIONAL}

```

The *Collective Facsimile Telephone Number* attribute type specifies a facsimile telephone number for a collection of entries.

```

collectiveFacsimileTelephoneNumber ATTRIBUTE ::= {
  SUBTYPE OF          facsimileTelephoneNumber
  COLLECTIVE         TRUE
  ID                 id-at-collectiveFacsimileTelephoneNumber }

```

5.7.5 X.121 Address

The *X.121 Address* attribute type specifies an address as defined by ITU-T Recommendation X.121 associated with an object.

```

x121Address ATTRIBUTE ::= {
  WITH SYNTAX          X121Address
  EQUALITY MATCHING RULE numericStringMatch
  SUBSTRINGS MATCHING RULE numericStringSubstringsMatch
  ID                   id-at-x121Address }

X121Address ::= NumericString (SIZE(1..ub-x121-address))
  -- String as defined by ITU-T Recommendation X.121

```

5.7.6 International ISDN Number

The *International ISDN Number* attribute type specifies an International ISDN Number associated with an object.

An attribute value for International ISDN Number is a string which complies with the internationally agreed format for ISDN addresses given in ITU-T Recommendation E.164.

```

internationalISDNNumber ATTRIBUTE ::= {
  WITH SYNTAX          InternationalISDNNumber
  EQUALITY MATCHING RULE numericStringMatch
  SUBSTRINGS MATCHING RULE numericStringSubstringsMatch
  ID                   id-at-internationalISDNNumber }

InternationalISDNNumber ::= NumericString (SIZE(1..ub-international-isdn-number))
  -- String complying with ITU-T Recommendation E.164 only

```

The *Collective International ISDN Number* attribute type specifies an international ISDN number for a collection of entries.

```

collectiveInternationalISDNNumber ATTRIBUTE ::= {
  SUBTYPE OF          internationalISDNNumber
  COLLECTIVE         TRUE
  ID                 id-at-collectiveInternationalISDNNumber }

```

5.7.7 Registered Address

The *Registered Address* attribute type specifies a mnemonic for an address associated with an object at a particular city location. The mnemonic is registered in the country in which the city is located and is used in the provision of the Public Telegram Service (according to ITU-T Recommendation F.1).

```

registeredAddress ATTRIBUTE ::= {
  SUBTYPE OF          postalAddress
  WITH SYNTAX        PostalAddress
  ID                 id-at-registeredAddress }

```

5.7.8 Destination Indicator

The *Destination Indicator* attribute type specifies (according to ITU-T Rec. F.1 and CCITT Rec. F.31) the country and city associated with the object (the addressee) needed to provide the Public Telegram Service.

An attribute value for Destination Indicator is a string.

```

destinationIndicator ATTRIBUTE ::= {
    WITH SYNTAX                               DestinationIndicator
    EQUALITY MATCHING RULE                   caseIgnoreMatch
    SUBSTRINGS MATCHING RULE                caseIgnoreSubstringsMatch
    ID                                         id-at-destinationIndicator }

DestinationIndicator ::= PrintableString (SIZE(1..ub-destination-indicator))
    -- alphabetical characters only

```

5.8 Preferences attribute types

These attribute types are concerned with the preferences of an object.

5.8.1 Preferred Delivery Method

The *Preferred Delivery Method* attribute type specifies the object's priority order regarding the method to be used for communicating with it.

```

preferredDeliveryMethod ATTRIBUTE ::= {
    WITH SYNTAX                               SEQUENCE OF INTEGER {
    ny-delivery-method                          (0),
    mhs-delivery                                (1),
    physical-delivery                           (2),
    telex-delivery                               (3),
    teletex-delivery                             (4),
    g3-facsimile-delivery                        (5),
    g4-facsimile-delivery                        (6),
    ia5-terminal-delivery                        (7),
    videotex-delivery                            (8),
    telephone-delivery                           (9) }
    SINGLE VALUE                               TRUE
    ID                                           id-at-preferredDeliveryMethod }

```

5.9 OSI Application attribute types

These attribute types are concerned with information regarding objects in the OSI Application Layer.

5.9.1 Presentation Address

The *Presentation Address* attribute type specifies a presentation address associated with an object representing an OSI application entity.

An attribute value for Presentation Address is a presentation address as defined in ITU-T Rec. X.200 | ISO/IEC 7498-1.

```

presentationAddress ATTRIBUTE ::= {
    WITH SYNTAX                               PresentationAddress
    EQUALITY MATCHING RULE                   presentationAddressMatch
    SINGLE VALUE                               TRUE
    ID                                         id-at-presentationAddress }

PresentationAddress ::= SEQUENCE {
    pSelector                                  [0] OCTET STRING OPTIONAL,
    sSelector                                  [1] OCTET STRING OPTIONAL,
    tSelector                                  [2] OCTET STRING OPTIONAL,
    nAddresses                                 [3] SET SIZE (1..MAX) OF OCTET STRING }

```

5.9.2 Supported Application Context

The *Supported Application Context* attribute type specifies the object identifier(s) of application context(s) that the object (an OSI application entity) supports.

```
supportedApplicationContext ATTRIBUTE ::= {
    WITH SYNTAX          OBJECT IDENTIFIER
    EQUALITY MATCHING RULE objectIdentifierMatch
    ID                   id-at-supportedApplicationContext }
```

5.9.3 Protocol Information

The *Protocol Information* attribute type associates protocol information with each network address in the Presentation Address attribute.

For each **nAddress**, the protocol component identifies the protocol or profile for the network and transport layers.

```
protocolInformation ATTRIBUTE ::= {
    WITH SYNTAX          ProtocolInformation
    EQUALITY MATCHING RULE protocolInformationMatch
    ID                   id-at-protocolInformation }

ProtocolInformation ::= SEQUENCE {
    nAddress
    profiles
    OCTET STRING,
    SET OF OBJECT IDENTIFIER }
```

5.10 Relational attribute types

These attribute types are concerned with information regarding the objects which are related to a particular object in certain ways.

NOTE – The DistinguishedName syntax used in these attribute types allows use of the primary distinguished name or an alternative distinguished name. Use of the primary distinguished name, if it is known, ensures consistency and interworking with pre-1997 DSAs. Specific usage may require that a particular alternative name be used. Context information and alternative distinguished values may also be kept as part of the **valuesWithContext** component of any RDN, as described in 9.3 of ITU-T Rec. X.501 | ISO/IEC 9594-2.

5.10.1 Distinguished Name

The *Distinguished Name* attribute type is an attribute for specifying the name of an object.

```
distinguishedName ATTRIBUTE ::= {
    WITH SYNTAX          DistinguishedName
    EQUALITY MATCHING RULE distinguishedNameMatch
    ID                   id-at-distinguishedName }
```

5.10.2 Member

The *Member* attribute type specifies a group of names associated with the object.

An attribute value for Member is a distinguished name.

```
member ATTRIBUTE ::= {
    SUBTYPE OF          distinguishedName
    ID                   id-at-member }
```

5.10.3 Unique Member

The *Unique Member* attribute type specifies a group of unique names associated with an object. A unique name is a name that is optionally disambiguated by the inclusion of its unique identifier.

An attribute value for Unique Member is a distinguished name accompanied by an optional unique identifier.

```
uniqueMember ATTRIBUTE ::= {
    WITH SYNTAX          NameAndOptionalUID
    EQUALITY MATCHING RULE uniqueMemberMatch
    ID                   id-at-uniqueMember }

NameAndOptionalUID ::= SEQUENCE {
    dn
    uid
    DistinguishedName,
    UniqueIdentifier OPTIONAL }
```

5.10.4 Owner

The *Owner* attribute type specifies the name of some object which has some responsibility for the associated object.

An attribute value for Owner is a distinguished name (which could represent a group of names) and can recur.

```
owner ATTRIBUTE ::= {
SUBTYPE OF     distinguishedName
ID             id-at-owner }
```

5.10.5 Role Occupant

The *Role Occupant* attribute type specifies the name of an object which fulfills an organizational role.

An attribute value for Role Occupant is a distinguished name.

```
roleOccupant ATTRIBUTE ::= {
SUBTYPE OF     distinguishedName
ID             id-at-roleOccupant }
```

5.10.6 See Also

The *See Also* attribute type specifies names of other Directory objects which may be other aspects (in some sense) of the same real world object.

An attribute value for See Also is a distinguished name.

```
seeAlso ATTRIBUTE ::= {
SUBTYPE OF     distinguishedName
ID             id-at-seeAlso }
```

5.11 Domain attribute types

5.11.1 DMD name

The DMD Name attribute type specifies a DMD. When used as a component of a directory name it identifies a DMD which manages the named object.

An attribute value for DMD Name is a string chosen by the DMD.

```
dmdName ATTRIBUTE ::= {
SUBTYPE OF     name
WITH SYNTAX    DirectoryString{ub-common-name}
ID             id-at-dmdName }
```

SECTION 3 – MATCHING RULES

6 Definition of matching rules

NOTE – For definitions of **objectIdentifierMatch** and **distinguishedNameMatch**, see ITU-T Rec. X.501 | ISO/IEC 9594-2.

6.1 String matching rules

In the matching rules specified in 6.1.1 through 6.1.11, the following spaces are regarded as not significant:

- leading spaces (i.e. those preceding the first character that is not a space);
- trailing spaces (i.e. those following the last character that is not a space);
- multiple consecutive spaces (these are taken as equivalent to a single space character).

A string consisting entirely of spaces is equivalent to a string containing exactly one space.

In the matching rules to which these apply, the strings to be matched shall be matched as if the insignificant spaces were not present in either string.

6.1.1 Case Ignore Match

The *Case Ignore Match* rule compares for equality a presented string with an attribute value of type **PrintableString**, **NumericString**, **TelexString**, **BMPString**, **UniversalString**, or **DirectoryString**, without regard to the case (upper or lower) of the strings (e.g. "Dundee" and "DUNDEE" match).

```

caseIgnoreMatch MATCHING-RULE ::= {
  SYNTAX      DirectoryString {ub-match}
  ID          id-mr-caseIgnoreMatch }

```

The rule returns TRUE if the strings are the same length and corresponding characters are identical except possibly with regard to case.

Where the strings being matched are of different ASN.1 syntax, the comparison proceeds as normal so long as the corresponding characters are in both character sets. Otherwise matching fails.

6.1.2 Case Ignore Ordering Match

The *Case Ignore Ordering Match* rule compares the collation order of a presented string an attribute value whose type is one of the ones listed in 6.1.1, without regard to the case (upper or lower) of the strings.

```

caseIgnoreOrderingMatch MATCHING-RULE ::= {
  SYNTAX      DirectoryString {ub-match}
  ID          id-mr-caseIgnoreOrderingMatch }

```

The rule returns TRUE if the attribute value is "less" or appears earlier than the presented value, when the strings are compared using the normal collation order for their syntax after lower-case letters in both strings have been replaced by their upper-case equivalents.

Where the strings being matched are of different ASN.1 syntax, the comparison proceeds as normal so long as the corresponding characters are in both character sets. Otherwise matching fails.

6.1.3 Case Ignore Substrings Match

The *Case Ignore Substrings Match* rule determines whether a presented value is a substring of an attribute value whose type is one of the ones listed in 6.1.1, without regard to the case (upper or lower) of the strings.

```

caseIgnoreSubstringsMatch MATCHING-RULE ::= {
  SYNTAX      SubstringAssertion
  ID          id-mr-caseIgnoreSubstringsMatch }

```

```

SubstringAssertion ::= SEQUENCE OF CHOICE {
  initial          [0] DirectoryString {ub-match},
  any              [1] DirectoryString {ub-match},
  final           [2] DirectoryString {ub-match} }

```

-- at most one **initial** and one **final** component

The rule returns TRUE if there is a partitioning of the attribute value (into portions) such that:

- the specified substrings (**initial**, **any**, **final**) match different portions of the value in the order of the **strings** sequence;
- **initial**, if present, matches the first portion of the value;
- **final**, if present, matches the last portion of the value;
- **any**, if present, matches some arbitrary portion of the value.

There shall be at most one **initial**, and at most one **final** in **strings**. If **initial** is present, it shall be the first element of **strings**. If **final** is present, it shall be the last element of **strings**. There shall be zero or more **any** in **strings**.

For a component of substrings to match a portion of the attribute value, corresponding characters must be identical, except in regard to case. Where the strings being matched are of different ASN.1 syntax, the comparison proceeds as normal so long as the corresponding characters are in both character sets. Otherwise matching fails.

6.1.4 Case Exact Match

The *Case Exact Match* rule compares for equality a presented string with an attribute value whose type is one of the ones listed in 6.1.1.

```

caseExactMatch MATCHING-RULE ::= {
  SYNTAX      DirectoryString {ub-match}
  ID          id-mr-caseExactMatch }

```

The rule is identical to the **caseIgnoreMatch** rule except that case is not ignored.

6.1.5 Case Exact Ordering Match

The *Case Exact Ordering Match* rule compares the collation order of a presented string with an attribute value whose type is one of the ones listed in 6.1.1.

```

caseExactOrderingMatch MATCHING-RULE ::= {
  SYNTAX      DirectoryString {ub-match}
  ID          id-mr-caseExactOrderingMatch }

```

The rule is identical to the **caseIgnoreOrderingMatch** rule except that lower-case letters are not replaced by upper-case letters.

6.1.6 Case Exact Substrings Match

The *Case Exact Substrings Match* rule determines whether a presented value is a substring of an attribute value whose type is one of the ones listed in 6.1.1.

```

caseExactSubstringsMatch MATCHING-RULE ::= {
  SYNTAX      SubstringAssertion -- only the PrintableString choice
  ID          id-mr-caseExactSubstringsMatch }

```

The rule is identical to the **caseIgnoreSubstringsMatch** rule except that case is not ignored.

6.1.7 Numeric String Match

The *Numeric String Match* rule compares for equality a presented numeric string with an attribute value of type **NumericString**.

```

numericStringMatch MATCHING-RULE ::= {
  SYNTAX      NumericString
  ID          id-mr-numericStringMatch }

```

The rule is identical to the **caseIgnoreMatch** rule except that all space characters are skipped during comparison (case is irrelevant as characters are numeric).

6.1.8 Numeric String Ordering Match

The *Numeric String Ordering Match* rule compares the collation order of a presented string with an attribute value of type **NumericString**.

```

numericStringOrderingMatch MATCHING-RULE ::= {
  SYNTAX      NumericString
  ID          id-mr-numericStringOrderingMatch }

```

The rule is identical to the **caseIgnoreOrderingMatch** rule except that all space characters are skipped during comparison (case is irrelevant as characters are numeric).

6.1.9 Numeric String Substrings Match

The *Numeric String Substrings Match* rule determines whether a presented value is a substring of an attribute value of type **NumericString**.

```

numericStringSubstringsMatch MATCHING-RULE ::= {
  SYNTAX      SubstringAssertion
  ID          id-mr-numericStringSubstringsMatch }

```

The rule is identical to the **caseIgnoreSubstringsMatch** rule except that all space characters are skipped during comparison (case is irrelevant as characters are numeric).

6.1.10 Case Ignore List Match

The *Case Ignore List Match* rule compares for equality a presented sequence of strings with an attribute value which is a sequence of **DirectoryStrings**, without regard to the case (upper or lower) of the strings.

```

caseIgnoreListMatch MATCHING-RULE ::= {
  SYNTAX      SEQUENCE OF DirectoryString {ub-match}
  ID          id-mr-caseIgnoreListMatch }
    
```

The rule returns TRUE if and only if the number of strings in each is the same, and corresponding strings match. The latter matching is as for the **caseIgnoreMatch** matching rule.

6.1.11 Case Ignore List Substrings Match

The *Case Ignore List Substring Match* rule compares a presented substring with an attribute value which is a sequence of **DirectoryStrings**, but where the case (upper or lower) is not significant for comparison purposes.

```

caseIgnoreListSubstringsMatch MATCHING-RULE ::= {
  SYNTAX      SubstringAssertion
  ID          id-mr-caseIgnoreListSubstringsMatch }
    
```

A presented value matches a stored value if and only if the presented value matches the string formed by concatenating the strings of the stored value. This matching is done according to the **caseIgnoreSubstringsMatch** rule; however, none of the **initial**, **any**, or **final** values of the presented value are considered to match a substring of the concatenated string which spans more than one of the strings of the stored value.

6.1.12 Stored Prefix Match

The *Stored Prefix Match* rule determines whether an attribute value, whose syntax is **DirectoryString**, is a prefix (i.e. initial substring) of the presented value, without regard to the case (upper or lower) of the strings.

NOTE – It can be used, for example, to compare values in the Directory which are telephone area codes with a purported value which is a telephone number.

```

storedPrefixMatch MATCHING-RULE ::= {
  SYNTAX      DirectoryString {ub-match}
  ID          id-mr-storedPrefixMatch }
    
```

The rule returns TRUE if the attribute value is an initial substring of the presented value with corresponding characters identical except possibly with regard to case.

6.2 Syntax-based matching rules

6.2.1 Boolean Match

The *Boolean Match* rule compares for equality a presented Boolean value with an attribute value of type **BOOLEAN**.

```

booleanMatch MATCHING-RULE ::= {
  SYNTAX      BOOLEAN
  ID          id-mr-booleanMatch }
    
```

The rule returns TRUE if the values are the same, i.e. both are TRUE or both are FALSE.

6.2.2 Integer Match

The *Integer Match* rule compares for equality a presented integer value with an attribute value of type **INTEGER**.

```

integerMatch MATCHING-RULE ::= {
  SYNTAX      INTEGER
  ID          id-mr-integerMatch }
    
```

The rule returns TRUE if the integers are equal.

6.2.3 Integer Ordering Match

The *Integer Ordering Match* rule compares a presented integer value with an attribute value of type **INTEGER**.

```

integerOrderingMatch MATCHING-RULE ::= {
  SYNTAX      INTEGER
  ID          id-mr-integerOrderingMatch }
    
```

The rule returns TRUE if the attribute value is less than the presented value.

6.2.4 Bit String Match

The *Bit String Match* rule compares a presented bit string with an attribute value of type **BIT STRING**.

```
bitStringMatch MATCHING-RULE ::= {
  SYNTAX                      BIT STRING
  ID                          id-mr-bitStringMatch }
```

The rule returns TRUE if the attribute value has the same number of bits as the presented value and the bits match on a bitwise basis.

6.2.5 Octet String Match

The *Octet String Match* rule compares for equality a presented octet string with an attribute value of type **OCTET STRING**.

```
octetStringMatch MATCHING-RULE ::= {
  SYNTAX                      OCTET STRING
  ID                          id-mr-octetStringMatch }
```

The rule returns TRUE if and only if the strings are the same length and corresponding octets are identical.

6.2.6 Octet String Ordering Match

The *Octet String Ordering Match* rule compares the collation order of a presented octet string with an attribute value of type **OCTET STRING**.

```
octetStringOrderingMatch MATCHING-RULE ::= {
  SYNTAX                      OCTET STRING
  ID                          id-mr-octetStringOrderingMatch }
```

The rule compares octet strings from first octet to last octet, and from the most significant bit to the least significant bit within the octet. The first occurrence of a different bit determines the ordering of the strings. A zero bit precedes a one bit. If the strings are identical but contain different numbers of octets, the shorter string precedes the longer string.

6.2.7 Octet String Substrings Match

The *Octet String Substrings Match* rule determines whether a presented octet string is a substring of an attribute value of type **OCTET STRING**.

```
octetStringSubstringsMatch MATCHING-RULE ::= {
  SYNTAX                      OctetSubstringAssertion
  ID                          id-mr-octetStringSubstringsMatch }
```

```
OctetSubstringAssertion ::= SEQUENCE OF CHOICE {
  initial          [0] OCTET STRING,
  any              [1] OCTET STRING,
  final           [2] OCTET STRING }
-- at most one initial and one final component
```

The rule returns TRUE if the attribute value contains the sequence of octets in the presented string, as described for **caseIgnoreSubstringsMatch**.

6.2.8 Telephone Number Match

The *Telephone Number Match* rule compares for equality a presented value with an attribute value of type **PrintableString** which is a telephone number.

```
telephoneNumberMatch MATCHING-RULE ::= {
  SYNTAX                      PrintableString
  ID                          id-mr-telephoneNumberMatch }
```

The rules for matching are identical to those for **caseIgnoreMatch**, except that all space and "-" characters are skipped during the comparison.

6.2.9 Telephone Number Substrings Match

The *Telephone Number Substrings Match* rule determines if a presented substring is a substring of an attribute value of type **PrintableString** which is a telephone number.

```
telephoneNumberSubstringsMatch MATCHING-RULE ::= {
  SYNTAX                               SubstringAssertion
  ID                                    id-mr-telephoneNumberSubstringsMatch }
```

The rules for matching are identical to those for **caseExactSubstringsMatch**, except that all space and "-" characters are skipped during the comparison.

6.2.10 Presentation Address Match

The *Presentation Address Match* rule compares for equality a presented Presentation Address with an attribute value of type **PresentationAddress**.

```
presentationAddressMatch MATCHING-RULE ::= {
  SYNTAX                               PresentationAddress
  ID                                    id-mr-presentationAddressMatch }
```

The rule returns TRUE if and only if the selectors of the presented and stored presentation address are equal and the presented **nAddresses** are a subset of the stored ones.

6.2.11 Unique Member Match

The *Unique Member Match* rule compares for equality a presented Unique Member value with an attribute value of type **NameAndOptionalUID**.

```
uniqueMemberMatch MATCHING-RULE ::= {
  SYNTAX                               NameAndOptionalUID
  ID                                    id-mr-uniqueMemberMatch }
```

The rule returns TRUE if and only if the **dn** components of the attribute value and the presented value match according to the **distinguishedNameMatch** rule, and the **uid** component is absent from the attribute value or matches the corresponding component from the presented value according to the **bitStringMatch** rule.

6.2.12 Protocol Information Match

The *Protocol Information Match* rule compares for equality presented values of **ProtocolInformation** with values of the same type.

```
protocolInformationMatch MATCHING-RULE ::= {
  SYNTAX                               OCTET STRING
  ID                                    id-mr-protocolInformationMatch }
```

A value of the assertion syntax is derived from a value of the attribute syntax by using the **nAddress** component.

The value returns True if the presented value and the **nAddress** component of the stored value match according to the **octetStringMatch** rule.

6.3 Time matching rules

6.3.1 UTC Time Match

The *UTC Time Match* rule compares for equality a presented value with an attribute value of type **UTCTime**.

```
uTCTimeMatch MATCHING-RULE ::= {
  SYNTAX                               UTCTime
  ID                                    id-mr-uTCTimeMatch }
```

The rule returns TRUE if the attribute value represents the same time as the presented value. If a UTC time is specified with the seconds absent, the number of seconds is assumed to be zero.

6.3.2 UTC Time Ordering Match

The *UTC Time Ordering* rule compares the time ordering of a presented value with an attribute value of type **UTCTime**.

```

uTCTimeOrderingMatch MATCHING-RULE ::= {
  SYNTAX          UTCTime
  ID              id-mr-uTCTimeOrderingMatch }

```

The rule returns TRUE if the attribute value represents a time which is earlier than the presented time. UTC times with year values 50 to 99 shall be taken to represent times that are earlier than UTC times with year values 00 to 49. If a UTC time is specified with the seconds absent, the number of seconds is assumed to be zero.

The value of the two-digit year field shall be rationalized into a four-digit year value as follows:

- if the 2-digit value is 00 through 49 inclusive, the value shall have 2000 added to it; and
- if the 2-digit value is 50 through 99 inclusive, the value shall have 1900 added to it.

6.3.3 Generalized Time Match

The *Generalized Time Match* rule compares for equality a presented value with an attribute value of type **GeneralizedTime** [as per 41.3 b) or c) of ITU-T Rec. X.680 | ISO/IEC 8824-1].

```

generalizedTimeMatch MATCHING-RULE ::= {
  SYNTAX          GeneralizedTime
                  -- as per 41.3 b) or c) of ITU-T Rec. X.680 | ISO/IEC 8824-1
  ID              id-mr-generalizedTimeMatch }

```

The rule returns TRUE if the attribute value represents the same time as the presented value. If a time is specified with the minutes or seconds absent, the number of minutes or seconds is assumed to be zero.

6.3.4 Generalized Time Ordering Match

The *Generalized Time Ordering Match* rule compares the time ordering of a presented value with an attribute value of type **GeneralizedTime** [as per 41.3 b) and c) of ITU-T Rec. X.680 | ISO/IEC 8824-1].

```

generalizedTimeOrderingMatch MATCHING-RULE ::= {
  SYNTAX          GeneralizedTime
                  -- as per 41.3 b) or c) of ITU-T Rec. X.680 | ISO/IEC 8824-1
  ID              id-mr-generalizedTimeOrderingMatch }

```

The rule returns TRUE if the attribute value represents a time which is earlier than the presented time. If a time is specified with the minutes or seconds absent, the number of minutes or seconds is assumed to be zero.

6.4 First component matching rules

6.4.1 Integer First Component Match

The *Integer First Component Match* rule compares for equality a presented integer value with an attribute value of type **SEQUENCE** whose first component is mandatory and of type **INTEGER**.

```

integerFirstComponentMatch MATCHING-RULE ::= {
  SYNTAX          INTEGER
  ID              id-mr-integerFirstComponentMatch }

```

The rule returns TRUE if the attribute value has a first component whose value equals the presented integer.

A value of the assertion syntax is derived from a value of the attribute syntax by using the value of the first component of the **SEQUENCE**.

6.4.2 Object Identifier First Component Match

The *Object Identifier First Component Match* rule compares for equality a presented object identifier value with attribute values of type **SEQUENCE** whose first component is mandatory and of type **OBJECT IDENTIFIER**.

```

objectIdentifierFirstComponentMatch MATCHING-RULE ::= {
  SYNTAX          OBJECT IDENTIFIER
  ID              id-mr-objectIdentifierFirstComponentMatch }

```

The rule returns TRUE if the attribute value has a first component whose value matches the presented object identifier using the rules of **objectIdentifierMatch**.

A value of the assertion syntax is derived from a value of the attribute syntax by using the value of the first component of the SEQUENCE.

6.4.3 Directory String First Component Match

The *Directory String First Component Match* rule compares for equality a presented **DirectoryString** value with an attribute value of type **SEQUENCE** whose first component is mandatory and of type **DirectoryString**.

```
directoryStringFirstComponentMatch MATCHING-RULE ::= {
    SYNTAX          DirectoryString {ub-directory-string-first-component-match}
    ID              id-mr-directoryStringFirstComponentMatch }
```

The rule returns TRUE if the attribute value has a first component whose value matches the presented **DirectoryString** using the rules of **caseIgnoreMatch**.

A value of the assertion syntax is derived from a value of the attribute syntax by using the value of the first component of the SEQUENCE.

6.5 Word matching rules

6.5.1 Word Match

The *Word Match* rule compares a presented string with words in an attribute value of type **DirectoryString**.

```
wordMatch MATCHING-RULE ::= {
    SYNTAX          DirectoryString {ub-match}
    ID              id-mr-wordMatch }
```

The rule returns TRUE if a presented word matches any word in the attribute value. Individual word matching is as for the **caseIgnoreMatch** matching rule. The precise definition of a "word" is a local matter.

6.5.2 Keyword Match

The *Keyword Match* rule compares a presented string with keywords in an attribute value of type **DirectoryString**.

```
keywordMatch MATCHING-RULE ::= {
    SYNTAX          DirectoryString {ub-match}
    ID              id-mr-keywordMatch }
```

The rule returns TRUE if a presented value matches any *keyword* in the attribute value. The identification of keywords in an attribute value and of the exactness of match are both local matters.

SECTION 4 – CONTEXTS

7 Definition of Context Types

This Directory Specification defines a number of context types which may be found useful across a range of applications of the Directory.

7.1 Language Context

The *Language Context* associates an attribute value with a specific language(s):

```
languageContext CONTEXT ::= {
    WITH SYNTAX      LanguageContextSyntax
    ID              id-avc-language }

LanguageContextSyntax ::= PrintableString (SIZE(2..3)) -- ISO 639-2 codes only
```

A presented value is considered to match a stored value if the sequence of characters in the presented value is identical to that in the stored value.

7.2 Temporal Context

The Temporal Context associates an attribute value with a set of times. Various expressions of time are possible, including:

- a) absolute start or end times (e.g. 24:00 December 14, 1994);
- b) specific time bands within the day (e.g. 09:00 to 17:00)
- c) days within the week (e.g. Monday);
- d) days within the month (e.g. the 10th; the 2nd last day, etc.);
- e) months within the year (e.g. March);
- f) a particular year (e.g. 1995);
- g) weeks within the month (e.g. the second week);
- h) periodic day or week (e.g. every 2nd week);
- i) logical negatives (e.g. not Monday).

temporalContext CONTEXT ::= {

WITH SYNTAX	TimeSpecification
ASSERTED AS	TimeAssertion
ID	id-avc-temporal }

TimeSpecification ::= SEQUENCE {

time	CHOICE {
absolute	SEQUENCE {
startTime	[0] GeneralizedTime OPTIONAL,
endTime	[1] GeneralizedTime OPTIONAL },
periodic	SET OF Period },
notThisTime	BOOLEAN DEFAULT FALSE,
timeZone	TimeZone OPTIONAL }

Period ::= SEQUENCE {

timesOfDay	[0]	SET OF DayTimeBand OPTIONAL,
days	[1]	CHOICE {
		intDay SET OF INTEGER,
		bitDay BIT STRING { sunday (0), monday (1), tuesday (2),
		wednesday (3), thursday (4), friday (5), saturday (6) },
		dayOf XDayOf } OPTIONAL,
weeks	[2]	CHOICE {
		allWeeks NULL,
		intWeek SET OF INTEGER,
		bitWeek BIT STRING { week1 (0), week2 (1), week3 (2), week4 (3),
		week5 (4) } } OPTIONAL,
months	[3]	CHOICE {
		allMonths NULL,
		intMonth SET OF INTEGER,
		bitMonth BIT STRING { january (0), february (1), march (2), april (3),
		may (4), june (5), july (6), august (7), september (8),
		october (9), november (10), december (11) }
		} OPTIONAL,
years	[4]	SET OF INTEGER (1000 .. MAX) OPTIONAL }

XDayOf ::= CHOICE {

first	[1]	NamedDay,
second	[2]	NamedDay,
third	[3]	NamedDay,
fourth	[4]	NamedDay,
fifth	[5]	NamedDay }

```

NamedDay ::= CHOICE {
    intNamedDays      ENUMERATED {
        sunday (1),
        monday (2),
        tuesday (3),
        wednesday (4),
        thursday (5),
        friday (6),
        saturday (7) },
    bitNamedDays      BIT STRING { sunday (0), monday (1), tuesday (2),
        wednesday (3), thursday (4), friday (5), saturday (6) } }

DayTimeBand ::= SEQUENCE {
    startDayTime      [0] DayTime DEFAULT { hour 0 },
    endDayTime        [1] DayTime DEFAULT { hour 23, minute 59, second 59 } }

DayTime ::= SEQUENCE {
    hour              [0] INTEGER (0..23),
    minute            [1] INTEGER (0..59) DEFAULT 0,
    second            [2] INTEGER (0..59) DEFAULT 0 }

TimeZone ::= INTEGER (-12..12)

TimeAssertion ::= CHOICE {
    now              NULL,
    at               GeneralizedTime,
    between          SEQUENCE {
        startTime    [0] GeneralizedTime,
        endTime      [1] GeneralizedTime OPTIONAL,
        entirely     BOOLEAN DEFAULT FALSE } }

```

The **absolute** choice of **time** expresses a specific time or time band using absolute time notations (GeneralizedTime). A specific time is expressed by setting the **startTime** equal to the **endTime**. Otherwise, **startTime** is earlier in time than **endTime** and a span of time is expressed. If **endTime** is missing the time span includes all times after **startTime**.

periodic allows the specification of **time** as a set of periods. The combined effect is a logical OR of the set.

NOTE 1 – Alternatively, an attribute value could be associated with the temporal context with multiple context values, one for each of the periods, since this also acts a logical OR. However, the SET OF is included here to allow **notThisTime** to cover the set and thus effect a logical 'neither'. When **notThisTime** is FALSE, the choice of which approach to use to specify a set of periods is up to the specifier.

Within each Period each element in the SEQUENCE OF is considered as "within" the following element in the SEQUENCE OF. The SEQUENCE OF is in rising order of granularity of time period, although not all levels must be present.

The final element in a **Period** is assumed to be valid for all time periods of higher granularity.

NOTE 2 – For example, if a **Period** SEQUENCE OF ends with **timesOfDay**, it is considered valid for all days.

A **timesOfDay** indicates the valid time bands during the days specified in the next element of **Period**. If **days** is not the next element, then the time bands are valid for all possible days within the next element. If **timesOfDay** is not included, all times of the day are valid within the next element. Different time bands may be specified for different days, by having multiple occurrences of **Period**.

The **days** element expresses specific days of a week, month or year depending on the next element of **Period**. If **days** precedes **weeks** in a **Period**, then it expresses days of the week and the INTEGERS are constrained to the values 1 to 7, where 1 is Sunday. If **days** precedes **months** in a **Period**, then it expresses days in the month and the INTEGERS are constrained to the values 1 to 31, where 1 is the first day of the month. If **days** precedes **years** in a **Period**, then it expresses days of the year and the INTEGERS are constrained to the values 1 to 366, where 1 is the first day of the year.

dayOf is used to indicate the 1st, 2nd, 3rd, 4th, and 5th occurrence of the **NamedDay** in a month (e.g. the first Monday of the month, or the second Tuesday and Friday of August). The use of **fifth** shall always indicate the last **NamedDay** of that month (e.g. the last Tuesday of July). If the **dayOf** choice for **days** is specified, then the **weeks** element of **Period** is not meaningful if present and is ignored.

If **days** is not specified, then all days are valid within the next element of the **Period**.

The **weeks** element expresses specific weeks of a month or year, depending on the next element of **Period**. If **weeks** precedes months in a **Period**, then it expresses weeks of the month and the INTEGERS are constrained to the values 1 to 5, where 1 is the first week of the month. The first week of the month shall be assumed to be the first week containing at least four days of that month. The fifth week always means the last week of the month.

If **weeks** precedes years in a **Period**, then it expresses weeks of the year and the INTEGERS are constrained to the values 1 to 53, where 1 is the first week of the year. The first week of the year shall be assumed to be the first week containing at least four days of that year. The 53rd week is always the last week of the year.

If **allWeeks** is specified, then all weeks are valid within the next element of the **Period** (this allows **days** to express days of the week for all weeks).

If **weeks** is not specified, then all weeks are valid within the next element of the **Period**.

The **months** element expresses specific months of the year. When **months** is expressed with INTEGERS, the INTEGERS are constrained to the values 1 to 12, where 1 is the first month of the year (i.e. January).

If **allMonths** is specified, then all months of the year are valid (this allows **weeks** to express weeks of the month for all months, or if **weeks** is not specified it allows **days** to express days of the month for all months).

If **months** is not specified, then all months of the year are valid.

The **years** component expresses one or more years. If **years** is not specified, then all years are valid.

timeZone expresses the time zone, in hours delta from GMT, in which **time** is expressed. If **timeZone** is not present, a DSA processing the temporal context shall interpret the **time** relevant in the time zone of the DSA.

If **notThisTime** is **FALSE**, then the temporal context value is the time expressed in **time** in the **TimeSpecification**. If **notThisTime** is **TRUE**, then the temporal context value is considered to be all time except that expressed in **time** in the **TimeSpecification** (that is, a logical NOT is performed).

A time assertion is considered to match a time specification if there is an overlap in the times specified. If the time assertion contains **now**, then the current time is used in the evaluation. If **now** or **at** is specified, then the assertion is considered true if the specific time falls within the times covered by the stored **TimeSpecification**. If the time assertion uses **between** and **entirely** is **FALSE**, then the assertion is considered true if any portion of the **between** time band falls within the times covered by the stored **TimeSpecification** (the overlap need not be complete: as long as there is a period of overlap within the two time specifications, they are considered to match). If the time assertion uses **between** and **entirely** is **TRUE**, then the assertion is considered true only if the entire **between** time band falls within the times covered by the stored **TimeSpecification**.

Examples:

NOTE 3 – The following examples use the INTEGER formats for elements where a choice is available of INTEGER or BIT STRING.

- a) 09:00 to 17:00 every day, would be expressed as:

```
periodic {
    timesOfDay { {
        startDayTime hour 9,
        endDayTime hour 17 } } }
```

- b) Every Monday would be expressed as:

```
periodic {
    days intDay : {2} }
```

- c) 09:00 to 12:00 noon Monday to Friday and all day Saturday during January, and all day for Tuesdays in February and March would be expressed as:

```
periodic {
    timesOfDay { {
        startDayTime hour 9,
        endDayTime hour 12 } }
    days intDay : {2,3,4,5,6},
    weeks allWeeks : NULL,
    months intMonth : {1} },
```

```

{   days {7},
    weeks {1,2,3,4,5},
    months {1} }

{   days {3}
    weeks {1,2,3,4,5},
    months {2,3} }

```

- d) All of August 1996 would be expressed as:

```

periodic {
  {   months {8}
      years {1996} } }

```

- e) The first day of every month would be expressed as:

```

periodic {
  {   days {1}
      months NULL } }

```

7.3 Locale Context

The Locale Context associates an attribute value with a specific locale(s) as defined in POSIX:

```

localeContext CONTEXT ::= {
  WITH SYNTAX      localeContextSyntax
  ID                id-avc-locale }

localeContextSyntax ::= CHOICE {
  localeID1         OBJECT IDENTIFIER,
  localeID2         DirectoryString }

```

A presented value is considered to match a stored value if they are both object identifiers and the two object identifiers are equal, or they are both strings and are the same.

Only registered object identifiers or strings for locales may be used as context values. The concept of locales is described in ISO/IEC 9945-2:1993 Information Technology – Portable Operating System Interface (POSIX) – Part 2: Shell and Utilities.

NOTE – Registration authorities will be created to assign OIDs and/or string identifiers to locale specifications. For example, the European Committee for Standardization, CEN, has published a European standard for registration of locale information, ENV12005 :1996 Procedures for European Registration of Cultural Elements.

Annex A

Selected attribute types in ASN.1

(This annex forms an integral part of this Recommendation | International Standard)

This annex includes all of the ASN.1 type and value definitions contained in this Directory Specification in the form of the ASN.1 module **SelectedAttributeTypes**.

```
SelectedAttributeTypes {joint-iso-itu-t ds(5) module(1) selectedAttributeTypes(5) 3}
```

```
DEFINITIONS ::=
```

```
BEGIN
```

```
-- EXPORTS All --
```

```
-- The types and values defined in this module are exported for use in the other ASN.1 modules contained
-- within the Directory Specifications, and for the use of other applications which will use them to access
-- Directory services. Other applications may use them for their own purposes, but this will not constrain
-- extensions and modifications needed to maintain or improve the Directory service.
```

```
IMPORTS
```

```
informationFramework, upperBounds, id-at, id-mr, id-avc
```

```
FROM UsefulDefinitions {joint-iso-itu-t ds(5) module(1) usefulDefinitions(0) 3 }
```

```
ATTRIBUTE, MATCHING-RULE, AttributeType, OBJECT-CLASS, DistinguishedName,
objectIdentifierMatch, distinguishedNameMatch
```

```
FROM InformationFramework informationFramework
```

```
G3FacsimileNonBasicParameters, TeletexNonBasicParameters
```

```
FROM MTSAbstractService {joint-iso-itu-t mhs(6) mts(3) modules(0)
mts-abstract-service(1)version-1999(1) }
```

```
ub-answerback, ub-name, ub-common-name, ub-surname, ub-serial-number, ub-locality-name,
ub-state-name, ub-street-address, ub-organization-name, ub-organizational-unit-name, ub-title,
ub-description, ub-business-category, ub-postal-line, ub-postal-string, ub-postal-code,
ub-post-office-box, ub-physical-office-name, ub-telex-number, ub-country-code,
ub-teletex-terminal-id, ub-telephone-number, ub-x121-address, ub-international-isdn-number,
ub-destination-indicator, ub-user-password, ub-match, ub-knowledge-information, ub-name,
ub-directory-string-first-component-match
```

```
FROM UpperBounds upperBounds ;
```

```
-- Directory string type --
```

```
DirectoryString { INTEGER : maxSize } ::= CHOICE {
teletexString TeletexString (SIZE (1..maxSize)),
printableString PrintableString (SIZE (1..maxSize)),
bmpString BMPString (SIZE (1..maxSize)),
universalString UniversalString (SIZE (1..maxSize)) }
```

```
-- Attribute types --
```

```
knowledgeInformation ATTRIBUTE ::= {
WITH SYNTAX DirectoryString { ub-knowledge-information }
EQUALITY MATCHING RULE caseIgnoreMatch
ID id-at-knowledgeInformation }
```

```
name ATTRIBUTE ::= {
WITH SYNTAX DirectoryString { ub-name }
EQUALITY MATCHING RULE caseIgnoreMatch
SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
ID id-at-name }
```

```
commonName ATTRIBUTE ::= {
SUBTYPE OF name
WITH SYNTAX DirectoryString {ub-common-name}
ID id-at-commonName }
```

```
surname ATTRIBUTE ::= {
SUBTYPE OF name
WITH SYNTAX DirectoryString {ub-surname}
ID id-at-surname }
```

givenName ATTRIBUTE ::= {
 SUBTYPE OF **name**
 WITH SYNTAX **DirectoryString {ub-name}**
 ID **id-at-givenName** }

initials ATTRIBUTE ::= {
 SUBTYPE OF **name**
 WITH SYNTAX **DirectoryString {ub-name}**
 ID **id-at-initials** }

generationQualifier ATTRIBUTE ::= {
 SUBTYPE OF **name**
 WITH SYNTAX **DirectoryString {ub-name}**
 ID **id-at-generationQualifier** }

uniqueIdentifier ATTRIBUTE ::= {
 WITH SYNTAX **UniqueIdentifier**
 EQUALITY MATCHING RULE **bitStringMatch**
 ID **id-at-uniqueIdentifier** }

UniqueIdentifier ::= BIT STRING

dnQualifier ATTRIBUTE ::= {
 WITH SYNTAX **PrintableString**
 EQUALITY MATCHING RULE **caseIgnoreMatch**
 ORDERING MATCHING RULE **caseIgnoreOrderingMatch**
 SUBSTRINGS MATCHING RULE **caseIgnoreSubstringsMatch**
 ID **id-at-dnQualifier** }

serialNumber ATTRIBUTE ::= {
 WITH SYNTAX **PrintableString (SIZE (1..ub-serial-number))**
 EQUALITY MATCHING RULE **caseIgnoreMatch**
 SUBSTRINGS MATCHING RULE **caseIgnoreSubstringsMatch**
 ID **id-at-serialNumber** }

countryName ATTRIBUTE ::= {
 SUBTYPE OF **name**
 WITH SYNTAX **CountryName**
 SINGLE VALUE **TRUE**
 ID **id-at-countryName** }

CountryName ::= **PrintableString (SIZE (2))** --SO 3166 codes only

localityName ATTRIBUTE ::= {
 SUBTYPE OF **name**
 WITH SYNTAX **DirectoryString {ub-locality-name}**
 ID **id-at-localityName** }

collectiveLocalityName ATTRIBUTE ::= {
 SUBTYPE OF **localityName**
 COLLECTIVE **TRUE**
 ID **id-at-collectiveLocalityName** }

stateOrProvinceName ATTRIBUTE ::= {
 SUBTYPE OF **name**
 WITH SYNTAX **DirectoryString {ub-state-name}**
 ID **id-at-stateOrProvinceName** }

collectiveStateOrProvinceName ATTRIBUTE ::= {
 SUBTYPE OF **stateOrProvinceName**
 COLLECTIVE **TRUE**
 ID **id-at-collectiveStateOrProvinceName** }

streetAddress ATTRIBUTE ::= {
 WITH SYNTAX **DirectoryString {ub-street-address}**
 EQUALITY MATCHING RULE **caseIgnoreMatch**
 SUBSTRINGS MATCHING RULE **caseIgnoreSubstringsMatch**
 ID **id-at-streetAddress** }

collectiveStreetAddress ATTRIBUTE ::= {
 SUBTYPE OF **streetAddress**
 COLLECTIVE **TRUE**
 ID **id-at-collectiveStreetAddress** }

```

houseIdentifier ATTRIBUTE ::= {
  WITH SYNTAX
  EQUALITY MATCHING RULE
  SUBSTRINGS MATCHING RULE
  ID
  DirectoryString {ub-name}
  caseIgnoreMatch
  caseIgnoreSubstringsMatch
  id-at-houseIdentifier }

organizationName ATTRIBUTE ::= {
  SUBTYPE OF
  WITH SYNTAX
  ID
  name
  DirectoryString {ub-organization-name}
  id-at-organizationName }

collectiveOrganizationName ATTRIBUTE ::= {
  SUBTYPE OF
  COLLECTIVE
  ID
  organizationName
  TRUE
  id-at-collectiveOrganizationName }

organizationalUnitName ATTRIBUTE ::= {
  SUBTYPE OF
  WITH SYNTAX
  ID
  name
  DirectoryString {ub-organizational-unit-name}
  id-at-organizationalUnitName }

collectiveOrganizationalUnitName ATTRIBUTE ::= {
  SUBTYPE OF
  COLLECTIVE
  ID
  organizationalUnitName
  TRUE
  id-at-collectiveOrganizationalUnitName }

title ATTRIBUTE ::= {
  SUBTYPE OF
  WITH SYNTAX
  ID
  name
  DirectoryString {ub-title}
  id-at-title }

description ATTRIBUTE ::= {
  WITH SYNTAX
  EQUALITY MATCHING RULE
  SUBSTRINGS MATCHING RULE
  ID
  DirectoryString {ub-description}
  caseIgnoreMatch
  caseIgnoreSubstringsMatch
  id-at-description }

searchGuide ATTRIBUTE ::= {
  WITH SYNTAX
  ID
  Guide
  id-at-searchGuide }

Guide ::= SET {
  objectClass [0] OBJECT-CLASS.&id OPTIONAL,
  criteria [1] Criteria }

Criteria ::= CHOICE {
  type [0] CriteriaItem,
  and [1] SET OF Criteria,
  or [2] SET OF Criteria,
  not [3] Criteria}

CriteriaItem ::= CHOICE {
  equality [0] AttributeType,
  substrings [1] AttributeType,
  greaterOrEqual [2] AttributeType,
  lessOrEqual [3] AttributeType,
  approximateMatch [4] AttributeType}

enhancedSearchGuide ATTRIBUTE ::= {
  WITH SYNTAX
  ID
  EnhancedGuide
  id-at-enhancedSearchGuide }

EnhancedGuide ::= SEQUENCE {
  objectClass [0] OBJECT-CLASS.&id,
  criteria [1] Criteria,
  subset [2] INTEGER
  { baseObject (0), oneLevel (1), wholeSubtree (2) } DEFAULT oneLevel }

businessCategory ATTRIBUTE ::= {
  WITH SYNTAX
  EQUALITY MATCHING RULE
  SUBSTRINGS MATCHING RULE
  ID
  DirectoryString {ub-business-category}
  caseIgnoreMatch
  caseIgnoreSubstringsMatch
  id-at-businessCategory }

```

```

postalAddress ATTRIBUTE ::= {
    WITH SYNTAX          PostalAddress
    EQUALITY MATCHING RULE caseIgnoreListMatch
    SUBSTRINGS MATCHING RULE caseIgnoreListSubstringsMatch
    ID                  id-at-postalAddress }

PostalAddress ::= SEQUENCE SIZE(1..ub-postal-line) OF DirectoryString {ub-postal-string}

collectivePostalAddress ATTRIBUTE ::= {
    SUBTYPE OF          postalAddress
    COLLECTIVE          TRUE
    ID                  id-at-collectivePostalAddress }

postalCode ATTRIBUTE ::= {
    WITH SYNTAX          DirectoryString {ub-postal-code}
    EQUALITY MATCHING RULE caseIgnoreMatch
    SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
    ID                  id-at-postalCode }

collectivePostalCode ATTRIBUTE ::= {
    SUBTYPE OF          postalCode
    COLLECTIVE          TRUE
    ID                  id-at-collectivePostalCode }

postOfficeBox ATTRIBUTE ::= {
    WITH SYNTAX          DirectoryString {ub-post-office-box}
    EQUALITY MATCHING RULE caseIgnoreMatch
    SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
    ID                  id-at-postOfficeBox }

collectivePostOfficeBox ATTRIBUTE ::= {
    SUBTYPE OF          postOfficeBox
    COLLECTIVE          TRUE
    ID                  id-at-collectivePostOfficeBox }

physicalDeliveryOfficeName ATTRIBUTE ::= {
    WITH SYNTAX          DirectoryString {ub-physical-office-name}
    EQUALITY MATCHING RULE caseIgnoreMatch
    SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
    ID                  id-at-physicalDeliveryOfficeName }

collectivePhysicalDeliveryOfficeName ATTRIBUTE ::= {
    SUBTYPE OF          physicalDeliveryOfficeName
    COLLECTIVE          TRUE
    ID                  id-at-collectivePhysicalDeliveryOfficeName }

telephoneNumber ATTRIBUTE ::= {
    WITH SYNTAX          TelephoneNumber
    EQUALITY MATCHING RULE telephoneNumberMatch
    SUBSTRINGS MATCHING RULE telephoneNumberSubstringsMatch
    ID                  id-at-telephoneNumber }

TelephoneNumber ::= PrintableString (SIZE(1..ub-telephone-number))
    -- String complying with CCITT Recommendation E.123 only

collectiveTelephoneNumber ATTRIBUTE ::= {
    SUBTYPE OF          telephoneNumber
    COLLECTIVE          TRUE
    ID                  id-at-collectiveTelephoneNumber }

telexNumber ATTRIBUTE ::= {
    WITH SYNTAX          TelexNumber
    ID                  id-at-telexNumber }

TelexNumber ::= SEQUENCE {
    telexNumber      PrintableString (SIZE(1..ub-telex-number)),
    countryCode    PrintableString (SIZE(1..ub-country-code)),
    answerback     PrintableString (SIZE(1..ub-answerback))}

collectiveTelexNumber ATTRIBUTE ::= {
    SUBTYPE OF          telexNumber
    COLLECTIVE          TRUE
    ID                  id-at-collectiveTelexNumber }

```

facsimileTelephoneNumber ATTRIBUTE ::= {
WITH SYNTAX FacsimileTelephoneNumber
ID id-at-facsimileTelephoneNumber }

FacsimileTelephoneNumber ::= SEQUENCE {
telephoneNumber TelephoneNumber
parameters G3FacsimileNonBasicParameters OPTIONAL}

collectiveFacsimileTelephoneNumber ATTRIBUTE ::= {
SUBTYPE OF facsimileTelephoneNumber
COLLECTIVE TRUE
ID id-at-collectiveFacsimileTelephoneNumber }

x121Address ATTRIBUTE ::= {
WITH SYNTAX X.121Address
EQUALITY MATCHING RULE numericStringMatch
SUBSTRINGS MATCHING RULE numericStringSubstringsMatch
ID id-at-x121Address }

X121Address ::= NumericString (SIZE(1..ub-x121-address))
-- String as defined by ITU-T Recommendation X.121

internationalISDNNumber ATTRIBUTE ::= {
WITH SYNTAX InternationalISDNNumber
EQUALITY MATCHING RULE numericStringMatch
SUBSTRINGS MATCHING RULE numericStringSubstringsMatch
ID id-at-internationalISDNNumber }

InternationalISDNNumber ::= NumericString (SIZE(1..ub-international-isdn-number))
-- String complying with ITU-T Recommendation E.164 only

collectiveInternationalISDNNumber ATTRIBUTE ::= {
SUBTYPE OF internationalISDNNumber
COLLECTIVE TRUE
ID id-at-collectiveInternationalISDNNumber }

registeredAddress ATTRIBUTE ::= {
SUBTYPE OF postalAddress
WITH SYNTAX PostalAddress
ID id-at-registeredAddress }

destinationIndicator ATTRIBUTE ::= {
WITH SYNTAX DestinationIndicator
EQUALITY MATCHING RULE caseIgnoreMatch
SUBSTRINGS MATCHING RULE caseIgnoreSubstringsMatch
ID id-at-destinationIndicator }

DestinationIndicator ::= PrintableString (SIZE (1..ub-destination-indicator))
-- alphabetical characters only

preferredDeliveryMethod ATTRIBUTE ::= {
WITH SYNTAX SEQUENCE OF INTEGER {
any-delivery-method (0),
mhs-delivery (1),
physical-delivery (2),
telex-delivery (3),
teletex-delivery (4),
g3-facsimile-delivery (5),
g4-facsimile-delivery (6),
ia5-terminal-delivery (7),
videotex-delivery (8),
telephone-delivery (9) }
SINGLE VALUE TRUE
ID id-at-preferredDeliveryMethod }

```

presentationAddress ATTRIBUTE ::= {
    WITH SYNTAX                PresentationAddress
    EQUALITY MATCHING RULE     presentationAddressMatch
    SINGLE VALUE               TRUE
    ID                          id-at-presentationAddress }

PresentationAddress ::= SEQUENCE {
    pSelector    [0]    OCTET STRING OPTIONAL,
    sSelector    [1]    OCTET STRING OPTIONAL,
    tSelector    [2]    OCTET STRING OPTIONAL,
    nAddresses   [3]    SET SIZE (1..MAX) OF OCTET STRING}

supportedApplicationContext ATTRIBUTE ::= {
    WITH SYNTAX                OBJECT IDENTIFIER
    EQUALITY MATCHING RULE     objectIdentifierMatch
    ID                          id-at-supportedApplicationContext }

protocolInformation ATTRIBUTE ::= {
    WITH SYNTAX                ProtocolInformation
    EQUALITY MATCHING RULE     protocolInformationMatch
    ID                          id-at-protocolInformation }

ProtocolInformation ::= SEQUENCE {
    nAddress        OCTET STRING,
    profiles        SET OF OBJECT IDENTIFIER }

distinguishedName ATTRIBUTE ::= {
    WITH SYNTAX                DistinguishedName
    EQUALITY MATCHING RULE     distinguishedNameMatch
    ID                          id-at-distinguishedName }

member ATTRIBUTE ::= {
    SUBTYPE OF                distinguishedName
    ID                          id-at-member }

uniqueMember ATTRIBUTE ::= {
    WITH SYNTAX                NameAndOptionalUID
    EQUALITY MATCHING RULE     uniqueMemberMatch
    ID                          id-at-uniqueMember }

NameAndOptionalUID ::= SEQUENCE {
    dn                DistinguishedName,
    uid               UniqueIdentifier OPTIONAL }

owner ATTRIBUTE ::= {
    SUBTYPE OF                distinguishedName
    ID                          id-at-owner }

roleOccupant ATTRIBUTE ::= {
    SUBTYPE OF                distinguishedName
    ID                          id-at-roleOccupant }

seeAlso ATTRIBUTE ::= {
    SUBTYPE OF                distinguishedName
    ID                          id-at-seeAlso }

dmdName ATTRIBUTE ::= {
    SUBTYPE OF                name
    WITH SYNTAX                DirectoryString{ub-common-name}
    ID                          id-at-dmdName }

-- Matching rules --

caseIgnoreMatch MATCHING-RULE ::= {
    SYNTAX                DirectoryString {ub-match}
    ID                    id-mr-caseIgnoreMatch }

caseIgnoreOrderingMatch MATCHING-RULE ::= {
    SYNTAX                DirectoryString {ub-match}
    ID                    id-mr-caseIgnoreOrderingMatch }

caseIgnoreSubstringsMatch MATCHING-RULE ::= {
    SYNTAX                SubstringAssertion
    ID                    id-mr-caseIgnoreSubstringsMatch }

```

SubstringAssertion ::= SEQUENCE OF CHOICE {
initial [0] **DirectoryString {ub-match},**
any [1] **DirectoryString {ub-match},**
final [2] **DirectoryString {ub-match} }**
-- at most one initial and one final component

caseExactMatch MATCHING-RULE ::= {
SYNTAX **DirectoryString {ub-match}**
ID **id-mr-caseExactMatch }**

caseExactOrderingMatch MATCHING-RULE ::= {
SYNTAX **DirectoryString {ub-match}**
ID **id-mr-caseExactOrderingMatch }**

caseExactSubstringsMatch MATCHING-RULE ::= {
SYNTAX **SubstringAssertion -- only the PrintableString choice**
ID **id-mr-caseExactSubstringsMatch }**

numericStringMatch MATCHING-RULE ::= {
SYNTAX **NumericString**
ID **id-mr-numericStringMatch }**

numericStringOrderingMatch MATCHING-RULE ::= {
SYNTAX **NumericString**
ID **id-mr-numericStringOrderingMatch }**

numericStringSubstringsMatch MATCHING-RULE ::= {
SYNTAX **SubstringAssertion**
ID **id-mr-numericStringSubstringsMatch }**

caseIgnoreListMatch MATCHING-RULE ::= {
SYNTAX **SEQUENCE OF DirectoryString {ub-match}**
ID **id-mr-caseIgnoreListMatch }**

caseIgnoreListSubstringsMatch MATCHING-RULE ::= {
SYNTAX **SubstringAssertion**
ID **id-mr-caseIgnoreListSubstringsMatch }**

storedPrefixMatch MATCHING-RULE ::= {
SYNTAX **DirectoryString {ub-match}**
ID **id-mr-storedPrefixMatch }**

booleanMatch MATCHING-RULE ::= {
SYNTAX **BOOLEAN**
ID **id-mr-booleanMatch }**

integerMatch MATCHING-RULE ::= {
SYNTAX **INTEGER**
ID **id-mr-integerMatch }**

integerOrderingMatch MATCHING-RULE ::= {
SYNTAX **INTEGER**
ID **id-mr-integerOrderingMatch }**

bitStringMatch MATCHING-RULE ::= {
SYNTAX **BIT STRING**
ID **id-mr-bitStringMatch }**

octetStringMatch MATCHING-RULE ::= {
SYNTAX **OCTET STRING**
ID **id-mr-octetStringMatch }**

octetStringOrderingMatch MATCHING-RULE ::= {
SYNTAX **OCTET STRING**
ID **id-mr-octetStringOrderingMatch }**

octetStringSubstringsMatch MATCHING-RULE ::= {
SYNTAX **OctetSubstringAssertion**
ID **id-mr-octetStringSubstringsMatch }**

OctetSubstringAssertion ::= SEQUENCE OF CHOICE {
initial [0] **OCTET STRING,**
any [1] **OCTET STRING,**
final [2] **OCTET STRING }**
-- at most one initial and one final component

telephoneNumberMatch MATCHING-RULE ::= {
 SYNTAX PrintableString
 ID id-mr-telephoneNumberMatch }

telephoneNumberSubstringsMatch MATCHING-RULE ::= {
 SYNTAX SubstringAssertion
 ID id-mr-telephoneNumberSubstringsMatch }

presentationAddressMatch MATCHING-RULE ::= {
 SYNTAX PresentationAddress
 ID id-mr-presentationAddressMatch }

-- Contexts --

languageContext CONTEXT ::= {
 WITH SYNTAX LanguageContextSyntax
 ID id-avc-language }

LanguageContextSyntax ::= PrintableString (SIZE(2..3)) -- ISO 639-2 codes only

temporalContext CONTEXT ::= {
 WITH SYNTAX TimeSpecification
 ASSERTED AS TimeAssertion
 ID id-avc-temporal }

TimeSpecification ::= SEQUENCE {
 time CHOICE {
 absolute SEQUENCE {
 startTime [0] GeneralizedTime OPTIONAL,
 endTime [1] GeneralizedTime OPTIONAL },
 periodic SET OF Period },
 notThisTime BOOLEAN DEFAULT FALSE,
 timeZone TimeZone OPTIONAL }

Period ::= SEQUENCE {
 timesOfDay [0] SET OF DayTimeBand OPTIONAL,
 days [1] CHOICE {
 intDay SET OF INTEGER,
 bitDay BIT STRING { sunday (0), monday (1), tuesday (2),
 wednesday (3), thursday (4), friday (5), saturday (6),
 dayOf XDayOf } OPTIONAL,
 weeks [2] CHOICE {
 allWeeks NULL,
 intWeeks SET OF INTEGER,
 bitWeeks BIT STRING { week1 (0), week2 (1), week3 (2), week4 (3),
 week5 (4) } } OPTIONAL,
 months[3] CHOICE {
 allMonths NULL,
 intMonth SET OF INTEGER,
 bitMonth BIT STRING { january (0), february (1), march (2), april (3),
 may (4), june (5), july (6), august (7), september (8),
 october (9), november (10), december (11) }
 } OPTIONAL,
 years [4] SET OF INTEGER (1000 .. MAX) OPTIONAL }

XDayOf ::= CHOICE {
 first [1] NamedDay,
 second [2] NamedDay,
 third [3] NamedDay,
 fourth [4] NamedDay,
 fifth [5] NamedDay }

NamedDay ::= CHOICE {
 intNamedDays ENUMERATED {
 sunday (1),
 monday (2),
 tuesday (3),

wednesday (4),
 thursday (5),
 friday (6),
 saturday (7) },
 bitNamedDays BIT STRING {sunday (0), monday (1), tuesday (2),
 wednesday (3), thursday (4), friday (5), saturday (6) } }

DayTimeBand ::= SEQUENCE {
 startDayTime [0] DayTime DEFAULT { hour 0 },
 endDayTime [1] DayTime DEFAULT { hour 23, minute 59, second 59 } }

DayTime ::= SEQUENCE {
 hour [0] INTEGER (0..23),
 minute [1] INTEGER (0..59) DEFAULT 0,
 second [2] INTEGER (0..59) DEFAULT 0 }

TimeZone ::= INTEGER (-12..12)

TimeAssertion ::= CHOICE {
 now NULL,
 at GeneralizedTime,
 between SEQUENCE {
 startTime [0] GeneralizedTime,
 endTime [1] GeneralizedTime OPTIONAL,
 entirely BOOLEAN DEFAULT FALSE } }

localeContext CONTEXT ::= {
 WITH SYNTAX localeContextSyntax
 ID id-avc-locale }

localeContextSyntax ::= CHOICE {
 localeID1 OBJECT IDENTIFIER,
 localeID2 DirectoryString }

uniqueMemberMatch MATCHING-RULE ::= {
 SYNTAX NameAndOptionalUID
 ID id-mr-uniqueMemberMatch }

protocolInformationMatch MATCHING-RULE ::= {
 SYNTAX OCTET STRING
 ID id-mr-protocolInformationMatch }

uTCTimeMatch MATCHING-RULE ::= {
 SYNTAX UTCTime
 ID id-mr-uTCTimeMatch }

uTCTimeOrderingMatch MATCHING-RULE ::= {
 SYNTAX UTCTime
 ID id-mr-uTCTimeOrderingMatch }

generalizedTimeMatch MATCHING-RULE ::= {
 SYNTAX GeneralizedTime
 -- as per clauses 41.3 b) or c) of ITU-T Rec. X.680 | ISO/IEC 8824-1
 ID id-mr-generalizedTimeMatch }

generalizedTimeOrderingMatch MATCHING-RULE ::= {
 SYNTAX GeneralizedTime
 -- as per clauses 41.3 b) or c) of ITU-T Rec. X.680 | ISO/IEC 8824-1
 ID id-mr-generalizedTimeOrderingMatch }

integerFirstComponentMatch MATCHING-RULE ::= {
 SYNTAX INTEGER
 ID id-mr-integerFirstComponentMatch }

objectIdentifierFirstComponentMatch MATCHING-RULE ::= {
 SYNTAX OBJECT IDENTIFIER
 ID id-mr-objectIdentifierFirstComponentMatch }

directoryStringFirstComponentMatch MATCHING-RULE ::= {
 SYNTAX DirectoryString { ub-directory-string-first-component-match }
 ID id-mr-directoryStringFirstComponentMatch }

```
wordMatch MATCHING-RULE ::= {
    SYNTAX      DirectoryString {ub-match}
    ID          id-mr-wordMatch }
```

```
keywordMatch MATCHING-RULE ::= {
    SYNTAX      DirectoryString {ub-match}
    ID          id-mr-keywordMatch }
```

-- Object identifier assignments --

-- object identifiers assigned in other modules are shown in comments

-- Attributes --

```
-- id-at-objectClass          OBJECT IDENTIFIER ::= {id-at 0}
-- id-at-aliasedEntryName    OBJECT IDENTIFIER ::= {id-at 1}
id-at-encryptedAliasedEntryName OBJECT IDENTIFIER ::= {id-at 1 2}
id-at-knowledgeInformation  OBJECT IDENTIFIER ::= {id-at 2}
id-at-commonName            OBJECT IDENTIFIER ::= {id-at 3}
id-at-encryptedCommonName   OBJECT IDENTIFIER ::= {id-at 3 2}
id-at-surname OBJECT IDENTIFIER ::= {id-at 4}
id-at-encryptedSurname      OBJECT IDENTIFIER ::= {id-at 4 2}
id-at-serialNumber          OBJECT IDENTIFIER ::= {id-at 5}
id-at-encryptedSerialNumber OBJECT IDENTIFIER ::= {id-at 5 2}
id-at-countryName           OBJECT IDENTIFIER ::= {id-at 6}
id-at-encryptedCountryName  OBJECT IDENTIFIER ::= {id-at 6 2}
id-at-localityName          OBJECT IDENTIFIER ::= {id-at 7}
id-at-encryptedLocalityName OBJECT IDENTIFIER ::= {id-at 7 2}
id-at-collectiveLocalityName OBJECT IDENTIFIER ::= {id-at 7 1}
id-at-encryptedCollectiveLocalityName
                                OBJECT IDENTIFIER ::= {id-at 7 1 2}
id-at-stateOrProvinceName   OBJECT IDENTIFIER ::= {id-at 8}
id-at-encryptedStateOrProvinceName
                                OBJECT IDENTIFIER ::= {id-at 8 2}
id-at-collectiveStateOrProvinceName
                                OBJECT IDENTIFIER ::= {id-at 8 1}
id-at-encryptedCollectiveStateOrProvinceName
                                OBJECT IDENTIFIER ::= {id-at 8 1 2}
id-at-streetAddress          OBJECT IDENTIFIER ::= {id-at 9}
id-at-encryptedStreetAddress OBJECT IDENTIFIER ::= {id-at 9 2}
id-at-collectiveStreetAddress OBJECT IDENTIFIER ::= {id-at 9 1}
id-at-encryptedCollectiveStreetAddress
                                OBJECT IDENTIFIER ::= {id-at 9 1 2}
id-at-organizationName      OBJECT IDENTIFIER ::= {id-at 10}
id-at-encryptedOrganizationName
                                OBJECT IDENTIFIER ::= {id-at 10 2}
id-at-collectiveOrganizationName
                                OBJECT IDENTIFIER ::= {id-at 10 1}
id-at-encryptedCollectiveOrganizationName
                                OBJECT IDENTIFIER ::= {id-at 10 1 2}
id-at-organizationalUnitName OBJECT IDENTIFIER ::= {id-at 11}
id-at-encryptedOrganizationalUnitName
                                OBJECT IDENTIFIER ::= {id-at 11 2}
id-at-collectiveOrganizationalUnitName
                                OBJECT IDENTIFIER ::= {id-at 11 1}
id-at-encryptedCollectiveOrganizationalUnitName
                                OBJECT IDENTIFIER ::= {id-at 11 1 2}
id-at-title                  OBJECT IDENTIFIER ::= {id-at 12}
id-at-encryptedTitle         OBJECT IDENTIFIER ::= {id-at 12 2}
id-at-description            OBJECT IDENTIFIER ::= {id-at 13}
id-at-encryptedDescription   OBJECT IDENTIFIER ::= {id-at 13 2}
id-at-searchGuide            OBJECT IDENTIFIER ::= {id-at 14}
id-at-encryptedSearchGuide   OBJECT IDENTIFIER ::= {id-at 14 2}
id-at-businessCategory       OBJECT IDENTIFIER ::= {id-at 15}
id-at-encryptedBusinessCategory
                                OBJECT IDENTIFIER ::= {id-at 15 2}
id-at-postalAddress          OBJECT IDENTIFIER ::= {id-at 16}
id-at-encryptedPostalAddress OBJECT IDENTIFIER ::= {id-at 16 2}
id-at-collectivePostalAddress OBJECT IDENTIFIER ::= {id-at 16 1}
id-at-encryptedCollectivePostalAddress
```

	OBJECT IDENTIFIER	::=	{id-at 16 1 2}
id-at-postalCode	OBJECT IDENTIFIER	::=	{id-at 17}
id-at-encryptedPostalCode	OBJECT IDENTIFIER	::=	{id-at 17 2}
id-at-collectivePostalCode	OBJECT IDENTIFIER	::=	{id-at 17 1}
id-at-encryptedCollectivePostalCode	OBJECT IDENTIFIER	::=	{id-at 17 1 2}
id-at-postOfficeBox	OBJECT IDENTIFIER	::=	{id-at 18}
id-at-encryptedPostOfficeBox	OBJECT IDENTIFIER	::=	{id-at 18 2}
id-at-collectivePostOfficeBox	OBJECT IDENTIFIER	::=	{id-at 18 1}
id-at-encryptedCollectivePostOfficeBox	OBJECT IDENTIFIER	::=	{id-at 18 1 2}
id-at-physicalDeliveryOfficeName	OBJECT IDENTIFIER	::=	{id-at 19}
id-at-encryptedPhysicalDeliveryOfficeName	OBJECT IDENTIFIER	::=	{id-at 19 2}
id-at-collectivePhysicalDeliveryOfficeName	OBJECT IDENTIFIER	::=	{id-at 19 1}
id-at-encryptedCollectivePhysicalDeliveryOfficeName	OBJECT IDENTIFIER	::=	{id-at 19 1 2}
id-at-telephoneNumber	OBJECT IDENTIFIER	::=	{id-at 20}
id-at-encryptedTelephoneNumber	OBJECT IDENTIFIER	::=	{id-at 20 2}
id-at-collectiveTelephoneNumber	OBJECT IDENTIFIER	::=	{id-at 20 1}
id-at-encryptedCollectiveTelephoneNumber	OBJECT IDENTIFIER	::=	{id-at 20 1 2}
id-at-telexNumber	OBJECT IDENTIFIER	::=	{id-at 21}
id-at-encryptedTelexNumber	OBJECT IDENTIFIER	::=	{id-at 21 2}
id-at-collectiveTelexNumber	OBJECT IDENTIFIER	::=	{id-at 21 1}
id-at-encryptedCollectiveTelexNumber	OBJECT IDENTIFIER	::=	{id-at 21 1 2}
-- id-at-teletexTerminalIdentifier	OBJECT IDENTIFIER	::=	{id-at 22}
-- id-at-encryptedTeletexTerminalIdentifier	OBJECT IDENTIFIER	::=	{id-at 22 2}
-- id-at-collectiveTeletexTerminalIdentifier	OBJECT IDENTIFIER	::=	{id-at 22 1}
id-at-encryptedCollectiveTeletexTerminalIdentifier	OBJECT IDENTIFIER	::=	{id-at 22 1 2}
id-at-facsimileTelephoneNumber	OBJECT IDENTIFIER	::=	{id-at 23}
id-at-encryptedFacsimileTelephoneNumber	OBJECT IDENTIFIER	::=	{id-at 23 2}
id-at-collectiveFacsimileTelephoneNumber	OBJECT IDENTIFIER	::=	{id-at 23 1}
id-at-encryptedCollectiveFacsimileTelephoneNumber	OBJECT IDENTIFIER	::=	{id-at 23 1 2}
id-at-x121Address	OBJECT IDENTIFIER	::=	{id-at 24}
id-at-encryptedX121Address	OBJECT IDENTIFIER	::=	{id-at 24 2}
id-at-internationalISDNNumber	OBJECT IDENTIFIER	::=	{id-at 25}
id-at-encryptedInternationalISDNNumber	OBJECT IDENTIFIER	::=	{id-at 25 2}
id-at-collectiveInternationalISDNNumber	OBJECT IDENTIFIER	::=	{id-at 25 1}
id-at-encryptedCollectiveInternationalISDNNumber	OBJECT IDENTIFIER	::=	{id-at 25 1 2}
id-at-registeredAddress	OBJECT IDENTIFIER	::=	{id-at 26}
id-at-encryptedRegisteredAddress	OBJECT IDENTIFIER	::=	{id-at 26 2}
id-at-destinationIndicator	OBJECT IDENTIFIER	::=	{id-at 27}
id-at-encryptedDestinationIndicator	OBJECT IDENTIFIER	::=	{id-at 27 2}
id-at-preferredDeliveryMethod	OBJECT IDENTIFIER	::=	{id-at 28}
id-at-encryptedPreferredDeliveryMethod	OBJECT IDENTIFIER	::=	{id-at 28 2}
id-at-presentationAddress	OBJECT IDENTIFIER	::=	{id-at 29}
id-at-encryptedPresentationAddress	OBJECT IDENTIFIER	::=	{id-at 29 2}
id-at-supportedApplicationContext	OBJECT IDENTIFIER	::=	{id-at 30}
id-at-encryptedSupportedApplicationContext	OBJECT IDENTIFIER	::=	{id-at 30 2}
id-at-member	OBJECT IDENTIFIER	::=	{id-at 31}
id-at-encryptedMember	OBJECT IDENTIFIER	::=	{id-at 31 2}
id-at-owner	OBJECT IDENTIFIER	::=	{id-at 32}
id-at-encryptedOwner	OBJECT IDENTIFIER	::=	{id-at 32 2}

id-at-roleOccupant	OBJECT IDENTIFIER	::=	{id-at 33}
id-at-encryptedRoleOccupant	OBJECT IDENTIFIER	::=	{id-at 33 2}
id-at-seeAlso	OBJECT IDENTIFIER	::=	{id-at 34}
id-at-encryptedSeeAlso	OBJECT IDENTIFIER	::=	{id-at 34 2}
<i>-- id-at-userPassword</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 35}</i>
id-at-encryptedUserPassword	OBJECT IDENTIFIER	::=	{id-at 35 2}
<i>-- id-at-userCertificate</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 36}</i>
id-at-encryptedUserCertificate	OBJECT IDENTIFIER	::=	{id-at 36 2}
<i>-- id-at-cACertificate</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 37}</i>
id-at-encryptedCACertificate	OBJECT IDENTIFIER	::=	{id-at 37 2}
<i>-- id-at-authorityRevocationList</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 38}</i>
id-at-encryptedAuthorityRevocationList	OBJECT IDENTIFIER	::=	{id-at 38 2}
<i>-- id-at-certificateRevocationList</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 39}</i>
id-at-encryptedCertificateRevocationList	OBJECT IDENTIFIER	::=	{id-at 39 2}
<i>-- id-at-crossCertificatePair</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 40}</i>
id-at-encryptedCrossCertificatePair	OBJECT IDENTIFIER	::=	{id-at 40 2}
id-at-name	OBJECT IDENTIFIER	::=	{id-at 41}
id-at-givenName	OBJECT IDENTIFIER	::=	{id-at 42}
id-at-encryptedGivenName	OBJECT IDENTIFIER	::=	{id-at 42 2}
id-at-initials	OBJECT IDENTIFIER	::=	{id-at 43}
id-at-encryptedInitials	OBJECT IDENTIFIER	::=	{id-at 43 2}
id-at-generationQualifier	OBJECT IDENTIFIER	::=	{id-at 44}
id-at-encryptedGenerationQualifier	OBJECT IDENTIFIER	::=	{id-at 44 2}
id-at-uniqueIdentifier	OBJECT IDENTIFIER	::=	{id-at 45}
id-at-encryptedUniqueIdentifier	OBJECT IDENTIFIER	::=	{id-at 45 2}
id-at-dnQualifier	OBJECT IDENTIFIER	::=	{id-at 46}
id-at-encryptedDnQualifier	OBJECT IDENTIFIER	::=	{id-at 46 2}
id-at-enhancedSearchGuide	OBJECT IDENTIFIER	::=	{id-at 47}
id-at-encryptedEnhancedSearchGuide	OBJECT IDENTIFIER	::=	{id-at 47 2}
id-at-protocolInformation	OBJECT IDENTIFIER	::=	{id-at 48}
id-at-encryptedProtocolInformation	OBJECT IDENTIFIER	::=	{id-at 48 2}
id-at-distinguishedName	OBJECT IDENTIFIER	::=	{id-at 49}
id-at-encryptedDistinguishedName	OBJECT IDENTIFIER	::=	{id-at 49 2}
id-at-uniqueMember	OBJECT IDENTIFIER	::=	{id-at 50}
id-at-encryptedUniqueMember	OBJECT IDENTIFIER	::=	{id-at 50 2}
id-at-houseIdentifier	OBJECT IDENTIFIER	::=	{id-at 51}
id-at-encryptedHouseIdentifier	OBJECT IDENTIFIER	::=	{id-at 51 2}
<i>-- id-at-supportedAlgorithms</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 52}</i>
id-at-encryptedSupportedAlgorithms	OBJECT IDENTIFIER	::=	{id-at 52 2}
<i>-- id-at-deltaRevocationList</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 53}</i>
id-at-encryptedDeltaRevocationList	OBJECT IDENTIFIER	::=	{id-at 53 2}
id-at-dmdName	OBJECT IDENTIFIER	::=	{id-at 54}
id-at-encryptedDmdName	OBJECT IDENTIFIER	::=	{id-at 54 2}
<i>-- id-at-clearance</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 55}</i>
id-at-encryptedClearance	OBJECT IDENTIFIER	::=	{id-at 55 2}
<i>-- id-at-defaultDirQop</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 56}</i>
id-at-encryptedDefaultDirQop	OBJECT IDENTIFIER	::=	{id-at 56 2}
<i>-- id-at-attributeIntegrityInfo</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 57}</i>
id-at-encryptedAttributeIntegrityInfo	OBJECT IDENTIFIER	::=	{id-at 57 2}
<i>-- id-at-attributeCertificate</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 58}</i>
id-at-encryptedAttributeCertificate	OBJECT IDENTIFIER	::=	{id-at 58 2}
<i>-- id-at-attributeCertificateRevocationList</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 59}</i>
id-at-encryptedAttributeCertificateRevocationList	OBJECT IDENTIFIER	::=	{id-at 59 2}
<i>-- id-at-confKeyInfo</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-at 60}</i>
id-at-encryptedConfKeyInfo	OBJECT IDENTIFIER	::=	{id-at 60 2}
<i>-- Matching rules --</i>			
<i>-- id-mr-objectIdentifierMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 0}</i>
<i>-- id-mr-distinguishedNameMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 1}</i>
id-mr-caseIgnoreMatch	OBJECT IDENTIFIER	::=	{id-mr 2}
id-mr-caseIgnoreOrderingMatch	OBJECT IDENTIFIER	::=	{id-mr 3}
id-mr-caseIgnoreSubstringsMatch	OBJECT IDENTIFIER	::=	{id-mr 4}

id-mr-caseExactMatch	OBJECT IDENTIFIER	::=	{id-mr 5}
id-mr-caseExactOrderingMatch	OBJECT IDENTIFIER	::=	{id-mr 6}
id-mr-caseExactSubstringsMatch	OBJECT IDENTIFIER	::=	{id-mr 7}
id-mr-numericStringMatch	OBJECT IDENTIFIER	::=	{id-mr 8}
id-mr-numericStringOrderingMatch	OBJECT IDENTIFIER	::=	{id-mr 9}
id-mr-numericStringSubstringsMatch	OBJECT IDENTIFIER	::=	{id-mr 10}
id-mr-caseIgnoreListMatch	OBJECT IDENTIFIER	::=	{id-mr 11}
id-mr-caseIgnoreListSubstringsMatch	OBJECT IDENTIFIER	::=	{id-mr 12}
id-mr-booleanMatch	OBJECT IDENTIFIER	::=	{id-mr 13}
id-mr-integerMatch	OBJECT IDENTIFIER	::=	{id-mr 14}
id-mr-integerOrderingMatch	OBJECT IDENTIFIER	::=	{id-mr 15}
id-mr-bitStringMatch	OBJECT IDENTIFIER	::=	{id-mr 16}
id-mr-octetStringMatch	OBJECT IDENTIFIER	::=	{id-mr 17}
id-mr-octetStringOrderingMatch	OBJECT IDENTIFIER	::=	{id-mr 18}
id-mr-octetStringSubstringsMatch	OBJECT IDENTIFIER	::=	{id-mr 19}
id-mr-telephoneNumberMatch	OBJECT IDENTIFIER	::=	{id-mr 20}
id-mr-telephoneNumberSubstringsMatch	OBJECT IDENTIFIER	::=	{id-mr 21}
id-mr-presentationAddressMatch	OBJECT IDENTIFIER	::=	{id-mr 22}
id-mr-uniqueMemberMatch	OBJECT IDENTIFIER	::=	{id-mr 23}
id-mr-protocolInformationMatch	OBJECT IDENTIFIER	::=	{id-mr 24}
id-mr-uTCTimeMatch	OBJECT IDENTIFIER	::=	{id-mr 25}
id-mr-uTCTimeOrderingMatch	OBJECT IDENTIFIER	::=	{id-mr 26}
id-mr-generalizedTimeMatch	OBJECT IDENTIFIER	::=	{id-mr 27}
id-mr-generalizedTimeOrderingMatch	OBJECT IDENTIFIER	::=	{id-mr 28}
id-mr-integerFirstComponentMatch	OBJECT IDENTIFIER	::=	{id-mr 29}
id-mr-objectIdentifierFirstComponentMatch	OBJECT IDENTIFIER	::=	{id-mr 30}
id-mr-directoryStringFirstComponentMatch	OBJECT IDENTIFIER	::=	{id-mr 31}
id-mr-wordMatch	OBJECT IDENTIFIER	::=	{id-mr 32}
id-mr-keywordMatch	OBJECT IDENTIFIER	::=	{id-mr 33}
<i>-- id-mr-certificateExactMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 34}</i>
<i>-- id-mr-certificateMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 35}</i>
<i>-- id-mr-certificatePairExactMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 36}</i>
<i>-- id-mr-certificatePairMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 37}</i>
<i>-- id-mr-certificateListExactMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 38}</i>
<i>-- id-mr-certificateListMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 39}</i>
<i>-- id-mr-algorithmIdentifierMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 40}</i>
id-mr-storedPrefixMatch	OBJECT IDENTIFIER	::=	{id-mr 41}
<i>-- id-mr-attributeCertificateMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 42}</i>
<i>-- id-mr-readerAndKeyIDMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 43}</i>
<i>-- id-mr-attributeIntegrityMatch</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-mr 44}</i>
<i>-- contexts --</i>			
id-avc-language	OBJECT IDENTIFIER	::=	{id-avc 0}
id-avc-temporal	OBJECT IDENTIFIER	::=	{id-avc 1}
id-avc-locale	OBJECT IDENTIFIER	::=	{id-avc 2}
<i>-- id-avc-attributeValueSecurityLabelContext</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-avc 3}</i>
<i>-- id-avc-attributeValueIntegrityInfoContext</i>	<i>OBJECT IDENTIFIER</i>	<i>::=</i>	<i>{id-avc 4}</i>

END

Annex B

Summary of attribute types

(This annex does not form an integral part of this Recommendation | International Standard)

This annex summarizes the selected attribute types referenced or defined in this Specification and shows their hierarchical relationship. Attributes which share a common ASN.1 syntax are shown indented under that syntax, and attributes which are subtypes of other attributes are shown indented under their supertype. Collective attributes which are subtypes of a related non-collective attribute are not shown, but the related attribute is marked with an asterisk (*). The *syntax* is not shown for attributes whose name is the same as the syntax name.

DirectoryString

- Name
 - CommonName
 - Surname
 - GivenName
 - Initials
 - GenerationQualifier
 - CountryName
 - LocalityName *
 - StateOrProvinceName *
 - OrganizationName *
 - OrganizationalUnitName *
 - Title
- StreetAddress *
- HouseIdentifier
- Description
- BusinessCategory
- PostalCode *
- PostOfficeBox *
- PhysicalDeliveryOfficeName *
- KnowledgeInformation

PrintableString

- SerialNumber
- DNQualifier
- DestinationIndicator
- TelephoneNumber *

NumericString

- X121Address *
- InternationalISDNNumber *

ObjectIdentifier

- SupportedApplicationContext

Bit String

- UniqueIdentifier

NameAndOptionalUID

- UniqueMember

DistinguishedName

- Member
- Owner
- RoleOccupant
- SeeAlso

SearchGuide

- EnhancedSearchGuide

PostalAddress *

- RegisteredAddress

TelexNumber *

- TeletexTerminalIdentifier *

- FacsimileTelephoneNumber *

PreferredDeliveryMethod

PresentationAddress

- ProtocolInformation

Annex C

Upper bounds

(This annex does not form an integral part of this Recommendation | International Standard)

This annex includes all of the suggested upper bound value constraints used in these Directory Specifications, in the form of the ASN.1 module **UpperBounds**.

UpperBounds {joint-iso-itu-t ds(5) module(1) upperBounds(10) 2}

DEFINITIONS ::=

BEGIN

-- EXPORTS All --

-- The types and values defined in this module are exported for use in the other ASN.1 modules contained within the Directory Specifications, and for the use of other applications which will use them to access Directory services. Other applications may use them for their own purposes, but this will not constrain extensions and modifications needed to maintain or improve the Directory service.

ub-answerback	INTEGER	::=	8
ub-business-category	INTEGER	::=	128
ub-common-name	INTEGER	::=	64
ub-country-code	INTEGER	::=	4
ub-description	INTEGER	::=	1024
ub-destination-indicator	INTEGER	::=	128
ub-directory-string-first-component-match	INTEGER	::=	32768
ub-international-isdn-number	INTEGER	::=	16
ub-knowledge-information	INTEGER	::=	32768
ub-locality-name	INTEGER	::=	128
ub-match	INTEGER	::=	128
ub-name	INTEGER	::=	32768
ub-organization-name	INTEGER	::=	64
ub-organizational-unit-name	INTEGER	::=	64
ub-physical-office-name	INTEGER	::=	128
ub-post-office-box	INTEGER	::=	40
ub-postal-code	INTEGER	::=	40
ub-postal-line	INTEGER	::=	6
ub-postal-string	INTEGER	::=	30
ub-schema	INTEGER	::=	1024
ub-serial-number	INTEGER	::=	64
ub-state-name	INTEGER	::=	128
ub-street-address	INTEGER	::=	128
ub-name	INTEGER	::=	64
ub-tag	INTEGER	::=	64
ub-telephone-number	INTEGER	::=	32
ub-teletex-terminal-id	INTEGER	::=	1024
ub-telex-number	INTEGER	::=	14
ub-title	INTEGER	::=	64
ub-user-password	INTEGER	::=	128
ub-x121-address	INTEGER	::=	15

END

Annex D

Alphabetical index of attributes, matching rules and contexts

(This annex does not form an integral part of this Recommendation | International Standard)

This annex alphabetically lists all of the attributes matching rules and contexts defined in this Directory Specification together with a cross reference to the subclause in which they are defined.

Bit String Match	6.2.4	Octet String Match	6.2.5
Boolean Match	6.2.1	Octet String Ordering Match	6.2.6
Business Category	5.5.4	Octet String Substrings Match	6.2.7
Case Exact Match	6.1.4	Organizational Unit Name	5.4.2
Case Exact Ordering Match	6.1.5	OrganizationName	5.4.1
Case Exact Substrings Match	6.1.6	Owner	5.10.4
Case Ignore List Match	6.1.10	Physical Delivery Office Name	5.6.4
Case Ignore List Substrings Match	6.1.11	Post Office Box	5.6.3
Case Ignore Match	6.1.1	Postal Address	5.6.1
Case Ignore Ordering Match	6.1.2	Postal Code	5.6.2
Case Ignore Substrings Match	6.1.3	Preferred Delivery Method	5.8.1
Common Name	5.2.2	Presentation Address	5.9.1
Country Name	5.3.1	Presentation Address Match	6.2.10
Description	5.5.1	Protocol Information	5.9.3
Destination Indicator	5.7.8	Protocol Information Match	6.2.12
Directory String First Component Match	6.4.3	Registered Address	5.7.7
Distinguished Name	5.10.1	Role Occupant	5.10.5
DMD name	5.11.1	Search Guide	5.5.2
DN Qualifier	5.2.8	See Also	5.10.6
Enhanced Search Guide	5.5.3	Serial Number	5.2.9
Facsimile Telephone Number	5.7.4	State or Province Name	5.3.3
Generation Qualifier	5.2.6	Stored Prefix Match	6.1.2
Generalized Time Match	6.3.3	Street Address	5.3.4
Generalized Time Ordering Match	6.3.4	Supported Application Context	5.9.2
Given Name	5.2.4	Surname	5.2.3
House Identifier	5.3.5	Telephone Number	5.7.1
Initials	5.2.5	Telephone Number Match	6.2.8
Integer First Component Match	6.4.1	Telephone Number Substrings Match	6.2.9
Integer Match	6.2.2	Teletex Terminal Identifier	5.7.3
Integer Ordering Match	6.2.3	Telex Number	5.7.2
International ISDN Number	5.7.6	Temporal Context	7.2
Keyword Match	6.5.2	Title	5.4.3
Knowledge Information	5.1.1	Unique Identifier	5.2.7
Language Context	7.1	Unique Member	5.10.3
Locale Context	7.3	Unique Member Match	6.2.11
Locality Name	5.3.2	UTC Time Match	6.3.1
Member	5.10.2	UTC Time Ordering Match	6.3.2
Name	5.2.1	Word Match	6.5.1
Numeric String Match	6.1.7	X.121 Address	5.7.5
Numeric String Ordering Match	6.1.8		
Numeric String Substrings Match	6.1.9		
Object Identifier First Component Match	6.4.2		

Annex E

Amendments and corrigenda

(This annex does not form an integral part of this Recommendation | International Standard)

This edition of this Directory Specification includes the following amendments:

- Amendment 1 for Contexts;
- Amendment 2 for Certificate Extensions;
- Amendment 3 for Enhancement of Directory Operational Security.

This edition of this Directory Specification includes the following technical corrigenda correcting the defects in the following defect reports (some parts of some of the following Technical Corrigenda may have been subsumed by the amendments that formed this edition of this Directory Specification):

- Technical Corrigendum 1 (covering Defect Reports 076, 122, 126).
- Technical Corrigendum 2 (covering Defect Reports 135, 146).

ITU-T RECOMMENDATIONS SERIES

Series A	Organization of the work of the ITU-T
Series B	Means of expression: definitions, symbols, classification
Series C	General telecommunication statistics
Series D	General tariff principles
Series E	Overall network operation, telephone service, service operation and human factors
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media, digital systems and networks
Series H	Audiovisual and multimedia systems
Series I	Integrated services digital network
Series J	Transmission of television, sound programme and other multimedia signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
Series N	Maintenance: international sound programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality, telephone installations, local line networks
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminals for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks and open system communications
Series Y	Global information infrastructure
Series Z	Languages and general software aspects for telecommunication systems