

[MS-GRVDYNM]: Groove Dynamics Protocol Specification

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
04/04/2008	0.1		Initial Availability
06/27/2008	1.0	Major	Revised and edited the technical content
12/12/2008	1.01	Editorial	Revised and edited the technical content
07/13/2009	1.02	Major	Changes made for template compliance
08/28/2009	1.03	Editorial	Revised and edited the technical content
11/06/2009	1.04	Editorial	Revised and edited the technical content
02/19/2010	2.0	Editorial	Revised and edited the technical content
03/31/2010	2.01	Editorial	Revised and edited the technical content
04/30/2010	2.02	Editorial	Revised and edited the technical content
06/07/2010	2.03	Editorial	Revised and edited the technical content
06/29/2010	2.04	Editorial	Changed language and formatting in the technical content.
07/23/2010	2.05	Minor	Clarified the meaning of the technical content.
09/27/2010	2.05	No change	No changes to the meaning, language, or formatting of the technical content.
11/15/2010	2.05	No change	No changes to the meaning, language, or formatting of the technical content.
12/17/2010	2.05	No change	No changes to the meaning, language, or formatting of the technical content.

Table of Contents

1 Introduction	6
1.1 Glossary	6
1.2 References	6
1.2.1 Normative References	6
1.2.2 Informative References	7
1.3 Protocol Overview (Synopsis)	8
1.3.1 Synchronization	8
1.3.2 Messages	9
1.4 Relationship to Other Protocols	9
1.5 Prerequisites/Preconditions	9
1.6 Applicability Statement	9
1.7 Versioning and Capability Negotiation	10
1.8 Vendor-Extensible Fields	10
1.9 Standards Assignments	10
2 Messages.....	11
2.1 Transport	11
2.2 Message Syntax	11
2.2.1 Delta Message	12
2.2.1.1 MIME-like Wrapper	12
2.2.1.2 Compressed Secured Payload	13
2.2.1.3 Secured XML	13
2.2.1.3.1 Element Structure	13
2.2.1.3.2 Delta Element Attributes	13
2.2.1.3.3 Secured Element Attributes	13
2.2.1.3.4 Encrypted Element Attributes	13
2.2.1.3.5 Authenticator Element Attributes	14
2.2.1.4 Delta XML	14
2.2.1.4.1 Element Structure	14
2.2.1.4.2 Delta Element Attributes	14
2.2.1.4.3 Commands Element Attributes	15
2.2.1.4.4 Command Element Attributes	16
2.2.2 Delta Ack Message	17
2.2.2.1 MIME-like Wrapper	17
2.2.2.2 Compressed Secured Payload	17
2.2.2.3 Secured XML	17
2.2.2.3.1 Element Structure	17
2.2.2.3.2 Delta Ack Element Attributes	17
2.2.2.4 DelAck XML	17
2.2.2.4.1 Element Structure	17
2.2.2.4.2 Delta Ack Element Attributes	18
2.2.2.4.3 Delta Ack Body Element Attributes	18
3 Protocol Details	19
3.1 Common Details	19
3.1.1 Abstract Data Model	19
3.1.2 Timers	20
3.1.3 Initialization	20
3.1.3.1 Per-Space Encryption Key	20
3.1.3.1.1 Pseudo-code for Groove-specific Key Derivation Function	20

3.1.3.2 Account Login	22
3.1.4 Higher-Layer Triggered Events	22
3.1.4.1 Normal Delta Created.....	22
3.1.4.2 Async or Identity-disseminated Delta Created	22
3.1.4.3 Securing and Serializing a Message.....	22
3.1.4.3.1 Header and Payload.....	22
3.1.4.3.2 Encrypted Payload.....	23
3.1.4.3.3 Message Signature	23
3.1.4.3.4 Secured XML	23
3.1.4.3.5 Serialized Message	23
3.1.5 Message Processing Events and Sequencing Rules.....	23
3.1.5.1 Common Message Processing.....	23
3.1.5.1.1 Secure XML Deserialization.....	24
3.1.5.1.2 Signature Verification	24
3.1.5.1.3 Payload Decryption.....	24
3.1.5.2 Normal Delta Received	24
3.1.5.2.1 Computing Independent Deltas	25
3.1.5.2.2 Ordering Into Blocks.....	25
3.1.5.2.3 Ordering Within Blocks.....	25
3.1.5.2.4 Delta Execution.....	26
3.1.5.2.5 Space State Update	26
3.1.5.2.6 Delta Ack	26
3.1.5.3 Async or Identity-disseminated Delta Received.....	26
3.1.5.4 Delta Ack Received	26
3.1.6 Timer Events	27
3.1.7 Other Local Events	27
4 Protocol Examples.....	28
4.1 Processing an Incoming Delta Message.....	28
4.1.1 MIME-like Wrapper	28
4.1.2 Compressed Secured Payload	30
4.1.3 Secured XML.....	31
4.1.4 Delta XML.....	32
4.2 Producing an Outgoing Delta Ack Message	32
4.2.1 DelAck XML	32
4.2.2 Secured XML.....	32
4.2.3 Compressed Secured Payload	33
4.2.4 MIME-like Wrapper	34
4.3 Producing an Outgoing Delta Message	35
4.3.1 Delta XML.....	35
4.3.2 Secured XML.....	35
4.3.3 Compressed Secured Payload	36
4.3.4 MIME-like Wrapper	37
4.4 Processing an Incoming Delta Ack Message.....	39
4.4.1 MIME-like Wrapper	39
4.4.2 Compressed Secured Payload	40
4.4.3 Secured XML.....	41
4.4.4 DelAck XML	42
4.5 Simple Delta Ordering	42
4.6 Priority Delta Ordering.....	44
5 Security.....	46
5.1 Security Considerations for Implementers.....	46

5.1.1	Use of Semi-weak Algorithms	46
5.1.2	Use of Non-standard/Suspect Algorithms	46
5.1.3	Insufficient Encryption of Delta Messages	46
5.2	Index of Security Parameters	46
6	Appendix A: Product Behavior	47
7	Change Tracking.....	48
8	Index	49

1 Introduction

This document specifies the Groove Dynamics Protocol, an application-layer distributed protocol for consistently ordering operations on an arbitrary number of peers. This protocol consists of encoded XML messages used to synchronize data in a shared space.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

**Unicode
unique identifier (UID)**

The following terms are defined in [\[MS-OFCGLOS\]](#):

**account
block
canonical URL
delta
delta log
dependency graph
endpoint
engine
identity URL
identity-disseminated delta
normal delta
record
SHA-1
shared space
Simple Symmetric Transport Protocol (SSTP)
tool**

The following terms are specific to this document:

async delta: A delta that is sent to only a subset of the endpoints (3) in a shared space. An async delta does not have any dependent deltas.

HMAC-SHA1: See SHA-1.

sequence: A unique identifier for a delta that includes the user identifier for the endpoint (3) that created the delta.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site,

<http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[BCMO800-38A] National Institute of Standards and Technology, "Recommendation for Block Cipher Modes of Operation: Methods and Techniques", NIST Special Publication 800-38A, December 2001, <http://csrc.nist.gov/publications/nistpubs/800-38a/sp800-38a.pdf>

[FIPS197] National Institute of Standards and Technology, "Federal Information Processing Standards Publication 197: Advanced Encryption Standard (AES)", November 2001, <http://csrc.nist.gov/publications/fips/fips197/fips-197.pdf>

[IEEE1363a] Institute of Electrical and Electronics Engineers, "IEEE Standard Specifications for Public-Key Cryptography—Amendment 1: Additional Techniques", 1363a-2004, September 2004, <http://ieeexplore.ieee.org/iel5/9276/29460/01335427.pdf>

[MS-GRVSSTP] Microsoft Corporation, "[Simple Symmetric Transport Protocol \(SSTP\) Specification](#)", June 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>

[RFC3174] Eastlake III, D., and Jones, P., "US Secure Hash Algorithm 1 (SHA1)", RFC 3174, September 2001, <http://www.ietf.org/rfc/rfc3174.txt>

[RFC4634] Eastlake III, D., and Hansen, T., "US Secure Hash Algorithms (SHA and HMAC-SHA)", RFC 4634, July 2006, <http://www.ietf.org/rfc/rfc4634.txt>

[RFC4648] Josefsson, S., "The Base16, Base32, and Base64 Data Encodings", RFC 4648, October 2006, <http://www.ietf.org/rfc/rfc4648.txt>

[WBXML 1.2] Wireless Application Protocol Forum, "Wireless Application Protocol Binary XML Content Format Specification Version 1.2", Version 4-June-1999, <http://www.w3.org/TR/wbxml/>

1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)", March 2007.

[MS-GRVRDB] Microsoft Corporation, "[Groove RDB Commands Protocol Specification](#)", June 2008.

[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)", June 2008.

[MSR-TR-2003-60] Saito, Y. and Shapiro, M., "Optimistic Replication", September 2003, <http://research.microsoft.com/research/pubs/view.aspx?type=Technical%20Report&id=681>

[RFC2045] Freed, N., and Borenstein, N., "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies", RFC 2045, November 1996, <http://ietf.org/rfc/rfc2045.txt>

[XML10] World Wide Web Consortium, "Extensible Markup Language (XML) 1.0 (Third Edition)", February 2004, <http://www.w3.org/TR/REC-xml>

[XMLNS] World Wide Web Consortium, "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation 8 December 2009, <http://www.w3.org/TR/REC-xml-names/>

1.3 Protocol Overview (Synopsis)

1.3.1 Synchronization

The Groove Dynamics Protocol is used to synchronize information among endpoints (3) participating in a **shared space**. A shared space consists of a set of zero or more **tools**. Each tool has zero or more **engines**. Engines define a set of operations, or commands. Changes to the synchronized tool data are made by executing these commands. One or more commands are grouped into a **delta**, which is the unit of transactional consistency in a shared space. Dynamics guarantees that all of the commands in a delta are executed sequentially. Dynamics synchronizes the shared space by causing all deltas to be executed in the same order on all endpoints.

A typical example would be a shared space with a threaded discussion tool that would allow multiple endpoints to contribute discussion topics and post replies. This tool could be built using the record database (RDB) engine. RDB has a command set for manipulating **records**, which includes commands for adding and deleting records, and setting fields on existing records. Data consistency across all endpoints is achieved by using the Groove Dynamics Protocol to sequence the execution of the commands.

A shared space can have an arbitrary number of members, but all examples in this document use a space with three members, who are referred to as A, B and C. In examples, deltas will be designated by a letter indicating the endpoint that created the delta and a number that is the **sequence** of the delta generated on that endpoint. So A3 would be the third delta created by endpoint A. This is a simplification of the delta sequence numbering scheme which will be described later.

A simple scenario in which dynamics is used starts with the user at endpoint (3) A creating a new discussion topic. This causes the RDB engine to create a command to add a new record. The command includes the title and contents of the discussion topic. A creates delta A1 containing the add record command. Dynamics sends A1 as a delta message to endpoints B and C. When those endpoints receive A1 they execute the commands in the delta, which causes the new record to be added and appear in the tool so that it can be read by the users on those endpoints.

In the event that different endpoints make independent changes, it is impossible to get a completely consistent order of execution of deltas on all endpoints. Dynamics achieves convergence by getting a logically equivalent order of execution on all endpoints. All engines implementing this protocol support the ability to undo all of their commands. In the event that a newly received delta requires that the delta order be changed, the commands in the previously executed deltas that are being reordered will be undone and then executed again in the proper order.

For example, consider what happens when two endpoints, A and B, create new discussion entries at the same time. This results in the creation of deltas A2 and B1. Dynamics will define the ordering of those deltas. This ordering will be consistent on all endpoints. In this case assume that B1 is before A2. When B receives A2, it will have already executed B1. Because A2 comes after B1 this isn't a problem and it can execute A2. However A will have already executed A2 when B1 is received. To get the correct logical ordering, it will need to undo A2, execute B1 and then execute A2.

Dynamics guarantees causal consistency in the order of execution of deltas. Causal consistency is the property that when an endpoint, A, executes a delta created by a different endpoint, B, A must have previously executed all normal deltas that B had executed when it created the new delta. For any new delta, any deltas that the creator of that delta had executed prior to creating the delta need to be executed on all endpoints before they execute the new delta. So if A has executed B2 and then creates A3, but C receives A3 before receiving B2, C waits to execute A3 until B2 is received and executed.

1.3.2 Messages

There are two messages in the dynamics protocol. Delta messages are used to send deltas to other endpoints in a shared space. Delta ack messages are used to acknowledge the receipt of deltas.

Dynamics messages consist of a wrapper in a format similar to MIME, as described in [\[RFC2045\]](#). This wraps the compressed, secured payload. This is an encoding, using a subset of WBXML, as described in [\[WBXML 1.2\]](#), of the secure XML, as described in [\[XML10\]](#).

The secure XML uses XML namespaces, as described in [\[XMLNS\]](#), and contains the message contents. These contents are encrypted using the AES algorithm, as described in [\[FIPS197\]](#) in CTR mode, as described in [\[BCMO800-38A\]](#), with a per-space symmetric key. Encryption prevents anyone who is not a member of the shared space from reading the message. The message contents are also signed using the ESIGN algorithm, as described in [\[IEEE1363a\]](#). The signature private key is unique for a single space and a single member. Signing is used to guarantee both message integrity and message authenticity.

Once the secure XML has been decrypted, the structure and attributes of the decrypted XML determine how dynamics processes the delta or delta ack.

1.4 Relationship to Other Protocols

The Groove Dynamics Protocol depends on the **Simple Symmetric Transport Protocol (SSTP)**, as described in [\[MS-GRVSSTP\]](#).

Engine command protocols, such as the Groove RDB Commands Protocol, as described in [\[MS-GRVRDB\]](#), use the Groove Dynamics Protocol as the transport for their messages.

The Groove Dynamics Protocol also depends on WBXML, as described in [\[WBXML 1.2\]](#), which it uses to compress its messages before disseminating them to other endpoints.

1.5 Prerequisites/Preconditions

The Groove Dynamics Protocol operates within a shared space. It assumes that the shared space has already been created and that all endpoints in the shared space are running compatible implementations of the dynamics protocol. All engines in the space have a known engine URL that can be used to address commands to the engine. All endpoints in the space have a known device URL, **identity URL** and **unique identifier (UID)** endpoint UID.

The following security keys for the space are known:

- Per-space master key. This key is used to encrypt all messages. The key identifier and key version are known.
- Per-space per-member signature private key for the current member. This key is used to sign messages sent by the current member.
- Per-space per-member signature public keys for all members. These keys are used to verify signatures for messages sent by other members.

1.6 Applicability Statement

This protocol can be used anytime that operation-transfer peer-to-peer optimistic replication is necessary. For most replication problems, state-transfer optimistic replication is likely preferable. See [\[MSR-TR-2003-60\]](#) for a survey of replication algorithms. The Groove Dynamics Protocol is only appropriate for problems that warrant the high complexity of the protocol.

1.7 Versioning and Capability Negotiation

None.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

None.

2 Messages

2.1 Transport

Groove Dynamics Protocol messages MUST be transported using the SSTP protocol, as specified in [\[MS-GRVSSTP\]](#). **Endpoints** MUST be identified by their **Device URL** and **Identity URL**. All messages MUST be addressed to a set of one or more endpoints. The resource URL

```
grooveDynamics://Dynamics/;CanTelURL=grooveTelespace:%2f%2fTelespacePathAsync
```

is the async resource URL. It MUST be used to send and receive async deltas and **identity-disseminated deltas**. The resource URL

```
grooveDynamics://Dynamics/;CanTelURL=grooveTelespace:%2f%2fTelespacePath
```

is the normal resource URL. It MUST be used to receive and send all other dynamics messages. In both URLs, *TelespacePath* MUST be the path of the telespace **canonical URL**.

2.2 Message Syntax

The Groove Dynamics Protocol specifies the following types as XML attribute values:

Binary: base64-encoded string representation of the binary data, as defined in [\[RFC4648\]](#).

Hex String: A hex string attribute MUST consist of characters in the ranges '0'-'9' and 'A'-'F'. Hex strings MUST be compared as hexadecimal numbers.


Int: An Int attribute MUST be a decimal string representation of an integer in the range 0 to 2147483647.

Null: A Null attribute MUST be the empty string.

String: A **Unicode** string.

2.2.1 Delta Message

2.2.1.1 MIME-like Wrapper



Header (153 bytes): The header MUST comprise the following bytes:

0000 4d 49 4d 45 2d 56 65 72 73 69 6f 6e 3a 20 31 2e MIME-Version: 1.
0010 30 20 28 47 72 6f 6f 76 65 20 32 29 0d 0a 43 6f 0 (Groove 2)..Content-Type: multipart/related; boundary="<<[[&&]]>>"..<<[[&&]]>>..Content-Type: application/XML; charset="us-ascii"..
0020 6e 74 65 6e 74 2d 54 79 70 65 3a 20 6d 75 6c 74
0030 69 70 61 72 74 2f 72 65 6c 61 74 65 64 3b 20 62
0040 6f 75 6e 64 61 72 79 3d 22 3c 3c 5b 5b 26 26 26
0050 5d 5d 3e 3e 22 0d 0a 3c 3c 5b 5b 26 26 26 5d 5d
0060 3e 3e 0d 0a 43 6f 6e 74 65 6e 74 2d 54 79 70 65
0070 3a 20 61 70 70 6c 69 63 61 74 69 6f 6e 2f 57 42
0080 58 4d 4c 3b 20 63 68 61 72 73 65 74 3d 22 75 73
0090 2d 61 73 63 69 69 22 0d 0a

Compressed Secured Payload (variable): Specified in [2.2.1.2](#). This field MUST NOT contain the following sequence of bytes:

```
0000  0d 0a 2d 2d 3c 3c 5b 5b 26 26 26 5d 5d 3e 3e 2d  .--<<[[[ &&& ]]]>>-
0010  2d 0d 0a                                -..
```

Epilogue (19 bytes): The epilogue MUST comprise the following bytes:

```
0000  0d 0a 2d 2d 3c 3c 5b 5b 26 26 26 5d 5d 3e 3e 2d  .--<<[ [&&] ]>>-
0010  2d 0d 0a                                -..
```

2.2.1.2 Compressed Secured Payload

This payload MUST be WBXML as specified in [\[WBXML 1.2\]](#). In addition, the following constraints MUST be met:

The WBXML version number, as specified in [\[WBXML 1.2\]](#) section 5.4, MUST be 1.2.

The Document Public Identifier, as specified in [\[WBXML 1.2\]](#) section 5.5, MUST be encoded either as the well-known document type public identifier "Unknown or missing public identifier" (value 1) as specified in [\[WBXML 1.2\]](#) section 7.2, or as a string "(null),0" in the string table. Either value may be used.

The Charset, as specified in [\[WBXML 1.2\]](#) section 5.6, MUST be 3 (representing US-ASCII).

The following tokens MUST NOT be used in the encoding of any attribute value (referred to as *attrValue* in [\[WBXML 1.2\]](#) section 5.3): EXT_I_1 (0x41), EXT_I_2 (0x42), EXT_T_0 (0x80), EXT_T_1 (0x81), EXT_T_2 (0x82), EXT_0 (0xC0), EXT_1 (0xC1), EXT_2 (0xC2).

The following tokens MUST NOT be used in the encoding of any content (referred to as *content* in [\[WBXML 1.2\]](#) section 5.3): EXT_I_1 (0x41), EXT_I_2 (0x42), EXT_T_0 (0x80), EXT_T_1 (0x81), EXT_T_2 (0x82), EXT_0 (0xC0), EXT_1 (0xC1), EXT_2 (0xC2), OPAQUE (0xC3).

This MUST encode the secured XML element specified in [2.2.1.3](#).

2.2.1.3 Secured XML

Section [3.1.5.1](#) specifies how to convert the secured XML to the delta XML specified in section [2.2.1.4](#).

2.2.1.3.1 Element Structure

The secured XML MUST consist of an element with tag "urn:groove.net:Del". This is the delta element.

The delta element MUST have a content element with the tag "urn:groove.net:SE". This is the secured element.

The secured element MUST have two content elements. The first content element MUST have the tag "urn:groove.net:EC". This is the encrypted element. The second content element MUST have the tag "urn:groove.net:Auth". This is the authenticator element.

2.2.1.3.2 Delta Element Attributes

These are specified in [2.2.1.4.2](#).

2.2.1.3.3 Secured Element Attributes

Version (String): This attribute MUST be present and MUST be "3,0,0,0".

2.2.1.3.4 Encrypted Element Attributes

EC (Binary): This attribute MUST be present and MUST be the encrypted payload.

IV (Binary): This attribute MUST be present and MUST be the initialization vector (IV).

KID (String): This attribute MUST be present and MUST be the key identifier.

KV (Int): This attribute MUST be present and MUST be the key version.

2.2.1.3.5 Authenticator Element Attributes

PTSig (Binary): This attribute MUST be present and MUST be the signature of the message.

2.2.1.4 Delta XML

2.2.1.4.1 Element Structure

A decrypted delta message is an XML message that MUST consist of an element with the tag "urn:groove.net:Del". This is the delta element.

The delta element MUST have a content element with the tag "urn:groove.net:Cmnds". This is the commands element. The delta element MUST NOT have any other content.

The commands element MUST have one or more content elements with the tag "urn:groove.net:Cmd". These are the command elements. The commands element MUST NOT have any other content.

2.2.1.4.2 Delta Element Attributes

The protocol defines the following attributes for the delta element.

Gp (Int): This attribute MUST be present and MUST be the delta group number. This is used for delta ordering. If the sequence of the last delta in the creator's **delta log** is higher than the sequence on the new delta, then this MUST be one more than the highest group number in the delta log. Otherwise this SHOULD **<1>** be the highest group number but can be one more than the highest group number in the creator's delta log. This ensures that the newly created delta is ordered at the end of the creator's delta log.

Version (String): This attribute MUST be present and MUST be "1,0,0,0".

Seq (Hex String): This attribute MUST be present on **normal deltas**. It MUST NOT be present on async or identity-disseminated deltas. It MUST be the delta sequence, which uniquely identifies the delta and is used for delta ordering. The value MUST be 24 characters. The first 12 characters MUST be the Endpoint UID for the creating endpoint. The next 8 characters MUST be the creator identifier. The creator identifier MUST either be the same as on the delta most recently created by this endpoint or be a newly generated string that has not previously been used as a creator identifier by this endpoint. In the event that the final four characters of the sequence for the most recently created delta were "FFFF" then the creator identifier MUST be newly generated. The final four characters are the hexadecimal representation of the sequence number. If a new creator identifier is used, the sequence number MUST be "0001". Otherwise the sequence number MUST be one more than the sequence number on the delta most recently generated by this endpoint.

SubSeq (Hex String): This attribute MUST be present on an async or identity-disseminated delta. It MUST NOT be present on a normal delta. This is the sequence of an async or identity-disseminated delta, which uniquely identifies the delta and is used for delta ordering. The value MUST be 32 characters. The first 12 characters MUST be the Endpoint UID for the creating endpoint. The next 8 characters MUST be the creator identifier. The creator identifier MUST either be the same as on the delta most recently created by this endpoint or be a newly generated string that has not previously been used as a creator identifier by this endpoint. If this endpoint had previously created a normal delta with the same creator identifier, then the next 4 characters MUST be the sequence number from the last normal delta created by this endpoint. Otherwise the next four characters MUST be "0000". In either case, the final 8 characters are the sub-sequence number. This MUST be

the hexadecimal representation of a number. This MUST be "00000001" for the first async or identity-disseminated delta created and for the first async or identity-disseminated delta which is created since a normal delta was created. It MUST be one more than the previous value subsequence value for all subsequent async and identity-disseminated deltas.

AssimilationPriority (Int): This attribute MUST be present if the delta has an explicit assimilation priority. It MUST NOT be present if the delta does not have an explicit assimilation priority. It MUST NOT be present on async or identity-disseminated deltas. The assimilation priority is used in delta ordering, as specified in section [3.1.5.2](#). The value of this attribute MAY be 0.

BlkNum (Int): This attribute MUST be present if the delta has an explicit assimilation priority. It MUST NOT be present if the delta does not have an explicit assimilation priority. This is the **block** number. This is used for delta ordering. It MUST be set to one more than the block number of the highest block in the delta log. See section [3.1.5.2](#).

DLS (String): This attribute MUST be present if the delta has an explicit assimilation priority. It MUST NOT be present if the delta does not have an explicit assimilation priority. This is the delta log state. The value MUST be a comma-delimited string. There MUST be one field in the string for each endpoint in the space. Each field in the string MUST be a 32 character hexadecimal string. The first 8 characters of the field MUST be a hexadecimal representation of the group number of the last normal delta in the delta log created by that endpoint. The next 24 characters MUST be the sequence number of the last normal delta in the delta log created by that endpoint.

Async (Null): This attribute MUST be present if the delta is an **async delta**. This attribute MUST NOT be present if the delta is not an async delta.

DepSeq (String): This attribute MUST be present if the delta has explicit dependencies. It MUST NOT be present if the delta does not have explicit dependencies. The explicit dependencies are computed as follows. Find the set of all sources in the **dependency graph** (see section [3.1.1](#)). These are the immediate dependencies. If the last four characters of the sequence of this delta are not "0001" then remove from the set of immediate dependencies the most recently created delta from this endpoint. The resulting set contains the explicit dependencies. If this set is not empty, then this attribute MUST be a comma-delimited string. The fields in the string MUST be the sequences of the explicit dependencies.

IdDiss (Null): This attribute MUST be present if the delta is an identity-disseminated delta. It MUST NOT be present if this is not an identity-disseminated delta.

2.2.1.4.3 Commands Element Attributes

The protocol defines the following attributes for the commands element.

PurGrp (Int): This attribute MUST be present and MUST be the purge group. The value specifies that the delta creator is willing to purge all deltas with groups less than or equal to this value. This MUST NOT be set to a number higher than "0" unless it is guaranteed that all endpoints, including the local endpoint, in the shared space have all deltas up to that group number.

Rank (Int): This attribute MUST be present and MUST be one more than the highest rank of all received and previously created normal deltas.

SenderMinDep (Int): This attribute MUST be present and SHOULD [<2>](#) be equal to the smallest group number of all of the immediate dependencies of this delta. It MAY be any smaller number. This is used to calculate which deltas are available to be purged.

PurNot (Null): This attribute MUST be present if at least one of the command elements has the PurNot attribute. It MUST NOT be present if none of the command elements has the PurNot attribute.

SpStSet (String): This attribute MUST be present if there is new space state information that has not been sent on a previous delta. It MAY [<3>](#) be set if there is no new space state information. This is the space state set. The space state for an endpoint consists of the following information:

1. **Rank:** The highest rank of the deltas executed on the endpoint.
2. **Min Dependency Group:** The minimum dependency group declared by the endpoint.
3. **Purge Group:** The group number that the endpoint is willing to purge.
4. **Dependencies:** The sources of the dependency graph on the endpoint.

This attribute MUST contain updated space states for all endpoints, excluding the local endpoint and any states that have previously been sent on a delta. States for endpoints that have been previously sent on deltas MAY [<4>](#) be sent, but such information is redundant. The value MUST be a semi-colon delimited string. The string MUST end with a semi-colon. The fields are paired into SpaceStates and EndpointSets. For example:

SpaceState1;EndpointSet1;SpaceState2;EndpointSet2;...SpaceStateN;EndpointSetN

Within each pair, the endpoints in the endpoint set have the matching space state. In the example, the endpoints in EndpointSet2 have SpaceState2.

The SpaceState MUST be a semi-colon delimited string with four fields. The first MUST be the rank of the space state. The second MUST be the minimum dependency group of the space state. The third SHOULD [<5>](#) be the purge group of the space state but can be zero. The fourth MUST be the set of dependencies of the space state. The dependencies MUST be a comma-delimited string of sequence numbers.

The EndpointSet MUST be a comma-delimited string of endpoint identifiers. The endpoint identifiers are 16 character hexadecimal strings. The first 12 characters MUST be the Endpoint UID. The last 4 characters MUST be "0000".

TimeCreated (String): This attribute MAY [<6>](#) be present and MAY be any value.

2.2.1.4.4 Command Element Attributes

The protocol defines the following attributes for the command element.

EngineURL (String): This attribute MUST be present and MUST be the identifier of the engine that is used to execute the command.

Nested (Hex String): This attribute MUST be present if this command was created as part of a creation-nested delta. A creation-nested delta is a delta that is created after another (containing) delta has been created, but before any commands in the containing delta have been executed. The commands of the creation-nested delta are included in the containing delta. These commands are marked to indicate that they were part of the creation-nested delta and may be treated differently by the engine. This attribute MUST NOT be present if this command was not created as part of a creation-nested delta. It is the creation nested sequence of the delta. This MUST be 16 characters. All commands that were part of the same creation-nested delta MUST have the same value for this attribute. If there were multiple layers of nested deltas, this MUST be the same only for commands that were part of the same innermost nested delta.

NOrd (Int): This attribute MUST be present if this command was created as part of a creation-nested delta. This attribute MUST NOT be present if this command was not created as part of a creation-nested delta. This is the nested ordinal of the command. This MUST be set to the 0-based ordinal of the command in the nested delta. If there were multiple layers of nested deltas, this MUST be the 0-based ordinal of the command in the outermost nested delta.

PurNot (Null): This attribute MUST be present if the engine that executed this command is notified when the command is purged.

urn:groove.net:CmdAsyncLocalOnly (Null): This attribute MUST be present if this command is only to be executed on the endpoint that created the delta.

urn:groove.net:CmdIdDiss (Null): This attribute MUST be present if this command is only to be executed on endpoints with the same Identity URL as the delta creator.

2.2.2 Delta Ack Message

2.2.2.1 MIME-like Wrapper

This wrapper MUST be as specified in section [2.2.1.1](#). The payload MUST be as specified in section [2.2.2.2](#).

2.2.2.2 Compressed Secured Payload

This payload MUST be WBXML, as specified in [\[WBXML 1.2\]](#), which conforms to the constraints specified in [2.2.1.2](#). This MUST encode the secured XML specified in section [2.2.2.3](#).

2.2.2.3 Secured XML

Section [3.1.5.1](#) specifies how to process the secured XML. The result of this processing is the DelAck XML specified in section [2.2.2.4](#).

2.2.2.3.1 Element Structure

The secured XML MUST consist of an element with tag "DelAck". This is the delta ack element.

The delta ack element MUST have a content element with the tag "urn:groove.net:SE". This is the secured element. It is specified in section [2.2.1.3](#).

2.2.2.3.2 Delta Ack Element Attributes

These attributes are as specified in section [2.2.2.4.2](#).

2.2.2.4 DelAck XML

2.2.2.4.1 Element Structure

This MUST consist of an element with the tag "DelAck". This is the delta ack element.

The delta ack element MUST have a content element with the tag "DelAckBody". This is the delta ack body element. The delta ack element MUST NOT have any other content.

The delta ack body element MUST NOT have any content.

2.2.2.4.2 Delta Ack Element Attributes

The protocol defines the following attributes on the delta ack element.

ContactURL (String): This attribute MUST be present and MUST be the Identity URL of the endpoint that created the delta ack.

DepSeq (String): This attribute MUST be present and MUST have a value as defined in [2.2.1.4.2](#) except that the sequence of the previously generated delta from this endpoint is included.

DeviceURL (String): This attribute MUST be present and MUST be the Device URL of the endpoint that created the delta ack.

Gp (Int): This attribute MUST be present and MUST be the highest group number of all the deltas executed by the endpoint that created the delta ack.

2.2.2.4.3 Delta Ack Body Element Attributes

The protocol defines the following attributes on the delta ack body element.

PurGrp (Int): This attribute MUST be present and MUST have a value as specified in [2.2.1.4.3](#).

SenderMinDep (Int): This attribute MUST be present and MUST have a value as specified in [2.2.1.4.3](#).

SenderRank (Int): This attribute MUST be present and MUST be the highest rank of all deltas executed by the creator of this delta ack.

SpStSet (String): Specified in [2.2.1.4.3](#).

3 Protocol Details

3.1 Common Details

All endpoints in the Groove Dynamics Protocol behave identically. There are no separate roles for clients and servers.

3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

Delta Log: The delta log contains the history of all deltas that have been executed. The deltas should be organized sequentially by order of execution.

Dependency Graph: The set of dependencies on the deltas is representable as a directed acyclic graph. The deltas are vertices. The edges are the immediate dependencies of a delta. Edges are added so that there is at most one path between any two vertices. A delta A1 depends on a different delta B1 if and only if there is a path from A1 to B1 in the dependency graph.




Figure 1: Sample dependency graph

The preceding graph results from the following steps:

1. A creates A1
2. B, C receive A1
3. A creates A2
4. C receives A2
5. B creates B1
6. A,C receive B1
7. C creates C1
8. A receives C1
9. B creates B2
10. A creates A3

Endpoint Space State: The last known space state for each endpoint. The following information is kept for each endpoint.

1. **Rank:** The highest rank of the deltas executed on the endpoint.
2. **Min Dependency Group:** The minimum dependency group declared by the endpoint.
3. **Purge Group:** The group number that the endpoint is willing to purge.
4. **Dependencies:** The sources of the dependency graph on the endpoint.

3.1.2 Timers

None.

3.1.3 Initialization

3.1.3.1 Per-Space Encryption Key

The per-space encryption key MUST be used to encrypt all messages. It is derived from the per-space master key described in section [1.5](#). The per-space encryption key MUST be the result of a Groove-specific key derivation function. The parameters MUST be:

i_Key: the **SHA-1** hash, as specified in [\[RFC3174\]](#), of the concatenation of the per-space master key and the Unicode string "MaskStringForTelespaceSecurityCipherKeys". This string MUST be hashed as a byte array. The zero terminator MUST NOT be included in the hash.

i_KeySizeInBytes: size of i_Key in bytes.

i_DerivedKeySizeInBytes: MUST be the same as the size of the per-space master key.

3.1.3.1.1 Pseudo-code for Groove-specific Key Derivation Function

This function makes use of **HMAC-SHA1**, as specified in [\[RFC4634\]](#).

```
-- Data types:  
-- Byte: 8-bit unsigned integer.  
-- ByteArray: array of Bytes. Index is always zero based.  
-- Int32: 32-bit signed integer.  
-- UInt32: 32-bit unsigned integer.  
  
--  
-- Input:  
-- i_Key as ByteArray: Data to derive the key from.  
-- i_KeySizeInBytes as Int32: Number of bytes in i_Key.  
-- i_DerivedKeySizeInBytes as Int32: Number of bytes for the derived key.  
  
--  
-- Output:  
-- o_DerivedKey as ByteArray: Derived key.  
  
DEFINE GrooveSpecificPBKDF2(i_Key, i_KeySizeInBytes, i_DerivedKeySizeInBytes, o_DerivedKey)  
AS  
    CONST Int32 hlen = 20  
    CONST Int32 max_dkeylen = 0xffffffff - 2 * hlen  
    CONST Int32 maxkeyszie = 64  
    CONST Int32 maxpwdlen = maxkeyszie  
    CONST UInt32 maxblock = (i_DerivedKeySizeInBytes + (hlen - 1)) / hlen
```

```

VAR t as ByteArray[hlen]
VAR u as ByteArray[hlen]
VAR Index as Int32

FOR Index = 0 To hlen-1
    SET t[Index] = 0
    SET u[Index] = 0
ENDFOR

VAR hpwd as ByteArray[maxpwdlen]
VAR hpwdlen as Int32

IF i_KeySizeInBytes <= maxpwdlen THEN
    FOR Index = 0 To i_KeySizeInBytes-1
        SET hpwd[Index] = i_Key[Index]
    ENDFOR
    SET hpwdlen = i_KeySizeInBytes
ELSE
    VAR hash as SHA1
    CALL hash.Update(i_Key, i_KeySizeInBytes)
    SET hpwd = hash.Final()
    SET hpwdlen = 20
ENDIF

VAR hmac as HMAC_SHA1
SET hmac.Key = hpwd
SET hmac.KeySize = hpwdlen

VAR k_ipad as ByteArray[maxkeysize]
FOR Index = 0 To maxkeysize-1
    SET k_ipad[Index] = 0x36
ENDFOR

FOR Index = 0 To hpwdlen-1
    SET k_ipad[Index] = k_ipad[Index] XOR hpwd[Index]
ENDFOR

CALL hmac.Update(k_ipad, maxkeysize)

VAR accum as Int32
SET accum = 0

VAR block as UInt32
FOR block = 1 To maxblock
    VAR block_be As ByteArray[4]
    SET block_be[0] = RIGHT_SHIFT_BITS(block, 24)
    SET block_be[1] = RIGHT_SHIFT_BITS(block, 16)
    SET block_be[2] = RIGHT_SHIFT_BITS(block, 8)
    SET block_be[3] = RIGHT_SHIFT_BITS(block, 0)

    CALL hmac.Update(block_be, 4)
    SET u = hmac.Final()

    FOR Index = 0 To hlen-1
        SET t[Index] = u[Index]
    ENDFOR

    VAR want As Int32
    SET want = i_DerivedKeySizeInBytes - accum

```

```

VAR got As Int32
IF want > hlen THEN
    SET got = hlen
ELSE
    SET got = want
ENDIF

FOR Index = 0 To got-1
    SET o_DerivedKey[accum+Index] = t[Index]
ENDFOR

SET accum = accum + got
ENDFOR
ENDDEFINE

```

3.1.3.2 Account Login

When the user logs into the **account** that contains the shared space the implementation MUST register as a resource handler for the async resource URL and the normal resource URL specified in section [2.1](#).

3.1.4 Higher-Layer Triggered Events

3.1.4.1 Normal Delta Created

The XML structure of a delta is specified in section [2.2.1.4](#). When a higher layer finishes creating a delta, the delta MUST be placed at the end of the delta log and executed. The delta MUST be secured and serialized as specified in section [3.1.4.3](#). The resulting message MUST be sent to all endpoints in the space.

3.1.4.2 Async or Identity-disseminated Delta Created

The XML structure of a delta is specified in section [2.2.1.4](#). When a higher layer finishes creating an async or identity-disseminated delta, the delta MUST be stored at the end of the delta log and executed. The delta MUST be secured and serialized as specified in section [3.1.4.3](#). An async delta MUST be sent to endpoints specified by the delta creator. An identity-disseminated delta MUST be sent to all endpoints in the space that have the same identity as the creating endpoint.

3.1.4.3 Securing and Serializing a Message

A delta message (section [2.2.1](#)) and a delta ack message (section [2.2.2](#)) are secured and serialized as follows.

3.1.4.3.1 Header and Payload

The content is removed from the root XML element. The root element with no content is the header element. In a delta message the header element MUST be the delta element (section [2.2.1.4.2](#)). In a delta ack message the header element MUST be the delta ack element (section [2.2.2.4.2](#)). The header element MUST NOT have any content. The removed content is the payload element. In a delta message the payload element is the commands element (section [2.2.1.4.3](#)) with its contents. In a delta ack message the payload element is the delta ack body element (section [2.2.2.4.3](#)).

3.1.4.3.2 Encrypted Payload

The payload element MUST be encoded in WBXML, as specified in [\[WBXML 1.2\]](#), and in section [2.2.1.2](#). The order of the attributes MUST be sorted by Unicode code point. The resulting binary representation of the payload element MUST be encrypted using the AES algorithm, as specified in [\[FIPS197\]](#) in CTR mode, as specified in [\[BCMO800-38A\]](#). The current per-space encryption key (section [3.1.3.1](#)) MUST be used. An initialization vector MUST be used to encrypt each message.

3.1.4.3.3 Message Signature

The message digest MUST be computed using SHA-1, as specified in [\[RFC3174\]](#). The input to the digest MUST consist of three values. First is the telespace canonical URL. Second is the header element encoded in WBXML, as specified in [\[WBXML 1.2\]](#) and in section [2.2.1.2](#). The order of the attributes MUST be sorted by Unicode code point. Third is the encrypted payload specified in section [3.1.4.3.2](#).

The message digest MUST be signed using ESIGN, as specified in [\[IEEE1363a\]](#). The per-space per-member signature private key (section [1.5](#)) MUST be used. The result is the message signature.

3.1.4.3.4 Secured XML

The Secured XML (sections [2.2.1.3](#) and [2.2.2.3](#)) MUST be created by adding the secured element as the only content of the header element. The encrypted element MUST be the first content element of the secured element. The authenticator element MUST be the second content element of the secured element.

The attributes on the encrypted element MUST be set as follows:

EC: The encrypted payload specified in [3.1.4.3.2](#).

IV: The initialization vector for the encrypted payload specified in [3.1.4.3.2](#).

KID: The key identifier of the per-space master key (section [1.5](#)).

KV: The key version of the per-space master key (section [1.5](#)).

The attributes on the authenticator element MUST be set as follows:

PTSig: The message signature specified in section [3.1.4.3.3](#).

3.1.4.3.5 Serialized Message

The secured XML MUST be compressed as specified in section [2.2.1.2](#) and included in a MIME-like wrapper as specified in section [2.2.1.1](#).

3.1.5 Message Processing Events and Sequencing Rules

Section [3.1.5.1](#) specifies message processing common to all messages. Sections [3.1.5.2](#), [3.1.5.3](#) and [3.1.5.4](#) specify the processing for specific message types.

3.1.5.1 Common Message Processing

The following steps MUST be used to process all messages.

3.1.5.1.1 Secure XML Deserialization

The compressed payload MUST be read from the MIME-like wrapper (section 2.2.1.1). The payload MUST be decompressed using WBXML, as specified in [WBXML 1.2] and in section 2.2.1.2. The result is the secured XML (section 2.2.1.3). If the message does not match the message specification then the message MUST be ignored.

The secure element MUST be removed from the header element.

3.1.5.1.2 Signature Verification

The message digest MUST be computed using SHA-1, as specified in [RFC3174]. The input to the digest MUST consist of three values. First is the telespace canonical URL. Second is the header element encoded in WBXML, as specified in [WBXML 1.2] and in section 2.2.1.2. The order of the attributes MUST be sorted by Unicode code point. Third is the encrypted payload which is the value of the EC attribute of the encrypted element.

The message signature, which is the value of the PTSig attribute of the authenticator element, MUST be verified using ESIGN, as specified in [IEEE1363a]. The per-space per-member signature public key (section 1.5) MUST be used. For delta messages the **Endpoint UID** in the first 12 bytes of the Seq or SubSeq attribute of the header element (section 2.2.1.4.2) MUST be used to determine which member's key to use. For delta ack messages the ContactURL attribute of the header element (section 2.2.2.4.2) MUST be used to determine which member's key to use. If the message signature is not the valid signature of the message digest the message MUST be ignored.

3.1.5.1.3 Payload Decryption

The encrypted payload, which is the value of the EC attribute of the encrypted element, MUST be decrypted using the AES algorithm, as specified in [FIPS197] in CTR mode, as specified in [BCMO800-38A]. The per-space encryption key (section 3.1.3.1) matching the key identifier and key version that are values of the KID and KV attributes of the encrypted element MUST be used. The value of the IV attribute on the encrypted element MUST be used as the initialization vector.

The decrypted payload MUST be decompressed using WBXML, as specified in [WBXML 1.2], and in section 2.2.1.2. The resulting XML element MUST be set as the content of the header element. The message is now ready for processing specific to the message type. The message type is determined by the tag of the header element.

3.1.5.2 Normal Delta Received

The dependencies on the delta MUST be checked. If the last four characters of the delta **sequence** are not "0001", then there is an implicit dependency on the previously created delta from the same endpoint. The previously created delta would have the same endpoint UID and creator identifier. The sequence number of the previously created delta would be one less than the sequence number of this delta. The explicit dependencies are the comma-separated **fields** in the DepSeq attribute. If any of the dependencies are not in the delta log, the new delta MUST NOT be ordered and executed. Instead it SHOULD be kept and reprocessed if the missing dependencies are added to the delta log.

When a delta is received it MUST be ordered in the delta log. The remainder of this section specifies how the new deltas and all deltas in the delta log MUST be ordered. Implementations are not required to adhere to all steps in this algorithm as long as the final ordering is consistent with that described by this algorithm.

3.1.5.2.1 Computing Independent Deltas

To properly order deltas, it is necessary to compute whether two deltas, A1 and B1, are independent. This is done using the dependency graph described in section [3.1.1](#). If there is no path from A1 to B1 and no path from B1 to A1, the deltas are independent.

3.1.5.2.2 Ordering Into Blocks

The set of deltas are first ordered into blocks. Each block has one priority delta that defines the block and is the block delta. The BlkNum attributes on the block deltas are consecutive and define the ordering of the blocks. In the event of independent delta creation, there could be multiple priority deltas with the same block number, so it is necessary to determine which priority delta is the block delta.

Ordering deltas into blocks consists of the following steps, which are subsequently described in more detail:

1. Find all priority deltas for consideration.
2. Find the highest priority delta and make it a block delta.
3. Remove independent priority deltas from consideration.
4. Repeat steps 2 and 3 until there are no more priority deltas to consider.
5. Assign all remaining deltas to a block.

Here are the details for each step of the process:

1. Priority deltas are those that have the AssimilationPriority attribute set on the delta element. The algorithm starts by finding all of these deltas and putting them into consideration for being the block delta.
2. From the set of priority deltas in consideration, find the one that has the highest priority. In the event of a tie on priority, the winner is the one with the lower group number. If both priority and group number are tied, then the one with the lower sequence number is the winner. Sequence numbers are compared by treating the sequence string as a hexadecimal number with the first character being the most significant digit. The winning delta is considered a block delta and is removed from the set.
3. Remove from consideration all priority deltas that were created independently from the winning delta from step 2. The process described in section [3.1.5.2.1](#) finds these independent deltas.
4. Repeat steps 2 and 3 on the remaining deltas for consideration until there are no more deltas left for consideration.
5. Create a block for each block delta found in the preceding algorithm and order the blocks in increasing order by block number. All of the remaining deltas are assigned to blocks as follows. The normal deltas go into the highest block such that the block delta does not depend on the delta being ordered. The async and identity-disseminated deltas MUST be assigned to a block as described in [3.1.5.3](#).

3.1.5.2.3 Ordering Within Blocks

Within each block, the deltas in that block are divided into groups based on the Gp attribute on the delta element. The groups are ordered by number in increasing order.

Within each group the deltas are ordered in increasing order by sequence number specified in the Seq or SubSeq attribute on the delta element. Sequence and sub-sequences are compared by first treating all sequences as sub-sequences by appending "00000000". The resulting sub-sequences are compared by treating the sequence string as a hexadecimal number with the first character being the most significant digit.

3.1.5.2.4 Delta Execution

Once the new ordering of deltas has been determined it is necessary to undo and execute deltas to achieve a logically consistent ordering. The old ordering in the delta log and the new ordering MUST be compared to determine the point of divergence – the first position in the orderings that isn't the same in both orderings. The deltas, starting with the last delta in the old ordering and proceeding in reverse order until the point of divergence, MUST be undone. Then the deltas in the new ordering, starting at the point of divergence and proceeding until the end, MUST be executed. The delta log MUST be replaced with the new ordering.

3.1.5.2.5 Space State Update

The space state of the endpoint that created the delta MUST be updated. The new space state has the rank from the Rank attribute, the purge group from the PurGrp attribute, and the dependencies of the delta sequence.

The space state for other endpoints MUST be updated if the delta contains a more recent space state for that endpoint. Space states are compared by first looking at the rank. The space state with the higher rank is more recent. If the ranks are the same, then the space state with the larger set of dependencies is more recent.

3.1.5.2.6 Delta Ack

After the new delta has been received a delta ack MUST be sent to the endpoint that created the delta. The delta ack message is specified in section [2.2.2](#). The message MUST be secured and serialized as specified in [3.1.4.3](#).

3.1.5.3 Async or Identity-disseminated Delta Received

The dependencies on the delta MUST be checked. If the sequence number of the delta sub-sequence is not "0000" then there is an implicit dependency on the previously created delta from the same endpoint. Its sequence would be the first 24 characters of the sub-sequence. The explicit dependencies are the comma-separated fields in the DepSeq attribute. If any of the dependencies are not in the delta log, the new delta MUST NOT be ordered and executed. Instead it SHOULD be kept and reprocessed if the missing dependencies are added to the delta log.

Ordering of async and identity-disseminated deltas is similar to ordering normal deltas. Async and identity-disseminated deltas MUST NOT have an assimilation priority, so these deltas do not play a role in the ordering of deltas into blocks. Async and identity-disseminated deltas MUST be assigned to the highest block in which they have a dependency. Within that block the ordering and execution proceeds as described in section [3.1.5.2](#).

3.1.5.4 Delta Ack Received

The dependencies on the delta ack MUST be checked. The dependencies are the comma-separated fields in the DepSeq attribute. If any of the dependencies are not in the delta log, the new delta ack MUST NOT update the space state. Instead the delta ack SHOULD be ignored.

If the dependencies do exist, the space state MUST be updated. This is done as specified in section [3.1.5.2.5](#) with the exception that the dependency sequence for the endpoint that created the delta ack is set to the dependencies of the delta ack.

3.1.6 Timer Events

None.

3.1.7 Other Local Events

None.

4 Protocol Examples

4.1 Processing an Incoming Delta Message

This example illustrates four stages in the decoding of an incoming Delta Message (see section [2.2.1](#)). In this example, the incoming message represents an Add Record command invoked on another endpoint. The record has a Name field with the value "TestName" and an Age field with the value 123. The command element also contains the attributes "TableDefID" and "CMD", which are Groove RDB Commands Protocol attributes.

4.1.1 MIME-like Wrapper

0000 4d 49 4d 45 2d 56 65 72 73 69 6f 6e 3a 20 31 2e
0010 30 20 28 47 72 6f 6f 76 65 20 32 29 0d 0a 43 6f
0020 6e 74 65 6e 74 2d 54 79 70 65 3a 20 6d 75 6c 74
0030 69 70 61 72 74 2f 72 65 6c 61 74 65 64 3b 20 62
0040 6f 75 6e 64 61 72 79 3d 22 3c 3c 5b 5b 26 26 26
0050 5d 5d 3e 3e 22 0d 0a 3c 3c 5b 5b 26 26 26 5d 5d
0060 3e 3e 0d 0a 43 6f 6e 74 65 6e 74 2d 54 79 70 65
0070 3a 20 61 70 70 6c 69 63 61 74 69 6f 6e 2f 57 42
0080 58 4d 4c 3b 20 63 68 61 72 73 65 74 3d 22 75 73
0090 2d 61 73 63 69 69 22 0d 0a 02 00 00 03 8a 5d 28
00a0 6e 75 6c 6c 29 2c 30 00 75 72 6e 3a 67 72 6f 6f
00b0 76 65 2e 6e 65 74 3a 44 65 6c 00 56 65 72 73 69
00c0 6f 6e 00 31 2c 30 2c 30 2c 30 00 44 65 70 53 65
00d0 71 00 36 42 31 36 43 34 34 45 39 37 45 37 33 46
00e0 36 43 46 39 45 35 30 30 30 31 00 53 65 71 00 31
00f0 38 37 30 31 39 43 33 45 32 33 36 36 39 39 44 32
0100 33 31 31 30 30 30 32 00 47 70 00 32 31 00 75 72
0110 6e 3a 67 72 6f 6f 76 65 2e 6e 65 74 3a 53 45 00
0120 33 2c 30 2c 30 2c 30 00 75 72 6e 3a 67 72 6f 6f
0130 76 65 2e 6e 65 74 3a 45 43 00 4b 49 44 00 5f 54
0140 4b 49 44 00 4b 56 00 31 00 49 56 00 42 46 72 48
0150 58 63 43 75 52 44 6c 76 37 30 51 72 36 31 79 68
0160 6b 51 3d 3d 00 45 43 00 79 71 73 73 41 55 33 2b
0170 6a 6a 56 61 43 43 47 52 39 4d 5a 68 59 79 64 41
0180 43 75 73 44 5a 68 6e 5a 32 57 4b 71 71 4d 4e 69
0190 5a 38 6a 70 38 73 68 4d 74 6d 37 72 44 78 63 42
01a0 51 68 47 73 2f 34 6f 58 53 64 39 54 57 63 4c 55
01b0 5a 6b 4c 4a 6e 30 4f 38 6e 59 45 4a 53 45 31 7a
01c0 6d 63 75 6f 59 41 6d 64 6e 58 57 72 66 47 4e 58
01d0 6e 36 78 39 43 78 4e 6c 4a 7a 6a 4b 77 61 47 61
01e0 72 73 30 4d 48 48 5a 65 64 41 44 48 39 6b 33 45
01f0 64 78 69 75 48 6f 4d 30 44 69 71 4a 57 79 7a 33
0200 46 69 65 4a 6b 45 4a 7a 38 67 53 58 56 6c 41 6a
0210 4e 55 37 44 57 49 76 57 30 70 76 4d 62 37 67 6f
0220 4d 57 38 78 70 63 72 4a 6c 48 68 41 57 56 4d 72
0230 77 39 30 58 30 44 38 35 75 52 66 32 62 51 34 42
0240 51 39 69 33 70 55 35 56 51 48 48 75 69 53 61 47
0250 6f 34 31 66 4d 74 31 49 72 52 38 44 67 52 72 74
0260 4c 6d 69 65 43 6e 4a 62 6e 6b 36 46 2b 31 31 54
0270 75 50 63 78 46 46 7a 30 59 72 70 65 68 54 79 78
0280 37 2f 73 73 35 75 6d 67 4b 61 42 50 32 43 6e 58
0290 36 35 51 7a 45 30 64 45 39 34 2f 35 45 7a 38 32
02a0 4d 4c 37 6d 30 41 78 36 48 6d 6b 78 45 72 59 78
02b0 78 72 6e 52 7a 62 78 45 33 45 50 37 41 57 43 55
02c0 7a 41 2b 54 65 6f 53 58 4c 46 43 77 36 75 72 5a
MIME-Version: 1.
0 (Groove 2)..Content-Type: multipart/related; boundary="<<[[&&]]>>..<<[[&&]]>>..Content-Type: application/XML; charset="us-ascii".....(null),0.urn:groove.net:Del.Verson.1,0,0,0.DepSeq.q_6B16C44E97E73F6CF9E50001.Seq.187019C3E236699D23110002.Gp.21.urn:groove.net:SE.3,0,0,0.urn:groove.net:EC.KID._TKID.KV.1.IV.BFrHXCuRD1v70Qr61yhkQ==.EC.yqssAU3+jjVaCCGR9MZhYydaCUSDZhNz2WKhqgMNiZ8jp8shMt7rDxcBQhGs/4oXsd9TWcLUZkLJn0O8nYEJSE1zmcmuoYAmduXWrfGNxN6x9CxN1JzjKwaGars0MHHzedADH9k3EDxiuHoMDiqJWyz3FieJEkjZ8gSXV1AjNU7DW1vW0pvMb7goMW8xpcrJl1HhAWVMrw90X0D85uRf2bQ4BQ9i3pU5VQHHiSaG041fMt1lrR8DgRtLmiecJbnk6+F11TUpCxFzYOrpehTyx7/ss5umgKaBP2CnX65QzE0dE94/5Ez82ML7m0Ax6HmkxErYxxrnRzbxE3EP7AWCUzA+TeoSXLFCw6urZ

02d0	67	56	6f	66	49	4d	79	4c	37	64	69	6d	42	5a	47	76	gVofIMyL7dimBZGv
02e0	43	47	2f	49	2b	67	62	62	32	64	36	63	53	67	38	4d	CG/I+gb2d6cSg8M
02f0	62	6a	43	2f	64	70	66	78	38	75	58	61	4a	6d	6c	67	bjC/dpf8uXaJmlg
0300	68	30	79	54	4d	47	73	4e	42	46	35	47	66	61	46	74	h0yTMGsNBF5GfaFt
0310	5a	56	6b	46	42	6c	64	75	37	32	6f	57	43	42	59	4e	ZVkB1du72oWCByN
0320	41	46	6f	52	55	77	37	48	53	45	6c	6f	68	5a	70	34	AFoRUw7HSElohZp4
0330	72	65	67	4b	79	38	35	36	72	70	53	71	47	49	62	4c	regKy856rpSqGibL
0340	41	54	4a	46	69	70	54	4d	4e	4f	6b	68	6f	37	30	6c	ATJFipTMNOkho701
0350	63	48	65	4c	6e	69	59	73	38	74	5a	67	41	68	2b	63	cHeIniYs8tZgAh+c
0360	74	50	2b	6b	58	48	4d	78	31	63	57	31	4c	31	6c	37	tP+kXHMx1cWLL17
0370	4b	70	79	71	77	64	79	42	44	6e	5a	4e	43	49	47	2f	KpyqwdyBDnZNCIG/
0380	6c	7a	79	4a	6e	6b	63	66	5a	32	56	4d	50	33	48	45	lzyJnkcfZ2VMP3HE
0390	52	36	30	62	48	38	56	47	79	2f	58	6e	4d	54	46	33	R60bH8VGy/XnMTF3
03a0	38	52	79	77	63	74	74	6a	50	52	35	67	50	33	33	33	8RywcttjPR5gP333
03b0	43	36	70	54	71	38	30	34	6d	75	7a	36	35	66	39	6b	C6pTq804muz65f9k
03c0	45	43	57	38	35	39	71	77	76	51	4f	53	74	42	4f	56	ECW859qwvQOSTBOV
03d0	49	42	6f	7a	30	65	61	74	41	74	77	78	4b	49	32	76	IBoz0eatAtwxK12v
03e0	45	31	50	65	79	56	52	38	49	5a	76	4c	33	51	39	6d	E1PeyVR8IZvL3Q9m
03f0	6a	33	71	65	42	4c	6f	6f	4e	58	4e	75	2b	77	4a	j3qeBLoooNXNu+wJ	
0400	35	55	6f	53	2b	4b	4d	34	58	70	6e	32	62	41	33	59	5UoS+KM4Xpn2bA3Y
0410	39	69	59	32	35	6a	52	72	31	4e	69	5a	7a	4f	6f	2f	9iY25jRr1N1zzOo/
0420	4e	4f	67	6e	70	4f	4f	59	73	49	52	46	74	42	51	33	NOgnpoOYsIRFtBQ3
0430	42	6f	43	32	56	42	37	42	76	6c	44	30	74	36	6b	4d	BoC2VB7Bv1D0t6kM
0440	39	79	5a	45	43	4e	4d	4f	35	45	45	73	52	73	6a	41	9yZECNM0EEsRsja
0450	4e	31	33	61	4c	43	34	6e	6e	32	31	4b	30	39	48	6d	N13aLC4nn21K09Hm
0460	77	63	74	53	49	50	6e	45	42	59	6b	51	2f	69	39	67	wctSIpNEBYkQ/i9g
0470	65	55	2f	32	62	5a	6c	52	70	79	72	6f	4d	34	79	69	eU/2bz1RpypyroM4yi
0480	78	38	74	36	4c	38	41	77	51	2b	4b	54	4b	57	67	77	x8t6L8AwQ+KTKWgw
0490	59	57	45	50	56	77	6a	36	6c	73	34	34	79	65	73	31	YWEPVwj6ls44yes1
04a0	59	4f	64	52	48	4e	35	6d	41	47	68	53	69	2b	4d	58	YODHN5mAGhSi+MX
04b0	6b	33	68	4e	47	79	78	42	69	6d	6e	4f	68	44	41	39	k3hNGyxBimnOhDA9
04c0	66	4e	36	53	78	4e	34	45	6c	49	47	6b	46	56	52	47	fN6SxN4E1IGkFVRG
04d0	48	45	6a	6b	2f	74	54	56	72	61	75	62	32	61	6b	3d	HEjk/tTVraub2ak=
04e0	00	75	72	6e	3a	67	72	6f	6f	76	65	2e	6e	65	74	3a	.urn:groove.net:
04f0	41	75	74	68	00	50	54	53	69	67	00	52	4f	53	5a	36	Auth.PTSig.ROSZ6
0500	63	42	68	54	6b	41	50	38	4f	78	5a	4e	62	64	31	53	cBhTkAP8OxZNbd1S
0510	76	73	6f	41	65	4e	73	54	39	37	57	74	76	56	67	6f	vsoAeNsT97WtvVgo
0520	39	44	42	2b	4b	72	6d	31	36	65	4c	52	48	7a	78	33	9DB+Krm16eLRHzx3
0530	37	41	38	35	48	43	64	70	38	38	7a	51	65	4b	74	5a	7A85HCdp88zQeKtZ
0540	45	6d	57	45	74	30	58	58	53	50	42	6c	41	73	31	44	EmWEt0XXSPB1As1D
0550	73	36	37	4e	41	7a	77	48	39	55	4b	78	6d	70	41	42	s67NAzwH9UKxmpAB
0560	78	67	69	56	44	4b	59	45	51	52	6f	31	64	65	76	54	xgiVDKYEQRo1devT
0570	5a	6f	5a	50	6c	4c	51	4b	34	58	55	37	76	78	64	6c	ZoZP1LQK4XU7vxdl
0580	6d	69	6a	52	6d	59	33	42	51	31	77	30	47	48	5a	43	mijRmY3BQ1w0GHZC
0590	54	66	35	69	38	58	39	4a	37	59	54	56	76	52	38	34	Tf5i8X9J7YTvvR84
05a0	76	4b	44	38	33	6a	39	65	59	53	4c	5a	31	79	54	42	vKD83j9eYSLZ1yTB
05b0	65	37	51	4d	36	5a	70	36	68	61	6a	31	36	6d	4b	6c	e7QM6Zp6haj16mK1
05c0	6f	47	68	48	4f	6a	67	4a	78	47	2b	56	73	4c	77	68	oGhHoJgJxG+VsLwh
05d0	6c	5a	58	7a	38	68	6d	66	57	5a	61	36	53	4d	56	57	1ZXz8hmfWZa6SMVW
05e0	57	30	7a	64	67	68	6b	48	72	6b	73	62	63	36	36	4e	W0zdghkHrkbsbc66N
05f0	2f	55	33	79	64	62	58	4e	70	79	77	00	c4	09	04	1c	/U3ydbXNpyw.....
0600	83	24	04	2c	83	33	04	4c	83	50	04	69	83	6c	01	c4	\$.,\$.,.3.L.P.i.l..
0610	6f	04	1c	83	81	01	01	84	81	09	04	81	1b	83	81	1f	o.....
0620	04	81	25	83	81	28	04	81	2a	83	81	2d	04	81	46	83	..%...(..*..-.F.
0630	81	49	01	84	88	42	04	88	56	83	88	5c	01	01	01	0d	.I....B..V..\\....
0640	0a	2d	2d	3c	3c	5b	5b	26	26	5d	5d	3e	3e	2d	2d	..	--<[[&&]]>>--
0650	0d	0a															..

4.1.2 Compressed Secured Payload

The MIME-like wrapper header and epilogue are stripped, leaving the following Compressed Secured Payload, which is a WBXML stream, as specified in [\[WBXML 1.2\]](#):

```
0000 02 00 00 03 8a 5d 28 6e 75 6c 6c 29 2c 30 00 75 .....](null),0.u
0010 72 6e 3a 67 72 6f 6f 76 65 2e 6e 65 74 3a 44 65 rn:groove.net:De
0020 6c 00 56 65 72 73 69 6f 6e 00 31 2c 30 2c 30 2c 1.Version.1,0,0,
0030 30 00 44 65 70 53 65 71 00 36 42 31 36 43 34 34 0.DepSeq.6B16C44
0040 45 39 37 45 37 33 46 36 43 46 39 45 35 30 30 30 E97E73F6CF9E5000
0050 31 00 53 65 71 00 31 38 37 30 31 39 43 33 45 32 1.Seq.187019C3E2
0060 33 36 36 39 39 44 32 33 31 31 30 30 30 32 00 47 36699D23110002.G
0070 70 00 32 31 00 75 72 6e 3a 67 72 6f 6f 76 65 2e p.21.urn:groove.
0080 6e 65 74 3a 53 45 00 33 2c 30 2c 30 2c 30 00 75 net:SE.3,0,0,0.u
0090 72 6e 3a 67 72 6f 6f 76 65 2e 6e 65 74 3a 45 43 rn:groove.net:EC
00a0 00 4b 49 44 00 5f 54 4b 49 44 00 4b 56 00 31 00 .KID._TKID.KV.1.
00b0 49 56 00 42 46 72 48 58 63 43 75 52 44 6c 76 37 IV.BFrHXcCuRDlv7
00c0 30 51 72 36 31 79 68 6b 51 3d 3d 00 45 43 00 79 0Qr61yhkQ==.EC.y
00d0 71 73 73 41 55 33 2b 6a 6a 56 61 43 43 47 52 39 qssAU3+jjVaCCGR9
00e0 4d 5a 68 59 79 64 41 43 75 73 44 5a 68 6e 5a 32 MZhYydACusDZhnZ2
00f0 57 4b 71 71 4d 4e 69 5a 38 6a 70 38 73 68 4d 74 WKqqMNIz8jp8shMt
0100 6d 37 72 44 78 63 42 51 68 47 73 2f 34 6f 58 53 m7rDxcBQhGs/4oXS
0110 64 39 54 57 63 4c 55 5a 6b 4c 4a 6e 30 4f 38 6e d9TWcLUZkLJn008n
0120 59 45 4a 53 45 31 7a 6d 63 75 6f 59 41 6d 64 6e YEJSE1zmcuoYAmrn
0130 58 57 72 66 47 4e 58 6e 36 78 39 43 78 4e 6c 4a XWrfGNXn6x9CxN1J
0140 7a 6a 4b 77 61 47 61 72 73 30 4d 48 48 5a 65 64 zjKwaGars0MHHZed
0150 41 44 48 39 6b 33 45 64 78 69 75 48 6f 4d 30 44 ADH9k3EdxiuHoMOD
0160 69 71 4a 57 79 7a 33 46 69 65 4a 6b 45 4a 7a 38 iqJWyz3FieJkEJz8
0170 67 53 58 56 6c 41 6a 4e 55 37 44 57 49 76 57 30 gSXV1AjNU7DWIvW0
0180 70 76 4d 62 37 67 6f 4d 57 38 78 70 63 72 4a 6c pvMb7goMW8xpcrJ1
0190 48 68 41 57 56 4d 72 77 39 30 58 30 44 38 35 75 HhAWVMrw90X0D85u
01a0 52 66 32 62 51 34 42 51 39 69 33 70 55 35 56 51 Rf2bQ4BQ9i3pU5VQ
01b0 48 48 75 69 53 61 47 6f 34 31 66 4d 74 31 49 72 HHuiSaGo4lfMt1Ir
01c0 52 38 44 67 52 72 74 4c 6d 69 65 43 6e 4a 62 6e R8DgRrtImieCnJbn
01d0 6b 36 46 2b 31 31 54 75 50 63 78 46 46 7a 30 59 k6F+11TuPcxFFz0Y
01e0 72 70 65 68 54 79 78 37 2f 73 73 35 75 6d 67 4b rpehTxy7/ss5umgK
01f0 61 42 50 32 43 6e 58 36 35 51 7a 45 30 64 45 39 aBP2CnX65QzE0de9
0200 34 2f 35 45 7a 38 32 4d 4c 37 6d 30 41 78 36 48 4/5Ez82ML7m0Ax6H
0210 6d 6b 78 45 72 59 78 78 72 6e 52 7a 62 78 45 33 mkxErYxxrnRzbxE3
0220 45 50 37 41 57 43 55 7a 41 2b 54 65 6f 53 58 4c EP7AWCUzA+TeoSXL
0230 46 43 77 36 75 72 5a 67 56 6f 66 49 4d 79 4c 37 FCw6urZgVofIMyL7
0240 64 69 6d 42 5a 47 76 43 47 2f 49 2b 67 62 62 32 dimBZGvCG/I+gb2
0250 64 36 63 53 67 38 4d 62 6a 43 2f 64 70 66 78 38 d6cSg8MbjcC/dpfkx8
0260 75 58 61 4a 6d 6c 67 68 30 79 54 4d 47 73 4e 42 uXaJmlgh0yTMGsNB
0270 46 35 47 66 61 46 74 5a 56 6b 46 42 6c 64 75 37 F5GfaFtZVkBldu7
0280 32 6f 57 43 42 59 4e 41 46 6f 52 55 77 37 48 53 2oWCByNAFoRUw7HS
0290 45 6c 6f 68 5a 70 34 72 65 67 4b 79 38 35 36 72 Elohzp4regKy856r
02a0 70 53 71 47 49 62 4c 41 54 4a 46 69 70 54 4d 4e pSqGIBLATJFipTMN
02b0 4f 6b 68 6f 37 30 6c 63 48 65 4c 6e 69 59 73 38 Okho70lcHeIniYs8
02c0 74 5a 67 41 68 2b 63 74 50 2b 6b 58 48 4d 78 31 tZgAh+ctP+kXHMx1
02d0 63 57 31 4c 31 6c 37 4b 70 79 71 77 64 79 42 44 cW1L117KpyqwdyBD
02e0 6e 5a 4e 43 49 47 2f 6c 7a 79 4a 6e 6b 63 66 5a nZNCIG/lzyJnkcfZ
02f0 32 56 4d 50 33 48 45 52 36 30 62 48 38 56 47 79 2VMP3HER60bH8VGy
0300 2f 58 6e 4d 54 46 33 38 52 79 77 63 74 74 6a 50 /XnMTF38RywcttjP
0310 52 35 67 50 33 33 43 36 70 54 71 38 30 34 6d R5gP333C6pTq804m
0320 75 7a 36 35 66 39 6b 45 43 57 38 35 39 71 77 76 uz65f9kECW859qgwv
0330 51 4f 53 74 42 4f 56 49 42 6f 7a 30 65 61 74 41 QOSTBOVIBoz0eatA
0340 74 77 78 4b 49 32 76 45 31 50 65 79 56 52 38 49 twxKI2vE1PeyVR8I
0350 5a 76 4c 33 51 39 6d 6a 33 71 65 42 4c 6f 6f 6f ZvL3Q9mj3qeBLooo
```

```

0360 4e 58 4e 75 2b 77 4a 35 55 6f 53 2b 4b 4d 34 58 NXNu+wJ5UoS+KM4X
0370 70 6e 32 62 41 33 59 39 69 59 32 35 6a 52 72 31 pn2bA3Y9iY25jRr1
0380 4e 69 5a 7a 4f 6f 2f 4e 4f 67 6e 70 4f 4f 59 73 NiZzOo/NOgnpOOYs
0390 49 52 46 74 42 51 33 42 6f 43 32 56 42 37 42 76 IRFtBQ3BoC2VB7Bv
03a0 6c 44 30 74 36 6b 4d 39 79 5a 45 43 4e 4d 4f 35 1D0t6kM9yZECNMO5
03b0 45 45 73 52 73 6a 41 4e 31 33 61 4c 43 34 6e 6e EEsRsjAN13aLC4nn
03c0 32 31 4b 30 39 48 6d 77 63 74 53 49 50 6e 45 42 21K09HmwctSIPnEB
03d0 59 6b 51 2f 69 39 67 65 55 2f 32 62 5a 6c 52 70 YkQ/i9geU/2bZlRp
03e0 79 72 6f 4d 34 79 69 78 38 74 36 4c 38 41 77 51 yroM4yix8t6L8AwQ
03f0 2b 4b 54 4b 57 67 77 59 57 45 50 56 77 6a 36 6c +KTKWgwYWEPPVwj61
0400 73 34 34 79 65 73 31 59 4f 64 52 48 4e 35 6d 41 s44yes1YOdRHN5mA
0410 47 68 53 69 2b 4d 58 6b 33 68 4e 47 79 78 42 69 GhSi+MXk3hNGyxBi
0420 6d 6e 4f 68 44 41 39 66 4e 36 53 78 4e 34 45 6c mnOhDA9fN6SxN4El
0430 49 47 6b 46 56 52 47 48 45 6a 6b 2f 74 54 56 72 IGkFVRGHEjk/tTVr
0440 61 75 62 32 61 6b 3d 00 75 72 6e 3a 67 72 6f 6f aub2ak=.urn:groo
0450 76 65 2e 6e 65 74 3a 41 75 74 68 00 50 54 53 69 ve.net:Auth.PTSi
0460 67 00 52 4f 53 5a 36 63 42 68 54 6b 41 50 38 4f g.ROSZ6cBhTkAP8O
0470 78 5a 4e 62 64 31 53 76 73 6f 41 65 4e 73 54 39 xZNbd1SvsoAeNsT9
0480 37 57 74 76 56 67 6f 39 44 42 2b 4b 72 6d 31 36 7WtvVgo9DB+Krm16
0490 65 4c 52 48 7a 78 33 37 41 38 35 48 43 64 70 38 eLRHzx37A85HCdp8
04a0 38 7a 51 65 4b 74 5a 45 6d 57 45 74 30 58 58 53 8zQeKtZEwEt0XXS
04b0 50 42 6c 41 73 31 44 73 36 37 4e 41 7a 77 48 39 PBlAs1Ds67NAzwh9
04c0 55 4b 78 6d 70 41 42 78 67 69 56 44 4b 59 45 51 UKxmpABxgiVDKYEQ
04d0 52 6f 31 64 65 76 54 5a 6f 5a 50 6c 4c 51 4b 34 RoldevTZoZPllQK4
04e0 58 55 37 76 78 64 6c 6d 69 6a 52 6d 59 33 42 51 XU7vxndlmiijRmY3BQ
04f0 31 77 30 47 48 5a 43 54 66 35 69 38 58 39 4a 37 1w0GHZCTf5i8X9j7
0500 59 54 56 76 52 38 34 76 4b 44 38 33 6a 39 65 59 YTvvR84vKD83j9eY
0510 53 4c 5a 31 79 54 42 65 37 51 4d 36 5a 70 36 68 SLZ1yTB7QM6Zp6h
0520 61 6a 31 36 6d 4b 6c 6f 47 68 48 4f 6a 67 4a 78 aj16mKloGhHOjgJx
0530 47 2b 56 73 4c 77 68 6c 5a 58 7a 38 68 6d 66 57 G+VsLwh1ZXz8hmfW
0540 5a 61 36 53 4d 56 57 57 30 7a 64 67 68 6b 48 72 Za6SMVWW0zdghkHr
0550 6b 73 62 63 36 36 4e 2f 55 33 79 64 62 58 4e 70 ksbc66N/U3ydbXNp
0560 79 77 00 c4 09 04 1c 83 24 04 2c 83 33 04 4c 83 yw.....$.,.3.L.
0570 50 04 69 83 6c 01 c4 6f 04 1c 83 81 01 01 84 81 P.i.l..o.....
0580 09 04 81 1b 83 81 1f 04 81 25 83 81 28 04 81 2a .....%..(..*
0590 83 81 2d 04 81 46 83 81 49 01 84 88 42 04 88 56 ..-.F..I...B..V
05a0 83 88 5c 01 01 01 ..\...

```

4.1.3 Secured XML

The WBXML stream, as specified in [\[WBXML 1.2\]](#), comprising the Compressed Secured Payload is decoded into the following Secured XML:

```

<urn:groove.net:Del Gp="21" DepSeq="6B16C44E97E73F6CF9E50001" Version="1,0,0,0"
Seq="187019C3E236699D23110002">
  <urn:groove.net:SE Version="3,0,0,0">
    <urn:groove.net:EC
      EC="yqssAU3+jjVaccGR9MZhYydAcUsDZhnZ2WKqqMniZ8jp8shMtm7rDxcBQhGs/4oXsd9TwcluzkLjn008nYEJSE1zm
      cuoYAmdnXWrfGNXn6x9CxNLjzjKwaGars0MHHzedADH9k3EdxiuHoM0DiqJWyz3FieJKjz8gSXV1ajNU7DWivW0pvMb7
      goMW8xpcrJ1HhAWVMrw90X0D85uRf2bQ4BQ9i3pU5VQHHuiSaGo41fMt1Ir8DgRrtLmiecNjbhk6F+11TuPcxFFz0Yrp
      ehTyx7/ss5umgKaBP2CnX65QzE0dE94/5Ez82ML7m0Ax6HmkxEryxxrnRzbxe3EP7AWCuza+TeoSXLFCw6urZgVofIMyL
      7dimBZGvCG/I+gbB2d6cSg8MbjaC/dpf8uXaJmlgh0yTMGsNBF5GfaFtzVkfBldu72oWCByNAFoRUw7HSE1ohZp4reqKy
      856rpSqGIBlLATJFipTMNOKho701cHeLn1ys8tZgAh+cT+p+kXHMx1cW11117KpyqwdyBdnZNCIG/lzyJnkcfZ2VMP3HER6
      0bH8VGy/XnMTF38RywttjPR5gP333C6pTq804muz65f9kECW859qvwQOSTBOVIBoz0eatAtwxKI2vE1PeyVR8IZvL3Q9
      mj3qeBLooNXNu+wJ5UoS+KM4Xpn2bA3Y9iY25jRr1NiZzOo/NOgnpOOYsIRFtBQ3BoC2VB7Bv1D0t6kM9yZECNMO5EEs
      RsjAN13aLC4nn21K09HmwctSIPnEBYkQ/i9geU/2bZlRpYroM4yix8t6L8AwQ+KTKWgwYWEPPVwj61s44yes1YodRHN5mA
      GhSi+MXk3hNGyxBimnOhDA9fN6SxN4E1IGkFVRGHEjk/tTVraub2ak=" IV="BFrHXcCuRD1v70Qr61yhkQ==" KV="1"
      KID="_TKID"/>

```

```

<urn:groove.net:Auth
PTSig="ROSZ6cBhTkAP8OxZNbd1SvsoAeNsT97WtvVgo9DB+Krm16eLRHzx37A85HCdp88zQeKtZEmWEt0XXSPB1As1Ds
67NAzwH9UKxmpABxgiVDKYEQRo1devTZoZP1LQK4XU7vxdlmijRmY3BQ1w0GHZCTf5i8X9J7YTVvR84vKD83j9eYSLZ1y
TBe7QM6Zp6haj16mKloGhHOjgJxG+VsLwhlZXz8hmfWza6SMVWW0zdghkHrksbc66N/U3ydbXNpyw"/>
</urn:groove.net:SE>
</urn:groove.net:Del>
```

4.1.4 Delta XML

The binary content of the Secured XML, embedded in the EC attribute of the element with the name urn:groove.net:EC, is Base64-decoded and decrypted, producing the following Delta XML:

```

<urn:groove.net:Del Gp="21" DepSeq="6B16C44E97E73F6CF9E50001" Version="1,0,0,0"
Seq="187019C3E236699D23110002">
  <urn:groove.net:Cmds PurGrp="18" TimeCreated="1203007644862" SenderMinDep="19" Rank="95"
PurNot="" SpStSet="94;20;0;6B16C44E97E73F6CF9E50001;6B16C44E97E70000;">
    <urn:groove.net:Cmd TableDefID="-1" CMD="0"
EngineURL="ToolContainer/e5wk3rqetj6vg/RDBManager" PurNot="" NOrd="0" DBName="RDB"
Nested="700AAC32E2C61404">
      <urn:groove.net:Record3 Forms_Tool_grooveFormID="1.063395895012627E-043"
_Created="1203007639620" _RecordID="-7.5191736700565293E-050" Age="123"
_CreatedByURL="grooveIdentity://ke8xy5aqrzcfw5kief35drj82e5xmvt8@" RecDefID="12684112"
Name="TestName" _Modified="1203007639620"
_ModifiedByURL="grooveIdentity://ke8xy5aqrzcfw5kief35drj82e5xmvt8@"/>
      </urn:groove.net:Cmd>
    </urn:groove.net:Cmds>
  </urn:groove.net:Del>
```

The command element also contains the attributes "TableDefID" and "CMD", which are Groove RDB Commands Protocol attributes.

4.2 Producing an Outgoing Delta Ack Message

This example follows from Section [4.1](#), where the incoming Delta Message was decoded. After receiving this message, an outgoing Delta Ack Message (section [2.2.2](#)) is generated. This example illustrates four stages in the encoding of this message.

4.2.1 DelAck XML

```

<DelAck DepSeq="187019C3E236699D23110002"
DeviceURL="dpp://ta9mpajfckvk8yhami39m3zq76v5wrypn5xhbtza"
ContactURL="grooveIdentity://ytbefxy2gge7svbtqi473ctfgg6dz895@"
  <DelAckBody SpStSet="95;19;18;187019C3E236699D23110002;187019C3E2360000;" PurGrp="18"
  SenderMinDep="20" SenderRank="95"/>
</DelAck>
```

4.2.2 Secured XML

The DelAck XML is encrypted, Base64-encoded, and embedded in a Secure XML element:

```

<DelAck DepSeq="187019C3E236699D23110002"
DeviceURL="dpp://ta9mpajfckvk8yhami39m3zq76v5wrypn5xhbtza"
ContactURL="grooveIdentity://ytbefxy2gge7svbtqi473ctfgg6dz895@"
  <urn:groove.net:SE Version="3,0,0,0">
```

```

<urn:groove.net:EC KID="_TKID" KV="1" IV="DCpmzls/hiz6+Alr5DvXQ==">
EC="N3UNLWzZzEF+0mC6cink9gRzoNYw/PEmXplL+z1WLr1niuRjeIq9uyflxzus3kE+MgC7TOulbeg+M2Bc3+vixXZ7Y
H+2OmnepnatginGDk+9OA0jvHd8M9JDzf2TcP1jZ3tHkceF50q2gda5n9Qnu9U/tRmInn2PxZU91zsawR7FdejsWk="/
>
<urn:groove.net:Auth
PTSig="kRCehuwNOqqUBrEsn4tKyQCurnWYh7XqqzWsC4euk5gCAHUoMG+mNcea0XC7WtWEDDZgIOrqz6dwNzEul+Rpfe/
uUugbIqjFRaevezlPYIqetCd62Xdc/W+Pi+tQ9xsPm5r3wyq/+Ydf+IUmumKa7722LWLQEifK8sKSqbtvOkjqnv4W+U7p
BHukKxOAIc32SqnWjKqr54xZzqfK2WwWkKgeKccPGYHMFHYHwqk3HV8ZvjkYJ619vA4yT/LbaRfdb"/>
</urn:groove.net:SE>
</DelAck>

```

4.2.3 Compressed Secured Payload

The Secured XML is compressed using WBXML, as specified in [\[WBXML 1.2\]](#), to form the Compressed Secured Payload:

```

0000 02 00 00 03 85 5f 28 6e 75 6c 6c 29 2c 30 00 44 .....(null),0.D
0010 65 6c 41 63 6b 00 44 65 70 53 65 71 00 31 38 37 elAck.DepSeq.187
0020 30 31 39 43 33 45 32 33 36 36 39 39 44 32 33 31 019C3E236699D231
0030 31 30 30 30 32 00 44 65 76 69 63 65 55 52 4c 00 10002.DeviceURL.
0040 64 70 70 3a 2f 2f 74 61 39 6d 70 61 6a 66 63 dpp://ta9mpajfc
0050 6b 76 6b 38 79 68 6d 69 33 39 6d 33 7a 71 37 36 kkv8yhmi39m3zq76
0060 76 35 77 72 79 70 6e 35 78 68 62 74 7a 61 00 43 v5wrypn5xhbtza.C
0070 6f 6e 74 61 63 74 55 52 4c 00 67 72 6f 6f 76 65 ontactURL.groove
0080 49 64 65 6e 74 69 74 79 3a 2f 2f 79 74 62 65 66 Identity://ytbef
0090 78 79 32 67 67 65 37 73 76 62 74 71 69 34 37 33 xy2gge7svbtqi473
00a0 63 74 66 67 67 36 64 7a 38 39 35 40 00 47 70 00 ctfgg6dz8950.Gp.
00b0 32 31 00 75 72 6e 3a 67 72 6f 6f 76 65 2e 6e 65 21.urn:groove.ne
00c0 74 3a 53 45 00 56 65 72 73 69 6f 6e 00 33 2c 30 t:SE.Version.3,0
00d0 2c 30 2c 30 00 75 72 6e 3a 67 72 6f 6f 76 65 2e ,0,0.urn:groove.
00e0 6e 65 74 3a 45 43 00 4b 49 44 00 5f 54 4b 49 44 net:EC.KID._TKID
00f0 00 4b 56 00 31 00 49 56 00 44 43 70 6d 7a 6c 7a .KV.1.IV.DCpmzls
0100 73 2f 68 69 7a 36 2b 41 6c 72 35 44 76 58 51 3d s/hiz6+Alr5DvXQ=
0110 3d 00 45 43 00 4e 33 55 4e 6c 4c 57 7a 5a 7a 45 =.EC.N3UNLWzZzE
0120 46 2b 30 6d 43 36 63 69 6e 6b 39 67 52 7a 6f 4e F+0mC6cink9gRzoN
0130 59 77 2f 50 45 6d 58 70 6c 4c 2b 7a 6c 57 4c 72 Yw/PEmXplL+z1WLr
0140 31 6e 69 75 52 6a 65 49 71 39 75 79 66 6c 78 7a 1niuRjeIq9uyflxz
0150 75 33 6b 45 2b 4d 67 43 37 54 4f 75 6c 62 65 67 u3kE+MgC7TOulbeg
0160 2b 4d 32 42 63 33 2b 76 69 78 58 5a 37 59 48 2b +M2Bc3+vixXZ7YH+
0170 32 4f 6d 6e 65 70 6e 61 74 67 69 6d 6e 47 44 6b 20MnepnatginGDk
0180 2b 39 4f 41 30 6a 76 48 64 38 4d 39 4a 44 7a 66 +9OA0jvHd8M9JDzf
0190 32 54 63 50 31 6a 5a 33 74 48 6b 63 65 46 35 30 2TcP1jZ3tHkceF50
01a0 71 32 67 64 61 35 6e 39 51 6e 75 39 55 2f 74 52 q2gda5n9Qnu9U/tR
01b0 6d 49 6e 6e 32 50 78 5a 55 39 31 7a 73 61 77 52 mInn2PxZU91zsawR
01c0 37 46 64 65 6a 73 57 6b 3d 00 75 72 6e 3a 67 72 7FdejsWk=.urn:gr
01d0 6f 76 65 2e 6e 65 74 3a 41 75 74 68 00 50 54 oove.net:Auth.PT
01e0 53 69 67 00 6b 52 43 65 68 75 77 4e 4f 71 67 55 Sig.kRCehuwNOqqU
01f0 62 72 45 73 6e 34 74 4b 79 51 43 75 72 57 59 68 brEsn4tKyQCurnWYh
0200 37 58 71 71 7a 57 73 43 34 65 75 6b 35 67 43 41 7XqqzWsC4euk5gCA
0210 48 55 6f 4d 47 2b 6d 4e 63 65 61 30 58 43 37 57 HUoMG+mNcea0XC7W
0220 74 57 45 44 44 5a 67 49 4f 72 71 7a 36 64 77 4e tWEDDZgIOrqz6dwN
0230 7a 45 75 6c 2b 52 70 66 45 2f 75 55 75 67 62 49 zEul+Rpfe/uUugbI
0240 71 6a 46 52 61 65 76 7a 6c 50 59 49 71 65 74 43 qjFRaevezlPYIqetC
0250 64 36 32 58 44 63 2f 57 2b 50 69 49 2b 74 51 39 d62Xdc/W+Pi+tQ9
0260 78 73 50 6d 35 72 33 77 79 71 2f 2b 59 64 46 2b xsPm5r3wyq/+Ydf+
0270 49 55 6d 75 6d 4b 61 37 37 32 32 4c 57 4c 51 45 IUumumKa7722LWLQE
0280 69 66 4b 38 73 4b 53 71 62 74 76 4f 6b 6a 71 6e ifK8sKSqbtvOkjqn
0290 76 34 57 2b 55 37 70 42 48 75 6b 4b 78 4f 41 49 v4W+U7pBHukKxOAI

```

```

02a0 63 33 32 53 71 6e 57 6a 4b 71 72 35 34 78 5a 7a c32SqnWjKqr54xZz
02b0 71 66 4b 32 57 77 57 6b 4b 67 65 4b 63 63 50 47 qfK2WwWkKgeKccPG
02c0 59 48 4d 46 48 59 48 57 71 6b 33 48 56 38 5a 76 YHMFHYHWqk3HV8Zv
02d0 6a 6b 59 4a 36 6c 39 76 41 34 79 54 2f 4c 62 61 jkYJ619vA4yT/Lba
02e0 52 66 64 62 00 c4 09 04 10 83 17 04 30 83 3a 04 Rfdb.....0.::
02f0 69 83 74 04 81 27 83 81 2a 01 c4 81 2d 04 81 3f i.t.'...*...-..?
0300 83 81 47 01 84 81 4f 04 81 61 83 81 65 04 81 6b ..G...O..a..e..k
0310 83 81 6e 04 81 70 83 81 73 04 82 0c 83 82 0f 01 ..n..p..s.....
0320 84 83 44 04 83 58 83 83 5e 01 01 01 ..D..X..^...

```

4.2.4 MIME-like Wrapper

The MIME-like wrapper header and epilogue are added to the Compressed Secured Payload to produce the final Delta Ack message:

```

0000 4d 49 4d 45 2d 56 65 72 73 69 6f 6e 3a 20 31 2e MIME-Version: 1.
0010 30 20 28 47 72 6f 6f 76 65 20 32 29 0d 0a 43 6f 0 (Groove 2)..Co
0020 6e 74 65 6e 74 2d 54 79 70 65 3a 20 6d 75 6c 74 ntent-Type: mult
0030 69 70 61 72 74 2f 72 65 6c 61 74 65 64 3b 20 62 ipart/related; b
0040 6f 75 6e 64 61 72 79 3d 22 3c 3c 5b 5b 26 26 26 oundary=<<[[&&&
0050 5d 5d 3e 3e 22 0d 0a 3c 3c 5b 5b 26 26 26 5d 5d ]]>>..<<[[&&&]
0060 3e 3e 0d 0a 43 6f 6e 74 65 6e 74 2d 54 79 70 65 >>..Content-Type
0070 3a 20 61 70 70 6c 69 63 61 74 69 6f 6e 2f 57 42 : application/WB
0080 58 4d 4c 3b 20 63 68 61 72 73 65 74 3d 22 75 73 XML; charset="us
0090 2d 61 73 63 69 69 22 0d 0a 02 00 00 03 85 5f 28 -ascii"....._( 
00a0 6e 75 6c 6c 29 2c 30 00 44 65 6c 41 63 6b 00 44 null),0.DelAck.D
00b0 65 70 53 65 71 00 31 38 37 30 31 39 43 33 45 32 epSeq.187019C3E2
00c0 33 36 36 39 39 44 32 33 31 31 30 30 30 32 00 44 36699D23110002.D
00d0 65 76 69 63 65 55 52 4c 00 64 70 70 3a 2f 2f 2f eviceURL.dpp:///
00e0 74 61 39 6d 70 61 6a 66 63 6b 76 6b 38 79 68 6d ta9mpajfckvk8yhm
00f0 69 33 39 6d 33 7a 71 37 36 76 35 77 72 79 70 6e i39m3zq76v5wrypn
0100 35 78 68 62 74 7a 61 00 43 6f 6e 74 61 63 74 55 5xhbtza.ContactU
0110 52 4c 00 67 72 6f 6f 76 65 49 64 65 6e 74 69 74 RL.grooveIdentit
0120 79 3a 2f 2f 79 74 62 65 66 78 79 32 67 67 65 37 y://ytbefxy2gge7
0130 73 76 62 74 71 69 34 37 33 63 74 66 67 67 36 64 svbtqi473ctfgg6d
0140 7a 38 39 35 40 00 47 70 00 32 31 00 75 72 6e 3a z895@.Gp.21.urn:
0150 67 72 6f 6f 76 65 2e 6e 65 74 3a 53 45 00 56 65 groove.net:SE.Ve
0160 72 73 69 6f 6e 00 33 2c 30 2c 30 2c 30 00 75 72 rsion.3,0,0,0.ur
0170 6e 3a 67 72 6f 6f 76 65 2e 6e 65 74 3a 45 43 00 n:groove.net:EC.
0180 4b 49 44 00 5f 54 4b 49 44 00 4b 56 00 31 00 49 KID._TKID.KV.1.I
0190 56 00 44 43 70 6d 7a 6c 7a 73 2f 68 69 7a 36 2b V.DCpmzlzs/hiz6+
01a0 41 6c 72 35 44 76 58 51 3d 3d 00 45 43 00 4e 33 Alr5DvXQ==.EC.N3
01b0 55 4e 6c 4c 57 7a 5a 7a 45 46 2b 30 6d 43 36 63 UN1LWzZzEF+0mC6c
01c0 69 6e 6b 39 67 52 7a 6f 4e 59 77 2f 50 45 6d 58 ink9gRzoNYw/PEmX
01d0 70 6c 4c 2b 7a 6c 57 4c 72 31 6e 69 75 52 6a 65 plL+z1WLrlniuRje
01e0 49 71 39 75 79 66 6c 78 7a 75 33 6b 45 2b 4d 67 Iq9uyflxzu3kE+Mg
01f0 43 37 54 4f 75 6c 62 65 67 2b 4d 32 42 63 33 2b C7TOulbeg+M2Bc3+
0200 76 69 78 58 5a 37 59 48 2b 32 4f 6d 6e 65 70 6e vixXZ7YH+20mnepn
0210 61 74 67 69 6d 6e 47 44 6b 2b 39 4f 41 30 6a 76 atgimnGdk+9OA0jv
0220 48 64 38 4d 39 4a 44 7a 66 32 54 63 50 31 6a 5a Hd8M9JDzf2TcP1jZ
0230 33 74 48 6b 63 65 46 35 30 71 32 67 64 61 35 6e 3tHkceF50q2gda5n
0240 39 51 6e 75 39 55 2f 74 52 6d 49 6e 6e 32 50 78 9Qnu9U/tRmInn2Px
0250 5a 55 39 31 7a 73 61 77 52 37 46 64 65 6a 73 57 ZU91zsawR7FdejsW
0260 6b 3d 00 75 72 6e 3a 67 72 6f 6f 76 65 2e 6e 65 k=.urn:groove.ne
0270 74 3a 41 75 74 68 00 50 54 53 69 67 00 6b 52 43 t:Auth.PTSig.kRC
0280 65 68 75 77 4e 4f 71 67 55 62 72 45 73 6e 34 74 ehuwNOqgUbrEsn4t
0290 4b 79 51 43 75 72 57 59 68 37 58 71 71 7a 57 73 KyQCurWYh7XqqzWs

```

```

02a0 43 34 65 75 6b 35 67 43 41 48 55 6f 4d 47 2b 6d C4euk5gCAHUoMG+m
02b0 4e 63 65 61 30 58 43 37 57 74 57 45 44 44 5a 67 Ncea0XC7WtWEDDZg
02c0 49 4f 72 71 7a 36 64 77 4e 7a 45 75 6c 2b 52 70 IOrgz6dwNzbEul+Rp
02d0 66 45 2f 75 55 75 67 62 49 71 6a 46 52 61 65 76 fE/uUrgbIqjFRaev
02e0 7a 6c 50 59 49 71 65 74 43 64 36 32 58 44 63 2f zlPYIqetCd62XDc/
02f0 57 2b 50 69 49 2b 74 51 39 78 73 50 6d 35 72 33 W+PiItQ9xsPm5r3
0300 77 79 71 2f 2b 59 64 46 2b 49 55 6d 75 6d 4b 61 wyq/+YdF+IUmumKa
0310 37 37 32 32 4c 57 4c 51 45 69 66 4b 38 73 4b 53 7722LWLQEifK8sKS
0320 71 62 74 76 4f 6b 6a 71 6e 76 34 57 2b 55 37 70 qbtvOkjqnv4W+U7p
0330 42 48 75 6b 4b 78 4f 41 49 63 33 32 53 71 6e 57 BHukKxOAIC32SqnW
0340 6a 4b 71 72 35 34 78 5a 7a 71 66 4b 32 57 77 57 jKqr54xZzqfk2WwW
0350 6b 4b 67 65 4b 63 63 50 47 59 48 4d 46 48 59 48 kKgeKccPGYHMFHYH
0360 57 71 6b 33 48 56 38 5a 76 6a 6b 59 4a 36 6c 39 Wqk3HV8ZvjkYJ619
0370 76 41 34 79 54 2f 4c 62 61 52 66 64 62 00 c4 09 vA4yT/LbaRfdb...
0380 04 10 83 17 04 30 83 3a 04 69 83 74 04 81 27 83 .....0..i.t...
0390 81 2a 01 c4 81 2d 04 81 3f 83 81 47 01 84 81 4f .*....?..G...O
03a0 04 81 61 83 81 65 04 81 6b 83 81 6e 04 81 70 83 ..a...e...k..n..p.
03b0 81 73 04 82 0c 83 82 0f 01 84 83 44 04 83 58 83 .s.....D..X.
03c0 83 5e 01 01 01 0d 0a 2d 2d 3c 3c 5b 5b 26 26 26 .^.....--<<[[&&&
03d0 5d 5d 3e 3e 2d 2d 0d 0a ]]>>--..

```

4.3 Producing an Outgoing Delta Message

This example illustrates four stages in the encoding of an outgoing Delta Message (see section [2.2.1](#)). In this example, the outgoing message represents an Add Record command invoked on the local endpoint. The record has a Name field with the value "TestName" and an Age field with the value 123.

4.3.1 Delta XML

```

<urn:groove.net:Del DepSeq="6B16C44E97E73F6CF9E50002" Version="1,0,0,0" Gp="23"
Seq="6B16C44E97E7011B33C40001">
  <urn:groove.net:Cmds SpStSet="98;22;0;6B16C44E97E73F6CF9E50002;187019C3E2360000;" 
PurNot="" PurGrp="21" SenderMinDep="23" Rank="99" TimeCreated="1203089515333">
    <urn:groove.net:Cmd DBName="RDB" PurNot="" 
EngineURL="ToolContainer/e5wk3rqetj6vg/RDBManager" NOrd="0" Nested="8AE984B938ED8DDB" 
TableDefID="-1" CMD="0">
      <urn:groove.net:Record3
      _CreatedByURL="grooveIdentity://ytbefxy2gge7svbtqi473ctfgg6dz8950" 
      _ModifiedByURL="grooveIdentity://ytbefxy2gge7svbtqi473ctfgg6dz8950" Name="TestName" 
      Forms_Tool_grooveFormID="1.063395895012627E-043" RecDefID="12684112" Created="1203089510896" 
      _Modified="1203089510896" Age="123" _RecordID="-2.4200873997467265E+048"/>
    </urn:groove.net:Cmd>
  </urn:groove.net:Cmds>
</urn:groove.net:Del>

```

4.3.2 Secured XML

The Delta XML is encrypted, Base64-encoded, and embedded in a Secure XML element:

```

<urn:groove.net:Del Version="1,0,0,0" DepSeq="6B16C44E97E73F6CF9E50002"
Seq="6B16C44E97E7011B33C40001" Gp="23">
  <urn:groove.net:SE Version="3,0,0,0">
    <urn:groove.net:EC KID="_TKID" KV="1" IV="7zAst91gDirqtuliaKdcvg==" 
    EC="Zg3jhWshQEryhS4bEEiPa4KGUxtN11L+J2JyrLghGJ2NR6ORY05Szypknq5YhiC9AXxzFFOhR/IjfJbqPIH57prjt
    qhAw8h3Ow4nrVe821AOAX02S4mRFKiGE2v+k24j8wPaRtXLZRQPBrWOFLlpVSe5XSqKncJB2B/hwNXMEfIYIKKeyIpnnKh

```

```

H/f6wEwKzScOQ46+2lBfolvfmnwP3hOT64RMGMGYyrdELGKazQ4Zatufaku6y5k9KdwTgfKN4iZajy7N3Dpw2OrjPWPnN
iRRu8Cv0OQjJZW7ecs/tde/K1N0dkAbPJYwqYCKXJcrSxwR1nT5tbNKq7NJdAS3ULE/Wayud/xy6fTuzhNc63i0OvQoLt
OeFyxr7tnWMUKRrOOUPqhc+dUFODiF5TKCb/bHobCnPUEcvw8X78zf5lmoEyLYSh4fiz35r6/I0rayLFJW1gHg+ObGgt
gJpGC3CFc7toEwpvNdw5tMA4BRB1B70LzC4IFGK/z+s7moGDqB+DrIt/muIuv6HRzAnHKGzNcLfDdzbIP7PAXFvFCVK
QPkZ6E1OEa1DK6DgON6pN970JVCD5h2171yJuzlV7arrRqnjRvY0hU6BM+wjzayfjREnGOegqRmzGpOPZoYeN1IdRAIF
8i2fq3vnp2zekoLXTukBFULWbtNaHm2DXAWR68C488tbfQRck0eXAvasbg+kGSm6rashZDHa50YSbT65uRU4MBjJW1TW
NGohCwJvPA15NM7SadEqueck4RF6viv7CMzEq2R72sBYWRzoowlJLoUOMqZwQWNvizL0/0H22/28EENYYp61QKV12VxtP
ysIfFFBF6RBn3hNQu7tQoGPhiwD1KzQ0NVTkbq7EQwMA7k9FH1QtjjE="/>
<urn:groove.net:Auth
PTSig="mkLU9YXSukHfi0NOlLgaOC7b3ib/gtkEME2HAXGGQviFiAPTkwKg2cLpILDIwCSE8r0aDFOVuKuRQ9PC7D+2/+c
FLe19XIsfs73B1vihJL8rUTJat+BMvBuFWGsPGknI8ohsxYWmETy1ub05gzaQrx30ZN+HpTzjijINVk3+gklWiUE87H5r
xYAM67SCymbvYzwbmt/aqqf7ZaH4sDN/3dVDUsbnPg0tgzRc0An2PeUwLirtc2iYY1hBfn19k5m5+"/>
</urn:groove.net:SE>
</urn:groove.net:Del>

```

4.3.3 Compressed Secured Payload

The Secured XML is compressed using WBXML, as specified in [\[WBXML 1.2\]](#), to form the Compressed Secured Payload:

0000	02	00	00	03	8a	5d	28	6e	75	6c	6c	29	2c	30	00	75](null),0.u
0010	72	6e	3a	67	72	6f	6f	76	65	2e	6e	65	74	3a	44	65	rn:groove.net:De
0020	6c	00	56	65	72	73	69	6f	6e	00	31	2c	30	2c	30	2c	1.Version.1,0,0,
0030	30	00	44	65	70	53	65	71	00	36	42	31	36	43	34	34	0.DepSeq.6B16C44
0040	45	39	37	45	37	33	46	36	43	46	39	45	35	30	30	30	E97E73F6CF9E5000
0050	32	00	53	65	71	00	36	42	31	36	43	34	34	45	39	37	2.Seq.6B16C44E97
0060	45	37	30	31	31	42	33	33	43	34	30	30	30	31	00	47	E7011B33C40001.G
0070	70	00	32	33	00	75	72	6e	3a	67	72	6f	6f	76	65	2e	p.23.urn:groove.
0080	6e	65	74	3a	53	45	00	33	2c	30	2c	30	2c	30	00	75	net:SE.3,0,0,0.u
0090	72	6e	3a	67	72	6f	6f	76	65	2e	6e	65	74	3a	45	43	rn:groove.net:EC
00a0	00	4b	49	44	00	5f	54	4b	49	44	00	4b	56	00	31	00	.KID._TKID.KV.1.
00b0	49	56	00	37	7a	41	73	74	39	31	67	44	69	72	71	74	IV.7zAst91gDirqt
00c0	75	6c	69	61	4b	64	63	76	67	3d	3d	00	45	43	00	5a	uliaKdcvg==.EC.Z
00d0	67	33	6a	68	57	73	68	51	45	72	79	68	53	34	62	45	g3jhWshQEryhS4bE
00e0	45	69	50	61	34	4b	47	55	78	74	4e	6c	31	4c	2b	4a	EiPa4KGUxtN11L+J
00f0	32	4a	79	72	4c	67	68	47	4a	32	4e	52	36	4f	52	59	2JyrLghGJ2NR6ORY
0100	30	35	53	7a	79	70	6b	6e	71	35	59	68	69	43	39	41	05Szypknq5YhiC9A
0110	58	78	7a	46	46	4f	68	52	2f	49	6a	66	4a	62	71	50	XxzFFOhR/IjfJbqP
0120	49	48	35	37	70	72	6a	74	71	68	41	77	38	68	33	4f	IH57prjtqhAw8h30
0130	77	34	6e	72	56	65	38	32	6c	41	4f	41	58	30	32	53	w4nrVe821AOAX02S
0140	34	6d	52	46	4b	69	47	45	32	76	2b	6b	32	34	6a	38	4mRFKiGE2v+k24j8
0150	77	50	61	52	74	58	4c	5a	52	51	50	42	72	57	4f	46	wPaRtxLzRQPBrWOF
0160	4c	4c	70	56	53	65	35	58	53	71	4b	6e	63	4a	42	32	LLpVSe5XSqKncJB2
0170	42	2f	68	77	4e	58	4d	45	66	49	59	49	4b	65	79	49	B/hwNXMEfIYIKeyI
0180	70	6e	6e	4b	68	48	2f	66	36	77	45	77	4b	7a	53	63	pnnKh/Hf6wLwKzSc
0190	4f	51	34	36	2b	32	6c	42	66	6f	6c	76	66	6d	6e	77	OQ46+2lBfolvfmnw
01a0	50	33	68	4f	54	36	34	52	4d	47	4d	47	59	79	72	64	P3hOT64RMGMGYyrd
01b0	45	4c	47	4b	61	7a	51	34	5a	61	74	75	66	61	6b	75	ELGKazQ4Zatufaku
01c0	36	79	35	6b	39	4b	64	77	54	67	66	4b	4e	34	69	5a	6y5k9KdwTgfKN4iZ
01d0	61	6a	79	37	4e	33	44	70	77	32	4f	72	6a	50	57	50	ajy7N3Dpw2OrjPWP
01e0	6e	4e	69	52	52	75	38	43	76	30	4f	51	6a	4a	5a	57	nNiRRu8Cv0OQjJZW
01f0	37	65	63	73	2f	74	64	65	2f	4b	31	4e	30	64	6b	41	7ecs/tde/K1N0dkA
0200	62	50	4a	59	77	71	59	43	4b	58	4a	63	72	53	78	77	bPJYwqYCKXJcrSxw
0210	52	31	6e	54	35	74	62	4e	4b	71	37	4e	4a	64	41	53	R1nT5tbNKq7NJdAS
0220	33	55	4c	65	2f	57	61	79	75	64	2f	78	79	36	66	54	3ULE/Wayud/xy6ft
0230	75	7a	68	4e	63	36	33	69	30	4f	76	51	6f	4c	74	4f	uzhNc63i0OvQoLto
0240	65	46	79	7a	72	37	74	6e	57	4d	55	4b	52	72	4f	4f	eFyxr7tnWMUKRrOO
0250	55	50	71	68	63	2b	64	55	46	4f	44	69	46	35	54	4b	UPqhc+dUFODiF5TK
0260	43	62	2f	62	48	6f	62	43	6e	50	55	45	63	76	77	38	Cb/bHobCnPUEcvw8

0270	58	37	38	5a	66	35	6c	6d	6f	45	79	4c	59	53	6b	68	X78Zf5lmoEyLYSkh
0280	34	66	69	7a	33	35	72	36	2f	49	30	72	61	79	4c	46	4fiz35r6/I0rayLF
0290	4a	57	31	67	48	67	2b	4f	62	47	67	74	67	4a	70	47	JWlgHg+ObGtgtgJpG
02a0	43	33	43	46	63	37	74	6f	45	77	70	76	4e	64	77	35	C3CFC7toEwpvNdw5
02b0	74	4d	41	34	42	52	42	31	42	37	4f	77	4c	7a	43	34	tMA4BRB1B7OwLzC4
02c0	49	46	47	4b	2f	7a	2b	73	37	6d	6f	47	44	71	42	2b	IFGK/z+s7moGDqB+
02d0	44	72	4c	74	2f	6d	75	49	75	76	36	48	52	7a	41	6e	DrLt/muIuv6HRzAn
02e0	48	4b	47	7a	4e	63	4c	66	44	64	61	7a	62	49	50	37	HKGzNcLfDdazbIP7
02f0	50	41	58	46	76	46	43	56	4b	51	50	6b	5a	36	45	31	PAXFvFCVKQPkZ6E1
0300	4f	45	61	69	6c	44	4b	36	44	67	4f	4e	36	70	4e	39	OEailDK6DgON6pN9
0310	37	4f	4a	56	43	44	35	68	32	31	37	31	79	4a	75	7a	7OJVCD5h2171yJuz
0320	6c	56	37	61	72	72	52	71	6e	6a	52	76	59	30	68	55	1V7arrRqnjRvY0hU
0330	36	42	4d	2b	77	6a	7a	61	79	66	6a	52	45	6e	47	4f	6BM+wjzayfjREnGO
0340	65	67	71	52	6d	7a	47	70	4f	50	5a	6f	59	65	4e	6c	eqgRmzGpOPZoYeN1
0350	49	64	52	41	49	46	38	69	32	66	71	33	76	6e	70	32	IdRAIF8i2fq3vnnp2
0360	7a	65	6b	6f	4c	58	54	75	6b	42	46	55	4c	57	62	54	ze koLXTukBFULWbT
0370	4e	61	48	6d	32	44	58	41	57	52	36	38	43	34	38	38	NaHm2DXAWR68C488
0380	74	62	66	51	52	63	6b	30	65	58	41	76	61	73	62	67	tbfQRck0eXAvasbg
0390	2b	6b	47	53	6d	36	72	61	73	68	5a	5a	44	48	61	35	+kGSm6rashZZDHa5
03a0	30	59	53	62	54	36	35	75	52	55	34	4d	42	6a	4a	57	0YSbT65uRU4MBjJW
03b0	6c	54	57	4e	47	6f	68	43	77	4a	76	50	41	6c	35	4e	1TWNGohCwJvPA15N
03c0	4d	37	53	61	64	45	71	65	63	6b	34	52	46	36	76	69	M7SadEqeck4RF6vi
03d0	76	37	43	4d	7a	45	71	32	52	37	32	73	42	59	57	52	v7CMzEq2R72sBYWR
03e0	7a	6f	6f	77	6c	4a	4c	6f	55	4f	4d	71	5a	77	4f	51	zoowlJLoUOMqZwOQ
03f0	57	4e	76	69	7a	4c	30	2f	30	48	32	32	2f	32	38	45	WNvizL0/0H22/28E
0400	45	4e	59	59	70	36	6c	51	4b	56	49	5a	56	78	74	50	ENYYp6lQKVIZVxtP
0410	79	73	49	66	46	42	46	36	52	42	6e	33	68	4e	51	75	ysIfFBF6RBn3hNQu
0420	37	74	51	6f	47	50	68	69	77	44	31	4b	7a	51	30	4e	7tQoGPhiwD1KzQON
0430	56	54	6b	62	71	37	45	51	77	4d	41	37	6b	39	46	48	VTkbq7EQwMA7k9FH
0440	31	51	74	6a	6a	45	3d	00	75	72	6e	3a	67	72	6f	6f	1QtjjE=.urn:groo
0450	76	65	2e	6e	65	74	3a	41	75	74	68	00	50	54	53	69	ve.net:Auth.PTSi
0460	67	00	6d	6b	4c	55	39	59	58	53	75	6b	48	66	69	30	g.mkLU9YXSukHfi0
0470	4e	4f	4c	67	61	4f	43	37	62	33	69	62	2f	67	74	6b	NOLgaOC7b3ib/gtk
0480	45	4d	45	32	48	41	58	47	47	51	76	69	46	69	41	50	EME2HAXGGQviFiAP
0490	54	6b	77	4b	67	32	63	4c	70	49	4c	44	49	57	63	53	TkwKg2cLpILDIWcs
04a0	45	38	72	30	61	44	46	4f	56	75	4b	75	52	51	39	50	E8r0adFOVuKuRQ9P
04b0	43	37	44	2b	32	2f	2b	63	46	4c	65	31	39	58	49	73	C7D+2/+cFLel9XIs
04c0	66	73	37	33	42	49	76	69	68	4a	4c	38	72	55	54	4a	fs73BIVihJL8rUTJ
04d0	61	74	2b	42	4d	76	42	75	50	57	47	73	50	47	6b	6e	at+BMvBuPWGsPGkn
04e0	49	38	6f	68	73	78	59	57	6d	45	54	79	31	75	62	30	18ohsxYWMETylub0
04f0	35	67	7a	61	51	72	78	33	30	5a	4e	2b	48	70	54	5a	5gzaQrx30ZN+HptZ
0500	6a	69	6a	49	4e	76	6b	33	2b	67	6b	6c	57	69	55	45	jijINVk3+gkLWiUE
0510	38	37	48	35	72	78	59	41	4d	36	37	53	43	79	6d	62	87H5rxYAM67SCymb
0520	76	79	5a	77	62	74	6d	2f	61	71	71	66	37	5a	61	48	vyZwbtm/aqqf7ZaH
0530	34	73	44	4e	2f	33	64	56	44	55	73	62	6e	50	67	30	4sDN/3dVDUsbnFg0
0540	74	67	7a	52	63	30	41	6e	32	50	65	55	77	4c	69	72	tgzRc0An2PeUwLir
0550	74	43	32	69	59	59	31	68	42	66	6e	6c	39	6b	35	6d	tC2iYY1hBfn19k5m
0560	35	2b	00	c4	09	04	1c	83	24	04	2c	83	33	04	4c	83	5+.....\$.,.3.L.
0570	50	04	69	83	6c	01	c4	6f	04	1c	83	81	01	01	84	81	P.i.l...o.....
0580	09	04	81	1b	83	81	1f	04	81	25	83	81	28	04	81	2a%..(..*
0590	83	81	2d	04	81	46	83	81	49	01	84	88	42	04	88	56	...-..F..I...B..V
05a0	83	88	5c	01	01	01											...\...

4.3.4 MIME-like Wrapper

The MIME-like wrapper header and epilogue are added to the Compressed Secured Payload to produce the final Delta message:

```

0000  4d 49 4d 45 2d 56 65 72 73 69 6f 6e 3a 20 31 2e MIME-Version: 1.
0010  30 20 28 47 72 6f 6f 76 65 20 32 29 0d 0a 43 6f 0 (Groove 2)..Content-Type: multipart/related; boundary="<<[[&&&]]>>"..<<[[&&&]]>>..Content-Type: application/WBXML; charset="us-ascii"....](null),0.urn:groove.net:Del.Verson.1,0,0,0.DepSeq.6B16C44E97E73F6CF9E50002.Seq.6B16C44E97E7011B33C40001.Gp.23.urn:groove.net:SE.3,0,0,0.urn:groove.net:EC.KID._T
00b0  76 65 2e 6e 65 74 3a 44 65 6c 00 56 65 72 73 69
00c0  6f 6e 00 31 2c 30 2c 30 2c 30 00 44 65 70 53 65
00d0  71 00 36 42 31 36 43 34 34 45 39 37 45 37 33 46
00e0  36 43 46 39 45 35 30 30 30 32 00 53 65 71 00 36
00f0  42 31 36 43 34 34 45 39 37 45 37 30 31 31 42 33
0100  33 43 34 30 30 30 31 00 47 70 00 32 33 00 75 72
0110  6e 3a 67 72 6f 6f 76 65 2e 6e 65 74 3a 53 45 00
0120  33 2c 30 2c 30 2c 30 00 75 72 6e 3a 67 72 6f 6f
0130  76 65 2e 6e 65 74 3a 45 43 00 4b 49 44 00 5f 54
0140  4b 49 44 00 4b 56 00 31 00 49 56 00 37 7a 41 73
0150  74 39 31 67 44 69 72 71 74 75 6c 69 61 4b 64 63
0160  76 67 3d 3d 00 45 43 00 5a 67 33 6a 68 57 73 68
0170  51 45 72 79 68 53 34 62 45 45 69 50 61 34 4b 47
0180  55 78 74 4e 6c 31 4c 2b 4a 32 4a 79 72 4c 67 68
0190  47 4a 32 4e 52 36 4f 52 59 30 35 53 7a 79 70 6b
01a0  6e 71 35 59 68 69 43 39 41 58 78 7a 46 46 4f 68
01b0  52 2f 49 6a 66 4a 62 71 50 49 48 35 37 70 72 6a
01c0  74 71 68 41 77 38 68 33 4f 77 34 6e 72 56 65 38
01d0  32 6c 41 4f 41 58 30 32 53 34 6d 52 46 4b 69 47
01e0  45 32 76 2b 6b 32 34 6a 38 77 50 61 52 74 58 4c
01f0  5a 52 51 50 42 72 57 4f 46 4c 4c 70 56 53 65 35
0200  58 53 71 4b 6e 63 4a 42 32 42 2f 68 77 4e 58 4d
0210  45 66 49 59 49 4b 65 79 49 70 6e 6e 4b 68 48 2f
0220  66 36 77 45 77 4b 7a 53 63 4f 51 34 36 2b 32 6c
0230  42 66 6f 6c 76 66 6d 6e 77 50 33 68 4f 54 36 34
0240  52 4d 47 4d 47 59 79 72 64 45 4c 47 4b 61 7a 51
0250  34 5a 61 74 75 66 61 6b 75 36 79 35 6b 39 4b 64
0260  77 54 67 66 4b 4e 34 69 5a 61 6a 79 37 4e 33 44
0270  70 77 32 4f 72 6a 50 57 50 6e 4e 69 52 52 75 38
0280  43 76 30 4f 51 6a 4a 5a 57 37 65 63 73 2f 74 64
0290  65 2f 4b 31 4e 30 64 6b 41 62 50 4a 59 77 71 59
02a0  43 4b 58 4a 63 72 53 78 77 52 31 6e 54 35 74 62
02b0  4e 4b 71 37 4e 4a 64 41 53 33 55 4c 65 2f 57 61
02c0  79 75 64 2f 78 79 36 66 54 75 7a 68 4e 63 36 33
02d0  69 30 4f 76 51 6f 4c 74 4f 65 46 79 7a 72 37 74
02e0  6e 57 4d 55 4b 52 72 4f 4f 55 50 71 68 63 2b 64
02f0  55 46 4f 44 69 46 35 54 4b 43 62 2f 62 48 6f 62
0300  43 6e 50 55 45 63 76 77 38 58 37 38 5a 66 35 6c
0310  6d 6f 45 79 4c 59 53 6b 68 34 66 69 7a 33 35 72
0320  36 2f 49 30 72 61 79 4c 46 4a 57 31 67 48 67 2b
0330  4f 62 47 67 74 67 4a 70 47 43 33 43 46 63 37 74
0340  6f 45 77 70 76 4e 64 77 35 74 4d 41 34 42 52 42
0350  31 42 37 4f 77 4c 7a 43 34 49 46 47 4b 2f 7a 2b
0360  73 37 6d 6f 47 44 71 42 2b 44 72 4c 74 2f 6d 75
0370  49 75 76 36 48 52 7a 41 6e 48 4b 47 7a 4e 63 4c
0380  66 44 64 61 7a 62 49 50 37 50 41 58 46 76 46 43
0390  56 4b 51 50 6b 5a 36 45 31 4f 45 61 69 6c 44 4b
03a0  36 44 67 4f 4e 36 70 4e 39 37 4f 4a 56 43 44 35

```

```

03b0 68 32 31 37 31 79 4a 75 7a 6c 56 37 61 72 72 52 h2171yJuzlV7arrR
03c0 71 6e 6a 52 76 59 30 68 55 36 42 4d 2b 77 6a 7a qnjRvY0hU6BM+wjz
03d0 61 79 66 6a 52 45 6e 47 4f 65 67 71 52 6d 7a 47 ayfjREnGOegqRmzG
03e0 70 4f 50 5a 6f 59 65 4e 6c 49 64 52 41 49 46 38 pOPZoYeNlIdRAIF8
03f0 69 32 66 71 33 76 6e 70 32 7a 65 6b 6f 4c 58 54 i2fq3vnp2zeckoLXT
0400 75 6b 42 46 55 4c 57 62 54 4e 61 48 6d 32 44 58 ukBFULWbTNahM2DX
0410 41 57 52 36 38 43 34 38 38 74 62 66 51 52 63 6b AWR68C488tbfQRck
0420 30 65 58 41 76 61 73 62 67 2b 6b 47 53 6d 36 72 0eXAvasbg+kGSm6r
0430 61 73 68 5a 5a 44 48 61 35 30 59 53 62 54 36 35 ashZZDHa50YSbT65
0440 75 52 55 34 4d 42 6a 4a 57 6c 54 57 4e 47 6f 68 uRU4MBjJW1TWNGoh
0450 43 77 4a 76 50 41 6c 35 4e 4d 37 53 61 64 45 71 CwJvPA15NM7SadEq
0460 65 63 6b 34 52 46 36 76 69 76 37 43 4d 7a 45 71 eck4RF6viv7CMzEq
0470 32 52 37 32 73 42 59 57 52 7a 6f 6f 77 6c 4a 4c 2R72sBYWRzoowlJL
0480 6f 55 4f 4d 71 5a 77 4f 51 57 4e 76 69 7a 4c 30 oUOMqZwOQWNvizL0
0490 2f 30 48 32 32 2f 32 38 45 45 4e 59 59 70 36 6c /0H22/28EENYYp61
04a0 51 4b 56 49 5a 56 78 74 50 79 73 49 66 46 42 46 QKVIZVxtPysIfFBF
04b0 36 52 42 6e 33 68 4e 51 75 37 74 51 6f 47 50 68 6RBn3hNQu7tQoGPh
04c0 69 77 44 31 4b 7a 51 30 4e 56 54 6b 62 71 37 45 iwD1KzQ0NVTKbq7E
04d0 51 77 4d 41 37 6b 39 46 48 31 51 74 6a 6a 45 3d QwMA7k9FH1QtjjE=
04e0 00 75 72 6e 3a 67 72 6f 6f 76 65 2e 6e 65 74 3a .urn:groove.net:
04f0 41 75 74 68 00 50 54 53 69 67 00 6d 6b 4c 55 39 Auth.PTSig.mkLU9
0500 59 58 53 75 6b 48 66 69 30 4e 4f 4c 67 61 4f 43 YXSukHfi0NOLgaOC
0510 37 62 33 69 62 2f 67 74 6b 45 4d 45 32 48 41 58 7b3ib/gtkEME2HAX
0520 47 47 51 76 69 46 69 41 50 54 6b 77 4b 67 32 63 GGQviFiAPTkWkg2c
0530 4c 70 49 4c 44 49 57 63 53 45 38 72 30 61 44 46 LpILDIWcSE8r0aDF
0540 4f 56 75 4b 75 52 51 39 50 43 37 44 2b 32 2f 2b OVuKuRQ9PC7D+2/+_
0550 63 46 4c 65 31 39 58 49 73 66 73 37 33 42 49 76 cFLe19XIsfs73BIv
0560 69 68 4a 4c 38 72 55 54 4a 61 74 2b 42 4d 76 42 ihJL8rUTJat+BMvB
0570 75 50 57 47 73 50 47 6b 6e 49 38 6f 68 73 78 59 uPWGsPGknI8ohsxY
0580 57 6d 45 54 79 31 75 62 30 35 67 7a 61 51 72 78 WmETy1ub05gzaQrx
0590 33 30 5a 4e 2b 48 70 54 5a 6a 69 6a 49 4e 76 6b 30ZN+HpTZjijINVk
05a0 33 2b 67 6b 6c 57 69 55 45 38 37 48 35 72 78 59 3+gklWiUE87H5rxY
05b0 41 4d 36 37 53 43 79 6d 62 76 79 5a 77 62 74 6d AM67SCymbvyZwbtm
05c0 2f 61 71 71 66 37 5a 61 48 34 73 44 4e 2f 33 64 /aqqf7ZaH4sDN/3d
05d0 56 44 55 73 62 6e 50 67 30 74 67 7a 52 63 30 41 VDUusbnPg0tgzRc0A
05e0 6e 32 50 65 55 77 4c 69 72 74 43 32 69 59 59 31 n2PeUwLirtC2iYY1
05f0 68 42 66 6e 6c 39 6b 35 6d 35 2b 00 c4 09 04 1c hBfn19k5m5+.....
0600 83 24 04 2c 83 33 04 4c 83 50 04 69 83 6c 01 4c .$.,.3.L.P.i.1..
0610 6f 04 1c 83 81 01 01 84 81 09 04 81 1b 83 81 1f o.....
0620 04 81 25 83 81 28 04 81 2a 83 81 2d 04 81 46 83 ...%...(.*.---F.
0630 81 49 01 84 88 42 04 88 56 83 88 5c 01 01 01 0d .I...B..V..\....
0640 0a 2d 2d 3c 3c 5b 5b 26 26 5d 5d 3e 3e 2d 2d .--<<[[&&&]]>>-
0650 0d 0a ..
```

4.4 Processing an Incoming Delta Ack Message

This example follows from section 4.3, where the outgoing Delta Message was encoded and disseminated. After receiving this message, another endpoint will generate and send a Delta Ack Message (section 2.2.2) to the local endpoint. This example illustrates four stages in the decoding of this message.

4.4.1 MIME-like Wrapper

```

0000 4d 49 4d 45 2d 56 65 72 73 69 6f 6e 3a 20 31 2e MIME-Version: 1.
0010 30 20 28 47 72 6f 6f 76 65 20 32 29 0d 0a 43 6f 0 (Groove 2)..Co
0020 6e 74 65 6e 74 2d 54 79 70 65 3a 20 6d 75 6c 74 ntent-Type: mult
0030 69 70 61 72 74 2f 72 65 6c 61 74 65 64 3b 20 62 ipart/related; b
```

```

0040  6f 75 6e 64 61 72 79 3d 22 3c 3c 5b 5b 26 26 26 boundary=<<[[&&&
0050  5d 5d 3e 3e 22 0d 0a 3c 3c 5b 5b 26 26 26 5d 5d ]]>>..<<[[&&&]
0060  3e 3e 0d 0a 43 6f 6e 74 65 6e 74 2d 54 79 70 65 >>..Content-Type
0070  3a 20 61 70 70 6c 69 63 61 74 69 6f 6e 2f 57 42 : application/WB
0080  58 4d 4c 3b 20 63 68 61 72 73 65 74 3d 22 75 73 XML; charset="us
0090  2d 61 73 63 69 69 22 0d 0a 02 00 00 03 85 0b 28 -ascii"....( 
00a0  6e 75 6c 6c 29 2c 30 00 44 65 6c 41 63 6b 00 44 null),0.DelAck.D
00b0  65 70 53 65 71 00 36 42 31 36 43 34 34 45 39 37 epSeq.6B16C44E97
00c0  45 37 30 31 31 42 33 33 43 34 30 30 30 31 00 44 E7011B33C40001.D
00d0  65 76 69 63 65 55 52 4c 00 64 70 70 3a 2f 2f 2f eviceURL.dpp:/// 
00e0  77 37 78 68 6a 72 72 72 34 74 73 35 32 61 71 33 w7xhjrrr4ts52aq3
00f0  39 38 62 78 72 37 68 7a 6b 74 70 64 35 70 6d 72 98bxr7hzktpd5pmr
0100  34 6e 62 74 78 61 69 00 43 6f 6e 74 61 63 74 55 4nbtxai.ContactU
0110  52 4c 00 67 72 6f 6f 76 65 49 64 65 6e 74 69 74 RL.grooveIdentit
0120  79 3a 2f 2f 6b 65 38 78 79 35 61 71 72 7a 63 77 y://ke8xy5aqrzcv
0130  66 35 6b 69 65 66 33 35 64 72 6a 38 32 65 35 78 f5kief35drj82e5x
0140  6d 76 74 38 40 00 47 70 00 32 33 00 75 72 6e 3a mvt8@.Gp.23.urn:
0150  67 72 6f 6f 76 65 2e 6e 65 74 3a 53 45 00 56 65 groove.net:SE.Ve
0160  72 73 69 6f 6e 00 33 2c 30 2c 30 2c 30 00 75 72 rsion.3,0,0,0.ur
0170  6e 3a 67 72 6f 6f 76 65 2e 6e 65 74 3a 45 43 00 n:groove.net:EC.
0180  4b 49 44 00 5f 54 4b 49 44 00 4b 56 00 31 00 49 KID._TKID.KV.1.I
0190  56 00 54 69 67 49 77 44 6c 78 37 57 38 4f 70 73 V.TigIwDlx7W8Ops
01a0  64 54 31 79 54 46 45 77 3d 3d 00 45 43 00 52 69 dTlyTFEW==.EC.Ri
01b0  47 66 69 4c 73 64 41 2f 6d 69 69 35 73 4b 6e 50 GfiLsdA/mii5sKnP
01c0  33 66 77 46 37 62 2b 68 34 59 2f 75 57 30 35 38 3fwF7b+h4Y/uW058
01d0  69 52 77 41 6f 67 66 62 31 77 67 58 43 6f 37 45 iRwAogfb1wgXCC7E
01e0  42 58 34 55 4d 4a 74 69 66 75 74 41 77 6e 6f 54 BX4UMJtifutAwnoT
01f0  69 42 72 53 36 6e 64 63 4d 2f 56 43 5a 74 67 49 iBrS6ndcM/VCZtgI
0200  6b 57 45 51 6d 4c 46 51 78 62 59 51 3d 3d 00 75 kWEQmLFQxbYQ==.u
0210  72 6e 3a 67 72 6f 6f 76 65 2e 6e 65 74 3a 41 75 rn:groove.net:Au
0220  74 68 00 50 54 53 69 67 00 62 4d 61 64 49 75 35 th.PTSig.bMadIu5
0230  37 79 77 68 36 42 65 66 49 77 4e 78 30 68 52 31 7ywh6BefIwNx0hR1
0240  51 6e 51 41 56 44 59 48 77 76 72 4a 73 50 65 67 QnQAVDYHwvrJsPeg
0250  2b 4f 7a 47 6e 72 58 44 2f 58 30 61 52 43 45 77 +OzGnrXD/X0aRCEw
0260  6a 65 4c 77 6e 2f 48 52 57 49 43 6b 32 46 51 4d jeLwn/HRWICK2FQM
0270  68 71 48 46 7a 58 49 49 41 56 51 6e 57 4a 2f 55 hqHFzXIIAVQnWJ/U
0280  50 7a 4e 55 44 65 76 4c 52 6b 47 6a 6b 77 78 38 PzNUDevLRkGjkwx8
0290  31 59 73 6f 66 66 42 5a 67 6c 64 36 36 76 6b 36 1YsoftBZgld66vk6
02a0  69 6f 67 5a 51 72 6b 76 65 5a 72 59 51 52 64 39 iogZQrkveZrYQRd9
02b0  53 47 61 5a 6a 4a 79 49 6d 66 50 65 42 54 67 4e SGaZjJyImfPeBTgN
02c0  69 57 70 79 4e 6d 32 46 6e 5a 75 79 55 51 39 78 iWpyNm2FnZuyUQ9x
02d0  6e 32 6c 68 30 2b 4f 6a 2b 4c 70 6c 38 69 49 38 n2lh0+Oj+Ipl8iI8
02e0  57 72 58 61 52 44 54 71 64 76 46 79 4e 4f 54 46 WrXaRDqdvFyNOTF
02f0  71 6e 2b 38 34 57 79 50 4b 79 50 57 39 54 75 64 qn+84WyPKyFW9Tud
0300  58 30 65 30 79 65 4e 7a 59 45 6b 71 6d 51 4e 55 X0e0yeNzYEkqmQNU
0310  72 6d 59 71 52 37 6f 68 78 34 41 57 71 53 4f 7a rmYqR7ohx4AWqSOz
0320  77 59 71 42 74 7a 79 64 6d 00 c4 09 04 10 83 17 wYqBtzym..... .
0330  04 30 83 3a 04 69 83 74 04 81 27 83 81 2a 01 c4 .0.:i.t...'..*..
0340  81 2d 04 81 3f 83 81 47 01 84 81 4f 04 81 61 83 .-...?..G...O..a.
0350  81 65 04 81 6b 83 81 6e 04 81 70 83 81 73 04 82 .e...k..n..p... .
0360  0c 83 82 0f 01 84 82 70 04 83 04 83 83 0a 01 01 .....p.....
0370  01 0d 0a 2d 2d 3c 3c 5b 5b 26 26 5d 5d 3e 3e ....--<<[[&&&]]>>
0380  2d 2d 0d 0a ---.

```

4.4.2 Compressed Secured Payload

The MIME-like wrapper header and epilogue are stripped, leaving the following Compressed Secured Payload, which is a WBXML stream, as specified in [\[WBXML 1.2\]](#):

```

0000 02 00 00 03 85 0b 28 6e 75 6c 6c 29 2c 30 00 44 .....(null),0.D
0010 65 6c 41 63 6b 00 44 65 70 53 65 71 00 36 42 31 elAck.DepSeq.6B1
0020 36 43 34 34 45 39 37 45 37 30 31 31 42 33 33 43 6C44E97E7011B33C
0030 34 30 30 30 31 00 44 65 76 69 63 65 55 52 4c 00 40001.DeviceURL.
0040 64 70 70 3a 2f 2f 2f 77 37 78 68 6a 72 72 72 34 dpp://w7xhjrrr4
0050 74 73 35 32 61 71 33 39 38 62 78 72 37 68 7a 6b ts52aq398bxr7hzk
0060 74 70 64 35 70 6d 72 34 6e 62 74 78 61 69 00 43 tpd5pmr4nbtaxai.C
0070 6f 6e 74 61 63 74 55 52 4c 00 67 72 6f 6f 76 65 ontactURL.groove
0080 49 64 65 6e 74 69 74 79 3a 2f 2f 6b 65 38 78 79 Identity://ke8xy
0090 35 61 71 72 7a 63 77 66 35 6b 69 65 66 33 35 64 5aqrzcf5kief35d
00a0 72 6a 38 32 65 35 78 6d 76 74 38 40 00 47 70 00 rj82e5xmvt80.Gp.
00b0 32 33 00 75 72 6e 3a 67 72 6f 6f 76 65 2e 6e 65 23.urn:groove.ne
00c0 74 3a 53 45 00 56 65 72 73 69 6f 6e 00 33 2c 30 t:SE.Version.3,0
00d0 2c 30 2c 30 00 75 72 6e 3a 67 72 6f 6f 76 65 2e ,0,0.urn:groove.
00e0 6e 65 74 3a 45 43 00 4b 49 44 00 5f 54 4b 49 44 net:EC.KID._TKID
00f0 00 4b 56 00 31 00 49 56 00 54 69 67 49 77 44 6c .KV.1.IV.TigIwDl
0100 78 37 57 38 4f 70 73 64 54 31 79 54 46 45 77 3d x7W8OpsdT1yTfEw=
0110 3d 00 45 43 00 52 69 47 66 69 4c 73 64 41 2f 6d =.EC.RiGfiLsdA/m
0120 69 69 35 73 4b 6e 50 33 66 77 46 37 62 2b 68 34 ii5sKnP3fwF7b+h4
0130 59 2f 75 57 30 35 38 69 52 77 41 6f 67 66 62 31 Y/uW058iRwAogfb1
0140 77 67 58 43 6f 37 45 42 58 34 55 4d 4a 74 69 66 wgXCo7EBX4UMJtif
0150 75 74 41 77 6e 6f 54 69 42 72 53 36 6e 64 63 4d utAwnoTiBrS6ndcM
0160 2f 56 43 5a 74 67 49 6b 57 45 51 6d 4c 46 51 78 /VCZtgIkWEQmLFQx
0170 62 59 51 3d 3d 00 75 72 6e 3a 67 72 6f 6f 76 65 bYQ==.urn:groove
0180 2e 6e 65 74 3a 41 75 74 68 00 50 54 53 69 67 00 .net:Auth.PTSig.
0190 62 4d 61 64 49 75 35 37 79 77 68 36 42 65 66 49 bMadIu57ywh6BefI
01a0 77 4e 78 30 68 52 31 51 6e 51 41 56 44 59 48 77 wNx0hR1QnQAVDYHw
01b0 76 72 4a 73 50 65 67 2b 4f 7a 47 6e 72 58 44 2f vrJsPeg+OzGhrXD/
01c0 58 30 61 52 43 45 77 6a 65 4c 77 6e 2f 48 52 57 X0aRCCEwjeLwn/HRW
01d0 49 43 6b 32 46 51 4d 68 71 48 46 7a 58 49 49 41 ICK2FQMhqHFzXIIA
01e0 56 51 6e 57 4a 2f 55 50 7a 4e 55 44 65 76 4c 52 VQnWJ/UPzNUDevLR
01f0 6b 47 6a 6b 77 78 38 31 59 73 6f 66 66 42 5a 67 KGjkwx81YssoffBZg
0200 6c 64 36 36 76 6b 36 69 6f 67 5a 51 72 6b 76 65 1d66vk6iogZQrkve
0210 5a 72 59 51 52 64 39 53 47 61 5a 6a 4a 79 49 6d ZrYQRd9SGaZjJyIm
0220 66 50 65 42 54 67 4e 69 57 70 79 4e 6d 32 46 6e fPeBTgNiWpyNm2Fn
0230 5a 75 79 55 51 39 78 6e 32 6c 68 30 2b 4f 6a 2b ZuyUQ9xn2lh0+Oj+
0240 4c 70 6c 38 69 49 38 57 72 58 61 52 44 54 71 64 Lpl8iI8WrXaRDTqd
0250 76 46 79 4e 4f 54 46 71 6e 2b 38 34 57 79 50 4b vFyNOTFqn+84WyPK
0260 79 50 57 39 54 75 64 58 30 65 30 79 65 4e 7a 59 yPW9TudX0e0yeNzY
0270 45 6b 71 6d 51 4e 55 72 6d 59 71 52 37 6f 68 78 EkqmQNUrmYqR7ohx
0280 34 41 57 71 53 4f 7a 77 59 71 42 74 7a 79 64 6d 4AWqSOzwYqBtzydm
0290 00 c4 09 04 10 83 17 04 30 83 3a 04 69 83 74 04 .....0.:i.t.
02a0 81 27 83 81 2a 01 c4 81 2d 04 81 3f 83 81 47 01 .'...*....-?..G.
02b0 84 81 4f 04 81 61 83 81 65 04 81 6b 83 81 6e 04 ..o...a..e..k..n.
02c0 81 70 83 81 73 04 82 0c 83 82 0f 01 84 82 70 04 ..p..s.....p.
02d0 83 04 83 83 0a 01 01 01 ..... .

```

4.4.3 Secured XML

The WBXML stream, as specified in [\[WBXML 1.2\]](#), comprising the Compressed Secured Payload is decoded into the following Secured XML:

```

<DelAck Gp="23" ContactURL="grooveIdentity://ke8xy5aqrzcf5kief35drj82e5xmvt80"
DeviceURL="dpp://w7xhjrrr4ts52aq398bxr7hzktpd5pmr4nbtaxai" DepSeq="6B16C44E97E7011B33C40001">
<urn:groove.net:SE Version="3,0,0,0">

```

```

<urn:groove.net:EC
EC="RiGfiLsdA/mi5sKnP3fwF7b+h4Y/uW058iRwAogfb1wgXCo7EBX4UMJt futAwnoTiBrS6ndcM/VCZtgIkWEQmLF
QxbYQ==" IV="TigIwDlx7W8OpsdTlyTFEw==" KV="1" KID="_TKID"/>
<urn:groove.net:Auth
PTSig="bMadIu57ywh6BefIwNx0hR1QnQAVDYHwvrJsPeg+OzGnrXD/X0aRCEwjeLwn/HRWICK2FQMHqHFzXIIAVQnWJ/
UPzNUDevLRkGjkwx81YsoffBZgld66vk6iogZQrkveZrYQRd9SGaZjJyImfPeBTgNiWpyNm2FnZuyUQ9xn2lh0+Oj+Lpl
8i18WrXaRDTqdvFyNOTFqn+84WyPKyPW9TudX0e0yeNzYEkqmQNUrmYqR7ohx4AWqSOzwYqBtzydm"/>
</urn:groove.net:SE>
</DelAck>

```

4.4.4 DelAck XML

The binary content of the Secured XML, embedded in the EC attribute of the element with the name urn:groove.net:EC, is Base64-decoded and decrypted, producing the following DelAck XML:

```

<DelAck Gp="23" ContactURL="grooveIdentity://ke8xy5aqrzcf5kief35drj82e5xmvt8@"
DeviceURL="dpp://w7xhjrr4ts52aq398bxr7hzktpd5pmr4nbtaxi" DepSeq="6B16C44E97E7011B33C40001">
<DelAckBody SenderRank="99" SenderMinDep="23" PurGrp="22"/>
</DelAck>

```

4.5 Simple Delta Ordering

The following describe the six deltas generated by the example from the delta graph in section [3.1.1](#). The endpoint UID for A is E9641419D18C, for B is 6401C37EFB36 and for C is E2D20DF7D85D. This results in a final ordering of A1, A2, B1, B2, C1, A3. All of these deltas contain one command from the engine with Engine URL of "Dynamics". This engine is responsible for the CMD and TestId attributes on the urn:groove.net:Cmd elements. The engine requires notification of purge for all of its commands.

Delta A1: This is not the first delta generated in the space, which is why it has an explicit DepSeq, a Gp of 3, a sequence number of 7, Rank of 11 and explicit SpStSet. The Seq attribute was constructed by concatenating A's endpoint UID ("E9641419D18C"), A's current creator identifier ("02B9495F") and the sequence number ("0007").

```

<urn:groove.net:Del DepSeq="E2D20DF7D85D3E419CCD0002" Gp="3" Seq="E9641419D18C02B9495F0007"
Version="1,0,0,0">
<urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="11" SenderMinDep="1"
SpStSet="8;2;0;E9641419D18C02B9495F0006;6401C37EFB360000;" TimeCreated="1201037037430">
<urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot=""
TestId="759EF7B5C21DCB62"/>
</urn:groove.net:Cmds>
</urn:groove.net:Del>

```

Delta A2: A has not received any deltas since creating delta A1, so A1 is the only immediate **dependency** of this delta. Because A1 is the previously generated delta from this **endpoint** and A1 and A2 have the same creator identifier, A1 is an implicit dependency and the DepSeq attribute is not set. A2 can have the same **group** as A1, so the Gp attribute is set to "3". The sequence number for A2 is "8", one more than the sequence number of A1. The rank is set to "12", one higher than the previous highest rank. A's space state information has not changed, so this delta doesn't have a SpStSet attribute. The new space state for A can be computed from other attributes on the delta. Even though the only immediate dependency of this delta has group 3, A chooses to only set the SenderMinDep to "1".

```
<urn:groove.net:Del Gp="3" Seq="E9641419D18C02B9495F0008" Version="1,0,0,0">
```

```

<urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="12" SenderMinDep="1"
TimeCreated="1201037037649">
  <urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot=""
TestId="182C6C2419CE089F"/>
</urn:groove.net:Cmds>
</urn:groove.net:Del>

```

Delta B1: This delta depends on A1. Because B's endpoint UID is less than A's, this delta couldn't go in the same group. As a result the Gp attribute is "4". This caused this delta to be ordered after A2. The SpStSet duplicates the information sent with A1. It specifies that endpoint A has sent a delta with rank 11, min dependency group of 1, purge group of 0, and that A's next dependency will be on A1. Because this information had already been sent on the delta, there is no value in having it sent again.

```

<urn:groove.net:Del DepSeq="E9641419D18C02B9495F0007" Gp="4" Seq="6401C37EFB366A87F4210003"
Version="1,0,0,0">
  <urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="12" SenderMinDep="2"
SpStSet="11;1;0;E9641419D18C02B9495F0007;E9641419D18C0000;" TimeCreated="1201037037992">
    <urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot=""
TestId="48369E7BE594B678"/>
  </urn:groove.net:Cmds>
</urn:groove.net:Del>

```

Delta B2: This delta has an implicit dependency on B1.

```

<urn:groove.net:Del Gp="4" Seq="6401C37EFB366A87F4210004" Version="1,0,0,0">
  <urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="13" SenderMinDep="2"
TimeCreated="1201037038242">
    <urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot=""
TestId="7FC378554217F394"/>
  </urn:groove.net:Cmds>
</urn:groove.net:Del>

```

Delta C1: This delta has explicit dependencies on both A2 and B1. At the time C generated this delta, B1 was the last delta in its delta log. Because the endpoint UID for C is greater than the endpoint UID of B, this delta could go in the same group, so Gp is set to "4". The space state set includes information for both A and B. This duplicates information that had already been set on the deltas that they created, so it is not necessary to set it on this delta.

```

<urn:groove.net:Del DepSeq="E9641419D18C02B9495F0008,6401C37EFB366A87F4210003" Gp="4"
Seq="E2D20DF7D85D3E419CCD0003" Version="1,0,0,0">
  <urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="13" SenderMinDep="3"
SpStSet="12;1;0;E9641419D18C02B9495F0008;E9641419D18C0000;12;2;0;6401C37EFB366A87F4210003;640
1C37EFB360000;" TimeCreated="1201037038117">
    <urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot=""
TestId="6BC67CB8D94B31CD"/>
  </urn:groove.net:Cmds>
</urn:groove.net:Del>

```

Delta A3: This delta has an explicit dependency on C1. Because A's endpoint UID is greater than C's this delta can go in the same group. The space state set includes information for both B and C. This duplicates information that had already been set on the deltas that they created, so it is not necessary to set it on this delta.

```

<urn:groove.net:Del DepSeq="E2D20DF7D85D3E419CCD0003" Gp="4" Seq="E9641419D18C02B9495F0009"
Version="1,0,0,0">
  <urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="14" SenderMinDep="1"
SpStSet="12;2;0;6401C37EFB366A87F4210003;6401C37EFB360000;13;3;0;E2D20DF7D85D3E419CCD0003;E2D
20DF7D85D0000;" TimeCreated="1201037038352">
    <urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot=""
TestId="AC571FA90B2ED5B8"/>
  </urn:groove.net:Cmds>
</urn:groove.net:Del>

```

4.6 Priority Delta Ordering

This example is the same as in section [4.1](#) except that deltas C1 and A3 have an explicit assimilation priority. The endpoint UIDs are the same, but there are new creator identifiers. There are no significant changes to deltas A1, A2, B1 or B2. Because of the priority on deltas C1 and A3 the order of assimilation is different. The ordering is A1, A2, B1, C1, B2, A3. The assimilation priorities cause two additional blocks to be created. The first contains A1, A2 and B1. The second contains C1. The final block contains B2 and A3. C1 and A3 are block deltas. B2 is ordered in the last block because A3 does not depend on it.

Delta A1:

```

<urn:groove.net:Del DepSeq="E2D20DF7D85D27460B3E0002" Gp="3" Seq="E9641419D18C367218970007"
Version="1,0,0,0">
  <urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="11" SenderMinDep="1"
SpStSet="8;2;0;E9641419D18C367218970006;6401C37EFB360000;" TimeCreated="1201119771044">
    <urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot="" TestId="07BABB29CA877BF0"/>
  </urn:groove.net:Cmds>
</urn:groove.net:Del>

```

Delta A2:

```

<urn:groove.net:Del Gp="3" Seq="E9641419D18C367218970008" Version="1,0,0,0">
  <urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="12" SenderMinDep="1"
TimeCreated="1201119771184">
    <urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot="" TestId="635E6781992C71B5"/>
  </urn:groove.net:Cmds>
</urn:groove.net:Del>

```

Delta B1:

```

<urn:groove.net:Del DepSeq="E9641419D18C367218970007" Gp="4" Seq="6401C37EFB36712340A30003"
Version="1,0,0,0">
  <urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="12" SenderMinDep="2"
SpStSet="11;1;0;E9641419D18C367218970007;E9641419D18C0000;" TimeCreated="1201119771294">
    <urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot="" TestId="D83DCCA04C620A1F"/>
  </urn:groove.net:Cmds>
</urn:groove.net:Del>

```

Delta C1: This is a priority delta. AssimilationPriority is set to "1". This delta goes in the fourth block (three other priority deltas were created before A1). DLS is the delta log state, which contains information about the last delta from each endpoint, in this case B1, C0, and A2. Each sequence in the delta log state is prefixed by the group number, in this case 4, 3, and 3.

```

<urn:groove.net:Del AssimilationPriority="1" BlkNum="4"
DLS="000000046401C37EFB36712340A30003,00000003E2D20DF7D85D27460B3E0002,00000003E9641419D18C36
7218970008" DepSeq="E9641419D18C367218970008,6401C37EFB36712340A30003" Gp="4"
Seq="E2D20DF7D85D27460B3E0003" Version="1,0,0,0">
    <urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="13" SenderMinDep="3"
SpStSet="12;1;0;E9641419D18C367218970008;E9641419D18C0000;12;2;0;6401C37EFB36712340A30003;640
1C37EFB360000;" TimeCreated="1201119771434">
        <urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot="" TestId="823BAA1446F63381"/>
    </urn:groove.net:Cmds>
</urn:groove.net:Del>

```

Delta B2: This is ordered after C1 despite being in the same group and having a lower sequence because it is in the next block.

```

<urn:groove.net:Del Gp="4" Seq="6401C37EFB36712340A30004" Version="1,0,0,0">
    <urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="13" SenderMinDep="2"
TimeCreated="1201119771559">
        <urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot="" TestId="4EFE4ED0DFE7D3D0"/>
    </urn:groove.net:Cmds>
</urn:groove.net:Del>

```

Delta A3: This is another priority delta. This delta goes in the fifth block. The delta log state is B1, C1, A2, with groups 4, 4, 3.

```

<urn:groove.net:Del AssimilationPriority="1" BlkNum="5"
DLS="000000046401C37EFB36712340A30003,00000004E2D20DF7D85D27460B3E0003,00000003E9641419D18C36
7218970008" DepSeq="E2D20DF7D85D27460B3E0003" Gp="4" Seq="E9641419D18C367218970009"
Version="1,0,0,0">
    <urn:groove.net:Cmds PurGrp="0" PurNot="" Rank="14" SenderMinDep="1"
SpStSet="12;2;0;6401C37EFB36712340A30003;6401C37EFB360000;13;3;0;E2D20DF7D85D27460B3E0003;E2D
20DF7D85D0000;" TimeCreated="1201119771638">
        <urn:groove.net:Cmd CMD="7" EngineURL="Dynamics" PurNot="" TestId="1859740D3380D0E9"/>
    </urn:groove.net:Cmds>
</urn:groove.net:Del>

```

5 Security

5.1 Security Considerations for Implementers

5.1.1 Use of Semi-weak Algorithms

The current protocol uses SHA-1, as described in [\[RFC3174\]](#), when computing the message digest. While there are no known practical attacks against SHA-1 at this point, it is showing signs of weakness.

5.1.2 Use of Non-standard/Suspect Algorithms

The current protocol uses ESIGN, as described in [\[IEEE1363a\]](#), for public key signature. ESIGN is not standard and has not been scrutinized as much as some other public key signature algorithms.

5.1.3 Insufficient Encryption of Delta Messages

The current protocol does not encrypt attributes on the delta element itself. This allows a passive attacker to read all the attributes on the delta element.

5.2 Index of Security Parameters

Security Parameter	Section
Per-space master key	1.5
Per-space encryption key	1.5, 3.1.3
Per-space per-member signature private key	1.5, 3.1.4.3.3
Per-space per-member signature public key	1.5, 3.1.5.1.2
Encryption algorithm	1.3.2, 3.1.4.3.2, 3.1.5.1.3
Signature algorithm	1.3.2, 3.1.4.3.3, 3.1.5.1.2
Hash algorithm	3.1.4.3.3, 3.1.5.1.2
Initialization vector	3.1.4.3.2, 3.1.5.1.3
Message signature	3.1.4.3.3, 3.1.5.1.2

6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft® Office 2010 suites
- Microsoft® Office Groove® 2007
- Microsoft® Office Groove® Server 2007
- Microsoft® Groove® Server 2010
- Microsoft® SharePoint® Workspace 2010

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

[<1> Section 2.2.1.4.2:](#) Office Groove 2007 and SharePoint Workspace 2010 sometimes set the group number to one higher than the highest group number when not required to limit the number of deltas within a group.

[<2> Section 2.2.1.4.3:](#) Office Groove 2007 and SharePoint Workspace 2010 sometimes set a number smaller than the smallest group number of all of the dependencies to prevent the purging of deltas which are required to enable the user to undo updates.

[<3> Section 2.2.1.4.3:](#) Office Groove 2007 and SharePoint Workspace 2010 sometimes set this when there is no new information.

[<4> Section 2.2.1.4.3:](#) Office Groove 2007 and SharePoint Workspace 2010 sometimes set this when there is no new information.

[<5> Section 2.2.1.4.3:](#) Office Groove 2007 and SharePoint Workspace 2010 sometimes set this to zero if the purge group has already been purged.

[<6> Section 2.2.1.4.3:](#) Office Groove 2007 and SharePoint Workspace 2010 set TimeCreated to a representation of the time the delta was created. This is not required by the protocol, and is used to simplify debugging.

7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

8 Index

A

Abstract data model

[client](#) 19

[server](#) 19

[Applicability](#) 9

C

[Capability negotiation](#) 10

[Change tracking](#) 48

Client

[abstract data model](#) 19

[local events](#) 27

[message processing](#) 23

[message processing - async or identity-disseminated delta received](#) 26

[message processing - common](#) 23

[message processing - delta ack received](#) 26

[message processing - normal delta received](#) 24

[overview](#) 19

[sequencing rules](#) 23

[timer events](#) 27

[timers](#) 20

Compressed secured payload

[Delta Ack Message](#) 17

[Delta message](#) 13

D

Data model - abstract

[client](#) 19

[server](#) 19

[DelAck XML](#) 17

Delta Ack Message message

[compressed secured payload](#) 17

[DelAck XML](#) 17

[MIME-like wrapper](#) 17

[secured XML](#) 17

Delta Message message

[compressed secured payload](#) 13

[delta XML](#) 14

[MIME-like wrapper](#) 12

[secured XML](#) 13

[Delta XML](#) 14

E

Events

[local - client](#) 27

[local - server](#) 27

[timer - client](#) 27

[timer - server](#) 27

Events - higher-layer

[async or identity-disseminated delta created](#) 22

[normal delta created](#) 22

[securing and serialization a message](#) 22

Examples

[Priority Delta Ordering](#) 44

[Processing an Incoming Delta Ack Message](#) 39

[Processing an Incoming Delta Message](#) 28

[Producing an Outgoing Delta Ack Message](#) 32

[Producing an Outgoing Delta Message](#) 35

[Simple Delta Ordering](#) 42

F

[Fields - vendor-extensible](#) 10

G

[Glossary](#) 6

H

Higher-layer events

[async or identity-disseminated delta created](#) 22

[normal delta created](#) 22

[securing and serialization a message](#) 22

I

[Index of security parameters](#) 46

[Informative references](#) 7

Initialization

[account login](#) 22

[per-space encryption key](#) 20

[Introduction](#) 6

L

Local events

[client](#) 27

[server](#) 27

M

Message processing

[async or identity-disseminated delta received](#) 26

[client](#) 23

[common](#) 23

[delta ack received](#) 26

[normal delta received](#) 24

[server](#) 23

Messages

[overview](#) 9

[syntax](#) 11

[transport](#) 11

N

[Normative references](#) 6

O

Overview (synopsis)

[messages](#) 9

[synchronization](#) 8

P

[Parameters - security index](#) 46
[Preconditions](#) 9
[Prerequisites](#) 9
[Priority Delta Ordering example](#) 44
[Processing an Incoming Delta Ack Message example](#)
39
[Processing an Incoming Delta Message example](#) 28
[Producing an Outgoing Delta Ack Message example](#)
32
[Producing an Outgoing Delta Message example](#) 35
[Product behavior](#) 47
Proxy
 [overview](#) 19

R

References
 [informative](#) 7
 [normative](#) 6
[Relationship to other protocols](#) 9

S

Secured XML
 [Delta Ack message](#) 17
 [Delta message](#) 13
Security
 [insufficient encryption of delta messages](#) 46
 [non-standard algorithms](#) 46
 [parameter index](#) 46
 [semi-weak algorithms](#) 46
 [suspect algorithms](#) 46
Sequencing rules
 [client](#) 23
 [server](#) 23
Server
 [abstract data model](#) 19
 [local events](#) 27
 [message processing](#) 23
 [message processing - async or identity-disseminated delta received](#) 26
 [message processing - common](#) 23
 [message processing - delta ack received](#) 26
 [message processing - normal delta received](#) 24
 [overview](#) 19
 [sequencing rules](#) 23
 [timer events](#) 27
 [timers](#) 20
[Simple Delta Ordering example](#) 42
[Standards assignments](#) 10
[Syntax](#) 11

T

Timer events
 [client](#) 27
 [server](#) 27
Timers
 [client](#) 20
 [server](#) 20

[Tracking changes](#) 48
[Transport](#) 11

V

[Vendor-extensible fields](#) 10
[Versioning](#) 10