

[MS-NOTESWS]: MS Search Lotus Notes Web Service Protocol Specification

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.msp>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
07/13/2009	0.1	Major	Initial Availability
08/28/2009	0.2	Editorial	Revised and edited the technical content
11/06/2009	0.3	Editorial	Revised and edited the technical content
02/19/2010	1.0	Editorial	Revised and edited the technical content
03/31/2010	1.01	Editorial	Revised and edited the technical content
04/30/2010	1.02	Editorial	Revised and edited the technical content
06/07/2010	1.03	Editorial	Revised and edited the technical content
06/29/2010	1.04	Editorial	Changed language and formatting in the technical content.
07/23/2010	1.05	Minor	Clarified the meaning of the technical content.
09/27/2010	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
11/15/2010	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
12/17/2010	1.06	Editorial	Changed language and formatting in the technical content.

Table of Contents

1 Introduction	6
1.1 Glossary	6
1.2 References	6
1.2.1 Normative References	6
1.2.2 Informative References	7
1.3 Protocol Overview (Synopsis)	7
1.4 Relationship to Other Protocols	8
1.5 Prerequisites/Preconditions	8
1.6 Applicability Statement	8
1.7 Versioning and Capability Negotiation	9
1.8 Vendor-Extensible Fields	9
1.9 Standards Assignments	9
2 Messages	10
2.1 Transport	10
2.2 Common Message Syntax	10
2.2.1 Namespaces	10
2.2.2 Messages	11
2.2.3 Elements	11
2.2.4 Complex Types	11
2.2.4.1 ArrayOfNOTESATTACHMENTID	11
2.2.4.2 ArrayOfPROPERTY	12
2.2.4.3 INDEXABLECONTENT	12
2.2.4.4 NOTESATTACHMENTID	12
2.2.4.5 NOTESITEM	13
2.2.4.6 PROPERTY	13
2.2.4.7 SecurityDescriptor	14
2.2.4.8 SERVERITEM	14
2.2.5 Simple Types	14
2.2.6 Attributes	15
2.2.7 Groups	15
2.2.8 Attribute Groups	15
3 Protocol Details	16
3.1 Server Details	16
3.1.1 Abstract Data Model	16
3.1.1.1 Object Hierarchy	17
3.1.1.2 Server	17
3.1.1.3 Database	17
3.1.1.4 Item	18
3.1.1.5 Attachment	18
3.1.2 Timers	18
3.1.3 Initialization	18
3.1.4 Message Processing Events and Sequencing Rules	18
3.1.4.1 EnumerateDatabases	19
3.1.4.1.1 Messages	19
3.1.4.1.1.1 INotesWebServiceApplication_EnumerateDatabases_InputMessage	19
3.1.4.1.1.2 INotesWebServiceApplication_EnumerateDatabases_OutputMessage	20
3.1.4.1.2 Elements	20
3.1.4.1.2.1 EnumerateDatabases	20

3.1.4.1.2.2 EnumerateDatabasesResponse.....	20
3.1.4.1.3 Complex Types	21
3.1.4.1.3.1 ArrayOfDATABASEITEMID	21
3.1.4.1.3.2 DATABASEITEMID	21
3.1.4.1.4 Simple Types.....	21
3.1.4.1.5 Attributes.....	21
3.1.4.1.6 Groups.....	21
3.1.4.1.7 Attribute Groups	22
3.1.4.2 EnumerateItems.....	22
3.1.4.2.1 Messages	22
3.1.4.2.1.1 INotesWebServiceApplication_EnumerateItems_InputMessage	22
3.1.4.2.1.2 INotesWebServiceApplication_EnumerateItems_OutputMessage.....	22
3.1.4.2.2 Elements.....	22
3.1.4.2.2.1 EnumerateItems.....	23
3.1.4.2.2.2 EnumerateItemsResponse	23
3.1.4.2.3 Complex Types	23
3.1.4.2.3.1 ArrayOfNOTESITEM	23
3.1.4.2.4 Simple Types.....	24
3.1.4.2.5 Attributes.....	24
3.1.4.2.6 Groups.....	24
3.1.4.2.7 Attribute Groups	24
3.1.4.3 EnumerateServers	24
3.1.4.3.1 Messages	24
3.1.4.3.1.1 INotesWebServiceApplication_EnumerateServers_InputMessage	24
3.1.4.3.1.2 INotesWebServiceApplication_EnumerateServers_OutputMessage	25
3.1.4.3.2 Elements.....	25
3.1.4.3.2.1 EnumerateServers	25
3.1.4.3.2.2 EnumerateServersResponse.....	25
3.1.4.3.3 Complex Types	25
3.1.4.3.3.1 ArrayOfSERVERITEM	25
3.1.4.3.4 Simple Types.....	26
3.1.4.3.5 Attributes.....	26
3.1.4.3.6 Groups.....	26
3.1.4.3.7 Attribute Groups	26
3.1.4.4 FetchAttachment	26
3.1.4.4.1 Messages	26
3.1.4.4.1.1 INotesWebServiceApplication_FetchAttachment_InputMessage	27
3.1.4.4.1.2 INotesWebServiceApplication_FetchAttachment_OutputMessage	27
3.1.4.4.2 Elements.....	27
3.1.4.4.2.1 FetchAttachment	27
3.1.4.4.2.2 FetchAttachmentResponse.....	27
3.1.4.4.3 Complex Types	28
3.1.4.4.3.1 NOTESATTACHMENT	28
3.1.4.4.4 Simple Types.....	28
3.1.4.4.5 Attributes.....	28
3.1.4.4.6 Groups.....	28
3.1.4.4.7 Attribute Groups	28
3.1.4.5 FetchItem.....	28
3.1.4.5.1 Messages	29
3.1.4.5.1.1 INotesWebServiceApplication_FetchItem_InputMessage	29
3.1.4.5.1.2 INotesWebServiceApplication_FetchItem_OutputMessage.....	29
3.1.4.5.2 Elements.....	29
3.1.4.5.2.1 FetchItem.....	29

3.1.4.5.2.2	FetchItemResponse	29
3.1.4.5.3	Complex Types	30
3.1.4.5.4	Simple Types	30
3.1.4.5.5	Attributes	30
3.1.4.5.6	Groups	30
3.1.4.5.7	Attribute Groups	30
3.1.4.6	GetDatabase	30
3.1.4.6.1	Messages	31
3.1.4.6.1.1	INotesWebServiceApplication_GetDatabase_InputMessage	31
3.1.4.6.1.2	INotesWebServiceApplication_GetDatabase_OutputMessage	31
3.1.4.6.2	Elements	31
3.1.4.6.2.1	GetDatabase	31
3.1.4.6.2.2	GetDatabaseResponse	31
3.1.4.6.3	Complex Types	32
3.1.4.6.3.1	DATABASEITEM	32
3.1.4.6.4	Simple Types	32
3.1.4.6.5	Attributes	32
3.1.4.6.6	Groups	32
3.1.4.6.7	Attribute Groups	32
3.1.4.7	GetServer	32
3.1.5	Timer Events	33
3.1.6	Other Local Events	33
4	Protocol Examples	34
4.1	Identifying Servers and Databases	34
4.1.1	EnumerateServers	34
4.1.2	GetDatabase	35
4.2	Retrieving Items from the Database	36
4.2.1	EnumerateItems	37
4.2.2	FetchItem	39
4.2.3	FetchAttachment	43
5	Security	45
5.1	Security Considerations for Implementers	45
5.2	Index of Security Parameters	45
6	Appendix A: Full WSDL	46
7	Appendix B: Product Behavior	61
8	Change Tracking	62
9	Index	63

1 Introduction

This document specifies the MS Search Lotus Notes Web Service Protocol. This protocol enables a client to query a Lotus Notes application to discover Domino servers available, discover databases available on those Domino servers, and pull content and properties from those databases.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

Hypertext Transfer Protocol (HTTP)
Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS) server

The following terms are defined in [\[MS-OFCGLOS\]](#):

crawled property
display URL
endpoint
file extension
item
security descriptor
SOAP (Simple Object Access Protocol)
SOAP action
SOAP body
SOAP fault
URI (Uniform Resource Identifier)
WSDL (Web Services Description Language)
WSDL message
WSDL operation
XML Schema

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-DOC] Microsoft Corporation, "[Word Binary File Format \(.doc\) Structure Specification](#)", June 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

[SOAP1.1] Box, D., Ehnebuske, D., Kakivaya, G., et al., "Simple Object Access Protocol (SOAP) 1.1", May 2000, <http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>

[SOAP1.2/1] Gudgin, M., Hadley, M., Mendelsohn, N., Moreau, J., and Nielsen, H.F., "SOAP Version 1.2 Part 1: Messaging Framework", W3C Recommendation, June 2003, <http://www.w3.org/TR/2003/REC-soap12-part1-20030624>

[SOAP1.2/2] Gudgin, M., Hadley, M., Mendelsohn, N., Moreau, J., and Nielsen, H.F., "SOAP Version 1.2 Part 2: Adjuncts", W3C Recommendation, June 2003, <http://www.w3.org/TR/2003/REC-soap12-part2-20030624>

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>

[XMLNS] World Wide Web Consortium, "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation 8 December 2009, <http://www.w3.org/TR/REC-xml-names/>

[XMLSCHEMA1] Thompson, H.S., Ed., Beech, D., Ed., Maloney, M., Ed., and Mendelsohn, N., Ed., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P.V., Ed. and Malhotra, A., Ed., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)", March 2007.

[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)", June 2008.

[MS-SPSTWS] Microsoft Corporation, "[SharePoint Security Token Service Web Service Protocol Specification](#)", July 2009.

[MS-SPTWS] Microsoft Corporation, "[Service Platform Topology Web Service Protocol Specification](#)", July 2009.

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

1.3 Protocol Overview (Synopsis)

The Lotus Notes Web Service enables a protocol client to query a Lotus Notes Client application to discover Domino servers available, discover databases available on those Domino servers, and pull content and properties from those databases.

A typical scenario for using this protocol involves two stages. First, a Domino server and database are identified. This step typically involves the following sequence:

- The protocol client gets the list of servers.
- Choose a server.
- For that specific Domino server, the protocol client gets the list of databases.
- For each database, the protocol client gets the properties of that database.

- Choose a database.

The second step, after a specific database is chosen, is to retrieve items from that database. This step typically involves the following sequence:

- For that specific database, the protocol client gets the list of **items**.
- For each item, the protocol client gets the content and properties of that item.
- If an item has attachments, for each attachment, the protocol client gets the contents and properties of that attachment.

1.4 Relationship to Other Protocols

This protocol uses the **SOAP** message protocol for formatting request and response messages, as described in [\[SOAP1.1\]](#), [\[SOAP1.2/1\]](#) and [\[SOAP1.2/2\]](#). It transmits those messages by using **HTTP**, as described in [\[RFC2616\]](#), or **Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS)**, as described in [\[RFC2818\]](#).

The following diagram shows the underlying messaging and transport stack that is used by the protocol:




Figure 1: This protocol in relation to other protocols

1.5 Prerequisites/Preconditions

This protocol operates against a protocol server that exposes one or more **endpoint (4) URIs** that are known by protocol clients. The endpoint (4) URI of the protocol server and the transport that is used by the protocol server are either known by the protocol client or obtained by using the discovery mechanism that is described in [\[MS-SPTWS\]](#).

The protocol client obtains the requisite ApplicationClassId and ApplicationVersion values and the endpoint (4) URI of the protocol server that provides the discovery mechanism, as described in [\[MS-SPTWS\]](#), by means that are independent of either protocol.

This protocol requires the protocol client to have appropriate permission to call the methods on the protocol server.

The protocol client implements the token-based security mechanisms that are required by the protocol server and related security protocols, as described in [\[MS-SPSTWS\]](#).

1.6 Applicability Statement

This protocol was designed to allow a client to discover **Domino Servers**, discover databases on those **servers**, and retrieve indexable content, **crawled properties**, and attachments from **Lotus**

Notes items on those databases. It is intended to be used as a means to crawl content on **Domino Servers**. This protocol was designed to return 10,000 or less items per call and support a minimum crawl speed of 10 items per second.

1.7 Versioning and Capability Negotiation

This document covers versioning issues in the following areas:

- **Supported Transports:** This protocol can be implemented by using transports that support sending SOAP (Simple Object Access Protocol) messages, as specified in section [2.1](#).
- **Protocol Versions:** This protocol is not versioned.

Capability Negotiation: This protocol does not support version negotiation.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

None.

2 Messages

In the following sections, the schema definition might differ from the processing rules imposed by the protocol. The **WSDL** in this specification matches the WSDL that shipped with the product and provides a base description of the schema. The text that introduces the WSDL might specify differences that reflect actual Microsoft product behavior. For example, the schema definition might allow for an element to be **empty**, **null**, or **not present** but the behavior of the protocol as specified restricts the same elements to being **non-empty**, **present**, and **not null**.

2.1 Transport

Protocol servers MUST support SOAP over HTTP. Protocol servers SHOULD additionally support SOAP over HTTPS for securing communication with protocol clients.

Protocol messages MUST be formatted as specified either in [\[SOAP1.1\]](#), Section 4 or in [\[SOAP1.2/1\]](#), Section 5. Protocol server faults MUST be returned either using HTTP Status Codes as specified in [\[RFC2616\]](#), Section 10 or using **SOAP faults** as specified either in [\[SOAP1.1\]](#), (Section 4.4) or in [\[SOAP1.2/1\]](#), (Section 5.4, SOAP Fault).

2.2 Common Message Syntax

This section contains common structures used by this protocol. The syntax of the structures uses **XML Schema**, as specified in [\[XMLSCHEMA1\]](#) and [\[XMLSCHEMA2\]](#), and Web Services Description Language (WSDL), as specified in [\[WSDL\]](#).

2.2.1 Namespaces

Prefix	Namespace URI	Reference
wsdl	http://schemas.xmlsoap.org/wsdl/	[WSDL]
wsaw	http://www.w3.org/2006/05/addressing/wsdl	
tns	http://tempuri.org/	
wsu	http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd	
wsp	http://schemas.xmlsoap.org/ws/2004/09/policy	
xsd	http://www.w3.org/2001/XMLSchema	[XMLSCHEMA1] [XMLSCHEMA2]
soap12	http://schemas.xmlsoap.org/wsdl/soap12/	[SOAP1.2/1] [SOAP1.2/2]
msb	http://schemas.microsoft.com/ws/06/2004/mspolicy/netbinary1	
sp	http://schemas.xmlsoap.org/ws/2005/07/securitypolicy	
t	http://schemas.xmlsoap.org/ws/2005/02/trust	
tns	http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration	

Prefix	Namespace URI	Reference
tns	http://schemas.microsoft.com/2003/10/Serialization/	
tns	http://tempuri.org/Imports	

2.2.2 Messages

None.

2.2.3 Elements

This specification does not define any common XML Schema element definitions.

2.2.4 Complex Types

The following table summarizes the set of common XML Schema complex type definitions defined by this specification. XML Schema complex type definitions that are specific to a particular operation are described with the operation.

Complex Type	Description
ArrayOfNOTESATTACHMENTID	This type represents an array of NOTESATTACHMENTID values. Every NOTESATTACHMENTID.attachmentName MUST be a unique value within this array.
ArrayOfPROPERTY	This type represents an array of arbitrary PROPERTY values.
INDEXABLECONTENT	This type contains the content of the Lotus Notes item or the content of an attachment of a Lotus Notes Item .
NOTESATTACHMENTID	This type contains the unique identifier of an attachment in a Lotus Notes document.
NOTESITEM	This type contains the crawled properties, indexable content, security descriptor , display URL and attachment ids of a Lotus Notes item .
PROPERTY	This type contains the crawled property of a Lotus Notes Item .
SecurityDescriptor	This type contains the security descriptor of a Lotus Notes item .
SERVERITEM	This type contains the unique identifier and display URL of the Domino server .

2.2.4.1 ArrayOfNOTESATTACHMENTID

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type represents an array of NOTESATTACHMENTID values. Every **NOTESATTACHMENTID.attachmentName** MUST be a unique value within this array.

```
<xs:complexType name="ArrayOfNOTESATTACHMENTID">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="NOTESATTACHMENTID"
      type="tns:NOTESATTACHMENTID"/>
  </xs:sequence>
</xs:complexType>
```

```
</xs:sequence>
</xs:complexType>
```

NOTESATTACHMENTID: The **NOTESATTACHMENTID** element contains the unique identifier of an attachment in a Lotus Notes document.

2.2.4.2 ArrayOfPROPERTY

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type represents an array of arbitrary **PROPERTY** values.

```
<xs:complexType name="ArrayOfPROPERTY">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="PROPERTY" type="tns:PROPERTY"/>
  </xs:sequence>
</xs:complexType>
```

PROPERTY: The **PROPERTY** element contains a name/value pair.

2.2.4.3 INDEXABLECONTENT

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type contains the content of the **Lotus Notes item** or the content of an attachment of a **Lotus Notes Item**.

```
<xs:complexType name="INDEXABLECONTENT">
  <xs:sequence>
    <xs:element minOccurs="0" name="content" nillable="true" type="xs:base64Binary"/>
    <xs:element minOccurs="0" name="contentType" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="extension" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
```

content: Specifies the content of a **Lotus Notes Item** or the content of an attachment of a **Lotus Notes Item**.

contentType: It is currently unused and its contents MUST be ignored by the protocol client.

extension: Specifies the **file extension** of the data specified in the **content** element. If the content is of a specific file format such as Word (specified in [\[MS-DOC\]](#)) document then the extension of that specific format MUST be specified. If the data is a string then the extension 'txt' MUST be specified. The extension MUST be specified without a leading period.

2.2.4.4 NOTESATTACHMENTID

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type contains the unique identifier of an attachment in a Lotus Notes document.

```

<xs:complexType name="NOTESATTACHMENTID">
  <xs:sequence>
    <xs:element minOccurs="0" name="attachmentName" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>

```

attachmentName: Specifies the unique identifier of the attachment in a **Lotus Notes item**.

itemId: A string value that uniquely identifies the **Lotus Notes item** that contains the attachment.

2.2.4.5 NOTESITEM

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type contains the crawled properties, indexable content, security descriptor, display URL and attachment ids of a **Lotus Notes item**.

```

<xs:complexType name="NOTESITEM">
  <xs:sequence>
    <xs:element minOccurs="0" name="attachmentId" nillable="true"
type="tns:ArrayOfNOTESATTACHMENTID"/>
    <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="itemContent" type="tns:INDEXABLECONTENT"/>
    <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="itemProps" nillable="true" type="tns:ArrayOfPROPERTY"/>
    <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime"/>
    <xs:element minOccurs="0" name="securityDesc" type="tns:SecurityDescriptor"/>
  </xs:sequence>
</xs:complexType>

```

attachmentId: Specifies the list of unique identifiers of the attachments.

displayUrl: Specifies the display URL of the **Lotus Notes item**.

itemContent: Specifies the content of the **Lotus Notes Item**.

itemId: Specifies the unique identifier of the **Lotus Notes item**. MUST be unique across **Domino Servers**.

itemProps: Specifies the list of crawled properties for the **Lotus Notes item**.

lastModifiedTime: Specifies the time at which the **Lotus Notes item** was last modified.

securityDesc: Specifies the security descriptor of the **Lotus Notes item**.

2.2.4.6 PROPERTY

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type contains the crawled property of a **Lotus Notes Item**.

```

<xs:complexType name="PROPERTY">

```

```

<xs:sequence>
  <xs:element minOccurs="0" name="Name" nillable="true" type="xs:string"/>
  <xs:element minOccurs="0" name="Value" nillable="true" type="xs:anyType"/>
</xs:sequence>
</xs:complexType>

```

Name: Specifies the name of the crawled property.

Value: Specifies the value of the crawled property. This MUST be of type xs:string, xs:integer or xs:dateTime.

2.2.4.7 SecurityDescriptor

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type contains the security descriptor of a **Lotus Notes item**.

```

<xs:complexType name="SecurityDescriptor">
  <xs:sequence>
    <xs:element minOccurs="0" name="SD" nillable="true" type="xs:base64Binary"/>
    <xs:element minOccurs="0" name="isNTSD" type="xs:boolean"/>
  </xs:sequence>
</xs:complexType>

```

SD: Specifies the security descriptor of the **Lotus Notes item**.

isNTSD: MUST always be set to true if the value of **SecurityDescriptor.SD** is not NULL. If the value of **SecurityDescriptor.SD** is NULL then **isNTSD** MUST be set to false.

2.2.4.8 SERVERITEM

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type contains the unique identifier and display URL of the **Domino server**.

```

<xs:complexType name="SERVERITEM">
  <xs:sequence>
    <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="serverId" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>

```

displayUrl: Specifies the display URL of the **Domino server**.

serverId: Specifies the unique identifier of the **Domino server**.

2.2.5 Simple Types

This specification does not define any common XML Schema simple type definitions.

2.2.6 Attributes

This specification does not define any common XML Schema attribute definitions.

2.2.7 Groups

This specification does not define any common XML Schema group definitions.

2.2.8 Attribute Groups

This specification does not define any common XML Schema attribute group definitions.

3 Protocol Details

In the following sections, the schema definition might differ from the processing rules imposed by the protocol. The WSDL in this specification matches the WSDL that shipped with the product and provides a base description of the schema. The text that introduces the WSDL might specify differences that reflect actual Microsoft product behavior. For example, the schema definition might allow for an element to be **empty**, **null**, or **not present** but the behavior of the protocol as specified restricts the same elements to being **non-empty**, **present**, and **not null**.

The client side of this protocol is simply a pass-through. That is, no additional timers or other state is required on the client side of this protocol. Calls made by the higher-layer protocol or application are passed directly to the transport, and the results returned by the transport are passed directly back to the higher-layer protocol or application.

Except where specified, protocol clients SHOULD interpret HTTP Status Codes returned by the protocol server as specified in [RFC2616](#), Section 10.

This protocol allows protocol servers to notify protocol clients of application-level faults using SOAP faults. Except where specified, these SOAP faults are not significant for interoperability, and protocol clients can interpret them in an implementation-specific manner.

3.1 Server Details

The Server role is described in this section.

3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.




Figure 2: Object Hierarchy

3.1.1.1 Object Hierarchy

The protocol server maintains a hierarchy of objects representing state of the Lotus Notes Web Service protocol. The properties of these objects affect the information returned from queries to the server.

3.1.1.2 Server

There MAY be zero or more server objects.

displayURL: The display URL associated with the Domino server this object represents

serverId: The unique identifier for this server.

3.1.1.3 Database

Each server has zero or more databases associated with it. This object represents a database that can be queried for items.

databaseId: Unique identifier for this database in the server.

displayURL: The display URL associated with the database this object represents.

lastModifiedTime: Timestamp indicating the last time this database was changed.

securityDesc: The security descriptor for the database.

3.1.1.4 Item

Each database has zero or more items associated with it.

displayURL: The display URL for the item this object represents.

itemContent: The indexable content of this item.

itemId: Unique identifier for this item in the database.

itemProps: An array consisting of zero or more name/value pairs. These pairs make up the crawled properties for this item.

lastModifiedTime: The timestamp representing the last time this item changed.

securityDesc: The security descriptor for this item.

3.1.1.5 Attachment

Each item has zero or more attachments associated with it.

attachmentID: The unique identifier for the attachment.

attachmentContent: The indexable content of the attachment.

3.1.2 Timers

None.

3.1.3 Initialization

None.

3.1.4 Message Processing Events and Sequencing Rules

This specification includes the following **WSDL operations**:

WSDL Operation	Description
EnumerateDatabases	This operation is used by the protocol client to retrieve the list of all the Lotus Notes databases in a Domino server. If the value of lastSeenDatabase element is an empty string, this operation MUST return all the Lotus Notes databases in the Domino server . If the value of lastSeenDatabase element is the value of the DATABASEITEMID.databaseId element, this operation MUST return all the Lotus Notes databases in the Domino server whose databaseId is greater than DATABASEITEMID.databaseId .
EnumerateItems	This operation is used by the protocol client to retrieve the list of all the Lotus Notes items in a Lotus Notes database.
EnumerateServers	This operation is used by the protocol client to retrieve all the available Domino servers .
FetchAttachment	This operation is used by the protocol client to retrieve an attachment of a Lotus Notes item .

WSDL Operation	Description
FetchItem	This operation is used by the protocol client to retrieve the crawled properties, indexable content, security descriptor, display URL and attachment ids of the Lotus Notes item .
GetDatabase	This operation is used by the protocol client to retrieve the unique identifier, display URL, last modified time and security descriptor of a Lotus Notes database.
GetServer	This operation is not used and MUST NOT be invoked.

3.1.4.1 EnumerateDatabases

This operation is used by the protocol client to retrieve the list of all the Lotus Notes databases in a Domino server.

If the value of **lastSeenDatabase** element is an empty string, this operation MUST return all the **Lotus Notes databases** in the **Domino server**.

If the value of **lastSeenDatabase** element is the value of the **DATABASEITEMID.databaseId** element, this operation MUST return all the **Lotus Notes databases** in the **Domino server** whose **databaseId** is greater than **DATABASEITEMID.databaseId**.

```
<wsdl:operation name="EnumerateDatabases">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateDatabases"
    message="tns:INotesWebServiceApplication_EnumerateDatabases_InputMessage"
    xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output
    wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateDatabasesResponse"
    message="tns:INotesWebServiceApplication_EnumerateDatabases_OutputMessage"
    xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>
```

The protocol client sends an [INotesWebServiceApplication_EnumerateDatabases_InputMessage](#) request message, and the protocol server responds with an [INotesWebServiceApplication_EnumerateDatabases_OutputMessage](#) response message, as follows.

- On success, the protocol server MUST return the list of Lotus Notes databases in the Domino server.
- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.1.1 Messages

The following **WSDL message** definitions are specific to this operation.

3.1.4.1.1.1 INotesWebServiceApplication_EnumerateDatabases_InputMessage

The request WSDL message for the **EnumerateDatabases** WSDL operation.

The **SOAP action** value is:

```
http://tempuri.org/INotesWebServiceApplication/EnumerateDatabases
```

The **SOAP body** contains the **EnumerateDatabases** element.

3.1.4.1.1.2 INotesWebServiceApplication_EnumerateDatabases_OutputMessage

The response WSDL message for the **EnumerateDatabases** WSDL operation.

The SOAP body contains the **EnumerateDatabasesResponse** element.

3.1.4.1.2 Elements

The following XML Schema element definitions are specific to this operation.

3.1.4.1.2.1 EnumerateDatabases

The input data for the **EnumerateDatabases** WSDL operation.

```
<xs:element name="EnumerateDatabases">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="serverName" nillable="true" type="xs:string"/>
      <xs:element minOccurs="0" name="lastSeenDatabase" nillable="true" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

serverName: Specifies the unique identifier of the **Domino server**. This MUST be the value of the **SERVERITEM.serverId** element returned by the [GetServer](#) operation.

lastSeenDatabase: Specifies the unique identifier of the **Lotus Notes database**. This MUST be an empty string or the value of the **DATABASEITEMID.databaseId** element returned by a previous call to **EnumerateDatabases** operation.

- If this is an empty string, the **EnumerateDatabases** operation MUST return all the **Lotus Notes databases** in the **Domino Server**.
- If this is the value of a **DATABASEITEMID.databaseId** element, the **EnumerateDatabases** operation MUST return all the **Lotus Notes databases** in the **Domino Server** whose **databaseId** is greater than **DATABASEITEMID.databaseId**.

3.1.4.1.2.2 EnumerateDatabasesResponse

The result data for the **EnumerateDatabases** WSDL operation.

```
<xs:element name="EnumerateDatabasesResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element
        xmlns:q3="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
        on" minOccurs="0" name="EnumerateDatabasesResult" nillable="true"
        type="q3:ArrayOfDATABASEITEMID"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

EnumerateDatabasesResult: This contains the list of **Lotus Notes databases** in the Domino server.

3.1.4.1.3 Complex Types

The following XML Schema complex type definitions are specific to this operation.

3.1.4.1.3.1 ArrayOfDATABASEITEMID

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type represents an array of arbitrary DATABASEITEMID values

```
<xs:complexType name="ArrayOfDATABASEITEMID">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="DATABASEITEMID"
type="tns:DATABASEITEMID"/>
  </xs:sequence>
</xs:complexType>
```

DATABASEITEMID: The **DATABASEITEMID** contains the unique identifier of a **Lotus Notes database**.

3.1.4.1.3.2 DATABASEITEMID

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type contains the unique identifier of a **Lotus Notes database**.

```
<xs:complexType name="DATABASEITEMID">
  <xs:sequence>
    <xs:element minOccurs="0" name="databaseId" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime"/>
  </xs:sequence>
</xs:complexType>
```

databaseId: Specifies the unique identifier of the **Lotus Notes database**.

lastModifiedTime: Specifies the time at which the **Lotus Notes database** was last modified.

3.1.4.1.4 Simple Types

None.

3.1.4.1.5 Attributes

None.

3.1.4.1.6 Groups

None.

3.1.4.1.7 Attribute Groups

None.

3.1.4.2 EnumerateItems

This operation is used by the protocol client to retrieve the list of all the Lotus Notes items in a Lotus Notes database.

```
<wsdl:operation name="EnumerateItems">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateItems"
message="tns:INotesWebServiceApplication_EnumerateItems_InputMessage"
xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateItemsResponse"
message="tns:INotesWebServiceApplication_EnumerateItems_OutputMessage"
xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>
```

The protocol client sends an [INotesWebServiceApplication_EnumerateItems_InputMessage](#) request message, and the protocol server responds with an [INotesWebServiceApplication_EnumerateItems_OutputMessage](#) response message, as follows.

- On success, the protocol server MUST return the list of Lotus Notes items in the Lotus Notes database.
- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.2.1 Messages

The following WSDL message definitions are specific to this operation.

3.1.4.2.1.1 INotesWebServiceApplication_EnumerateItems_InputMessage

The request WSDL message for the **EnumerateItems** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/INotesWebServiceApplication/EnumerateItems
```

The SOAP body contains the **EnumerateItems** element.

3.1.4.2.1.2 INotesWebServiceApplication_EnumerateItems_OutputMessage

The response WSDL message for the **EnumerateItems** WSDL operation.

The SOAP body contains the **EnumerateItemsResponse** element.

3.1.4.2.2 Elements

The following XML Schema element definitions are specific to this operation.

3.1.4.2.2.1 EnumerateItems

The input data for the **EnumerateItems** WSDL operation.

```
<xs:element name="EnumerateItems">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="databasePath" nillable="true" type="xs:string"/>
      <xs:element minOccurs="0" name="lastSeenItem" nillable="true" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

databasePath: Specifies the unique identifier of the **Lotus Notes database**. This MUST be the value of the **DATABASEITEM.databaseId** element returned by [GetDatabase](#) operation.

lastSeenItem: Specifies the unique identifier of a **Lotus Notes item**. This MUST be an empty string or the value of the **NOTESITEM.itemId** element returned by a previous call to **EnumerateItems** operation.

- If this is an empty string then the **EnumerateItems** operation MUST return all the **Lotus Notes items** in the **Lotus Notes database**.
- If this is the value of a **NOTESITEM.itemId** element then the **EnumerateItems** operation MUST return all the **Lotus Notes items** in the **Lotus Notes database** whose **ItemId** is greater than **NOTESITEM.itemId**.

3.1.4.2.2.2 EnumerateItemsResponse

The result data for the **EnumerateItems** WSDL operation.

```
<xs:element name="EnumerateItemsResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element
        xmlns:q5="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
        on" minOccurs="0" name="EnumerateItemsResult" nillable="true" type="q5:ArrayOfNOTESITEM"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

EnumerateItemsResult: This contains the list of **Lotus Notes items** in the **Lotus Notes database**.

3.1.4.2.3 Complex Types

The following XML Schema complex type definitions are specific to this operation.

3.1.4.2.3.1 ArrayOfNOTESITEM

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type represents an array of NOTESITEM values.

```

<xs:complexType name="ArrayOfNOTESITEM">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="NOTESITEM" type="tns:NOTESITEM"/>
  </xs:sequence>
</xs:complexType>

```

NOTESITEM: The **NOTESITEM** element contains the content of a **Lotus Notes item**.

3.1.4.2.4 Simple Types

None.

3.1.4.2.5 Attributes

None.

3.1.4.2.6 Groups

None.

3.1.4.2.7 Attribute Groups

None.

3.1.4.3 EnumerateServers

This operation is used by the protocol client to retrieve all the available **Domino servers**.

```

<wsdl:operation name="EnumerateServers">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateServers"
  message="tns:INotesWebServiceApplication_EnumerateServers_InputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output
  wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateServersResponse"
  message="tns:INotesWebServiceApplication_EnumerateServers_OutputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>

```

The protocol client sends an [INotesWebServiceApplication_EnumerateServers_InputMessage](#) request, message and the protocol server responds with an [INotesWebServiceApplication_EnumerateServers_OutputMessage](#) response message, as follows.

- The protocol server MUST return the list of Domino servers.
- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.3.1 Messages

The following WSDL message definitions are specific to this operation.

3.1.4.3.1.1 INotesWebServiceApplication_EnumerateServers_InputMessage

The request WSDL message for the **EnumerateServers** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/INotesWebServiceApplication/EnumerateServers
```

The SOAP body contains the **EnumerateServers** element.

3.1.4.3.1.2 INotesWebServiceApplication_EnumerateServers_OutputMessage

The response WSDL message for the **EnumerateServers** WSDL operation.

The SOAP body contains the **EnumerateServersResponse** element.

3.1.4.3.2 Elements

The following XML Schema element definitions are specific to this operation.

3.1.4.3.2.1 EnumerateServers

The input data for the **EnumerateServers** WSDL operation.

```
<xs:element name="EnumerateServers">
  <xs:complexType>
    <xs:sequence/>
  </xs:complexType>
</xs:element>
```

3.1.4.3.2.2 EnumerateServersResponse

The result data for the **EnumerateServers** WSDL operation.

```
<xs:element name="EnumerateServersResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element
        xmlns:q1="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
        on" minOccurs="0" name="EnumerateServersResult" nillable="true" type="q1:ArrayOfSERVERITEM"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

EnumerateServersResult: This contains the list of **Domino servers**.

3.1.4.3.3 Complex Types

The following XML Schema complex type definitions are specific to this operation.

3.1.4.3.3.1 ArrayOfSERVERITEM

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type represents an array of arbitrary **SERVERITEM** values.

```

<xs:complexType name="ArrayOfSERVERITEM">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="SERVERITEM" type="tns:SERVERITEM"/>
  </xs:sequence>
</xs:complexType>

```

SERVERITEM: The **SERVERITEM** element contains the unique identifier and display URL of a **Domino server**.

3.1.4.3.4 Simple Types

None.

3.1.4.3.5 Attributes

None.

3.1.4.3.6 Groups

None.

3.1.4.3.7 Attribute Groups

None.

3.1.4.4 FetchAttachment

This operation is used by the protocol client to retrieve an attachment of a **Lotus Notes item**.

```

<wsdl:operation name="FetchAttachment">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchAttachment"
  message="tns:INotesWebServiceApplication_FetchAttachment_InputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output
  wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchAttachmentResponse"
  message="tns:INotesWebServiceApplication_FetchAttachment_OutputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>

```

The protocol client sends an [INotesWebServiceApplication_FetchAttachment_InputMessage](#) request, message and the protocol server responds with an [INotesWebServiceApplication_FetchAttachment_OutputMessage](#) response message, as follows.

- On success, the protocol server MUST return the attachment of a Lotus Notes item.
- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.4.1 Messages

The following WSDL message definitions are specific to this operation.

3.1.4.4.1.1 INotesWebServiceApplication_FetchAttachment_InputMessage

The request WSDL message for the **FetchAttachment** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/INotesWebServiceApplication/FetchAttachment
```

The SOAP body contains the **FetchAttachment** element.

3.1.4.4.1.2 INotesWebServiceApplication_FetchAttachment_OutputMessage

The response WSDL message for the **FetchAttachment** WSDL operation.

The SOAP body contains the **FetchAttachmentResponse** element.

3.1.4.4.2 Elements

The following XML Schema element definitions are specific to this operation.

3.1.4.4.2.1 FetchAttachment

The input data for the **FetchAttachment** WSDL operation.

```
<xs:element name="FetchAttachment">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
      <xs:element minOccurs="0" name="attachmentName" nillable="true" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

itemId: Specifies the unique identifier of the **Lotus Notes item** that contains the attachment. This **MUST** be the value of the **NOTESITEM.NOTESATTACHMENTID.itemId** element returned by the [FetchItem](#) operation.

attachmentName: Specifies the unique identifier of the attachment in a **Lotus Notes item**. This **MUST** be the value of the **NOTESITEM.NOTESATTACHMENTID.attachmentName** element returned by the [FetchItem](#) operation.

3.1.4.4.2.2 FetchAttachmentResponse

The result data for the **FetchAttachment** WSDL operation.

```
<xs:element name="FetchAttachmentResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element
        xmlns:q7="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
        on" minOccurs="0" name="FetchAttachmentResult" type="q7:NOTESATTACHMENT"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

FetchAttachmentResult: Contains the attachment of a **Lotus Notes item**.

3.1.4.4.3 Complex Types

The following XML Schema complex type definitions are specific to this operation.

3.1.4.4.3.1 NOTESATTACHMENT

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type contains the contents of an attachment in a **Lotus Notes item**.

```
<xs:complexType name="NOTESATTACHMENT">
  <xs:sequence>
    <xs:element minOccurs="0" name="attachmentContent" type="tns:INDEXABLECONTENT"/>
    <xs:element minOccurs="0" name="attachmentId" type="tns:NOTESATTACHMENTID"/>
  </xs:sequence>
</xs:complexType>
```

attachmentContent: Specifies the indexable content of the attachment of a **Lotus Notes Item**.

attachmentId: Specifies the unique identifier of the attachment of a **Lotus Notes item**.

3.1.4.4.4 Simple Types

None.

3.1.4.4.5 Attributes

None.

3.1.4.4.6 Groups

None.

3.1.4.4.7 Attribute Groups

None.

3.1.4.5 FetchItem

This operation is used by the protocol client to retrieve the crawled properties, indexable content, security descriptor, display URL and attachment ids of the **Lotus Notes item**.

```
<wsdl:operation name="FetchItem">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchItem"
  message="tns:INotesWebServiceApplication_FetchItem_InputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchItemResponse"
  message="tns:INotesWebServiceApplication_FetchItem_OutputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>
```

The protocol client sends an [INotesWebServiceApplication FetchItem InputMessage](#) request message, and the protocol server responds with an [INotesWebServiceApplication FetchItem OutputMessage](#) response message, as follows.

- On success, the protocol server MUST return the crawled properties, indexable content, security descriptor and attachment IDs of the Lotus Notes item.
- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.5.1 Messages

The following WSDL message definitions are specific to this operation.

3.1.4.5.1.1 INotesWebServiceApplication_FetchItem_InputMessage

The request WSDL message for the **FetchItem** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/INotesWebServiceApplication/FetchItem
```

The SOAP body contains the **FetchItem** element.

3.1.4.5.1.2 INotesWebServiceApplication_FetchItem_OutputMessage

The response WSDL message for the **FetchItem** WSDL operation.

The SOAP body contains the **FetchItemResponse** element.

3.1.4.5.2 Elements

The following XML Schema element definitions are specific to this operation.

3.1.4.5.2.1 FetchItem

The input data for the **FetchItem** WSDL operation.

```
<xs:element name="FetchItem">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

itemId: Specifies the unique identifier of the **Lotus Notes item**. This MUST be the value of one of the **NOTESITEM.itemId** elements returned by the [EnumerateItems](#) operation.

3.1.4.5.2.2 FetchItemResponse

The result data for the **FetchItem** WSDL operation.

```
<xs:element name="FetchItemResponse">
```

```

<xs:complexType>
  <xs:sequence>
    <xs:element
      xmlns:q6="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
      on" minOccurs="0" name="FetchItemResult" type="q6:NOTESITEM"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

FetchItemResult: This contains the content of the **Lotus Notes item**.

3.1.4.5.3 Complex Types

None.

3.1.4.5.4 Simple Types

None.

3.1.4.5.5 Attributes

None.

3.1.4.5.6 Groups

None.

3.1.4.5.7 Attribute Groups

None.

3.1.4.6 GetDatabase

This operation is used by the protocol client to retrieve the unique identifier, display URL, last modified time and security descriptor of a Lotus Notes database.

```

<wsdl:operation name="GetDatabase">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetDatabase"
    message="tns:INotesWebServiceApplication_GetDatabase_InputMessage"
    xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output
    wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetDatabaseResponse"
    message="tns:INotesWebServiceApplication_GetDatabase_OutputMessage"
    xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>

```

The protocol client sends an **INotesWebServiceApplication_GetDatabase_InputMessage** (section [3.1.4.6.1.1](#)) request message, and the protocol server responds with an **INotesWebServiceApplication_GetDatabase_OutputMessage** (section [3.1.4.6.1.2](#)) response message, as follows.

- On success, the protocol server MUST return the unique identifier, display URL, last modified time and security descriptor of the Lotus Notes database.

- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.6.1 Messages

The following WSDL message definitions are specific to this operation.

3.1.4.6.1.1 `INotesWebServiceApplication_GetDatabase_InputMessage`

The request WSDL message for the `GetDatabase` WSDL operation.

The SOAP action value is:

```
http://tempuri.org/INotesWebServiceApplication/GetDatabase
```

The SOAP body contains the `GetDatabase` element.

3.1.4.6.1.2 `INotesWebServiceApplication_GetDatabase_OutputMessage`

The response WSDL message for the `GetDatabase` WSDL operation.

The SOAP body contains the `GetDatabaseResponse` element.

3.1.4.6.2 Elements

The following XML Schema element definitions are specific to this operation.

3.1.4.6.2.1 `GetDatabase`

The input data for the `GetDatabase` WSDL operation.

```
<xs:element name="GetDatabase">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="databaseName" nillable="true" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

databaseName: Specifies the unique identifier of the **Lotus Notes database**. This MUST be the value of one of the `DATABASEITEMID.databaseId` elements returned by [EnumerateDatabases](#) operation.

3.1.4.6.2.2 `GetDatabaseResponse`

The result data for the `GetDatabase` WSDL operation.

```
<xs:element name="GetDatabaseResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element
        xmlns:q4="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
        on" minOccurs="0" name="GetDatabaseResult" type="q4:DATABASEITEM"/>
    </xs:sequence>
```

```
</xs:complexType>
</xs:element>
```

GetDatabaseResult: This contains the unique identifier, display URL, last modified time and security descriptor of the **Lotus Notes database**.

3.1.4.6.3 Complex Types

The following XML Schema complex type definitions are specific to this operation.

3.1.4.6.3.1 DATABASEITEM

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type contains the unique identifier, display URL, last modified time and security descriptor of a **Lotus Notes database**.

```
<xs:complexType name="DATABASEITEM">
  <xs:sequence>
    <xs:element minOccurs="0" name="databaseId" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime"/>
    <xs:element minOccurs="0" name="securityDesc" type="tns:SecurityDescriptor"/>
  </xs:sequence>
</xs:complexType>
```

databaseId: Specifies the unique identifier of the **Lotus Notes database**.

displayUrl: Specifies the display URL of the **Lotus Notes database**.

lastModifiedTime: Specifies the time at which the **Lotus Notes database** was last modified.

securityDesc: Specifies the security descriptor of the **Lotus Notes database**.

3.1.4.6.4 Simple Types

None.

3.1.4.6.5 Attributes

None.

3.1.4.6.6 Groups

None.

3.1.4.6.7 Attribute Groups

None.

3.1.4.7 GetServer

This operation is not used and MUST NOT be invoked.

3.1.5 Timer Events

None.

3.1.6 Other Local Events

None.

4 Protocol Examples

4.1 Identifying Servers and Databases

To enumerate servers, databases and to get properties for a database, the protocol client sends the following messages to the protocol server.

4.1.1 EnumerateServers

To enumerate the available Domino servers, the protocol client sends the following message:

Request message:

```
<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/EnumerateServers
    </a:Action>
    <a:MessageID>
      urn:uuid:73bf4a5d-4c0b-4d61-b621-e255a45c5f4d
    </a:MessageID>
    <a:ReplyTo>
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous
      </a:Address>
    </a:ReplyTo>
    <ServiceContext
      xmlns="http://schemas.microsoft.com/sharepoint/servicecontext"
      xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
      <correlationId>
        b14b0e1c-f5a5-4b96-bd92-2936264a5e5a
      </correlationId>
      <language>en-US</language>
      <region>en-US</region>
      <siteSubscriptionId>
        00000000-0000-0000-0000-000000000000
      </siteSubscriptionId>
    </ServiceContext>
    <a:To s:mustUnderstand="1" u:Id="_1">
      http://example.com:32843/088ec4ed4144457bb36088e0b5c0bea8/NotesWebService.svc
    </a:To>
  </s:Header>
  <s:Body>
    <EnumerateServers xmlns="http://tempuri.org/">
    </EnumerateServers>
  </s:Body>
</s:Envelope>
```

Response message:

```
<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
```

```

xmlns:a="http://www.w3.org/2005/08/addressing"
xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
<s:Header>
  <a:Action s:mustUnderstand="1">
    http://tempuri.org/INotesWebServiceApplication/EnumerateServersResponse
  </a:Action>
  <a:RelatesTo>
    urn:uuid:73bf4a5d-4c0b-4d61-b621-e255a45c5f4d
  </a:RelatesTo>
</s:Header>
<s:Body>
  <EnumerateServersResponse xmlns="http://tempuri.org/">
    <EnumerateServersResult

xmlns:b="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administratio
n"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
    <b:SERVERITEM>
      <b:displayUrl>http://servernotes1</b:displayUrl>
      <b:serverId>servernotes1</b:serverId>
    </b:SERVERITEM>
    <b:SERVERITEM>
      <b:displayUrl>http://servernotes2</b:displayUrl>
      <b:serverId>servernotes2</b:serverId>
    </b:SERVERITEM>
  </EnumerateServersResult>
</EnumerateServersResponse>
</s:Body>
</s:Envelope>

```

4.1.2 GetDatabase

To get the properties for a specific database, the protocol client sends the following message:

Request message:

```

<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/GetDatabase
    </a:Action>
    <a:MessageID>
      urn:uuid:c7f4e90c-2c6f-4d43-983e-a52a8a2d35a7
    </a:MessageID>
    <a:ReplyTo>
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous
      </a:Address>
    </a:ReplyTo>
    <ServiceContext
      xmlns="http://schemas.microsoft.com/sharepoint/servicecontext"
      xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
      <correlationId>

```

```

    00000000-0000-0000-0000-000000000000
  </correlationId>
  <language>en-US</language>
  <region>en-US</region>
  <siteSubscriptionId i:nil="true"></siteSubscriptionId>
</ServiceContext>
<a:To s:mustUnderstand="1" u:Id="_1">
  http://example.com:32843/088ec4ed4144457bb36088e0b5c0bea8/NotesWebService.svc
</a:To>
</s:Header>
<s:Body>
  <GetDatabase xmlns="http://tempuri.org/">
    <databaseName>servernotes1\database.nsf</databaseName>
  </GetDatabase>
</s:Body>
</s:Envelope>

```

Response message:

```

<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/GetDatabaseResponse
    </a:Action>
    <a:RelatesTo>
      urn:uuid:c7f4e90c-2c6f-4d43-983e-a52a8a2d35a7
    </a:RelatesTo>
  </s:Header>
  <s:Body>
    <GetDatabaseResponse xmlns="http://tempuri.org/">
      <GetDatabaseResult
        xmlns:b="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administratio
n"
          xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
        <b:databaseId>servernotes1\database.nsf</b:databaseId>
        <b:displayUrl>http://servernotes1/database.nsf/</b:displayUrl>
        <b:lastModifiedTime>2009-12-28T15:12:16</b:lastModifiedTime>
        <b:securityDesc>
          <b:SD>sercurity_desc_value</b:SD>
          <b:isNTSD>true</b:isNTSD>
        </b:securityDesc>
      </GetDatabaseResult>
    </GetDatabaseResponse>
  </s:Body>
</s:Envelope>

```

4.2 Retrieving Items from the Database

To retrieve items from the database, the protocol client sends the following messages to the protocol server:

4.2.1 EnumerateItems

To enumerate the available items in a specific database, the protocol client sends the following message:

Request message:

```
<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/EnumerateItems
    </a:Action>
    <a:MessageID>
      urn:uuid:6d826f02-57ea-464a-b579-cb4cb4b199d0
    </a:MessageID>
    <a:ReplyTo>
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous
      </a:Address>
    </a:ReplyTo>
    <ServiceContext
      xmlns="http://schemas.microsoft.com/sharepoint/servicecontext"
      xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
      <correlationId>
        00000000-0000-0000-0000-000000000000
      </correlationId>
      <language>en-US</language>
      <region>en-US</region>
      <siteSubscriptionId i:nil="true"></siteSubscriptionId>
    </ServiceContext>
    <a:To s:mustUnderstand="1" u:Id="_1">
      http://example.com:32843/088ec4ed4144457bb36088e0b5c0bea8/NotesWebService.svc
    </a:To>
  </s:Header>
  <s:Body>
    <EnumerateItems xmlns="http://tempuri.org/">
      <databasePath>servernotes1\database.nsf</databasePath>
      <lastSeenItem></lastSeenItem>
    </EnumerateItems>
  </s:Body>
</s:Envelope>
```

Response message:

```
<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/EnumerateItemsResponse
    </a:Action>
    <a:RelatesTo>
```

```

urn:uuid:6d826f02-57ea-464a-b579-cb4cb4b199d0
</a:RelatesTo>
</s:Header>
<s:Body>
  <EnumerateItemsResponse xmlns="http://tempuri.org/">
    <EnumerateItemsResult

xmlns:b="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administratio
n"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
    <b:NOTESITEM>
      <b:attachmentId i:nil="true"></b:attachmentId>
      <b:displayUrl>
        http://servernotes1/database.nsf/$DEFAULTVIEW/1f8e15d909ded77188256f4e0083811b
      </b:displayUrl>
      <b:itemContent>
        <b:content i:nil="true"></b:content>
        <b:contentType i:nil="true"></b:contentType>
        <b:extension i:nil="true"></b:extension>
      </b:itemContent>
      <b:itemId>
        servernotes1\database.nsf\1f8e15d909ded77188256f4e0083811b
      </b:itemId>
      <b:itemProps i:nil="true"></b:itemProps>
      <b:lastModifiedTime>2004-12-05T17:52:57</b:lastModifiedTime>
      <b:securityDesc>
        <b:SD i:nil="true"></b:SD>
        <b:isNTSD>>false</b:isNTSD>
      </b:securityDesc>
    </b:NOTESITEM>
    <b:NOTESITEM>
      <b:attachmentId i:nil="true"></b:attachmentId>
      <b:displayUrl>
        http://servernotes1/database.nsf/$DEFAULTVIEW/9a903eb367b0c32788256f4f00000fa7
      </b:displayUrl>
      <b:itemContent>
        <b:content i:nil="true"></b:content>
        <b:contentType i:nil="true"></b:contentType>
        <b:extension i:nil="true"></b:extension>
      </b:itemContent>
      <b:itemId>
        servernotes1\database.nsf\9a903eb367b0c32788256f4f00000fa7
      </b:itemId>
      <b:itemProps i:nil="true"></b:itemProps>
      <b:lastModifiedTime>2004-12-05T17:52:57</b:lastModifiedTime>
      <b:securityDesc>
        <b:SD i:nil="true"></b:SD>
        <b:isNTSD>>false</b:isNTSD>
      </b:securityDesc>
    </b:NOTESITEM>
    <b:NOTESITEM>
      <b:attachmentId i:nil="true"></b:attachmentId>
      <b:displayUrl>
        http://servernotes1/database.nsf/$DEFAULTVIEW/2f774d849acbe245882570c1000634d4
      </b:displayUrl>
      <b:itemContent>
        <b:content i:nil="true"></b:content>
        <b:contentType i:nil="true"></b:contentType>
        <b:extension i:nil="true"></b:extension>

```

```

        </b:itemContent>
        <b:itemId>
            servernotes1\database.nsf\2f774d849acbe245882570c1000634d4
        </b:itemId>
        <b:itemProps i:nil="true"></b:itemProps>
        <b:lastModifiedTime>2005-11-21T17:09:41</b:lastModifiedTime>
        <b:securityDesc>
            <b:SD i:nil="true"></b:SD>
            <b:isNTSD>>false</b:isNTSD>
        </b:securityDesc>
    </b:NOTESITEM>
</EnumerateItemsResult>
</EnumerateItemsResponse>
</s:Body>
</s:Envelope>

```

4.2.2 FetchItem

To retrieve the properties for a specific item, the protocol client sends the following message:

Request message:

```

<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/FetchItem
    </a:Action>
    <a:MessageID>
      urn:uuid:675c026d-f85f-425c-bf31-dc74c22a6fd8
    </a:MessageID>
    <a:ReplyTo>
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous
      </a:Address>
    </a:ReplyTo>
    <ServiceContext>
      xmlns="http://schemas.microsoft.com/sharepoint/servicecontext"
      xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
      <correlationId>
        00000000-0000-0000-0000-000000000000
      </correlationId>
      <language>en-US</language>
      <region>en-US</region>
      <siteSubscriptionId i:nil="true"></siteSubscriptionId>
    </ServiceContext>
    <a:To s:mustUnderstand="1" u:Id="_1">
      http://example.com:32843/088ec4ed4144457bb36088e0b5c0bea8/NotesWebService.svc
    </a:To>
  </s:Header>
  <s:Body>
    <FetchItem xmlns="http://tempuri.org/">
      <itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</itemId>
    </FetchItem>
  </s:Body>
</s:Envelope>

```

```
</s:Body>
</s:Envelope>
```

Response message:

```
<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/FetchItemResponse
    </a:Action>
    <a:RelatesTo>
      urn:uuid:675c026d-f85f-425c-bf31-dc74c22a6fd8
    </a:RelatesTo>
  </s:Header>
  <s:Body>
    <FetchItemResponse xmlns="http://tempuri.org/">
      <FetchItemResult

xmlns:b="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administratio
n"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
    <b:attachmentId>
      <b:NOTESATTACHMENTID>
        <b:attachmentName>EXT07956</b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
    </b:attachmentId>

    <b:displayUrl>http://servernotes1/database.nsf/$DEFAULTVIEW/2f774d849acbe245882570c1000634d4<
/b:displayUrl>
    <b:itemContent>
      <b:content>IA==</b:content>
      <b:contentType i:nil="true"></b:contentType>
      <b:extension>txt</b:extension>
```



```

</b:itemContent>
<b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
<b:itemProps>
  <b:PROPERTY>
    <b>Name>Author</b>Name>
    <b:Value i:type="c:string"
xmlns:c="http://www.w3.org/2001/XMLSchema">Author</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>Comments</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>Company</b>Name>
    <b:Value i:type="c:string"
xmlns:c="http://www.w3.org/2001/XMLSchema">Microsoft</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>Keywords</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>Subject</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>Title</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>DateCreated</b>Name>
    <b:Value i:type="c:dateTime" xmlns:c="http://www.w3.org/2001/XMLSchema">2005-11-
21T17:08:00</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>LastSavedBy</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>LastSavedDate</b>Name>
    <b:Value i:type="c:dateTime" xmlns:c="http://www.w3.org/2001/XMLSchema">2005-11-
21T17:08:00</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>LinksUpToDate</b>Name>
    <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">0</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>NameOfApplication</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"> </b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>NumberOfCharacters</b>Name>
    <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">12</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>NumberOfCharactersWithSpaces</b>Name>
    <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">13</b:Value>
  </b:PROPERTY>

```

```

<b:PROPERTY>
  <b>Name>NumberOfLines</b>Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">1</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>NumberOfPages</b>Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">1</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>NumberOfParagraphs</b>Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">1</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>NumberOfRevisions</b>Name>
  <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema">1</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>NumberOfWords</b>Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">2</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>Template</b>Name>
  <b:Value i:type="c:string"
xmlns:c="http://www.w3.org/2001/XMLSchema">Normal.dot</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>TotalEditingTime</b>Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">0</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>ScaleOrCrop</b>Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">0</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>Security</b>Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">0</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>DocumentClass</b>Name>
  <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>FORM</b>Name>
  <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>embedTitle</b>Name>
  <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>$UpdatedBy</b>Name>
  <b:Value i:type="c:string"
xmlns:c="http://www.w3.org/2001/XMLSchema">CN=username/O=domain</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b>Name>$Revisions</b>Name>
  <b:Value i:type="c:dateTime" xmlns:c="http://www.w3.org/2001/XMLSchema">2005-11-
21T17:09:26</b:Value>
</b:PROPERTY>

```

```

    <b:PROPERTY>
      <b>Name>Author</b>Name>
      <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
    </b:PROPERTY>
    <b:PROPERTY>
      <b>Name>lastaccessed</b>Name>
      <b:Value i:type="c:dateTime" xmlns:c="http://www.w3.org/2001/XMLSchema">2005-11-
21T17:09:41</b:Value>
    </b:PROPERTY>
    <b:PROPERTY>
      <b>Name>creationdate</b>Name>
      <b:Value i:type="c:dateTime" xmlns:c="http://www.w3.org/2001/XMLSchema">2005-11-
21T17:07:47</b:Value>
    </b:PROPERTY>
  </b:itemProps>
  <b:lastModifiedTime>2005-11-21T17:09:41</b:lastModifiedTime>
  <b:securityDesc>
    <b:SD>security_desc_value</b:SD>
    <b:isNTSD>true</b:isNTSD>
  </b:securityDesc>
</FetchItemResult>
</FetchItemResponse>
</s:Body>
</s:Envelope>

```

4.2.3 FetchAttachment

To retrieve a specific attachment, the protocol client sends the following message:

Request message:

```

<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/FetchAttachment
    </a:Action>
    <a:MessageID>
      urn:uuid:8f720c2c-b4c4-4925-966d-33e74a577ede
    </a:MessageID>
    <a:ReplyTo>
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous
      </a:Address>
    </a:ReplyTo>
  </s:Header>
  <ServiceContext
    xmlns="http://schemas.microsoft.com/sharepoint/servicecontext"
    xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
    <correlationId>
      00000000-0000-0000-0000-000000000000
    </correlationId>
    <language>en-US</language>
    <region>en-US</region>
    <siteSubscriptionId i:nil="true"></siteSubscriptionId>
  </ServiceContext>

```

```

    </ServiceContext>
    <a:To s:mustUnderstand="1" u:Id="_1">
      http://example.com:32843/088ec4ed4144457bb36088e0b5c0bea8/NotesWebService.svc
    </a:To>
  </s:Header>
  <s:Body>
    <FetchAttachment xmlns="http://tempuri.org/">
      <itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</itemId>
      <attachmentName>EXT07956</attachmentName>
    </FetchAttachment>
  </s:Body>
</s:Envelope>

```

Response message:

```

<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/FetchAttachmentResponse
    </a:Action>
    <a:RelatesTo>
      urn:uuid:8f720c2c-b4c4-4925-966d-33e74a577ede
    </a:RelatesTo>
  </s:Header>
  <s:Body>
    <FetchAttachmentResponse xmlns="http://tempuri.org/">
      <FetchAttachmentResult
xmlns:b="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administratio
n"
        xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
          <b:attachmentContent>
            <b:content></b:content>
            <b:contentType i:nil="true"></b:contentType>
            <b:extension>0\Data\NotesAttachment\2f774d849acbe245882570c1000634d4-
EXT07956</b:extension>
          </b:attachmentContent>
          <b:attachmentId>
            <b:attachmentName>EXT07956</b:attachmentName>
            <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
          </b:attachmentId>
        </FetchAttachmentResult>
      </FetchAttachmentResponse>
    </s:Body>
  </s:Envelope>

```

5 Security

5.1 Security Considerations for Implementers

None.

5.2 Index of Security Parameters

None.

6 Appendix A: Full WSDL

For ease of implementation, the full WSDL is provided below:

```
<?xml version="1.0" encoding="utf-8"?>
<wsdl:definitions xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"
xmlns:tns="http://tempuri.org/" xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"
xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:wsu="http://docs.oasis-
open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
name="NotesWebServiceApplication" targetNamespace="http://tempuri.org/"
xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsp:Policy wsu:Id="CustomBinding_INotesWebServiceApplication_policy">
    <wsp:ExactlyOne>
      <wsp>All>
        <msb:BinaryEncoding
xmlns:msb="http://schemas.microsoft.com/ws/06/2004/mspolicy/netbinary1" />
          <wsaw:UsingAddressing />
        </wsp>All>
      </wsp:ExactlyOne>
    </wsp:Policy>
    <wsp:Policy wsu:Id="CustomBinding_INotesWebServiceApplication1_policy">
      <wsp:ExactlyOne>
        <wsp>All>
          <msb:BinaryEncoding
xmlns:msb="http://schemas.microsoft.com/ws/06/2004/mspolicy/netbinary1" />
            <sp:TransportBinding xmlns:sp="http://schemas.xmlsoap.org/ws/2005/07/securitypolicy">
              <wsp:Policy>
                <sp:TransportToken>
                  <wsp:Policy>
                    <sp:HttpsToken RequireClientCertificate="false" />
                  </wsp:Policy>
                </sp:TransportToken>
                <sp:AlgorithmSuite>
                  <wsp:Policy>
                    <sp:Basic256 />
                  </wsp:Policy>
                </sp:AlgorithmSuite>
                <sp:Layout>
                  <wsp:Policy>
                    <sp:Strict />
                  </wsp:Policy>
                </sp:Layout>
                <sp:IncludeTimestamp />
              </wsp:Policy>
            </sp:TransportBinding>
            <sp:EndorsingSupportingTokens
xmlns:sp="http://schemas.xmlsoap.org/ws/2005/07/securitypolicy">
              <wsp:Policy>
                <sp:IssuedToken
sp:IncludeToken="http://schemas.xmlsoap.org/ws/2005/07/securitypolicy/IncludeToken/AlwaysToRe
cipient">
                  <sp:RequestSecurityTokenTemplate>
                    <t:KeyType
xmlns:t="http://schemas.xmlsoap.org/ws/2005/02/trust">http://schemas.xmlsoap.org/ws/2005/02/t
rust/SymmetricKey</t:KeyType>
                    </sp:RequestSecurityTokenTemplate>
                  <wsp:Policy>
                    <sp:RequireInternalReference />
                  </wsp:Policy>
                </sp:IssuedToken>
              </wsp:Policy>
            </sp:EndorsingSupportingTokens>
          </wsp>All>
        </wsp:ExactlyOne>
      </wsp:Policy>
    </wsp:Policy>
  </wsp:Policy>

```

```

        </wsp:Policy>
        </sp:IssuedToken>
        <sp:SignedParts>
          <sp:Header Name="To" Namespace="http://www.w3.org/2005/08/addressing" />
        </sp:SignedParts>
      </wsp:Policy>
    </sp:EndorsingSupportingTokens>
    <sp:Wss11 xmlns:sp="http://schemas.xmlsoap.org/ws/2005/07/securitypolicy">
      <wsp:Policy>
        <sp:MustSupportRefKeyIdentifier />
        <sp:MustSupportRefIssuerSerial />
        <sp:MustSupportRefThumbprint />
        <sp:MustSupportRefEncryptedKey />
      </wsp:Policy>
    </sp:Wss11>
    <sp:Trust10 xmlns:sp="http://schemas.xmlsoap.org/ws/2005/07/securitypolicy">
      <wsp:Policy>
        <sp:MustSupportIssuedTokens />
        <sp:RequireClientEntropy />
        <sp:RequireServerEntropy />
      </wsp:Policy>
    </sp:Trust10>
    <wsaw:UsingAddressing />
  </wsp:All>
</wsp:ExactlyOne>
</wsp:Policy>
<wsdl:types>
  <xs:schema elementFormDefault="qualified" targetNamespace="http://tempuri.org/"
    xmlns:xs="http://www.w3.org/2001/XMLSchema">
    <xs:import
      namespace="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
      on" />
    <xs:element name="EnumerateServers">
      <xs:complexType>
        <xs:sequence />
      </xs:complexType>
    </xs:element>
    <xs:element name="EnumerateServersResponse">
      <xs:complexType>
        <xs:sequence>
          <xs:element
            xmlns:q1="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
            on" minOccurs="0" name="EnumerateServersResult" nillable="true" type="q1:ArrayOfSERVERITEM"
            />
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="GetServer">
      <xs:complexType>
        <xs:sequence>
          <xs:element minOccurs="0" name="serverName" nillable="true" type="xs:string" />
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="GetServerResponse">
      <xs:complexType>
        <xs:sequence>
          <xs:element
            xmlns:q2="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
            on" minOccurs="0" name="GetServerResult" type="q2:SERVERITEM" />
        </xs:sequence>
      </xs:complexType>
    </xs:element>
  </xs:schema>

```

```

        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="EnumerateDatabases">
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="0" name="serverName" nillable="true" type="xs:string" />
            <xs:element minOccurs="0" name="lastSeenDatabase" nillable="true"
type="xs:string" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="EnumerateDatabasesResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element
xmlns:q3="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
on" minOccurs="0" name="EnumerateDatabasesResult" nillable="true"
type="q3:ArrayOfDATABASEITEMID" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="GetDatabase">
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="0" name="databaseName" nillable="true" type="xs:string" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="GetDatabaseResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element
xmlns:q4="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
on" minOccurs="0" name="GetDatabaseResult" type="q4:DATABASEITEM" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="EnumerateItems">
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="0" name="databasePath" nillable="true" type="xs:string" />
            <xs:element minOccurs="0" name="lastSeenItem" nillable="true" type="xs:string" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="EnumerateItemsResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element
xmlns:q5="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
on" minOccurs="0" name="EnumerateItemsResult" nillable="true" type="q5:ArrayOfNOTESITEM" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="FetchItem">
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string" />
        </xs:sequence>
    </xs:complexType>
</xs:element>

```



```

        </xs:complexType>
    </xs:element>
    <xs:element name="FetchItemResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element
xmlns:q6="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
on" minOccurs="0" name="FetchItemResult" type="q6:NOTESITEM" />
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="FetchAttachment">
            <xs:complexType>
                <xs:sequence>
                    <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string" />
                    <xs:element minOccurs="0" name="attachmentName" nillable="true" type="xs:string"
/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
    <xs:element name="FetchAttachmentResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element
xmlns:q7="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrati
on" minOccurs="0" name="FetchAttachmentResult" type="q7:NOTESATTACHMENT" />
                </xs:sequence>
            </xs:complexType>
        </xs:element>
    </xs:schema>
</xs:schema>
xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
ion" elementFormDefault="qualified"
targetNamespace="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Admin
istration" xmlns:xs="http://www.w3.org/2001/XMLSchema">
    <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/" />
    <xs:complexType name="ArrayOfSERVERITEM">
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="unbounded" name="SERVERITEM"
type="tns:SERVERITEM" />
        </xs:sequence>
    </xs:complexType>
    <xs:element name="ArrayOfSERVERITEM" nillable="true" type="tns:ArrayOfSERVERITEM" />
    <xs:complexType name="SERVERITEM">
        <xs:sequence>
            <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string" />
            <xs:element minOccurs="0" name="serverId" nillable="true" type="xs:string" />
        </xs:sequence>
    </xs:complexType>
    <xs:element name="SERVERITEM" nillable="true" type="tns:SERVERITEM" />
    <xs:complexType name="ArrayOfDATABASEITEMID">
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="unbounded" name="DATABASEITEMID"
type="tns:DATABASEITEMID" />
        </xs:sequence>
    </xs:complexType>
    <xs:element name="ArrayOfDATABASEITEMID" nillable="true"
type="tns:ArrayOfDATABASEITEMID" />
    <xs:complexType name="DATABASEITEMID">
        <xs:sequence>

```

```

        <xs:element minOccurs="0" name="databaseId" nillable="true" type="xs:string" />
        <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime" />
    </xs:sequence>
</xs:complexType>
<xs:element name="DATABASEITEMID" nillable="true" type="tns:DATABASEITEMID" />
<xs:complexType name="DATABASEITEM">
    <xs:sequence>
        <xs:element minOccurs="0" name="databaseId" nillable="true" type="xs:string" />
        <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string" />
        <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime" />
        <xs:element minOccurs="0" name="securityDesc" type="tns:SecurityDescriptor" />
    </xs:sequence>
</xs:complexType>
<xs:element name="DATABASEITEM" nillable="true" type="tns:DATABASEITEM" />
<xs:complexType name="SecurityDescriptor">
    <xs:sequence>
        <xs:element minOccurs="0" name="SD" nillable="true" type="xs:base64Binary" />
        <xs:element minOccurs="0" name="isNTSD" type="xs:boolean" />
    </xs:sequence>
</xs:complexType>
<xs:element name="SecurityDescriptor" nillable="true" type="tns:SecurityDescriptor" />
<xs:complexType name="ArrayOfNOTESITEM">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="unbounded" name="NOTESITEM"
type="tns:NOTESITEM" />
    </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfNOTESITEM" nillable="true" type="tns:ArrayOfNOTESITEM" />
<xs:complexType name="NOTESITEM">
    <xs:sequence>
        <xs:element minOccurs="0" name="attachmentId" nillable="true"
type="tns:ArrayOfNOTESATTACHMENTID" />
        <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string" />
        <xs:element minOccurs="0" name="itemContent" type="tns:INDEXABLECONTENT" />
        <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string" />
        <xs:element minOccurs="0" name="itemProps" nillable="true"
type="tns:ArrayOfPROPERTY" />
        <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime" />
        <xs:element minOccurs="0" name="securityDesc" type="tns:SecurityDescriptor" />
    </xs:sequence>
</xs:complexType>
<xs:element name="NOTESITEM" nillable="true" type="tns:NOTESITEM" />
<xs:complexType name="ArrayOfNOTESATTACHMENTID">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="unbounded" name="NOTESATTACHMENTID"
type="tns:NOTESATTACHMENTID" />
    </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfNOTESATTACHMENTID" nillable="true"
type="tns:ArrayOfNOTESATTACHMENTID" />
<xs:complexType name="NOTESATTACHMENTID">
    <xs:sequence>
        <xs:element minOccurs="0" name="attachmentName" nillable="true" type="xs:string" />
        <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string" />
    </xs:sequence>
</xs:complexType>
<xs:element name="NOTESATTACHMENTID" nillable="true" type="tns:NOTESATTACHMENTID" />
<xs:complexType name="INDEXABLECONTENT">
    <xs:sequence>

```

```

        <xs:element minOccurs="0" name="content" nillable="true" type="xs:base64Binary" />
        <xs:element minOccurs="0" name="contentType" nillable="true" type="xs:string" />
        <xs:element minOccurs="0" name="extension" nillable="true" type="xs:string" />
    </xs:sequence>
</xs:complexType>
<xs:element name="INDEXABLECONTENT" nillable="true" type="tns:INDEXABLECONTENT" />
<xs:complexType name="ArrayOfPROPERTY">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="unbounded" name="PROPERTY" type="tns:PROPERTY"
/>
    </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfPROPERTY" nillable="true" type="tns:ArrayOfPROPERTY" />
<xs:complexType name="PROPERTY">
    <xs:sequence>
        <xs:element minOccurs="0" name="Name" nillable="true" type="xs:string" />
        <xs:element minOccurs="0" name="Value" nillable="true" type="xs:anyType" />
    </xs:sequence>
</xs:complexType>
<xs:element name="PROPERTY" nillable="true" type="tns:PROPERTY" />
<xs:complexType name="NOTESATTACHMENT">
    <xs:sequence>
        <xs:element minOccurs="0" name="attachmentContent" type="tns:INDEXABLECONTENT" />
        <xs:element minOccurs="0" name="attachmentId" type="tns:NOTESATTACHMENTID" />
    </xs:sequence>
</xs:complexType>
<xs:element name="NOTESATTACHMENT" nillable="true" type="tns:NOTESATTACHMENT" />
</xs:schema>
<xs:schema xmlns:tns="http://schemas.microsoft.com/2003/10/Serialization/"
attributeFormDefault="qualified" elementFormDefault="qualified"
targetNamespace="http://schemas.microsoft.com/2003/10/Serialization/"
xmlns:xs="http://www.w3.org/2001/XMLSchema">
    <xs:element name="anyType" nillable="true" type="xs:anyType" />
    <xs:element name="anyURI" nillable="true" type="xs:anyURI" />
    <xs:element name="base64Binary" nillable="true" type="xs:base64Binary" />
    <xs:element name="boolean" nillable="true" type="xs:boolean" />
    <xs:element name="byte" nillable="true" type="xs:byte" />
    <xs:element name="dateTime" nillable="true" type="xs:dateTime" />
    <xs:element name="decimal" nillable="true" type="xs:decimal" />
    <xs:element name="double" nillable="true" type="xs:double" />
    <xs:element name="float" nillable="true" type="xs:float" />
    <xs:element name="int" nillable="true" type="xs:int" />
    <xs:element name="long" nillable="true" type="xs:long" />
    <xs:element name="QName" nillable="true" type="xs:QName" />
    <xs:element name="short" nillable="true" type="xs:short" />
    <xs:element name="string" nillable="true" type="xs:string" />
    <xs:element name="unsignedByte" nillable="true" type="xs:unsignedByte" />
    <xs:element name="unsignedInt" nillable="true" type="xs:unsignedInt" />
    <xs:element name="unsignedLong" nillable="true" type="xs:unsignedLong" />
    <xs:element name="unsignedShort" nillable="true" type="xs:unsignedShort" />
    <xs:element name="char" nillable="true" type="tns:char" />
    <xs:simpleType name="char">
        <xs:restriction base="xs:int" />
    </xs:simpleType>
    <xs:element name="duration" nillable="true" type="tns:duration" />
    <xs:simpleType name="duration">
        <xs:restriction base="xs:duration">
            <xs:pattern value="\-?P(\d*D)?(T(\d*H)?(\d*M)?(\d*(\.\d*)?S)?)?" />
            <xs:minInclusive value="-P10675199DT2H48M5.4775808S" />
        </xs:restriction>
    </xs:simpleType>

```

```

        <xs:maxInclusive value="P10675199DT2H48M5.4775807S" />
    </xs:restriction>
</xs:simpleType>
<xs:element name="guid" nillable="true" type="tns:guid" />
<xs:simpleType name="guid">
    <xs:restriction base="xs:string">
        <xs:pattern value="\[da-fA-F]{8}-\[da-fA-F]{4}-\[da-fA-F]{4}-\[da-fA-F]{4}-\[da-fA-F]{12}" />
    </xs:restriction>
</xs:simpleType>
<xs:attribute name="FactoryType" type="xs:QName" />
<xs:attribute name="Id" type="xs:ID" />
<xs:attribute name="Ref" type="xs:IDREF" />
</xs:schema>
<xs:schema xmlns:tns="http://schemas.microsoft.com/2003/10/Serialization/"
attributeFormDefault="qualified" elementFormDefault="qualified"
targetNamespace="http://schemas.microsoft.com/2003/10/Serialization/"
xmlns:xs="http://www.w3.org/2001/XMLSchema">
    <xs:element name="anyType" nillable="true" type="xs:anyType" />
    <xs:element name="anyURI" nillable="true" type="xs:anyURI" />
    <xs:element name="base64Binary" nillable="true" type="xs:base64Binary" />
    <xs:element name="boolean" nillable="true" type="xs:boolean" />
    <xs:element name="byte" nillable="true" type="xs:byte" />
    <xs:element name="dateTime" nillable="true" type="xs:dateTime" />
    <xs:element name="decimal" nillable="true" type="xs:decimal" />
    <xs:element name="double" nillable="true" type="xs:double" />
    <xs:element name="float" nillable="true" type="xs:float" />
    <xs:element name="int" nillable="true" type="xs:int" />
    <xs:element name="long" nillable="true" type="xs:long" />
    <xs:element name="QName" nillable="true" type="xs:QName" />
    <xs:element name="short" nillable="true" type="xs:short" />
    <xs:element name="string" nillable="true" type="xs:string" />
    <xs:element name="unsignedByte" nillable="true" type="xs:unsignedByte" />
    <xs:element name="unsignedInt" nillable="true" type="xs:unsignedInt" />
    <xs:element name="unsignedLong" nillable="true" type="xs:unsignedLong" />
    <xs:element name="unsignedShort" nillable="true" type="xs:unsignedShort" />
    <xs:element name="char" nillable="true" type="tns:char" />
    <xs:simpleType name="char">
        <xs:restriction base="xs:int" />
    </xs:simpleType>
    <xs:element name="duration" nillable="true" type="tns:duration" />
    <xs:simpleType name="duration">
        <xs:restriction base="xs:duration">
            <xs:pattern value="\-?P(\d*D)?(T(\d*H)?(\d*M)?(\d*(\.\d*)?S)?)?" />
            <xs:minInclusive value="-P10675199DT2H48M5.4775808S" />
            <xs:maxInclusive value="P10675199DT2H48M5.4775807S" />
        </xs:restriction>
    </xs:simpleType>
    <xs:element name="guid" nillable="true" type="tns:guid" />
    <xs:simpleType name="guid">
        <xs:restriction base="xs:string">
            <xs:pattern value="\[da-fA-F]{8}-\[da-fA-F]{4}-\[da-fA-F]{4}-\[da-fA-F]{4}-\[da-fA-F]{12}" />
        </xs:restriction>
    </xs:simpleType>
    <xs:attribute name="FactoryType" type="xs:QName" />
    <xs:attribute name="Id" type="xs:ID" />
    <xs:attribute name="Ref" type="xs:IDREF" />
</xs:schema>

```

```

<xs:schema
xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
ion" elementFormDefault="qualified"
targetNamespace="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Admin
istration" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/" />
  <xs:complexType name="ArrayOfSERVERITEM">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="SERVERITEM"
type="tns:SERVERITEM" />
    </xs:sequence>
  </xs:complexType>
  <xs:element name="ArrayOfSERVERITEM" nillable="true" type="tns:ArrayOfSERVERITEM" />
  <xs:complexType name="SERVERITEM">
    <xs:annotation>
      <xs:appinfo>
        <IsValueType
xmlns="http://schemas.microsoft.com/2003/10/Serialization/">true</IsValueType>
      </xs:appinfo>
    </xs:annotation>
    <xs:sequence>
      <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string" />
      <xs:element minOccurs="0" name="serverId" nillable="true" type="xs:string" />
    </xs:sequence>
  </xs:complexType>
  <xs:element name="SERVERITEM" nillable="true" type="tns:SERVERITEM" />
  <xs:complexType name="ArrayOfDATABASEITEMID">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="DATABASEITEMID"
type="tns:DATABASEITEMID" />
    </xs:sequence>
  </xs:complexType>
  <xs:element name="ArrayOfDATABASEITEMID" nillable="true"
type="tns:ArrayOfDATABASEITEMID" />
  <xs:complexType name="DATABASEITEMID">
    <xs:annotation>
      <xs:appinfo>
        <IsValueType
xmlns="http://schemas.microsoft.com/2003/10/Serialization/">true</IsValueType>
      </xs:appinfo>
    </xs:annotation>
    <xs:sequence>
      <xs:element minOccurs="0" name="databaseId" nillable="true" type="xs:string" />
      <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime" />
    </xs:sequence>
  </xs:complexType>
  <xs:element name="DATABASEITEMID" nillable="true" type="tns:DATABASEITEMID" />
  <xs:complexType name="DATABASEITEM">
    <xs:annotation>
      <xs:appinfo>
        <IsValueType
xmlns="http://schemas.microsoft.com/2003/10/Serialization/">true</IsValueType>
      </xs:appinfo>
    </xs:annotation>
    <xs:sequence>
      <xs:element minOccurs="0" name="databaseId" nillable="true" type="xs:string" />
      <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string" />
      <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime" />
      <xs:element minOccurs="0" name="securityDesc" type="tns:SecurityDescriptor" />
    </xs:sequence>
  </xs:complexType>

```

```

</xs:complexType>
<xs:element name="DATABASEITEM" nillable="true" type="tns:DATABASEITEM" />
<xs:complexType name="SecurityDescriptor">
  <xs:annotation>
    <xs:appinfo>
      <IsValueType
xmlns="http://schemas.microsoft.com/2003/10/Serialization/">true</IsValueType>
    </xs:appinfo>
  </xs:annotation>
  <xs:sequence>
    <xs:element minOccurs="0" name="SD" nillable="true" type="xs:base64Binary" />
    <xs:element minOccurs="0" name="isNTSD" type="xs:boolean" />
  </xs:sequence>
</xs:complexType>
<xs:element name="SecurityDescriptor" nillable="true" type="tns:SecurityDescriptor" />
<xs:complexType name="ArrayOfNOTESITEM">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="NOTESITEM"
type="tns:NOTESITEM" />
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfNOTESITEM" nillable="true" type="tns:ArrayOfNOTESITEM" />
<xs:complexType name="NOTESITEM">
  <xs:annotation>
    <xs:appinfo>
      <IsValueType
xmlns="http://schemas.microsoft.com/2003/10/Serialization/">true</IsValueType>
    </xs:appinfo>
  </xs:annotation>
  <xs:sequence>
    <xs:element minOccurs="0" name="attachmentId" nillable="true"
type="tns:ArrayOfNOTESATTACHMENTID" />
    <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string" />
    <xs:element minOccurs="0" name="itemContent" type="tns:INDEXABLECONTENT" />
    <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string" />
    <xs:element minOccurs="0" name="itemProps" nillable="true"
type="tns:ArrayOfPROPERTY" />
    <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime" />
    <xs:element minOccurs="0" name="securityDesc" type="tns:SecurityDescriptor" />
  </xs:sequence>
</xs:complexType>
<xs:element name="NOTESITEM" nillable="true" type="tns:NOTESITEM" />
<xs:complexType name="ArrayOfNOTESATTACHMENTID">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="NOTESATTACHMENTID"
type="tns:NOTESATTACHMENTID" />
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfNOTESATTACHMENTID" nillable="true"
type="tns:ArrayOfNOTESATTACHMENTID" />
<xs:complexType name="NOTESATTACHMENTID">
  <xs:annotation>
    <xs:appinfo>
      <IsValueType
xmlns="http://schemas.microsoft.com/2003/10/Serialization/">true</IsValueType>
    </xs:appinfo>
  </xs:annotation>
  <xs:sequence>
    <xs:element minOccurs="0" name="attachmentName" nillable="true" type="xs:string" />
    <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string" />

```

```

        </xs:sequence>
    </xs:complexType>
    <xs:element name="NOTESATTACHMENTID" nillable="true" type="tns:NOTESATTACHMENTID" />
    <xs:complexType name="INDEXABLECONTENT">
        <xs:annotation>
            <xs:appinfo>
                <IsValueType
xmlns="http://schemas.microsoft.com/2003/10/Serialization/">true</IsValueType>
            </xs:appinfo>
        </xs:annotation>
        <xs:sequence>
            <xs:element minOccurs="0" name="content" nillable="true" type="xs:base64Binary" />
            <xs:element minOccurs="0" name="contentType" nillable="true" type="xs:string" />
            <xs:element minOccurs="0" name="extension" nillable="true" type="xs:string" />
        </xs:sequence>
    </xs:complexType>
    <xs:element name="INDEXABLECONTENT" nillable="true" type="tns:INDEXABLECONTENT" />
    <xs:complexType name="ArrayOfPROPERTY">
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="unbounded" name="PROPERTY" type="tns:PROPERTY"
/>
        </xs:sequence>
    </xs:complexType>
    <xs:element name="ArrayOfPROPERTY" nillable="true" type="tns:ArrayOfPROPERTY" />
    <xs:complexType name="PROPERTY">
        <xs:annotation>
            <xs:appinfo>
                <IsValueType
xmlns="http://schemas.microsoft.com/2003/10/Serialization/">true</IsValueType>
            </xs:appinfo>
        </xs:annotation>
        <xs:sequence>
            <xs:element minOccurs="0" name="Name" nillable="true" type="xs:string" />
            <xs:element minOccurs="0" name="Value" nillable="true" type="xs:anyType" />
        </xs:sequence>
    </xs:complexType>
    <xs:element name="PROPERTY" nillable="true" type="tns:PROPERTY" />
    <xs:complexType name="NOTESATTACHMENT">
        <xs:annotation>
            <xs:appinfo>
                <IsValueType
xmlns="http://schemas.microsoft.com/2003/10/Serialization/">true</IsValueType>
            </xs:appinfo>
        </xs:annotation>
        <xs:sequence>
            <xs:element minOccurs="0" name="attachmentContent" type="tns:INDEXABLECONTENT" />
            <xs:element minOccurs="0" name="attachmentId" type="tns:NOTESATTACHMENTID" />
        </xs:sequence>
    </xs:complexType>
    <xs:element name="NOTESATTACHMENT" nillable="true" type="tns:NOTESATTACHMENT" />
</xs:schema>
</wsdl:types>
<wsdl:message name="INotesWebServiceApplication_EnumerateServers_InputMessage">
    <wsdl:part name="parameters" element="tns:EnumerateServers" />
</wsdl:message>
<wsdl:message name="INotesWebServiceApplication_EnumerateServers_OutputMessage">
    <wsdl:part name="parameters" element="tns:EnumerateServersResponse" />
</wsdl:message>
<wsdl:message name="INotesWebServiceApplication_GetServer_InputMessage">

```

```

    <wsdl:part name="parameters" element="tns:GetServer" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_GetServer_OutputMessage">
    <wsdl:part name="parameters" element="tns:GetServerResponse" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_EnumerateDatabases_InputMessage">
    <wsdl:part name="parameters" element="tns:EnumerateDatabases" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_EnumerateDatabases_OutputMessage">
    <wsdl:part name="parameters" element="tns:EnumerateDatabasesResponse" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_GetDatabase_InputMessage">
    <wsdl:part name="parameters" element="tns:GetDatabase" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_GetDatabase_OutputMessage">
    <wsdl:part name="parameters" element="tns:GetDatabaseResponse" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_EnumerateItems_InputMessage">
    <wsdl:part name="parameters" element="tns:EnumerateItems" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_EnumerateItems_OutputMessage">
    <wsdl:part name="parameters" element="tns:EnumerateItemsResponse" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_FetchItem_InputMessage">
    <wsdl:part name="parameters" element="tns:FetchItem" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_FetchItem_OutputMessage">
    <wsdl:part name="parameters" element="tns:FetchItemResponse" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_FetchAttachment_InputMessage">
    <wsdl:part name="parameters" element="tns:FetchAttachment" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_FetchAttachment_OutputMessage">
    <wsdl:part name="parameters" element="tns:FetchAttachmentResponse" />
  </wsdl:message>
  <wsdl:portType name="INotesWebServiceApplication">
    <wsdl:operation name="EnumerateServers">
      <wsdl:input
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateServers"
message="tns:INotesWebServiceApplication_EnumerateServers_InputMessage" />
      <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateServersResponse"
message="tns:INotesWebServiceApplication_EnumerateServers_OutputMessage" />
    </wsdl:operation>
    <wsdl:operation name="GetServer">
      <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetServer"
message="tns:INotesWebServiceApplication_GetServer_InputMessage" />
      <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetServerResponse"
message="tns:INotesWebServiceApplication_GetServer_OutputMessage" />
    </wsdl:operation>
    <wsdl:operation name="EnumerateDatabases">
      <wsdl:input
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateDatabases"
message="tns:INotesWebServiceApplication_EnumerateDatabases_InputMessage" />
      <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateDatabasesResponse"
message="tns:INotesWebServiceApplication_EnumerateDatabases_OutputMessage" />
    </wsdl:operation>
    <wsdl:operation name="GetDatabase">

```



```

        <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetDatabase"
message="tns:INotesWebServiceApplication_GetDatabase_InputMessage" />
        <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetDatabaseResponse"
message="tns:INotesWebServiceApplication_GetDatabase_OutputMessage" />
        </wsdl:operation>
        <wsdl:operation name="EnumerateItems">
        <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateItems"
message="tns:INotesWebServiceApplication_EnumerateItems_InputMessage" />
        <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateItemsResponse"
message="tns:INotesWebServiceApplication_EnumerateItems_OutputMessage" />
        </wsdl:operation>
        <wsdl:operation name="FetchItem">
        <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchItem"
message="tns:INotesWebServiceApplication_FetchItem_InputMessage" />
        <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchItemResponse"
message="tns:INotesWebServiceApplication_FetchItem_OutputMessage" />
        </wsdl:operation>
        <wsdl:operation name="FetchAttachment">
        <wsdl:input
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchAttachment"
message="tns:INotesWebServiceApplication_FetchAttachment_InputMessage" />
        <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchAttachmentResponse"
message="tns:INotesWebServiceApplication_FetchAttachment_OutputMessage" />
        </wsdl:operation>
    </wsdl:portType>
    <wsdl:binding name="CustomBinding_INotesWebServiceApplication"
type="tns:INotesWebServiceApplication">
        <wsp:PolicyReference URI="#CustomBinding_INotesWebServiceApplication_policy" />
        <soap12:binding transport="http://schemas.xmlsoap.org/soap/http" />
        <wsdl:operation name="EnumerateServers">
            <soap12:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/EnumerateServers" style="document"
/>
            <wsdl:input>
                <soap12:body use="literal" />
            </wsdl:input>
            <wsdl:output>
                <soap12:body use="literal" />
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="GetServer">
            <soap12:operation soapAction="http://tempuri.org/INotesWebServiceApplication/GetServer"
style="document" />
            <wsdl:input>
                <soap12:body use="literal" />
            </wsdl:input>
            <wsdl:output>
                <soap12:body use="literal" />
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="EnumerateDatabases">
            <soap12:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/EnumerateDatabases"
style="document" />
            <wsdl:input>
                <soap12:body use="literal" />
            </wsdl:input>

```

```

        <wsdl:output>
            <soap12:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GetDatabase">
        <soap12:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/GetDatabase" style="document" />
        <wsdl:input>
            <soap12:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap12:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="EnumerateItems">
        <soap12:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/EnumerateItems" style="document"
/>
        <wsdl:input>
            <soap12:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap12:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="FetchItem">
        <soap12:operation soapAction="http://tempuri.org/INotesWebServiceApplication/FetchItem"
style="document" />
        <wsdl:input>
            <soap12:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap12:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="FetchAttachment">
        <soap12:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/FetchAttachment" style="document"
/>
        <wsdl:input>
            <soap12:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap12:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
</wsdl:binding>
<wsdl:binding name="CustomBinding_INotesWebServiceApplication1"
type="tns:INotesWebServiceApplication">
    <wsp:PolicyReference URI="#CustomBinding_INotesWebServiceApplication1_policy" />
    <soap12:binding transport="http://schemas.xmlsoap.org/soap/http" />
    <wsdl:operation name="EnumerateServers">
        <soap12:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/EnumerateServers" style="document"
/>
        <wsdl:input>
            <soap12:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap12:body use="literal" />

```

```

        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GetServer">
        <soap12:operation soapAction="http://tempuri.org/INotesWebServiceApplication/GetServer"
style="document" />
        <wsdl:input>
            <soap12:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap12:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="EnumerateDatabases">
        <soap12:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/EnumerateDatabases"
style="document" />
        <wsdl:input>
            <soap12:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap12:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GetDatabase">
        <soap12:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/GetDatabase" style="document" />
        <wsdl:input>
            <soap12:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap12:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="EnumerateItems">
        <soap12:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/EnumerateItems" style="document"
/>
        <wsdl:input>
            <soap12:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap12:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="FetchItem">
        <soap12:operation soapAction="http://tempuri.org/INotesWebServiceApplication/FetchItem"
style="document" />
        <wsdl:input>
            <soap12:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap12:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="FetchAttachment">
        <soap12:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/FetchAttachment" style="document"
/>
        <wsdl:input>
            <soap12:body use="literal" />

```

```
</wsdl:input>
<wsdl:output>
  <soap12:body use="literal" />
</wsdl:output>
</wsdl:operation>
</wsdl:binding>
</wsdl:definitions>
```

7 Appendix B: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft® FAST™ Search Server 2010
- Microsoft® SharePoint® Server 2010

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

8 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

9 Index

A

Abstract data model
[attachment](#) 18
[database](#) 17
[item](#) 18
[object hierarchy](#) 17
server ([section 3.1.1](#) 16, [section 3.1.1.2](#) 17)
[Applicability](#) 8
[ArrayOfNOTESATTACHMENTID complex type](#) 11
[ArrayOfPROPERTY complex type](#) 12
[Attribute groups](#) 15
[Attributes](#) 15

C

[Capability negotiation](#) 9
[Change tracking](#) 62
Client

[overview](#) 16
[Complex types](#) 11
[ArrayOfNOTESATTACHMENTID](#) 11
[ArrayOfPROPERTY](#) 12
[INDEXABLECONTENT](#) 12
[NOTESATTACHMENTID](#) 12
[NOTESITEM](#) 13
[PROPERTY](#) 13
[SecurityDescriptor](#) 14
[SERVERITEM](#) 14

D

Data model - abstract
[server](#) 16
Databases
[Retrieving items from](#) 36

E

[EnumerateItems example](#) 37
[EnumerateServers example](#) 34
Events
[local - server](#) 33
[timer - server](#) 33
[Examples](#) 36
[EnumerateItems](#) 37
[EnumerateServers](#) 34
[FetchAttachment](#) 43
[FetchItem](#) 39
[GetDatabase](#) 35
[Identifying Servers and Databases](#) 34
[Retrieving items from the database](#) 36

F

[FetchAttachment example](#) 43
[FetchItem example](#) 39
[Fields - vendor-extensible](#) 9
[Full WSDL](#) 46

G

[GetDatabase example](#) 35
[Glossary](#) 6
[Groups](#) 15

I

Identifying Servers and Databases
[Example](#) 34
[Implementer - security considerations](#) 45
[Index of security parameters](#) 45
[INDEXABLECONTENT complex type](#) 12
[Informative references](#) 7
Initialization
[server](#) 18
[Introduction](#) 6

L

Local events
[server](#) 33

M

Message processing
[server](#) 18
Messages
[ArrayOfNOTESATTACHMENTID complex type](#) 11
[ArrayOfPROPERTY complex type](#) 12
[attribute groups](#) 15
[attributes](#) 15
[complex types](#) 11
[elements](#) 11
[enumerated](#) 11
[groups](#) 15
[INDEXABLECONTENT complex type](#) 12
[namespaces](#) 10
[NOTESATTACHMENTID complex type](#) 12
[NOTESITEM complex type](#) 13
[PROPERTY complex type](#) 13
[SecurityDescriptor complex type](#) 14
[SERVERITEM complex type](#) 14
[simple types](#) 14
[syntax](#) 10
[transport](#) 10

N

[Namespaces](#) 10
[Normative references](#) 6
[NOTESATTACHMENTID complex type](#) 12
[NOTESITEM complex type](#) 13

O

Operations
[EnumerateDatabases](#) 19

[EnumerateItems](#) 22
[EnumerateServers](#) 24
[FetchAttachment](#) 26
[FetchItem](#) 28
[GetDatabase](#) 30
[GetServer](#) 32
[Overview \(synopsis\)](#) 7

P

[Parameters - security index](#) 45
[Preconditions](#) 8
[Prerequisites](#) 8
[Product behavior](#) 61
[PROPERTY complex type](#) 13

R

References
[informative](#) 7
[normative](#) 6
[Relationship to other protocols](#) 8
Retrieving items from the database
[Example](#) 36

S

Security
[implementer considerations](#) 45
[parameter index](#) 45
[SecurityDescriptor complex type](#) 14
Sequencing rules
[server](#) 18
Server
[abstract data model](#) 16
[EnumerateDatabases operation](#) 19
[EnumerateItems operation](#) 22
[EnumerateServers operation](#) 24
[FetchAttachment operation](#) 26
[FetchItem operation](#) 28
[GetDatabase operation](#) 30
[GetServer operation](#) 32
[initialization](#) 18
[local events](#) 33
[message processing](#) 18
[overview](#) 16
[sequencing rules](#) 18
[timer events](#) 33
[timers](#) 18
[SERVERITEM complex type](#) 14
Servers and Databases
[Identifying](#) 34
[Simple types](#) 14
[Standards assignments](#) 9
Syntax
[messages - overview](#) 10

T

Timer events
[server](#) 33
Timers

[server](#) 18
[Tracking changes](#) 62
[Transport](#) 10
Types
[complex](#) 11
[simple](#) 14

V

[Vendor-extensible fields](#) 9
[Versioning](#) 9

W

[WSDL](#) 46