

[MS-OXWSCDATA]: Common Web Service Data Types

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.aspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

| Date | Revision History | Revision Class | Comments |
|------------|------------------|----------------|---|
| 07/15/2009 | 1.0 | Major | Initial Availability. |
| 11/04/2009 | 2.0.0 | Major | Updated and revised the technical content. |
| 02/10/2010 | 2.1.0 | Minor | Updated the technical content. |
| 05/05/2010 | 3.0.0 | Major | Updated and revised the technical content. |
| 08/04/2010 | 3.1 | Minor | Clarified the meaning of the technical content. |
| 11/03/2010 | 3.2 | Minor | Clarified the meaning of the technical content. |

Contents

| | |
|---|----------|
| 1 Introduction | 6 |
| 1.1 Glossary | 6 |
| 1.2 References | 6 |
| 1.2.1 Normative References | 6 |
| 1.2.2 Informative References | 8 |
| 1.3 Overview | 8 |
| 1.4 Relationship to Other Protocols | 8 |
| 1.5 Prerequisites/Preconditions | 8 |
| 1.6 Applicability Statement | 8 |
| 1.7 Versioning and Capability Negotiation | 8 |
| 1.8 Vendor-Extensible Fields | 8 |
| 1.9 Standards Assignments | 8 |
| 2 Messages | 9 |
| 2.1 Transport | 9 |
| 2.2 Common Message Syntax | 9 |
| 2.2.1 Namespaces | 9 |
| 2.2.2 Simple Types | 9 |
| 2.2.2.1 t:BodyTypeResponseType Simple Type | 9 |
| 2.2.2.2 t:BodyTypeType Simple Type | 10 |
| 2.2.2.3 t:DayOfWeekIndexType Simple Type | 10 |
| 2.2.2.4 t:DayOfWeekType Simple Type | 11 |
| 2.2.2.5 t:DaysOfWeekType Simple Type | 12 |
| 2.2.2.6 t:DefaultShapeNamesType Simple Type | 13 |
| 2.2.2.7 t:DictionaryURIType Simple Type | 13 |
| 2.2.2.8 t:DisposalType Simple Type | 15 |
| 2.2.2.9 t:DistinguishedFolderIdNameType Simple Type | 15 |
| 2.2.2.10 t:DistinguishedPropertySetType Simple Type | 18 |
| 2.2.2.11 t:DistinguishedUserType Simple Type | 19 |
| 2.2.2.12 t:ExceptionPropertyURIType Simple Type | 20 |
| 2.2.2.13 t:ExchangeVersionType Simple Type | 21 |
| 2.2.2.14 t:ExcludesAttributeType Simple Type | 22 |
| 2.2.2.15 t:LegacyFreeBusyType Simple Type | 22 |
| 2.2.2.16 t:MailboxTypeType Simple Type | 23 |
| 2.2.2.17 t:MonthNamesType Simple Type | 24 |
| 2.2.2.18 t:NonEmptyStringType Simple Type | 25 |
| 2.2.2.19 t:ResponseClassType Simple Type | 25 |
| 2.2.2.20 m:ResponseCodeType Simple Type | 26 |
| 2.2.2.21 t:SensitivityChoicesType Simple Type | 73 |
| 2.2.2.22 t:UnindexedFieldURIType Simple Type | 74 |
| 2.2.3 Complex Types | 91 |
| 2.2.3.1 t:AbsoluteMonthlyRecurrencePatternType Complex Type | 91 |
| 2.2.3.2 t:AbsoluteYearlyRecurrencePatternType Complex Type | 92 |
| 2.2.3.3 t:AcceptSharingInvitationType Complex Type | 92 |
| 2.2.3.4 t:ArrayOfCalendarPermissionsType Complex Type | 93 |
| 2.2.3.5 t:ArrayOfEmailAddressesType Complex Type | 93 |
| 2.2.3.6 t:ArrayOfPermissionsType Complex Type | 94 |
| 2.2.3.7 t:ArrayOfRealItemsType Complex Type | 94 |
| 2.2.3.8 t:ArrayOfRecipientsType Complex Type | 95 |
| 2.2.3.9 m:ArrayOfResponseMessagesType Complex Type | 96 |

| | | |
|----------|--|-----|
| 2.2.3.10 | t:ArrayOfStringsType Complex Type..... | 103 |
| 2.2.3.11 | t:BaseEmailAddressType Complex Type..... | 104 |
| 2.2.3.12 | t:BaseItemIdType Complex Type..... | 104 |
| 2.2.3.13 | t:BasePathToElementType Complex Type..... | 104 |
| 2.2.3.14 | t:BaseRequestType Complex Type..... | 104 |
| 2.2.3.15 | t:BaseResponseMessageType Complex Type..... | 105 |
| 2.2.3.16 | t:BodyType Complex Type..... | 105 |
| 2.2.3.17 | t:ConnectingSIDType Complex Type..... | 105 |
| 2.2.3.18 | t:ConstantValueType Complex Type..... | 106 |
| 2.2.3.19 | t:DailyRecurrencePatternType Complex Type..... | 107 |
| 2.2.3.20 | t:DeletedOccurrenceInfoType Complex Type..... | 107 |
| 2.2.3.21 | t:DistinguishedFolderIdType Complex Type..... | 107 |
| 2.2.3.22 | t:Duration Complex Type..... | 108 |
| 2.2.3.23 | t:EffectiveRightsType Complex Type..... | 109 |
| 2.2.3.24 | t:EmailAddress..... | 109 |
| 2.2.3.25 | t:EmailAdressesType Complex Type..... | 110 |
| 2.2.3.26 | t:EndDateRecurrenceRangeType Complex Type..... | 111 |
| 2.2.3.27 | t:ExchangeImpersonationType Complex Type..... | 111 |
| 2.2.3.28 | t:FieldURIOrConstantType Complex Type..... | 112 |
| 2.2.3.29 | t:FolderIdType Complex Type..... | 112 |
| 2.2.3.30 | t:FolderResponseShapeType Complex Type..... | 113 |
| 2.2.3.31 | t:ForwardItemType Complex Type..... | 113 |
| 2.2.3.32 | t:InternetHeaderType Complex Type..... | 114 |
| 2.2.3.33 | t:IntervalRecurrencePatternBaseType Complex Type..... | 114 |
| 2.2.3.34 | m:ItemInfoResponseMessageType Complex Type..... | 115 |
| 2.2.3.35 | t:ItemResponseShapeType Complex Type..... | 115 |
| 2.2.3.36 | t:MailboxCultureType Complex Type..... | 117 |
| 2.2.3.37 | t:NoEndRecurrenceRangeType Complex Type..... | 117 |
| 2.2.3.38 | t:NonEmptyArrayOfAllItemsType Complex Type..... | 117 |
| 2.2.3.39 | t:NonEmptyArrayOfAttachmentsType Complex Type..... | 120 |
| 2.2.3.40 | t:NonEmptyArrayOfPathsToElementType Complex Type..... | 120 |
| 2.2.3.41 | t:NumberedRecurrenceRangeType Complex Type..... | 121 |
| 2.2.3.42 | t:PathToExceptionFieldType Complex Type..... | 121 |
| 2.2.3.43 | t:PathToIndexedFieldType Complex Type..... | 122 |
| 2.2.3.44 | t:PathToUnindexedFieldType Complex Type..... | 122 |
| 2.2.3.45 | t:RecurrencePatternBaseType Complex Type..... | 123 |
| 2.2.3.46 | t:RecurrenceRangeBaseType Complex Type..... | 123 |
| 2.2.3.47 | t:RelativeMonthlyRecurrencePatternType Complex Type..... | 123 |
| 2.2.3.48 | t:RelativeYearlyRecurrencePatternType Complex Type..... | 124 |
| 2.2.3.49 | t:ReplyAllToItemType Complex Type..... | 125 |
| 2.2.3.50 | t:ReplyBody..... | 125 |
| 2.2.3.51 | t:ReplyToItemType Complex Type..... | 125 |
| 2.2.3.52 | m:ResponseMessageType Complex Type..... | 126 |
| 2.2.3.53 | t:ResponseObjectCoreType Complex Type..... | 127 |
| 2.2.3.54 | t:ResponseObjectType Complex Type..... | 127 |
| 2.2.3.55 | t:SingleRecipientType Complex Type..... | 128 |
| 2.2.3.56 | t:SuppressReadReceiptType Complex Type..... | 128 |
| 2.2.3.57 | t:UserIdType Complex Type..... | 129 |
| 2.2.3.58 | t:Value Complex Type..... | 129 |
| 2.2.3.59 | t:WeeklyRecurrencePatternType Complex Type..... | 130 |
| 2.2.3.60 | t:WellKnownResponseObjectType Complex Type..... | 131 |
| 2.2.4 | Elements..... | 133 |
| 2.2.4.1 | t:ExceptionFieldURI Element..... | 133 |

| | | |
|----------|---|------------|
| 2.2.4.2 | t:ExchangeImpersonation Element | 133 |
| 2.2.4.3 | t:FieldURI Element..... | 133 |
| 2.2.4.4 | t:IndexedFieldURI Element | 133 |
| 2.2.4.5 | t:MailboxCulture Element | 134 |
| 2.2.4.6 | t:Path Element | 134 |
| 2.2.4.7 | t:RequestServerVersion Element | 134 |
| 2.2.4.8 | t:ServerVersionInfo Element | 134 |
| 2.2.4.9 | Value Element..... | 135 |
| 2.2.5 | Attributes..... | 135 |
| 2.2.6 | Groups..... | 136 |
| 2.2.6.1 | t:RecurrencePatternTypes Group | 136 |
| 2.2.6.2 | t:RecurrenceRangeTypes Group | 137 |
| 2.2.6.3 | t:TimeChangePatternTypes Group | 137 |
| 2.2.7 | Attribute Groups | 138 |
| 2.2.7.1 | t:FindResponsePagingAttributes Attribute Group..... | 138 |
| 2.2.8 | Messages | 139 |
| 3 | Protocol Details..... | 140 |
| 3.1 | Server Details | 140 |
| 3.1.1 | Abstract Data Model | 140 |
| 3.1.2 | Timers | 140 |
| 3.1.3 | Initialization | 140 |
| 3.1.4 | Message Processing Events and Sequencing Rules..... | 140 |
| 3.1.5 | Timer Events | 140 |
| 3.1.6 | Other Local Events | 140 |
| 3.2 | Client Details..... | 140 |
| 3.2.1 | Abstract Data Model | 140 |
| 3.2.2 | Timers | 140 |
| 3.2.3 | Initialization | 140 |
| 3.2.4 | Message Processing Events and Sequencing Rules..... | 140 |
| 3.2.5 | Timer Events | 141 |
| 3.2.6 | Other Local Events | 141 |
| 4 | Protocol Examples..... | 142 |
| 5 | Security..... | 143 |
| 5.1 | Security Considerations for Implementers..... | 143 |
| 5.2 | Index of Security Parameters | 143 |
| 6 | Appendix A: Full WSDL..... | 144 |
| 6.1 | WSDL..... | 144 |
| 6.2 | Messages Schema..... | 144 |
| 6.3 | Types Schema..... | 154 |
| 7 | Appendix B: Product Behavior..... | 170 |
| 8 | Change Tracking..... | 172 |
| 9 | Index | 174 |

1 Introduction

This document specifies the Web service data types that are common to more than one Web service protocol.

1.1 Glossary

The following terms are defined in [\[MS-OXGLOS\]](#):

Calendar folder
delegate
Deleted Items folder
distribution list
Drafts folder
free/busy folder
GUID
Hypertext Markup Language (HTML)
Inbox folder
Junk E-mail folder
mailbox
MIME
Outbox folder
Out of Office (OOF)
plain text
property
public folder
Sent Items folder
Simple Mail Transfer Protocol (SMTP)
SOAP header
Uniform Resource Identifier (URI)
Web Services Description Language (WSDL)
XML
XML namespace
XML schema

The following terms are specific to this document:

real item: An item that can be stored in the mail server database, such as a calendar item, task, or contact.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-OXWSADISC] Microsoft Corporation, "[Autodiscover Publishing and Lookup SOAP-Based Web Service Protocol Specification](#)", July 2009.

[MS-OXWSATT] Microsoft Corporation, "[Attachment Handling Web Service Protocol Specification](#)", July 2009.

[MS-OXWSBTRF] Microsoft Corporation, "[Bulk Transfer Web Service Protocol Specification](#)", May 2010.

[MS-OXWSCONV] Microsoft Corporation, "[Conversations Web Service Protocol Specification](#)", May 2010.

[MS-OXWSCORE] Microsoft Corporation, "[Core Items Web Service Protocol Specification](#)", July 2009.

[MS-OXWSCVTID] Microsoft Corporation, "[Convert Item Identifier Web Service Protocol Specification](#)", July 2009.

[MS-OXWSDLIST] Microsoft Corporation, "[Distribution List Creation and Usage Web Service Protocol Specification](#)", July 2009.

[MS-OXWSFOLD] Microsoft Corporation, "[Folders and Folder Permissions Web Service Protocol Specification](#)", July 2009.

[MS-OXWSGTRM] Microsoft Corporation, "[Get Rooms List Web Service Protocol Specification](#)", July 2009.

[MS-OXWSGTZ] Microsoft Corporation, "[Get Server Time Zone Web Service Protocol Specification](#)", July 2009.

[MS-OXWSMSG] Microsoft Corporation, "[E-Mail Message Types Web Service Protocol Specification](#)", July 2009.

[MS-OXWSMSHR] Microsoft Corporation, "[Folder Sharing Web Service Protocol Specification](#)", November 2009.

[MS-OXWSMTRK] Microsoft Corporation, "[Message Tracking Web Service Protocol Specification](#)", July 2009.

[MS-OXWSNTIF] Microsoft Corporation, "[Notifications Web Service Protocol Specification](#)", July 2009.

[MS-OXWSPSNTIF] Microsoft Corporation, "[Push Notifications Web Service Protocol Specification](#)", July 2009.

[MS-OXWSRSLNM] Microsoft Corporation, "[Resolve Recipient Names Web Service Protocol Specification](#)", July 2009.

[MS-OXWSSRCH] Microsoft Corporation, "[Mailbox Search Web Service Protocol Specification](#)", July 2009.

[MS-OXWSSYNC] Microsoft Corporation, "[Mailbox Contents Synchronization Web Service Protocol Specification](#)", July 2009.

[MS-OXWSTASK] Microsoft Corporation, "[Tasks Web Service Protocol Specification](#)", July 2009.

[MS-OXWSUSRCFG] Microsoft Corporation, "[User Configuration Web Service Protocol Specification](#)", July 2009.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>

[RFC3066] Alvestrand, H., "Tags for the Identification of Languages", BCP 47, RFC 3066, January 2001, <http://www.ietf.org/rfc/rfc3066.txt>

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>

[XMLNS] Bray, T., Hollander, D., Layman, A., Eds., et al., "Namespaces in XML 1.0 (Third Edition)", December 2009, <http://www.w3.org/TR/REC-xml-names/>

[XMLSCHEMA0] Fallside, D., and Walmsley, P., Eds., "XML Schema Part 0: Primer Second Edition", W3C Recommendation, October 2004, <http://www.w3.org/TR/2004/REC-xmlschema-0-20041028/>

[XMLSCHEMA1] Thompson, H., Beech, D., Maloney, M., and Mendelsohn, N., Eds., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P., and Malhotra, A., Eds., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

1.2.2 Informative References

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)", April 2008.

1.3 Overview

This specification defines the global elements, types, groups, and attribute groups that are common across the Web service protocols.

1.4 Relationship to Other Protocols

The information specified in this document applies to two or more Web service protocols.

1.5 Prerequisites/Preconditions

None.

1.6 Applicability Statement

The information in this specification applies to common Web service data types that are shared by two or more Web service protocols.

1.7 Versioning and Capability Negotiation

This specification does not cover versioning or capability negotiation.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

None.

2 Messages

2.1 Transport

This document does not specify any transport-specific details.

2.2 Common Message Syntax

This section contains common definitions that are used by this specification. The syntax of the definitions uses **XML schema**, as defined in [\[XMLSCHEMA1\]](#) and [\[XMLSCHEMA2\]](#), and **Web Services Description Language (WSDL)**, as defined in [\[WSDL\]](#).

2.2.1 Namespaces

This specification defines and references various **XML namespaces** by using the mechanisms specified in [\[XMLNS\]](#). Although this specification associates a specific XML namespace prefix for each XML namespace that is used, the choice of any particular XML namespace prefix is implementation-specific and not significant for interoperability.

| Prefix | Namespace URI | Reference |
|-----------------|---|------------------------------|
| m | http://schemas.microsoft.com/exchange/services/2006/messages | |
| t | http://schemas.microsoft.com/exchange/services/2006/types | |
| xs | http://www.w3.org/2001/XMLSchema | [XMLSCHEMA1] |
| tns | http://schemas.microsoft.com/exchange/services/2006/messages | |
| targetNamespace | http://schemas.microsoft.com/exchange/services/2006/messages | |

2.2.2 Simple Types

2.2.2.1 t:BodyResponseType Simple Type

The **BodyResponseType** simple type specifies the type of content that is returned for the body of an item.

```
<xs:simpleType name="BodyResponseType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="Best"
    />
    <xs:enumeration
      value="HTML"
    />
    <xs:enumeration
      value="Text"
    />
  </xs:restriction>
</xs:simpleType>
```

Enumeration

The following values are defined by the **BodyTypeResponseType** simple type:

| Value | Description |
|-------|--|
| Best | Specifies that the response returns the richest available body content. This is useful if it is unknown whether the content is text or HTML . |
| HTML | Specifies that the response returns an item body as HTML. |
| Text | Specifies that the response returns an item body as plain text . |

2.2.2.2 t:BodyTypeType Simple Type

The **BodyTypeType** simple type specifies the item body content type.

```
<xs:simpleType name="BodyTypeType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="HTML"
    />
    <xs:enumeration
      value="Text"
    />
  </xs:restriction>
</xs:simpleType>
```

Enumeration

The following values are defined by the **BodyTypeType** simple type:

| Value | Description |
|-------|--|
| HTML | Specifies the item body as HTML content. |
| Text | Specifies the item body as text content. |

2.2.2.3 t:DayOfWeekIndexType Simple Type

The **DayOfWeekIndexType** simple type specifies which week in a month is used in a relative recurrence pattern.

```
<xs:simpleType name="DayOfWeekIndexType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="First"
    />
    <xs:enumeration
      value="Fourth"
    />
  </xs:restriction>
</xs:simpleType>
```

```

    />
    <xs:enumeration
      value="Last"
    />
    <xs:enumeration
      value="Second"
    />
    <xs:enumeration
      value="Third"
    />
  </xs:restriction>
</xs:simpleType>

```

Enumeration

The following values are defined by the **DayOfWeekIndexType** simple type:

| Value | Description |
|--------|--|
| First | Specifies that the first week in the month is used in the recurrence pattern. |
| Fourth | Specifies that the fourth week in the month is used in the recurrence pattern. |
| Last | Specifies that the last week in the month is used in the recurrence pattern. |
| Second | Specifies that the second week in the month is used in the recurrence pattern. |
| Third | Specifies that the third week in the month is used in the recurrence pattern. |

2.2.2.4 t:DayOfWeekType Simple Type

The **DayOfWeekType** simple type specifies days of the week that are used in item recurrence patterns.

```

<xs:simpleType name="DayOfWeekType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="Day"
    />
    <xs:enumeration
      value="Friday"
    />
    <xs:enumeration
      value="Monday"
    />
    <xs:enumeration
      value="Saturday"
    />
    <xs:enumeration
      value="Sunday"
    />
    <xs:enumeration
      value="Thursday"
    />
  </xs:restriction>
</xs:simpleType>

```

```

    />
    <xs:enumeration
      value="Tuesday"
    />
    <xs:enumeration
      value="Wednesday"
    />
    <xs:enumeration
      value="Weekday"
    />
    <xs:enumeration
      value="WeekendDay"
    />
  </xs:restriction>
</xs:simpleType>

```

Enumeration

The following values are defined by the **DayOfWeekType** simple type:

| Value | Description |
|------------|---|
| Day | Identifies every day as part of the recurrence pattern. This value MUST NOT be used in the t:RelativeYearlyRecurrencePatternType (section 2.2.3.48) and t:WeeklyRecurrencePatternType (section 2.2.3.59) complex types. |
| Friday | Identifies Fridays as part of the recurrence pattern. |
| Monday | Identifies Mondays as part of the recurrence pattern. |
| Saturday | Identifies Saturdays as part of the recurrence pattern. |
| Sunday | Identifies Sundays as part of the recurrence pattern. |
| Thursday | Identifies Thursdays as part of the recurrence pattern. |
| Tuesday | Identifies Tuesdays as part of the recurrence pattern. |
| Wednesday | Identifies Wednesdays as part of the recurrence pattern. |
| Weekday | Identifies weekdays as part of the recurrence pattern. This value MUST NOT be used in the t:RelativeYearlyRecurrencePatternType and t:WeeklyRecurrencePatternType types. |
| WeekendDay | Identifies weekend days as part of the recurrence pattern. This value MUST NOT be used in the t:RelativeYearlyRecurrencePatternType and t:WeeklyRecurrencePatternType types. |

2.2.2.5 t:DaysOfWeekType Simple Type

The **DaysOfWeekType** simple type specifies days of the week that are used in item recurrence patterns.

```

<xs:simpleType name="DaysOfWeekType">
  <xs:list>

```

```

    <xs:itemType name="t:DayOfWeekType" />
  </xs:list>
</xs:simpleType>

```

The values for this type are defined in section [2.2.2.4](#).

The following is the syntax for this type.

```

<xs:simpleType name="DaysOfWeekType">
  <xs:list itemType="t:DayOfWeekType" />
</xs:simpleType>

```

2.2.2.6 t:DefaultShapeNamesType Simple Type

The **DefaultShapeNamesType** simple type specifies standard sets of **properties** to return in an item or folder response.

```

<xs:simpleType name="DefaultShapeNamesType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="AllProperties"
    />
    <xs:enumeration
      value="Default"
    />
    <xs:enumeration
      value="IdOnly"
    />
  </xs:restriction>
</xs:simpleType>

```

Enumeration

The following values are defined by the **DefaultShapeNamesType** simple type:

| Value | Description |
|---------------|--|
| AllProperties | Specifies all the properties that are defined for the AllProperties shape. This option does not specify all available properties for an item or folder. |
| Default | Specifies a set of properties that are defined as the default for the item or folder. |
| IdOnly | Specifies only the item or folder ID. |

2.2.2.7 t:DictionaryURIType Simple Type

The **DictionaryURIType** simple type specifies frequently referenced dictionary properties by **URI**.

```

<xs:simpleType name="DictionaryURIType">

```

```

<xs:restriction
  base="xs:string"
>
  <xs:enumeration
    value="contactsEmailAddress"
  />
  <xs:enumeration
    value="contactsImAddress"
  />
  <xs:enumeration
    value="contactsPhoneNumber"
  />
  <xs:enumeration
    value="contactsPhysicalAddressCity"
  />
  <xs:enumeration
    value="contactsPhysicalAddressCountryOrRegion"
  />
  <xs:enumeration
    value="contactsPhysicalAddressPostalCode"
  />
  <xs:enumeration
    value="contactsPhysicalAddressState"
  />
  <xs:enumeration
    value="contactsPhysicalAddressStreet"
  />
  <xs:enumeration
    value="itemInternetMessageHeader"
  />
</xs:restriction>
</xs:simpleType>

```

Enumeration

The following values are defined by the **DictionaryURIType** simple type:

| Value | Description |
|--|---|
| contactsEmailAddress | Specifies the EmailAddresses property. |
| contactsImAddress | Specifies the ImAddresses property. |
| contactsPhoneNumber | Specifies the PhoneNumbers property. |
| contactsPhysicalAddressCity | Specifies the PhysicalAddressCity property. |
| contactsPhysicalAddressCountryOrRegion | Specifies the PhysicalAddressCountryOrRegion property. |
| contactsPhysicalAddressPostalCode | Specifies the PhysicalAddressPostalCode property. |
| contactsPhysicalAddressState | Specifies the PhysicalAddressState property. |
| contactsPhysicalAddressStreet | Specifies the PhysicalAddressStreet property. |
| itemInternetMessageHeader | Specifies the InternetMessageHeader property. |

2.2.2.8 t:DisposalType Simple Type

The **DisposalType** simple type specifies how an item or **folder** is deleted.

```
<xs:simpleType name="DisposalType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="HardDelete"
    />
    <xs:enumeration
      value="MoveToDeletedItems"
    />
    <xs:enumeration
      value="SoftDelete"
    />
  </xs:restriction>
</xs:simpleType>
```

Enumeration

The following values are defined by the **DisposalType** simple type:

| Value | Description |
|--------------------|---|
| HardDelete | Specifies that an item or folder is permanently removed from the store. |
| MoveToDeletedItems | Specifies that an item or folder is moved to the Deleted Items folder . |
| SoftDelete | Specifies that an item or folder is moved to the dumpster if the dumpster is enabled. |

The **m>DeleteFolderType** ([\[MS-OXWSFOLD\]](#) section 3.1.4.4.3.2) and **m>DeleteItemType** ([\[MS-OXWSCORE\]](#) section 3.1.4.3.1.2) complex types MUST specify a value for [DisposalType](#).

2.2.2.9 t:DistinguishedFolderIdNameType Simple Type

The **DistinguishedFolderIdNameType** simple type specifies well-known folders that can be referenced by name. [<1>](#)

```
<xs:simpleType name="DistinguishedFolderIdNameType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="calendar"
    />
    <xs:enumeration
      value="contacts"
    />
    <xs:enumeration
      value="deleteditems"
    />
    <xs:enumeration
```

```
    value="drafts"
  />
<xs:enumeration
  value="inbox"
 />
<xs:enumeration
  value="journal"
 />
<xs:enumeration
  value="junkemail"
 />
<xs:enumeration
  value="msgfolderroot"
 />
<xs:enumeration
  value="notes"
 />
<xs:enumeration
  value="outbox"
 />
<xs:enumeration
  value="publicfoldersroot"
 />
<xs:enumeration
  value="root"
 />
<xs:enumeration
  value="searchfolders"
 />
<xs:enumeration
  value="sentitems"
 />
<xs:enumeration
  value="tasks"
 />
<xs:enumeration
  value="voicemail"
 />
<xs:enumeration
  value="recoverableitemsroot"
 />
<xs:enumeration
  value="recoverableitemsdeletions"
 />
<xs:enumeration
  value="recoverableitemsversions"
 />
<xs:enumeration
  value="recoverableitemspurges"
 />
<xs:enumeration
  value="archiveroot"
 />
<xs:enumeration
  value="archivemsgfolderroot"
 />
<xs:enumeration
  value="archivedeleteditems"
 />
```



```

<xs:enumeration
  value="archiverecoverableitemsroot"
/>
<xs:enumeration
  value="archiverecoverableitemsdeletions"
/>
<xs:enumeration
  value="archiverecoverableitemsversions"
/>
<xs:enumeration
  value="archiverecoverableitemspurges"
/>
</xs:restriction>
</xs:simpleType>

```

Enumeration

The following values are defined by the **DistinguishedFolderIdNameType** simple type:

| Value | Description |
|---------------------------|--|
| calendar | Specifies the default Calendar folder . |
| contacts | Specifies the default Contacts folder. |
| deleteditems | Specifies the Deleted Items folder. |
| drafts | Specifies the Drafts folder . |
| inbox | Specifies the Inbox folder . |
| journal | Specifies the Journal folder. |
| junkemail | Specifies the Junk E-mail folder . |
| msgfolderroot | Specifies the message folder root. |
| notes | Specifies the Notes folder. |
| outbox | Specifies the Outbox folder . |
| publicfoldersroot | Specifies the root public folder . |
| root | Specifies the root of the mailbox . |
| searchfolders | Specifies the Search Folders folder . |
| sentitems | Specifies the Sent Items folder . |
| tasks | Specifies the Tasks folder. |
| voicemail | Specifies the Voice Mail folder. |
| recoverableitemsroot | Specifies the dumpster root folder. |
| recoverableitemsdeletions | Specifies the dumpster deletions folder. |

| Value | Description |
|----------------------------------|---|
| recoverableitemsversions | Specifies the dumpster versions folder. |
| recoverableitemspurges | Specifies the dumpster purges folder. |
| archiveroot | Specifies the root archive folder. |
| archivemsgfolderroot | Specifies the root archive message folder. |
| archivedeleteditems | Specifies the archive Deleted Items folder. |
| archiverecoverableitemsroot | Specifies the archive recoverable items root folder. |
| archiverecoverableitemsdeletions | Specifies the archive recoverable items deletions folder. |
| archiverecoverableitemsversions | Specifies the archive recoverable items versions folder. |
| archiverecoverableitemspurges | Specifies the archive recoverable items purges folder. |

2.2.2.10 t:DistinguishedPropertySetType Simple Type

The **DistinguishedPropertySetType** simple type specifies the well-known property set IDs for extended properties.

```
<xs:simpleType name="DistinguishedPropertySetType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="Address"
    />
    <xs:enumeration
      value="Appointment"
    />
    <xs:enumeration
      value="CalendarAssistant"
    />
    <xs:enumeration
      value="Common"
    />
    <xs:enumeration
      value="InternetHeaders"
    />
    <xs:enumeration
      value="Meeting"
    />
    <xs:enumeration
      value="PublicStrings"
    />
    <xs:enumeration
      value="Task"
    />
    <xs:enumeration
      value="UnifiedMessaging"
    />
  </xs:restriction>
</xs:simpleType>
```

Enumeration

The following values are defined by the **DistinguishedPropertySetType** simple type:

| Value | Description |
|-------------------|---|
| Address | Specifies the address property set ID by name. |
| Appointment | Specifies the appointment property set ID by name. |
| CalendarAssistant | Specifies the calendar assistant property set ID by name. |
| Common | Specifies the common property set ID by name. |
| InternetHeaders | Specifies the Internet headers property set ID by name. |
| Meeting | Specifies the meeting property set ID by name. |
| PublicStrings | Specifies the public strings property set ID by name. |
| Task | Specifies the task property set ID by name. |
| UnifiedMessaging | Specifies the Unified Messaging property set ID by name. |

2.2.2.11 t:DistinguishedUserType Simple Type

The **DistinguishedUserType** type specifies distinguished user accounts.

```
<xs:simpleType name="DistinguishedUserType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="Default"
    />
    <xs:enumeration
      value="Anonymous"
    />
  </xs:restriction>
</xs:simpleType>
```

Enumeration

The following values are defined by the **DistinguishedUserType** simple type:

| Value | Description |
|-----------|---------------------------------------|
| Default | Specifies the default user account. |
| Anonymous | Specifies the anonymous user account. |

2.2.2.12 t:ExceptionPropertyURIType Simple Type

The **ExceptionPropertyURIType** type specifies an offending property path in an error.

```
<xs:simpleType name="ExceptionPropertyURIType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="attachmentContent"
    />
    <xs:enumeration
      value="attachmentContentType"
    />
    <xs:enumeration
      value="attachmentName"
    />
    <xs:enumeration
      value="recurrenceDayOfMonth"
    />
    <xs:enumeration
      value="recurrenceDayOfWeekIndex"
    />
    <xs:enumeration
      value="recurrenceDaysOfWeek"
    />
    <xs:enumeration
      value="recurrenceInterval"
    />
    <xs:enumeration
      value="recurrenceMonth"
    />
    <xs:enumeration
      value="recurrenceNumberOfOccurrences"
    />
    <xs:enumeration
      value="timezoneOffset"
    />
  </xs:restriction>
</xs:simpleType>
```

Enumeration

The following values are defined by the **ExceptionPropertyURIType** simple type:

| Value | Description |
|-----------------------|--|
| attachmentContent | Specifies that the attachment Content property contains an error. |
| attachmentContentType | Specifies that the attachment ContentType property contains an error. |
| attachmentName | Specifies that the attachment Name property contains an error. |
| recurrenceDayOfMonth | Specifies that the recurrence DayOfMonth property contains an error. |

| Value | Description |
|-------------------------------|--|
| recurrenceDayOfWeekIndex | Specifies that the recurrence DayOfWeekIndex property contains an error. |
| recurrenceDaysOfWeek | Specifies that the recurrence DaysOfWeek property contains an error. |
| recurrenceInterval | Specifies that the recurrence Interval property contains an error. |
| recurrenceMonth | Specifies that the recurrence Month property contains an error. |
| recurrenceNumberOfOccurrences | Specifies that the recurrence NumberOfOccurrences property contains an error. |
| timezoneOffset | Specifies that the time zone Offset property contains an error. |

2.2.2.13 t:ExchangeVersionType Simple Type

The **ExchangeVersionType** simple type specifies the schema version to target for a request. [<2>](#)

```
<xs:simpleType name="ExchangeVersionType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="Exchange2007"
    />
    <xs:enumeration
      value="Exchange2007_SP1"
    />
    <xs:enumeration
      value="Exchange2010"
    />
    <xs:enumeration
      value="Exchange2010_SP1"
    />
  </xs:restriction>
</xs:simpleType>
```

Enumeration

The following values are defined by the **ExchangeVersionType** simple type:

| Value | Description |
|------------------|--|
| Exchange2007 | Specifies the first version of the target Web service schema. <3> |
| Exchange2007_SP1 | Specifies the second version of the target Web service schema. <4> |
| Exchange2010 | Specifies the third version of the target Web service schema. <5> |
| Exchange2010_SP1 | Specifies the fourth version of the target Web service schema. <6> |

2.2.2.14 t:ExcludesAttributeType Simple Type

The **ExcludesAttributeType** type specifies a decimal or hexadecimal bitmask for an exclude restriction.

```
<xs:simpleType name="ExcludesAttributeType">
  <xs:restriction
    base="xs:string"
  >
    <xs:pattern
      value="((0x|0X)[0-9A-Fa-f]*)|([0-9]*)"
    />
  </xs:restriction>
</xs:simpleType>
```

Patterns

The following pattern is defined by the **ExcludesAttributeType** simple type:

```
((0x|0X)[0-9A-Fa-f]*)|([0-9]*)
```

2.2.2.15 t:LegacyFreeBusyType Simple Type

The **LegacyFreeBusyType** type specifies the **free/busy** status for calendar items and meeting requests.

```
<xs:simpleType name="LegacyFreeBusyType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="Busy"
    />
    <xs:enumeration
      value="Free"
    />
    <xs:enumeration
      value="NoData"
    />
    <xs:enumeration
      value="OOO"
    />
    <xs:enumeration
      value="Tentative"
    />
  </xs:restriction>
</xs:simpleType>
```

Enumeration

The following values are defined by the **LegacyFreeBusyType** simple type:

| Value | Description |
|-----------|--|
| Busy | Specifies the status as busy. |
| Free | Specifies the status as free. |
| NoData | Specifies that there is no data for that recipient. |
| OOF | Specifies the status as Out of Office (OOF) . |
| Tentative | Specifies the status as tentative. |

2.2.2.16 t:MailboxTypeType Simple Type

The **MailboxTypeType** simple type specifies the type of mailbox that is represented by an e-mail address.

```
<xs:simpleType name="MailboxTypeType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="Unknown"
    />
    <xs:enumeration
      value="OneOff"
    />
    <xs:enumeration
      value="Contact"
    />
    <xs:enumeration
      value="Mailbox"
    />
    <xs:enumeration
      value="PrivateDL"
    />
    <xs:enumeration
      value="PublicDL"
    />
    <xs:enumeration
      value="PublicFolder"
    />
  </xs:restriction>
</xs:simpleType>
```

Enumeration

The following values are defined by the **MailboxTypeType** simple type:

| Value | Description |
|---------|---|
| Unknown | Specifies an unknown type of mailbox. |
| OneOff | Specifies a one-off member of a personal distribution list . |

| Value | Description |
|--------------|--|
| Contact | Specifies contact in a user's mailbox. |
| Mailbox | Specifies a mail-enabled directory service object. |
| PrivateDL | Specifies a private distribution list in a user's mailbox. |
| PublicDL | Specifies a public distribution list. |
| PublicFolder | Specifies a public folder. |

MailboxTypeType is used in the **t:EmailAddressType** complex type (section [2.2.3.25](#)).

2.2.2.17 t:MonthNamesType Simple Type

The **MonthNamesType** type specifies the month in which a yearly recurring item occurs.

```
<xs:simpleType name="MonthNamesType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="January"
    />
    <xs:enumeration
      value="February"
    />
    <xs:enumeration
      value="March"
    />
    <xs:enumeration
      value="April"
    />
    <xs:enumeration
      value="May"
    />
    <xs:enumeration
      value="June"
    />
    <xs:enumeration
      value="July"
    />
    <xs:enumeration
      value="August"
    />
    <xs:enumeration
      value="September"
    />
    <xs:enumeration
      value="October"
    />
    <xs:enumeration
      value="November"
    />
    <xs:enumeration
      value="December"
    />
  </xs:restriction>
</xs:simpleType>
```



```
</xs:restriction>
</xs:simpleType>
```

Enumeration

The following values are defined by the **MonthNamesType** simple type:

| Value | Description |
|-----------|---|
| January | Specifies that a yearly recurring item occurs in January. |
| February | Specifies that a yearly recurring item occurs in February. |
| March | Specifies that a yearly recurring item occurs in March. |
| April | Specifies that a yearly recurring item occurs in April. |
| May | Specifies that a yearly recurring item occurs in May. |
| June | Specifies that a yearly recurring item occurs in June. |
| July | Specifies that a yearly recurring item occurs in July. |
| August | Specifies that a yearly recurring item occurs in August. |
| September | Specifies that a yearly recurring item occurs in September. |
| October | Specifies that a yearly recurring item occurs in October. |
| November | Specifies that a yearly recurring item occurs in November. |
| December | Specifies that a yearly recurring item occurs in December. |

2.2.2.18 t:NonEmptyStringType Simple Type

The **NonEmptyStringType** simple type specifies a string that **MUST** have a minimum of one character.

```
<xs:simpleType name="NonEmptyStringType">
  <xs:restriction
    base="xs:string"
  >
    <xs:minLength
      value="1"
    />
  </xs:restriction>
</xs:simpleType>
```

2.2.2.19 t:ResponseClassType Simple Type

The **ResponseClassType** simple type specifies the status states of a response.

```
<xs:simpleType name="ResponseClassType">
```

```

<xs:restriction
  base="xs:string"
>
  <xs:enumeration
    value="Error"
  />
  <xs:enumeration
    value="Success"
  />
  <xs:enumeration
    value="Warning"
  />
</xs:restriction>
</xs:simpleType>

```

Enumeration

The following values are defined by the **ResponseClassType** simple type:

| Value | Description |
|---------|--|
| Error | Specifies that the request could not be processed. |
| Success | Specifies that the request was successfully processed. |
| Warning | Specifies that an unusual situation was encountered during the processing of the request and the request was not processed successfully. |

2.2.2.20 m:ResponseCodeType Simple Type

The **ResponseCodeType** simple type specifies status information for the request. [<7>](#)

```

<xs:simpleType name="ResponseCodeType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="NoError"
    />
    <xs:enumeration
      value="ErrorAccessDenied"
    />
    <xs:enumeration
      value="ErrorAccessModeSpecified"
    />
    <xs:enumeration
      value="ErrorAccountDisabled"
    />
    <xs:enumeration
      value="ErrorAddDelegatesFailed"
    />
    <xs:enumeration
      value="ErrorAddressSpaceNotFound"
    />
    <xs:enumeration

```

```

    value="ErrorADOperation"
  />
<xs:enumeration
  value="ErrorADSessionFilter"
  />
<xs:enumeration
  value="ErrorADUnavailable"
  />
<xs:enumeration
  value="ErrorAffectedTaskOccurrencesRequired"
  />
<xs:enumeration
  value="ErrorAttachmentSizeLimitExceeded"
  />
<xs:enumeration
  value="ErrorBatchProcessingStopped"
  />
<xs:enumeration
  value="ErrorCalendarCannotMoveOrCopyOccurrence"
  />
<xs:enumeration
  value="ErrorCalendarCannotUpdateDeletedItem"
  />
<xs:enumeration
  value="ErrorCalendarCannotUseIdForOccurrenceId"
  />
<xs:enumeration
  value="ErrorCalendarCannotUseIdForRecurringMasterId"
  />
<xs:enumeration
  value="ErrorCalendarDurationIsTooLong"
  />
<xs:enumeration
  value="ErrorCalendarEndDateIsEarlierThanStartDate"
  />
<xs:enumeration
  value="ErrorCalendarFolderIsInvalidForCalendarView"
  />
<xs:enumeration
  value="ErrorCalendarInvalidAttributeValue"
  />
<xs:enumeration
  value="ErrorCalendarInvalidDayForTimeChangePattern"
  />
<xs:enumeration
  value="ErrorCalendarInvalidDayForWeeklyRecurrence"
  />
<xs:enumeration
  value="ErrorCalendarInvalidPropertyState"
  />
<xs:enumeration
  value="ErrorCalendarInvalidPropertyValue"
  />
<xs:enumeration
  value="ErrorCalendarInvalidRecurrence"
  />
<xs:enumeration
  value="ErrorCalendarInvalidTimeZone"
  />

```

```

<xs:enumeration
  value="ErrorCalendarIsCancelledForAccept"
/>
<xs:enumeration
  value="ErrorCalendarIsCancelledForDecline"
/>
<xs:enumeration
  value="ErrorCalendarIsCancelledForRemove"
/>
<xs:enumeration
  value="ErrorCalendarIsCancelledForTentative"
/>
<xs:enumeration
  value="ErrorCalendarIsDelegatedForAccept"
/>
<xs:enumeration
  value="ErrorCalendarIsDelegatedForDecline"
/>
<xs:enumeration
  value="ErrorCalendarIsDelegatedForRemove"
/>
<xs:enumeration
  value="ErrorCalendarIsDelegatedForTentative"
/>
<xs:enumeration
  value="ErrorCalendarIsNotOrganizer"
/>
<xs:enumeration
  value="ErrorCalendarIsOrganizerForAccept"
/>
<xs:enumeration
  value="ErrorCalendarIsOrganizerForDecline"
/>
<xs:enumeration
  value="ErrorCalendarIsOrganizerForRemove"
/>
<xs:enumeration
  value="ErrorCalendarIsOrganizerForTentative"
/>
<xs:enumeration
  value="ErrorCalendarOccurrenceIndexIsOutOfRecurrenceRange"
/>
<xs:enumeration
  value="ErrorCalendarOccurrenceIsDeletedFromRecurrence"
/>
<xs:enumeration
  value="ErrorCalendarOutOfRange"
/>
<xs:enumeration
  value="ErrorCalendarMeetingRequestIsOutOfDate"
/>
<xs:enumeration
  value="ErrorCalendarViewRangeTooBig"
/>
<xs:enumeration
  value="ErrorCallerIsInvalidADAccount"
/>
<xs:enumeration
  value="ErrorCannotCreateCalendarItemInNonCalendarFolder"

```

```

/>
<xs:enumeration
  value="ErrorCannotCreateContactInNonContactFolder"
/>
<xs:enumeration
  value="ErrorCannotCreatePostItemInNonMailFolder"
/>
<xs:enumeration
  value="ErrorCannotCreateTaskInNonTaskFolder"
/>
<xs:enumeration
  value="ErrorCannotDeleteObject"
/>
<xs:enumeration
  value="ErrorCannotOpenFileAttachment"
/>
<xs:enumeration
  value="ErrorCannotDeleteTaskOccurrence"
/>
<xs:enumeration
  value="ErrorCannotEmptyFolder"
/>
<xs:enumeration
  value="ErrorCannotSetCalendarPermissionOnNonCalendarFolder"
/>
<xs:enumeration
  value="ErrorCannotSetNonCalendarPermissionOnCalendarFolder"
/>
<xs:enumeration
  value="ErrorCannotSetPermissionUnknownEntries"
/>
<xs:enumeration
  value="ErrorCannotUseFolderIdForItemId"
/>
<xs:enumeration
  value="ErrorCannotUseItemIdForFolderId"
/>
<xs:enumeration
  value="ErrorChangeKeyRequired"
/>
<xs:enumeration
  value="ErrorChangeKeyRequiredForWriteOperations"
/>
<xs:enumeration
  value="ErrorClientDisconnected"
/>
<xs:enumeration
  value="ErrorConnectionFailed"
/>
<xs:enumeration
  value="ErrorContainsFilterWrongType"
/>
<xs:enumeration
  value="ErrorContentConversionFailed"
/>
<xs:enumeration
  value="ErrorCorruptData"
/>
<xs:enumeration

```

```
    value="ErrorCreateItemAccessDenied"
  />
<xs:enumeration
  value="ErrorCreateManagedFolderPartialCompletion"
  />
<xs:enumeration
  value="ErrorCreateSubfolderAccessDenied"
  />
<xs:enumeration
  value="ErrorCrossMailboxMoveCopy"
  />
<xs:enumeration
  value="ErrorCrossSiteRequest"
  />
<xs:enumeration
  value="ErrorDataSizeLimitExceeded"
  />
<xs:enumeration
  value="ErrorDataSourceOperation"
  />
<xs:enumeration
  value="ErrorDelegateAlreadyExists"
  />
<xs:enumeration
  value="ErrorDelegateCannotAddOwner"
  />
<xs:enumeration
  value="ErrorDelegateMissingConfiguration"
  />
<xs:enumeration
  value="ErrorDelegateNoUser"
  />
<xs:enumeration
  value="ErrorDelegateValidationFailed"
  />
<xs:enumeration
  value="ErrorDeleteDistinguishedFolder"
  />
<xs:enumeration
  value="ErrorDeleteItemsFailed"
  />
<xs:enumeration
  value="ErrorDistinguishedUserNotSupported"
  />
<xs:enumeration
  value="ErrorDistributionListMemberNotExist"
  />
<xs:enumeration
  value="ErrorDuplicateInputFolderNames"
  />
<xs:enumeration
  value="ErrorDuplicateUserIdsSpecified"
  />
<xs:enumeration
  value="ErrorEmailAddressMismatch"
  />
<xs:enumeration
  value="ErrorEventNotFound"
  />
```

```

<xs:enumeration
  value="ErrorExceededConnectionCount"
/>
<xs:enumeration
  value="ErrorExceededSubscriptionCount"
/>
<xs:enumeration
  value="ErrorExceededFindCountLimit"
/>
<xs:enumeration
  value="ErrorExpiredSubscription"
/>
<xs:enumeration
  value="ErrorExternalFacingCAS"
/>
<xs:enumeration
  value="ErrorFolderCorrupt"
/>
<xs:enumeration
  value="ErrorFolderNotFound"
/>
<xs:enumeration
  value="ErrorFolderPropertRequestFailed"
/>
<xs:enumeration
  value="ErrorFolderSave"
/>
<xs:enumeration
  value="ErrorFolderSaveFailed"
/>
<xs:enumeration
  value="ErrorFolderSavePropertyError"
/>
<xs:enumeration
  value="ErrorFolderExists"
/>
<xs:enumeration
  value="ErrorFreeBusyGenerationFailed"
/>
<xs:enumeration
  value="ErrorGetServerSecurityDescriptorFailed"
/>
<xs:enumeration
  value="ErrorImpersonateUserDenied"
/>
<xs:enumeration
  value="ErrorImpersonationDenied"
/>
<xs:enumeration
  value="ErrorImpersonationFailed"
/>
<xs:enumeration
  value="ErrorIncorrectSchemaVersion"
/>
<xs:enumeration
  value="ErrorIncorrectUpdatePropertyCount"
/>
<xs:enumeration
  value="ErrorIndividualMailboxLimitReached"

```

```
    />
  <xs:enumeration
    value="ErrorInsufficientResources"
  />
  <xs:enumeration
    value="ErrorInternalServerError"
  />
  <xs:enumeration
    value="ErrorInternalServerErrorTransientError"
  />
  <xs:enumeration
    value="ErrorInvalidAccessLevel"
  />
  <xs:enumeration
    value="ErrorInvalidArgument"
  />
  <xs:enumeration
    value="ErrorInvalidAttachmentId"
  />
  <xs:enumeration
    value="ErrorInvalidAttachmentSubfilter"
  />
  <xs:enumeration
    value="ErrorInvalidAttachmentSubfilterTextFilter"
  />
  <xs:enumeration
    value="ErrorInvalidAuthorizationContext"
  />
  <xs:enumeration
    value="ErrorInvalidChangeKey"
  />
  <xs:enumeration
    value="ErrorInvalidClientSecurityContext"
  />
  <xs:enumeration
    value="ErrorInvalidCompleteDate"
  />
  <xs:enumeration
    value="ErrorInvalidContactEmailAddress"
  />
  <xs:enumeration
    value="ErrorInvalidContactEmailIndex"
  />
  <xs:enumeration
    value="ErrorInvalidCrossForestCredentials"
  />
  <xs:enumeration
    value="ErrorInvalidDelegatePermission"
  />
  <xs:enumeration
    value="ErrorInvalidDelegateUserId"
  />
  <xs:enumeration
    value="ErrorInvalidExcludesRestriction"
  />
  <xs:enumeration
    value="ErrorInvalidExpressionTypeForSubFilter"
  />
  <xs:enumeration
```



```

    value="ErrorInvalidExtendedProperty"
  />
<xs:enumeration
  value="ErrorInvalidExtendedPropertyValue"
  />
<xs:enumeration
  value="ErrorInvalidFolderId"
  />
<xs:enumeration
  value="ErrorInvalidFolderTypeForOperation"
  />
<xs:enumeration
  value="ErrorInvalidFractionalPagingParameters"
  />
<xs:enumeration
  value="ErrorInvalidFreeBusyViewType"
  />
<xs:enumeration
  value="ErrorInvalidId"
  />
<xs:enumeration
  value="ErrorInvalidIdEmpty"
  />
<xs:enumeration
  value="ErrorInvalidIdMalformed"
  />
<xs:enumeration
  value="ErrorInvalidIdMalformedEwsLegacyIdFormat"
  />
<xs:enumeration
  value="ErrorInvalidIdMonikerTooLong"
  />
<xs:enumeration
  value="ErrorInvalidIdNotAnItemAttachmentId"
  />
<xs:enumeration
  value="ErrorInvalidIdReturnedByResolveNames"
  />
<xs:enumeration
  value="ErrorInvalidIdStoreObjectIdTooLong"
  />
<xs:enumeration
  value="ErrorInvalidIdTooManyAttachmentLevels"
  />
<xs:enumeration
  value="ErrorInvalidIdXml"
  />
<xs:enumeration
  value="ErrorInvalidIndexedPagingParameters"
  />
<xs:enumeration
  value="ErrorInvalidInternetHeaderChildNodes"
  />
<xs:enumeration
  value="ErrorInvalidItemForOperationCreateItemAttachment"
  />
<xs:enumeration
  value="ErrorInvalidItemForOperationCreateItem"
  />

```

```
<xs:enumeration
  value="ErrorInvalidItemForOperationAcceptItem"
/>
<xs:enumeration
  value="ErrorInvalidItemForOperationDeclineItem"
/>
<xs:enumeration
  value="ErrorInvalidItemForOperationCancelItem"
/>
<xs:enumeration
  value="ErrorInvalidItemForOperationExpandDL"
/>
<xs:enumeration
  value="ErrorInvalidItemForOperationRemoveItem"
/>
<xs:enumeration
  value="ErrorInvalidItemForOperationSendItem"
/>
<xs:enumeration
  value="ErrorInvalidItemForOperationTentative"
/>
<xs:enumeration
  value="ErrorInvalidLogonType"
/>
<xs:enumeration
  value="ErrorInvalidMailbox"
/>
<xs:enumeration
  value="ErrorInvalidManagedFolderProperty"
/>
<xs:enumeration
  value="ErrorInvalidManagedFolderQuota"
/>
<xs:enumeration
  value="ErrorInvalidManagedFolderSize"
/>
<xs:enumeration
  value="ErrorInvalidMergedFreeBusyInterval"
/>
<xs:enumeration
  value="ErrorInvalidNameForNameResolution"
/>
<xs:enumeration
  value="ErrorInvalidOperation"
/>
<xs:enumeration
  value="ErrorInvalidNetworkServiceContext"
/>
<xs:enumeration
  value="ErrorInvalidOofParameter"
/>
<xs:enumeration
  value="ErrorInvalidPagingMaxRows"
/>
<xs:enumeration
  value="ErrorInvalidParentFolder"
/>
<xs:enumeration
  value="ErrorInvalidPercentCompleteValue"
```

```

/>
<xs:enumeration
  value="ErrorInvalidPermissionSettings"
/>
<xs:enumeration
  value="ErrorInvalidPhoneCallId"
/>
<xs:enumeration
  value="ErrorInvalidPhoneNumber"
/>
<xs:enumeration
  value="ErrorInvalidUserInfo"
/>
<xs:enumeration
  value="ErrorInvalidPropertyAppend"
/>
<xs:enumeration
  value="ErrorInvalidPropertyDelete"
/>
<xs:enumeration
  value="ErrorInvalidPropertyForExists"
/>
<xs:enumeration
  value="ErrorInvalidPropertyForOperation"
/>
<xs:enumeration
  value="ErrorInvalidPropertyRequest"
/>
<xs:enumeration
  value="ErrorInvalidPropertySet"
/>
<xs:enumeration
  value="ErrorInvalidPropertyUpdateSendMessage"
/>
<xs:enumeration
  value="ErrorInvalidProxySecurityContext"
/>
<xs:enumeration
  value="ErrorInvalidPullSubscriptionId"
/>
<xs:enumeration
  value="ErrorInvalidPushSubscriptionUrl"
/>
<xs:enumeration
  value="ErrorInvalidRecipients"
/>
<xs:enumeration
  value="ErrorInvalidRecipientSubfilter"
/>
<xs:enumeration
  value="ErrorInvalidRecipientSubfilterComparison"
/>
<xs:enumeration
  value="ErrorInvalidRecipientSubfilterOrder"
/>
<xs:enumeration
  value="ErrorInvalidRecipientSubfilterTextFilter"
/>
<xs:enumeration

```

```

    value="ErrorInvalidReferenceItem"
  />
<xs:enumeration
  value="ErrorInvalidRequest"
  />
<xs:enumeration
  value="ErrorInvalidRestriction"
  />
<xs:enumeration
  value="ErrorInvalidRoutingType"
  />
<xs:enumeration
  value="ErrorInvalidScheduledOofDuration"
  />
<xs:enumeration
  value="ErrorInvalidSchemaVersionForMailboxVersion"
  />
<xs:enumeration
  value="ErrorInvalidSecurityDescriptor"
  />
<xs:enumeration
  value="ErrorInvalidSendItemSaveSettings"
  />
<xs:enumeration
  value="ErrorInvalidSerializedAccessToken"
  />
<xs:enumeration
  value="ErrorInvalidServerVersion"
  />
<xs:enumeration
  value="ErrorInvalidSid"
  />
<xs:enumeration
  value="ErrorInvalidSIPUri"
  />
<xs:enumeration
  value="ErrorInvalidSmtAddress"
  />
<xs:enumeration
  value="ErrorInvalidSubfilterType"
  />
<xs:enumeration
  value="ErrorInvalidSubfilterTypeNotAttendeeType"
  />
<xs:enumeration
  value="ErrorInvalidSubfilterTypeNotRecipientType"
  />
<xs:enumeration
  value="ErrorInvalidSubscription"
  />
<xs:enumeration
  value="ErrorInvalidSubscriptionRequest"
  />
<xs:enumeration
  value="ErrorInvalidSyncStateData"
  />
<xs:enumeration
  value="ErrorInvalidTimeInterval"
  />

```

```

<xs:enumeration
  value="ErrorInvalidUserOofSettings"
/>
<xs:enumeration
  value="ErrorInvalidUserPrincipalName"
/>
<xs:enumeration
  value="ErrorInvalidUserSid"
/>
<xs:enumeration
  value="ErrorInvalidUserSidMissingUPN"
/>
<xs:enumeration
  value="ErrorInvalidValueForProperty"
/>
<xs:enumeration
  value="ErrorInvalidWatermark"
/>
<xs:enumeration
  value="ErrorIPGatewayNotFound"
/>
<xs:enumeration
  value="ErrorIrresolvableConflict"
/>
<xs:enumeration
  value="ErrorItemCorrupt"
/>
<xs:enumeration
  value="ErrorItemNotFound"
/>
<xs:enumeration
  value="ErrorItemPropertyRequestFailed"
/>
<xs:enumeration
  value="ErrorItemSave"
/>
<xs:enumeration
  value="ErrorItemSavePropertyError"
/>
<xs:enumeration
  value="ErrorLegacyMailboxFreeBusyViewTypeNotMerged"
/>
<xs:enumeration
  value="ErrorLocalServerObjectNotFound"
/>
<xs:enumeration
  value="ErrorLogonAsNetworkServiceFailed"
/>
<xs:enumeration
  value="ErrorMailboxConfiguration"
/>
<xs:enumeration
  value="ErrorMailboxDataArrayEmpty"
/>
<xs:enumeration
  value="ErrorMailboxDataArrayTooBig"
/>
<xs:enumeration
  value="ErrorMailboxLogonFailed"

```

```
    />
  <xs:enumeration
    value="ErrorMailboxMoveInProgress"
  />
  <xs:enumeration
    value="ErrorMailboxStoreUnavailable"
  />
  <xs:enumeration
    value="ErrorMailRecipientNotFound"
  />
  <xs:enumeration
    value="ErrorMailTipsDisabled"
  />
  <xs:enumeration
    value="ErrorManagedFolderAlreadyExists"
  />
  <xs:enumeration
    value="ErrorManagedFolderNotFound"
  />
  <xs:enumeration
    value="ErrorManagedFoldersRootFailure"
  />
  <xs:enumeration
    value="ErrorMeetingSuggestionGenerationFailed"
  />
  <xs:enumeration
    value="ErrorMessageDispositionRequired"
  />
  <xs:enumeration
    value="ErrorMessageSizeExceeded"
  />
  <xs:enumeration
    value="ErrorMimeContentConversionFailed"
  />
  <xs:enumeration
    value="ErrorMimeContentInvalid"
  />
  <xs:enumeration
    value="ErrorMimeContentInvalidBase64String"
  />
  <xs:enumeration
    value="ErrorMissingArgument"
  />
  <xs:enumeration
    value="ErrorMissingEmailAddress"
  />
  <xs:enumeration
    value="ErrorMissingEmailAddressForManagedFolder"
  />
  <xs:enumeration
    value="ErrorMissingInformationEmailAddress"
  />
  <xs:enumeration
    value="ErrorMissingInformationReferenceItemId"
  />
  <xs:enumeration
    value="ErrorMissingItemForCreateItemAttachment"
  />
  <xs:enumeration
```

```
    value="ErrorMissingManagedFolderId"
  />
<xs:enumeration
  value="ErrorMissingRecipients"
  />
<xs:enumeration
  value="ErrorMissingUserIdInformation"
  />
<xs:enumeration
  value="ErrorMoreThanOneAccessModeSpecified"
  />
<xs:enumeration
  value="ErrorMoveCopyFailed"
  />
<xs:enumeration
  value="ErrorMoveDistinguishedFolder"
  />
<xs:enumeration
  value="ErrorNameResolutionMultipleResults"
  />
<xs:enumeration
  value="ErrorNameResolutionNoMailbox"
  />
<xs:enumeration
  value="ErrorNameResolutionNoResults"
  />
<xs:enumeration
  value="ErrorNoApplicableProxyCASServersAvailable"
  />
<xs:enumeration
  value="ErrorNoCalendar"
  />
<xs:enumeration
  value="ErrorNoDestinationCASDueToKerberosRequirements"
  />
<xs:enumeration
  value="ErrorNoDestinationCASDueToSSLRequirements"
  />
<xs:enumeration
  value="ErrorNoDestinationCASDueToVersionMismatch"
  />
<xs:enumeration
  value="ErrorNoFolderClassOverride"
  />
<xs:enumeration
  value="ErrorNoFreeBusyAccess"
  />
<xs:enumeration
  value="ErrorNonExistentMailbox"
  />
<xs:enumeration
  value="ErrorNonPrimarySmtpAddress"
  />
<xs:enumeration
  value="ErrorNoPropertyTagForCustomProperties"
  />
<xs:enumeration
  value="ErrorNoPublicFolderReplicaAvailable"
  />
```

```

<xs:enumeration
  value="ErrorNoPublicFolderServerAvailable"
/>
<xs:enumeration
  value="ErrorNoRespondingCASInDestinationSite"
/>
<xs:enumeration
  value="ErrorNotDelegate"
/>
<xs:enumeration
  value="ErrorNotEnoughMemory"
/>
<xs:enumeration
  value="ErrorObjectTypeChanged"
/>
<xs:enumeration
  value="ErrorOccurrenceCrossingBoundary"
/>
<xs:enumeration
  value="ErrorOccurrenceTimeSpanTooBig"
/>
<xs:enumeration
  value="ErrorOperationNotAllowedWithPublicFolderRoot"
/>
<xs:enumeration
  value="ErrorParentFolderIdRequired"
/>
<xs:enumeration
  value="ErrorParentFolderNotFound"
/>
<xs:enumeration
  value="ErrorPasswordChangeRequired"
/>
<xs:enumeration
  value="ErrorPasswordExpired"
/>
<xs:enumeration
  value="ErrorPhoneNumberNotDialable"
/>
<xs:enumeration
  value="ErrorPropertyUpdate"
/>
<xs:enumeration
  value="ErrorPropertyValidationFailure"
/>
<xs:enumeration
  value="ErrorProxiedSubscriptionCallFailure"
/>
<xs:enumeration
  value="ErrorProxyCallFailed"
/>
<xs:enumeration
  value="ErrorProxyGroupSidLimitExceeded"
/>
<xs:enumeration
  value="ErrorProxyRequestNotAllowed"
/>
<xs:enumeration
  value="ErrorProxyRequestProcessingFailed"

```



```
    />
  <xs:enumeration
    value="ErrorProxyServiceDiscoveryFailed"
  />
  <xs:enumeration
    value="ErrorProxyTokenExpired"
  />
  <xs:enumeration
    value="ErrorPublicFolderRequestProcessingFailed"
  />
  <xs:enumeration
    value="ErrorPublicFolderServerNotFound"
  />
  <xs:enumeration
    value="ErrorQueryFilterTooLong"
  />
  <xs:enumeration
    value="ErrorQuotaExceeded"
  />
  <xs:enumeration
    value="ErrorReadEventsFailed"
  />
  <xs:enumeration
    value="ErrorReadReceiptNotPending"
  />
  <xs:enumeration
    value="ErrorRecurrenceEndDateTooBig"
  />
  <xs:enumeration
    value="ErrorRecurrenceHasNoOccurrence"
  />
  <xs:enumeration
    value="ErrorRemoveDelegatesFailed"
  />
  <xs:enumeration
    value="ErrorRequestAborted"
  />
  <xs:enumeration
    value="ErrorRequestStreamTooBig"
  />
  <xs:enumeration
    value="ErrorRequiredPropertyMissing"
  />
  <xs:enumeration
    value="ErrorResolveNamesInvalidFolderType"
  />
  <xs:enumeration
    value="ErrorResolveNamesOnlyOneContactsFolderAllowed"
  />
  <xs:enumeration
    value="ErrorResponseSchemaValidation"
  />
  <xs:enumeration
    value="ErrorRestrictionTooLong"
  />
  <xs:enumeration
    value="ErrorRestrictionTooComplex"
  />
  <xs:enumeration
```

```

    value="ErrorResultSetTooBig"
  />
<xs:enumeration
  value="ErrorInvalidExchangeImpersonationHeaderData"
  />
<xs:enumeration
  value="ErrorSavedItemFolderNotFound"
  />
<xs:enumeration
  value="ErrorSchemaValidation"
  />
<xs:enumeration
  value="ErrorSearchFolderNotInitialized"
  />
<xs:enumeration
  value="ErrorSendAsDenied"
  />
<xs:enumeration
  value="ErrorSendMeetingCancellationsRequired"
  />
<xs:enumeration
  value="ErrorSendMeetingInvitationsOrCancellationsRequired"
  />
<xs:enumeration
  value="ErrorSendMeetingInvitationsRequired"
  />
<xs:enumeration
  value="ErrorSentMeetingRequestUpdate"
  />
<xs:enumeration
  value="ErrorSentTaskRequestUpdate"
  />
<xs:enumeration
  value="ErrorServerBusy"
  />
<xs:enumeration
  value="ErrorServiceDiscoveryFailed"
  />
<xs:enumeration
  value="ErrorStaleObject"
  />
<xs:enumeration
  value="ErrorSubmissionQuotaExceeded"
  />
<xs:enumeration
  value="ErrorSubscriptionAccessDenied"
  />
<xs:enumeration
  value="ErrorSubscriptionDelegateAccessNotSupported"
  />
<xs:enumeration
  value="ErrorSubscriptionNotFound"
  />
<xs:enumeration
  value="ErrorSubscriptionUnsubscribed"
  />
<xs:enumeration
  value="ErrorSyncFolderNotFound"
  />

```

```
<xs:enumeration
  value="ErrorTimeIntervalTooBig"
/>
<xs:enumeration
  value="ErrorTimeoutExpired"
/>
<xs:enumeration
  value="ErrorTimeZone"
/>
<xs:enumeration
  value="ErrorToFolderNotFound"
/>
<xs:enumeration
  value="ErrorTokenSerializationDenied"
/>
<xs:enumeration
  value="ErrorUpdatePropertyMismatch"
/>
<xs:enumeration
  value="ErrorUnifiedMessagingDialPlanNotFound"
/>
<xs:enumeration
  value="ErrorUnifiedMessagingRequestFailed"
/>
<xs:enumeration
  value="ErrorUnifiedMessagingServerNotFound"
/>
<xs:enumeration
  value="ErrorUnableToGetUserOutOfSettings"
/>
<xs:enumeration
  value="ErrorUnsupportedSubFilter"
/>
<xs:enumeration
  value="ErrorUnsupportedCulture"
/>
<xs:enumeration
  value="ErrorUnsupportedMapiPropertyType"
/>
<xs:enumeration
  value="ErrorUnsupportedMimeConversion"
/>
<xs:enumeration
  value="ErrorUnsupportedPathForQuery"
/>
<xs:enumeration
  value="ErrorUnsupportedPathForSortGroup"
/>
<xs:enumeration
  value="ErrorUnsupportedPropertyDefinition"
/>
<xs:enumeration
  value="ErrorUnsupportedQueryFilter"
/>
<xs:enumeration
  value="ErrorUnsupportedRecurrence"
/>
<xs:enumeration
  value="ErrorUnsupportedTypeForConversion"
```

```
</>
<xs:enumeration
  value="ErrorUpdateDelegatesFailed"
/>
<xs:enumeration
  value="ErrorUserNotUnifiedMessagingEnabled"
/>
<xs:enumeration
  value="ErrorValueOutOfRange"
/>
<xs:enumeration
  value="ErrorVoiceMailNotImplemented"
/>
<xs:enumeration
  value="ErrorVirusDetected"
/>
<xs:enumeration
  value="ErrorVirusMessageDeleted"
/>
<xs:enumeration
  value="ErrorWebRequestInInvalidState"
/>
<xs:enumeration
  value="ErrorWin32InteropError"
/>
<xs:enumeration
  value="ErrorWorkingHoursSaveFailed"
/>
<xs:enumeration
  value="ErrorWorkingHoursXmlMalformed"
/>
<xs:enumeration
  value="ErrorWrongServerVersion"
/>
<xs:enumeration
  value="ErrorWrongServerVersionDelegate"
/>
<xs:enumeration
  value="ErrorMissingInformationSharingFolderId"
/>
<xs:enumeration
  value="ErrorDuplicateSOAPHeader"
/>
<xs:enumeration
  value="ErrorSharingSynchronizationFailed"
/>
<xs:enumeration
  value="ErrorSharingNoExternalEwsAvailable"
/>
<xs:enumeration
  value="ErrorFreeBusyDLLimitReached"
/>
<xs:enumeration
  value="ErrorInvalidGetSharingFolderRequest"
/>
<xs:enumeration
  value="ErrorNotAllowedExternalSharingByPolicy"
/>
<xs:enumeration
```

```
    value="ErrorUserNotAllowedByPolicy"
  />
<xs:enumeration
  value="ErrorPermissionNotAllowedByPolicy"
  />
<xs:enumeration
  value="ErrorOrganizationNotFederated"
  />
<xs:enumeration
  value="ErrorMailboxFailover"
  />
<xs:enumeration
  value="ErrorInvalidExternalSharingInitiator"
  />
<xs:enumeration
  value="ErrorMessageTrackingPermanentError"
  />
<xs:enumeration
  value="ErrorMessageTrackingTransientError"
  />
<xs:enumeration
  value="ErrorMessageTrackingNoSuchDomain"
  />
<xs:enumeration
  value="ErrorUserWithoutFederatedProxyAddress"
  />
<xs:enumeration
  value="ErrorInvalidOrganizationRelationshipForFreeBusy"
  />
<xs:enumeration
  value="ErrorInvalidFederatedOrganizationId"
  />
<xs:enumeration
  value="ErrorInvalidExternalSharingSubscriber"
  />
<xs:enumeration
  value="ErrorInvalidSharingData"
  />
<xs:enumeration
  value="ErrorInvalidSharingMessage"
  />
<xs:enumeration
  value="ErrorNotSupportedSharingMessage"
  />
<xs:enumeration
  value="ErrorApplyConversationActionFailed"
  />
<xs:enumeration
  value="ErrorInboxRulesValidationError"
  />
<xs:enumeration
  value="ErrorOutlookRuleBlobExists"
  />
<xs:enumeration
  value="ErrorRulesOverQuota"
  />
<xs:enumeration
  value="ErrorNewEventStreamConnectionOpened"
  />
```

```

    <xs:enumeration
      value="ErrorMissedNotificationEvents"
    />
  </xs:restriction>
</xs:simpleType>

```

Enumeration

The following values are defined by the **ResponseCodeType** simple type:

| Value | Description |
|---|--|
| NoError | Specifies that no errors occurred. |
| ErrorAccessDenied | Specifies that the calling account does not have the rights to perform the action requested. |
| ErrorAccessModeSpecified | This error is for internal use only. This error is not returned. |
| ErrorAccountDisabled | Specifies that the account has been disabled. |
| ErrorAddDelegatesFailed | Occurs when a list with added delegates cannot be saved. |
| ErrorAddressSpaceNotFound | Specifies that the address space record, or Domain Name System (DNS) domain name, for cross-forest availability could not be found in the directory service. |
| ErrorADOperation | Specifies that the operation failed because of communication problems with the directory service. |
| ErrorADSessionFilter | Specifies that the ResolveNames operation ([MS-OXWSRSLNM] section 3.1.4.1) request specifies an invalid name. |
| ErrorADUnavailable | Specifies that the directory service is unavailable. Try your request again later. |
| ErrorAffectedTaskOccurrencesRequired | Specifies that the AffectedTaskOccurrences property value is missing. This value is required when you are deleting a task. |
| ErrorAttachmentSizeLimitExceeded | Specifies that the size of the attachment exceeds <code>Int32.MaxValue</code> , in bytes. This response code is applicable to the CreateAttachment and GetAttachment methods. |
| ErrorBatchProcessingStopped | Specifies that the previous item in the request failed in such a way that Exchange Web Services stopped processing the remaining items in the request. All remaining items are marked with the ErrorBatchProcessingStopped error. |
| ErrorCalendarCannotMoveOrCopyOccurrence | Specifies that an attempt was made to move or copy an occurrence of a recurring calendar item. |
| ErrorCalendarCannotUpdateDeletedItem | Specifies that an attempt was made to update a calendar item that is located in the Deleted Items folder, and the update in question would send out a meeting invite. |
| ErrorCalendarCannotUseIdForOccurrenceId | Specifies that the OccurrenceId does not correspond to a valid occurrence of the recurringMasterId . |

| Value | Description |
|--|--|
| ErrorCalendarCannotUseIdForRecurringMasterId | Specifies that the recurringMasterId does not correspond to a valid occurrence of the OccurrenceId . |
| ErrorCalendarDurationIsTooLong | Specifies that the item duration of a calendar item exceeds five years. |
| ErrorCalendarEndDateIsEarlierThanStartDate | Specifies that the end date/time must be changed so that it is greater than the start date/time. |
| ErrorCalendarFolderIsInvalidForCalendarView | Specifies that the find operation that is using the CalendarViewType object is not for a calendar folder. |
| ErrorCalendarInvalidAttributeValue | This response code is not used. |
| ErrorCalendarInvalidDayForTimeChangePattern | Specifies that invalid values of Day , WeekDay , and WeekendDay were used to define the time change pattern. |
| ErrorCalendarInvalidDayForWeeklyRecurrence | Specifies that invalid values of Day , WeekDay , and WeekendDay were used to specify the weekly recurrence. |
| ErrorCalendarInvalidPropertyState | Specifies that the state of the calendar item recurrence binary large object (BLOB) in the store is invalid. |
| ErrorCalendarInvalidPropertyValue | This response code is not used. |
| ErrorCalendarInvalidRecurrence | Specifies that the internal structure of the objects that represent the recurrence is invalid. |
| ErrorCalendarInvalidTimeZone | Specifies that an invalid time zone was encountered. |
| ErrorCalendarIsCancelledForAccept | Specifies that a calendar item has been cancelled. This error code MUST be returned when responding to a meeting request with an t:AcceptItemType (section 2.2.3.1) response object after a meeting has been cancelled. |
| ErrorCalendarIsCancelledForDecline | Specifies that a calendar item has been cancelled. This error code MUST be returned when responding to a meeting request with a t:DeclineItemType (section 2.2.3.9) response object after a meeting has been cancelled. |
| ErrorCalendarIsCancelledForRemove | Specifies that a calendar item has been cancelled. This error code MUST be returned when responding to a meeting request with a t:RemoveItemType (section 2.2.3.19) response object after a meeting has been cancelled. |
| ErrorCalendarIsCancelledForTentative | Specifies that a calendar item has been cancelled. This error code MUST be returned when responding to a meeting request with a t:TentativelyAcceptItemType (section 2.2.3.20) response object after a meeting has been cancelled. |
| ErrorCalendarIsDelegatedForAccept | Specifies that delegate access cannot be used to accept a meeting request. |
| ErrorCalendarIsDelegatedForDecline | Specifies that delegate access cannot be used to decline a meeting request. |
| ErrorCalendarIsDelegatedForRemove | Specifies that delegate access cannot be used to delete a meeting |

| Value | Description |
|--|--|
| | request. |
| ErrorCalendarIsDelegatedForTentative | Specifies that delegate access cannot be used to tentatively accept a meeting request. |
| ErrorCalendarIsNotOrganizer | Specifies that a meeting cannot be canceled by someone other than the organizer. |
| ErrorCalendarIsOrganizerForAccept | Specifies that the meeting organizer cannot accept the meeting. Only attendees can accept meeting requests. |
| ErrorCalendarIsOrganizerForDecline | Specifies that the meeting organizer cannot decline the meeting. Only attendees can decline meeting requests. |
| ErrorCalendarIsOrganizerForRemove | Specifies that the meeting organizer cannot remove a meeting from the calendar. The organizer can only remove the meeting by canceling the meeting. Only attendees can remove a calendar item. |
| ErrorCalendarIsOrganizerForTentative | Specifies that the meeting organizer cannot tentatively accept a meeting. Only attendees can tentatively accept meeting requests. |
| ErrorCalendarOccurrenceIndexIsOutOfRecurrenceRange | Occurs when the occurrence index that is specified in the OccurrenceId property does not correspond to a valid occurrence. (for example, if your recurrence pattern defines a set of three meeting occurrences and you try to access the fifth occurrence). |
| ErrorCalendarOccurrenceIsDeletedFromRecurrence | Occurs when the occurrence index that is specified in the OccurrenceId property corresponds to a deleted instance. |
| ErrorCalendarOutOfRange | Occurs when a recurrence pattern is defined that contains a value for a month, day, or week that is out of range, such as the seventh week of the month. |
| ErrorCalendarMeetingRequestIsOutOfDate | Specifies that the calendar item associated with the meeting request has been updated since the meeting request was sent. |
| ErrorCalendarViewRangeTooBig | Occurs when the range for calendar paging is larger than two years. |
| ErrorCallerIsInvalidADAccount | Specifies that the requesting account is not a valid account in the directory database. |
| ErrorCannotCreateCalendarItemInNonCalendarFolder | Occurs when you are creating a calendar item and the SavedItemFolderId property refers to a folder other than the Calendar folder. |
| ErrorCannotCreateContactInNonContactFolder | Specifies that an attempt was made to create a contact in a folder other than the Contacts folder. |
| ErrorCannotCreatePostItemInNonMailFolder | Specifies that a post item can be created only in a Mail folder. |
| ErrorCannotCreateTaskInNonTaskFolder | Occurs when you are creating a task and the SavedItemFolderId property refers to a folder other than the Tasks folder. |

| Value | Description |
|---|--|
| ErrorCannotDeleteObject | Specifies that the item or folder to be deleted cannot be deleted. |
| ErrorCannotOpenFileAttachment | Occurs when the attachment stream does not open. |
| ErrorCannotDeleteTaskOccurrence | Specifies that you cannot delete an occurrence of a nonrecurring task and you cannot delete the last occurrence of a recurring task. |
| ErrorCannotEmptyFolder | This error MUST be returned when the server cannot empty a folder. |
| ErrorCannotSetCalendarPermissionOnNonCalendarFolder | Specifies that the caller tried to set calendar permissions on a folder other than the Calendar folder. |
| ErrorCannotSetNonCalendarPermissionOnCalendarFolder | Specifies that the caller tried to set non-Calendar folder permissions on a Calendar folder. |
| ErrorCannotSetPermissionUnknownEntries | Specifies that you cannot set unknown permissions in a permissions set. |
| ErrorCannotUseFolderIdForItemId | Occurs when the ID that was passed represents a folder instead of an item. |
| ErrorCannotUseItemIdForFolderId | Occurs when the ID that was passed in represents an item instead of a folder. |
| ErrorChangeKeyRequired | This response code has been replaced by ErrorChangeKeyRequiredForWriteOperations . |
| ErrorChangeKeyRequiredForWriteOperations | Specifies that a valid change key must be provided when you are performing certain update operations. |
| ErrorClientDisconnected | Specifies that the client was disconnected. |
| ErrorConnectionFailed | Occurs when Exchange Web Services cannot connect to the mailbox. |
| ErrorContainsFilterWrongType | Specifies that the property inspected for a Contains filter is not a string type. This error code MUST be returned when a Contains filter is used with a property that is not a string type. |
| ErrorContentConversionFailed | Occurs when Exchange Web Services is unable to retrieve the Multipurpose Internet Mail Extensions (MIME) content for the item that was retrieved by the GetItem method, or it is unable to create the item from the CreateItem method. |
| ErrorCorruptData | Specifies that the data is corrupted and cannot be processed. |
| ErrorCreateItemAccessDenied | Specifies that the caller does not have the necessary permissions to create the item. |
| ErrorCreateManagedFolderPartialCompletion | Specifies that one or more of the managed folders that were passed to the CreateManagedFolder method failed to be created. Search for each folder to determine which folders were created and which ones do not exist. |
| ErrorCreateSubfolderAccessDenied | Specifies that the calling account does not have the proper |

| Value | Description |
|-------------------------------------|---|
| | permissions to create the subfolder. |
| ErrorCrossMailboxMoveCopy | Specifies that the item or folder cannot be moved from one mailbox to another. |
| ErrorCrossSiteRequest | Specifies that the request is not allowed because the server that services the request is in a different site than the requested resource. |
| ErrorDataSizeLimitExceeded | Specifies that either the data that you were trying to set exceeded the maximum size for the property, or the value is large enough to require streaming and the property does not support streaming, such as for folder properties. |
| ErrorDataSourceOperation | Occurs when the underlying data provider failed to complete the operation. |
| ErrorDelegateAlreadyExists | Occurs in an AddDelegate method call when the specified user already exists in the list of delegates. |
| ErrorDelegateCannotAddOwner | Occurs in an AddDelegate method call when the specified user to be added is the owner of the mailbox. |
| ErrorDelegateMissingConfiguration | Occurs in a GetDelegate method call when there is either no delegate information on a local free/busy message or no Active Directory directory service public delegate (no public delegate or no Send On Behalf entry in the directory service). |
| ErrorDelegateNoUser | Occurs when a specified user cannot be mapped to a user in the directory service. |
| ErrorDelegateValidationFailed | Occurs in an AddDelegate method call when an added delegate user is not valid. |
| ErrorDeleteDistinguishedFolder | Specifies that you cannot delete a distinguished folder. |
| ErrorDeleteItemsFailed | This response code is not used. |
| ErrorDistinguishedUserNotSupported | Specifies that a distinguished user ID is not valid for the operation. The DistinguishedUserType simple type should not be present in the request. |
| ErrorDistributionListMemberNotExist | Specifies that a particular request distribution list member does not exist in the distribution list. |
| ErrorDuplicateInputFolderNames | Occurs when there are duplicate folder names in the array that was passed to the CreateManagedFolder method. |
| ErrorDuplicateUserIdsSpecified | Specifies that a duplicate user ID has been found in a permission set, that either Default or Anonymous is set more than once, or that there are duplicate SIDs or recipients. |
| ErrorEmailAddressMismatch | Occurs when the e-mail address for the distinguished folder ID does not match the mailbox that you are operating on. For example, you cannot create a search folder that exists in one mailbox but considers distinguished folders from another mailbox in its search criteria. |

| Value | Description |
|--|---|
| ErrorEventNotFound | Specifies that the subscription that was created with a particular watermark is no longer valid. |
| ErrorExceededConnectionCount | Specifies that there are more concurrent requests against the server than are allowed by a user's policy. This error MUST be returned when that occurs. |
| ErrorExceededSubscriptionCount | Specifies that a user's throttling policy maximum subscription count has been exceeded. This error MUST be returned when that occurs. Active subscriptions MUST be deleted before additional subscriptions can be created if this error occurs. |
| ErrorExceededFindCountLimit | Specifies that a search operation call has exceeded the total number of items that can be returned. |
| ErrorExpiredSubscription | Specifies that the subscription that is referenced by the GetEvents method has expired. |
| ErrorExternalFacingCAS | Specifies that a user's mailbox resides in a different directory service site and that the site contains an external-facing server. This error code MUST be returned when that occurs. The user MUST use the Autodiscover Publishing and Lookup SOAP-Based Web Service protocol [MS-OXWSADISC] to look up the correct server to connect to a mailbox. |
| ErrorFolderCorrupt | Specifies that the folder is corrupted and cannot be saved. |
| ErrorFolderNotFound | Specifies that the folder ID that was passed in does not correspond to a valid folder, or that the delegate does not have permissions to access the folder. |
| ErrorFolderPropertRequestFailed | Specifies that the requested property could not be retrieved. This does not indicate that the property does not exist, but that the property was corrupted in some way so that the retrieval failed. |
| ErrorFolderSave | Specifies that the folder could not be created or saved because of an invalid state. |
| ErrorFolderSaveFailed | Specifies that the folder could not be created or saved because of an invalid state. |
| ErrorFolderSavePropertyError | Specifies that the folder could not be created or updated because of invalid property values. The response code lists the properties that caused the problem. |
| ErrorFolderExists | Specifies that a folder that has the specified name already exists. Duplicate folder names are not allowed within the same parent folder. |
| ErrorFreeBusyGenerationFailed | Occurs when free/busy information cannot be retrieved because of an intervening failure. |
| ErrorGetServerSecurityDescriptorFailed | This response code is not used. |
| ErrorImpersonateUserDenied | Specifies that the calling account does not have the ms-Exch-EPI-May-Impersonate right on either the user or contact that it is trying to impersonate or the mailbox database that contains the |

| Value | Description |
|--|---|
| | user mailbox. This response code is returned within a SOAP fault. |
| ErrorImpersonationDenied | Specifies that the calling account does not have the ms-Exch-EPI-Impersonation right on the Client Access server that it is calling. This response code is returned within a SOAP fault. |
| ErrorImpersonationFailed | Specifies that there was an unexpected error when an attempt was made to perform server-to-server authentication. This response code typically indicates either that the service account that is running the Exchange Web Services application pool is configured incorrectly, that Exchange Web Services cannot talk to the directory, or that a trust between forests is not correctly configured. |
| ErrorIncorrectSchemaVersion | Specifies that the request was valid for the current server version but was invalid for the request server version that was specified. |
| ErrorIncorrectUpdatePropertyCount | Specifies that each change description in an UpdateItem or UpdateFolder method call must list only one property to be updated. |
| ErrorIndividualMailboxLimitReached | Occurs when the request contains too many attendees to be resolved. By default, the maximum number of attendees to be resolved is 100. |
| ErrorInsufficientResources | Specifies that the mailbox server is overloaded. Try your request again later. |
| ErrorInternalServerError | Specifies that Exchange Web Services encountered an error that it could not recover from, and there is not a more specific response code associated with the error that occurred. |
| ErrorInternalServerErrorTransientError | Specifies that an internal server error occurred and that you should try your request again later. |
| ErrorInvalidAccessLevel | Specifies that the level of access that the caller has on the free/busy data is invalid. |
| ErrorInvalidArgument | Specifies an error caused by all invalid arguments passed to the GetMessageTrackingReport operation ([MS-OXWSMTRK] section 3.1.4.2). This error MUST be returned in the following scenarios: <ul style="list-style-type: none"> ▪ The user specified in the sending-as parameter does not exist in the directory. ▪ The user specified in the sending-as parameter is not unique in the directory. ▪ The sending-as address is empty. ▪ The sending-as address is not a valid e-mail address. |
| ErrorInvalidAttachmentId | Specifies that the attachment was not found within the attachments collection for the item. For example, you might receive this response code if you have an attachment ID and then the attachment is deleted and you try to call the GetAttachment |

| Value | Description |
|---|--|
| | method on the attachment ID. |
| ErrorInvalidAttachmentSubfilter | Occurs when you try to bind to an existing search folder by using a complex attachment table restriction. Exchange Web Services supports only simple contains filters against the attachment table. If you try to bind to an existing search folder that has a more complex attachment table restriction (a subfilter), Exchange Web Services cannot render the XML for that filter and returns this response code. Note that you can still call the GetFolder method on the folder, but do not request the SearchParameters property. |
| ErrorInvalidAttachmentSubfilterTextFilter | Occurs when you try to bind to an existing search folder by using a complex attachment table restriction. Exchange Web Services supports only simple contains filters against the attachment table. If you try to bind to an existing search folder that has a more complex attachment table restriction, Exchange Web Services cannot render the XML for that filter. In this case, the attachment subfilter contains a text filter, but it is not looking at the attachment display name. Note that you can still call the GetFolder method on the folder, but do not request the SearchParameters property. |
| ErrorInvalidAuthorizationContext | Specifies a failure to proxy an availability request to a more applicable server. |
| ErrorInvalidChangeKey | Specifies that an invalid change key was passed in. Note that many methods do not require a change key to be passed. However, if you do provide a change key, it must be valid, although it does not necessarily have to be up-to-date. |
| ErrorInvalidClientSecurityContext | Specifies that there was an internal error when an attempt was made to resolve the identity of the caller. |
| ErrorInvalidCompleteDate | Occurs when you try to set the CompleteDate of a task to a time in the future. When it is converted to the local time of the Client Access server, the CompleteDate cannot be set to a value that is later than the local time on the Client Access server. |
| ErrorInvalidContactEmailAddress | Specifies that an invalid e-mail address was provided for a contact. |
| ErrorInvalidContactEmailIndex | Specifies that an invalid e-mail index value was provided for an e-mail entry. |
| ErrorInvalidCrossForestCredentials | Occurs when an availability request is proxied to a Client Access server in another forest. |
| ErrorInvalidDelegatePermission | Specifies that the specified folder permissions are invalid. |
| ErrorInvalidDelegateUserId | Specifies that the specified delegate user ID is invalid. |
| ErrorInvalidExcludesRestriction | Specifies that the bitmask that was passed into the Excludes restriction could not be parsed. |
| ErrorInvalidExpressionTypeForSubFilter | This response code is not used. |

| Value | Description |
|--|--|
| ErrorInvalidExtendedProperty | Occurs when the combination of extended property values that was specified are invalid or they result in an invalid extended property Uniform Resource Identifier (URI). |
| ErrorInvalidExtendedPropertyValue | Specifies that the value that was offered for the extended property is inconsistent with the type that was specified in the associated extended field URI. For example, if the PropertyType property on the extended field URI is set to string , but you set the value of the extended property as an array of integers, you will encounter this response code. |
| ErrorInvalidFolderId | Occurs when the folder ID is corrupted. |
| ErrorInvalidFolderTypeForOperation | Specifies that the specified folder type is invalid for the current operation. For example, you cannot create a Search folder in a public folder. |
| ErrorInvalidFractionalPagingParameters | Occurs in fractional paging when the user has specified one of the following: a numerator that is greater than the denominator, a numerator that is less than 0 (zero), or a denominator that is less than or equal to 0 (zero). |
| ErrorInvalidFreeBusyViewType | Occurs if a FreeBusyViewType of None is requested. |
| ErrorInvalidId | Specifies that the structure of the ID and/or change key is internally inconsistent. |
| ErrorInvalidIdEmpty | Specifies that the caller specified an ID that is empty. |
| ErrorInvalidIdMalformed | Specifies that the structure of the ID is internally inconsistent. |
| ErrorInvalidIdMalformedEwsLegacyIdFormat | Specifies that a folder or item ID that is using the Exchange 2007 server schema version format was specified for a request with a schema version of Exchange 2007 SP1 or later. You cannot use Exchange 2007 server schema version IDs in Exchange 2007 SP1 or later requests. You must use the ConvertId method to convert them first. |
| ErrorInvalidIdMonikerTooLong | Specifies that the structure of the ID is internally inconsistent. The moniker is contained within the ID and indicates which mailbox the ID belongs to. This response code is returned if the length of the moniker is checked and the byte count is longer than expected. |
| ErrorInvalidIdNotAnItemAttachmentId | Occurs when the AttachmentId property does not refer to an item attachment. |
| ErrorInvalidIdReturnedByResolveNames | Specifies that a contact in your mailbox is corrupt. |
| ErrorInvalidIdStoreObjectIdTooLong | Occurs when the structure of the ID is internally inconsistent. |
| ErrorInvalidIdTooManyAttachmentLevels | Specifies that the attachment hierarchies exceed the maximum of 255 levels deep. |
| ErrorInvalidIdXml | This response code is not used. |
| ErrorInvalidIndexedPagingParameters | Occurs if the offset for indexed paging is less than 0 (zero). |

| Value | Description |
|---|--|
| ErrorInvalidInternetHeaderChildNodes | This response code is not used. |
| ErrorInvalidItemForOperationCreateItem Attachment | Specifies that you tried to create an item attachment by using an unsupported item type. Supported item types for item attachments include ItemType , MessageType , CalendarItemType , TaskType , and ContactItemType objects. For example, if you try to create a MeetingMessage attachment, you will encounter this response code. |
| ErrorInvalidItemForOperationCreateItem | Specifies that you tried to create an unsupported item. Supported items include ItemType , MessageType , CalendarItemType , TaskType , and ContactItemType objects. For example, you cannot create a DistributionList object by using the CreateItem method. In addition, certain types are created as a side effect of doing something else. MeetingMessages objects, for example, are created when you send a calendar item to attendees; they are not explicitly created. |
| ErrorInvalidItemForOperationAcceptItem | Occurs when an AcceptItemType object is created on something other than a meeting request or a calendar item, or when an attempt is made to accept a calendar item occurrence that is in the Deleted Items folder. |
| ErrorInvalidItemForOperationDeclineItem | Specifies that a DeclineItemType object was created on something other than a meeting request or a calendar item, or that you tried to decline a calendar item occurrence that is in the Deleted Items folder. |
| ErrorInvalidItemForOperationCancelItem | Occurs when a CancelCalendarItemType object is created for something other than a calendar item. |
| ErrorInvalidItemForOperationExpandDL | Occurs when the instance of the ExpandDLType class that was passed to the ExpandDL method does not represent a distribution list. |
| ErrorInvalidItemForOperationRemoveItem | Occurs when a RemoveItemType object is created for an item other than a meeting cancellation. |
| ErrorInvalidItemForOperationSendItem | Occurs if the SendItem method was attempted on an item other than a message item. Only items whose ItemClass property value begins with IPM.Note can be sent. |
| ErrorInvalidItemForOperationTentative | Occurs if a TentativelyAcceptItemType object was created on an item other than a calendar item or meeting request. Also occurs if the TentativelyAcceptItemType object was created for a calendar item occurrence that is in the Deleted Items folder. |
| ErrorInvalidLogonType | This error is for internal use only. This error is not returned. |
| ErrorInvalidMailbox | Specifies that the CreateItem or UpdateItem operation failed while creating or updating a personal distribution list. This error MUST be returned under the following conditions: <ul style="list-style-type: none"> A member is not accessible by using an item identifier to identify the member's mailbox. The following m:ResponseMessageType XML MUST be returned for this |

| Value | Description |
|-------|--|
| | <p>scenario:</p> <pre data-bbox="787 268 1377 598"> <m:MessageText>Mailbox is invalid. Verify the specified Mailbox property.</m:MessageText> <m:ResponseCode>ErrorInvalidMailbox</m:ResponseCode> <m:MessageXml> <t:FieldURI FieldURI="distributionlist:Members"/> <t:Value Name="Inner.ResponseCode">ErrorNonExistentMailbox</t:Value> <t:Value Name="Inner.MessageText">No mailbox with such guid.</t:Value> </m:MessageXml> </pre> <ul style="list-style-type: none"> <li data-bbox="722 674 1435 825">▪ The specified identifier is for a private distribution list but the MailboxType simple type (section 2.2.2.16) is not set to PrivateDL. The <MessageText> element of the ResponseMessageType complex type (section 2.2.3.52) MUST contain the following text: <i>MailboxType should be PrivateDL or not specified.</i> <li data-bbox="722 852 1422 1052">▪ The specified identifier is for a database contact item but the contact does not have an e-mail address. The specified member's e-mail address, routing type, or name does not match to the corresponding properties of any contact's e-mail addresses. The <MessageText> element of the ResponseMessageType complex type (section 2.2.3.52) MUST contain the following text: <i>The contact address wasn't found.</i> <li data-bbox="722 1079 1401 1182">▪ The specified identifier is for a folder instead of a contact or private distribution list store item identifier. The following ResponseMessageType complex type (section 2.2.3.52) XML MUST be returned for this scenario: <pre data-bbox="787 1226 1377 1577"> <m:MessageText>Mailbox is invalid. Verify the specified Mailbox property.</m:MessageText> <m:ResponseCode>ErrorInvalidMailbox</m:ResponseCode> <m:MessageXml> <t:FieldURI FieldURI="distributionlist:Members"/> <t:Value Name="Inner.ResponseCode">ErrorCannotUseFolderIdForItemId</t:Value> <t:Value Name="Inner.MessageText">Expected an item Id but received a folder Id.</t:Value> </m:MessageXml> </pre> <li data-bbox="722 1650 1417 1728">▪ The specified identifier does not represent either a contact or private distribution list. The following m:ResponseMessageType XML MUST be returned for this |

| Value | Description |
|-------|--|
| | <p>scenario where MemberIndex represents the index of the identifier that caused the error:</p> <pre data-bbox="786 296 1373 548"> <m:MessageText>The ID of this item can't be used for a recipient, attendee, or group member.</m:MessageText> <m:ResponseCode>ErrorInvalidMailbox</m:ResponseCode> <m:MessageXml> <t:FieldURI FieldURI="distributionlist:Members"/> <t:Value Name="MemberIndex">7</t:Value> </m:MessageXml> </pre> <ul style="list-style-type: none"> <li data-bbox="724 621 1414 751"> <p>▪ The mailbox is not specified by either an EmailAddress or ItemId element in the Mailbox element of the EmailAddressType. The following m:ResponseMessageType XML MUST be returned for this scenario where MemberIndex represents the index of the identifier that caused the error:</p> <pre data-bbox="786 793 1373 1020"> <m:MessageText>EmailAddress or ItemId must be included in the request.</m:MessageText> <m:ResponseCode>ErrorInvalidMailbox</m:ResponseCode> <m:MessageXml> <t:FieldURI FieldURI="distributionlist:Members"/> <t:Value Name="MemberIndex">0</t:Value> </m:MessageXml> </pre> <li data-bbox="724 1094 1430 1199"> <p>▪ The member with the specified email address does not exist in the directory. The following m:ResponseMessageType XML MUST be returned for this scenario where MemberIndex represents the index of the identifier that caused the error:</p> <pre data-bbox="786 1241 1373 1488"> <m:MessageText>Recipient is not found in Active Directory. Change MailboxType to OneOff or remove it.</m:MessageText> <m:ResponseCode>ErrorInvalidMailbox</m:ResponseCode> <m:MessageXml> <t:FieldURI FieldURI="distributionlist:Members"/> <t:Value Name="MemberIndex">1</t:Value> </m:MessageXml> </pre> <li data-bbox="724 1566 1419 1644"> <p>▪ A user with the specified email address does exist in the AD, but the specified MailboxType does not match user type in the directory.</p> <p data-bbox="724 1671 1382 1715">The MessageXML element of the m:ResponseMessageType as specified in section 2.2.3.52, MUST contain the following XML</p> |

| Value | Description |
|------------------------------------|--|
| | <p>when a member cannot be created or updated.</p> <pre><m:MessageXml> <t:FieldURI FieldURI="distributionlist:Members"/> <t:Value Name="MemberIndex">4</t:Value> </m:MessageXml></pre> <p>The MemberIndex value MUST specify the failing member from the either an UpdateItem or CreateItem request. The MemberIndex is a 0-based index.</p> |
| ErrorInvalidManagedFolderProperty | Specifies that the structure of the managed folder is corrupted and cannot be rendered. |
| ErrorInvalidManagedFolderQuota | Specifies that the quota that is set on the managed folder is less than zero, which indicates a corrupted managed folder. |
| ErrorInvalidManagedFolderSize | Specifies that the size that is set on the managed folder is less than zero, which indicates a corrupted managed folder. |
| ErrorInvalidMergedFreeBusyInterval | Specifies that the supplied merged free/busy interval value is invalid. The default minimum value is 5 minutes. The default maximum value is 1440 minutes. |
| ErrorInvalidNameForNameResolution | Specifies that the name that was passed into the ResolveNames method was invalid. For example, a zero-length string, a single space, a comma, and a dash are all invalid names. |
| ErrorInvalidOperation | This is a general error that is used when the requested operation is invalid. For example, this error indicates any of the following: |
| ErrorInvalidNetworkServiceContext | Specifies an error in the Network Service account on the Client Access server. |
| ErrorInvalidOofParameter | This response code is not used. |
| ErrorInvalidPagingMaxRows | Specifies that zero rows or a negative value is specified as the maximum number of rows to be returned. |
| ErrorInvalidParentFolder | Specifies that you passed in an invalid parent folder for an operation, for example by creating a folder within a search folder. |
| ErrorInvalidPercentCompleteValue | Occurs if the percent complete property is set to a value that is not between 0 and 100 (inclusive). |
| ErrorInvalidPermissionSettings | Specifies that the permission level is inconsistent with the permission settings. |
| ErrorInvalidPhoneCallId | Specifies that the caller identifier is not valid. |
| ErrorInvalidPhoneNumber | Specifies that the phone number is not correct or does not fit the dial plan rules. |
| ErrorInvalidUserInfo | <p>Specifies that a client sent an invalid folder permission request. This error code MUST be returned under the following conditions:</p> <ul style="list-style-type: none"> A user specifies a DistinguishedUser element of type |

| Value | Description |
|-------------------------------|--|
| | <p>t:DistinguishedUserType set to anonymous or default but then also provide either a SID, primary SMTP address or display name.</p> <ul style="list-style-type: none"> ▪ SID cannot be mapped to a user. ▪ Primary SMTP address cannot be mapped to a user. ▪ User specifies more than one mailbox by setting more than one of the following properties: SID, primary SMTP address, and display name. ▪ An invalid SMTP address was provided for an external user. ▪ The request doesn't specify a distinguished user, SID, primary SMTP address, display name, or external user. ▪ The request specifies an identity that does not map to a user, group, or contact in the directory. ▪ The provided user permission is a disabled user that had a SELF SID in the directory. ▪ The request attempt to set the anonymous or default user permissions but the attempted permissions are not available on the folder. <p>The MessageXML for an ErrorInvalidUserInfo response contains the SID and display name that MUST identify the user to be given permissions and the permission level that we attempted to be given to a user. The MessageXML can look like the following:</p> <pre data-bbox="748 1024 1425 1360"> <m:MessageXml> <t:InvalidPermission> <t:Permission> <t:UserId> <t:SID>S-1-5-21-797165400-4101840936-1213943508-1116</t:SID> <t:DisplayName>Christopher M. Simison</t:DisplayName> </t:UserId> <t:PermissionLevel>Owner</t:PermissionLevel> </t:Permission> </t:InvalidPermission> </m:MessageXml> </pre> |
| ErrorInvalidPropertyAppend | Occurs if the property that you are trying to append to does not support appending. The following are the only properties that support appending: Recipient collections (To, Cc, Bcc), Attendee collections (Required, Optional, Resources), Body property, and ReplyTo. |
| ErrorInvalidPropertyDelete | Specifies that the property that you are trying to delete does not support deleting. For example, you cannot delete the ItemId property of the ItemType object. |
| ErrorInvalidPropertyForExists | Occurs if you pass one of the flag properties to a RestrictionType |

| Value | Description |
|--|---|
| | filter of ExistsType. The following are the flag properties: IsDraft, IsSubmitted, IsUnmodified, IsResend, and IsFromMe. |
| ErrorInvalidPropertyForOperation | Specifies that the property that you are trying to manipulate does not support the operation that is being performed on it. |
| ErrorInvalidPropertyRequest | Occurs if the property that is specified in the request is not available for the item type. For example, this response code is returned if a property that is only available on calendar items is requested in a GetItem method call for a message or is updated in an UpdateItem method call for a message. |
| ErrorInvalidPropertySet | Specifies that the property you are trying to set is read-only. |
| ErrorInvalidPropertyUpdateSentMessage | Occurs during an UpdateItem method call when a client tries to update certain properties of a message that has already been sent. For example, the following properties cannot be updated on a sent message: IsReadReceiptRequested and IsDeliveryReceiptRequested |
| ErrorInvalidProxySecurityContext | This response code is not used. |
| ErrorInvalidPullSubscriptionId | Occurs if you called GetEvents or Unsubscribe on a push subscription ID. To unsubscribe from a push subscription, you must respond to a push request with an unsubscribe response, or disconnect your Web service and wait for the push notifications to time out. |
| ErrorInvalidPushSubscriptionUrl | Specifies that the URL that was provided as a callback for the Subscribe method has an invalid format. The following conditions must be met for Exchange Web Services to accept the URL: String length MUST be greater than 0 and less than 2083, protocol is http or https, and able to be parsed by the URI Microsoft .NET Framework class. |
| ErrorInvalidRecipients | Specifies that the recipient collection on your message or the attendee collection on your calendar item is invalid. |
| ErrorInvalidRecipientSubfilter | Specifies that the search folder has a recipient table filter that Exchange Web Services cannot represent. To fix the error, retrieve the folder without requesting the search parameters. |
| ErrorInvalidRecipientSubfilterComparison | Specifies that the search folder has a recipient table filter that Exchange Web Services cannot represent. To fix the error, retrieve the folder without requesting the search parameters. |
| ErrorInvalidRecipientSubfilterOrder | Specifies that the search folder has a recipient table filter that Exchange Web Services cannot represent. To fix the error, retrieve the folder without requesting the search parameters. |
| ErrorInvalidRecipientSubfilterTextFilter | Specifies that the search folder has a recipient table filter that Exchange Web Services cannot represent. To fix the error, retrieve the folder without requesting the search parameters. |
| ErrorInvalidReferenceItem | Occurs under the following circumstances: The referenced item identifier is not a MessageType or CalendarItemType object, or one of their descendants; the reference item identifier is for a |

| Value | Description |
|--|---|
| | CalendarItemType object and the organizer is trying to Reply or ReplyAll. Calendar items can only be forwarded by the organizer; the message is a draft and Reply or ReplyAll is selected, and the ResponseObjects is set to SuppressReadReceipt and the item is not a message. |
| ErrorInvalidRequest | Specifies that the SOAP request has a SOAP action header, but nothing in the SOAP body. Note that the SOAP action header is not required as Exchange Web Services can determine the method to call from the local name of the root element in the SOAP body. |
| ErrorInvalidRestriction | This response code is not used. |
| ErrorInvalidRoutingType | Specifies that the RoutingType property that was passed for an EmailAddressType is not a valid routing type. Typically, routing type is set to SMTP. |
| ErrorInvalidScheduledOofDuration | Occurs if the specified duration end time is not greater than the start time, or if the end time does not occur in the future. |
| ErrorInvalidSchemaVersionForMailboxVersion | Specifies that a proxy request sent to another server is not capable of servicing the request due to a versioning mismatch. This error MUST be returned when the <RequestServerVersion> element (section 2.2.4.7) specifies a server version that does not match the mailbox server for a proxy request. |
| ErrorInvalidSecurityDescriptor | Specifies that the security descriptor on the Calendar folder in the store is corrupted. |
| ErrorInvalidSendItemSaveSettings | Occurs during an attempt to send an item where the SaveItemFolderId is specified in the request but the SaveItemToFolder property is set to false. |
| ErrorInvalidSerializedAccessToken | Specifies that the token that was passed in the header is malformed, does not refer to a valid account in the directory, or is missing the primary group SID. |
| ErrorInvalidServerVersion | Specifies that an invalid request server version was specified in the request. |
| ErrorInvalidSid | Specifies that one or more of the SID properties within the passed token or Impersonation block have an invalid structure. |
| ErrorInvalidSIPUri | Specifies that the SIP name, dial plan, or the phone number are invalid SIP URI. |
| ErrorInvalidSmtpAddress | Specifies that the SMTP address cannot be parsed. |
| ErrorInvalidSubfilterType | This response code is not used. |
| ErrorInvalidSubfilterTypeNotAttendeeType | This response code is not used. |
| ErrorInvalidSubfilterTypeNotRecipientType | This response code is not used. |

| Value | Description |
|---------------------------------|--|
| ErrorInvalidSubscription | Specifies that the subscription is no longer valid. This could be because the Client Access is restarting or because the subscription expired. |
| ErrorInvalidSubscriptionRequest | Specifies that the subscribe request included multiple public folder IDs. A subscription can include multiple folders from the same mailbox or one public folder ID. |
| ErrorInvalidSyncStateData | Specifies that the sync state data is corrupted. This is returned by the SyncFolderItems method or the SyncFolderHierarchy method if the SyncState property data is invalid. To fix this error, you must resynchronize without the sync state. Make sure that if you are persisting sync state blobs and that you are not accidentally truncating the BLOB. |
| ErrorInvalidTimeInterval | Specifies that the specified time interval is invalid. The start time must be greater than or equal to the end time. |
| ErrorInvalidUserOofSettings | Specifies that the user Out of Office (OOF) settings are invalid because of a missing internal or external reply. |
| ErrorInvalidUserPrincipalName | Specifies that the UPN that was passed in the Impersonation SOAP header did not map to a valid account. |
| ErrorInvalidUserSid | Specifies that the SID that was passed in the Impersonation SOAP header was either structurally invalid or did not map to a valid account. |
| ErrorInvalidUserSidMissingUPN | This response code is not used. |
| ErrorInvalidValueForProperty | Specifies that the comparison value in the restriction is invalid for the property you are comparing against. For example, the comparison value of DateTimeCreated > true would return this response code. This response code is also returned if you specify an enumeration property in the comparison, but the value that you are comparing against is not a valid value for that enumeration. |
| ErrorInvalidWatermark | Specifies that the watermark is invalid. |
| ErrorIPGatewayNotFound | Specifies that a valid VoIP gateway is not available. |
| ErrorIrresolvableConflict | Specifies that conflict resolution was unable to resolve changes for the properties. The items in the store may have been changed and have to be updated. Retrieve the updated change key and try again. |
| ErrorItemCorrupt | Specifies that the state of the object is corrupted and cannot be retrieved. When you are retrieving an item, only certain properties will be in this state, such as Body and MimeContent. Omit these properties and retry the operation. |
| ErrorItemNotFound | Specifies that the item was not found or you do not have rights to access the item. |
| ErrorItemPropertyRequestFailed | Occurs if a property request fails. The property may exist, but could not be retrieved. |

| Value | Description |
|---|---|
| ErrorItemSave | Occurs when attempts to save the item or folder fail. |
| ErrorItemSavePropertyError | Occurs when attempts to save the item or folder fail because of invalid property values. The response code includes the path of the invalid properties. |
| ErrorLegacyMailboxFreeBusyViewTypeNotMerged | This response code is not used. |
| ErrorLocalServerObjectNotFound | This response code is not used. |
| ErrorLogonAsNetworkServiceFailed | Specifies that the availability service was unable to log on as the network service in order to proxy requests to the appropriate sites or forests. This response typically indicates a configuration error. |
| ErrorMailboxConfiguration | Specifies that the mailbox information in Active Directory is configured incorrectly. |
| ErrorMailboxDataArrayEmpty | Specifies that the MailboxDataArray property in the request is empty. You must supply at least one mailbox identifier. |
| ErrorMailboxDataArrayTooBig | Occurs when more than 100 entries are supplied in a MailboxDataArray. |
| ErrorMailboxLogonFailed | Occurs when the connection to the mailbox to get the calendar view information failed. |
| ErrorMailboxMoveInProgress | Specifies that the mailbox is currently being moved. Try your request again after the move is complete. |
| ErrorMailboxStoreUnavailable | Specifies that the mailbox database is offline, corrupt, shutting down, or exhibiting other conditions that make the mailbox unavailable. |
| ErrorMailRecipientNotFound | Occurs if the MailboxData information cannot be mapped to a valid mailbox account. |
| ErrorMailTipsDisabled | Specifies that mail tips are disabled. This error code MUST be returned when mail tips are disabled. |
| ErrorManagedFolderAlreadyExists | Specifies that the managed folder that you are trying to create already exists in your mailbox. |
| ErrorManagedFolderNotFound | Occurs when the folder name that was specified in the request does not map to a managed folder definition in Active Directory. You can only create instances of managed folders for folders defined in Active Directory. Check the name and try again. |
| ErrorManagedFoldersRootFailure | Specifies that the managed folders root was deleted from the mailbox or that there is already a folder in the same parent folder that has the name of the managed folder root. This will also occur if the attempt to create the root managed folder fails. |
| ErrorMeetingSuggestionGenerationFailed | Specifies that the suggestions engine encountered a problem when it was trying to generate the suggestions. |

| Value | Description |
|--|--|
| ErrorMessageDispositionRequired | Occurs if the MessageDisposition property is not set. This property is required: 1) When the item that is being created or updated is a MessageType object. 2) For the CancelCalendarItemType, AcceptItemType, DeclineItemType, or TentativelyAcceptItemType response objects. |
| ErrorMessageSizeExceeded | Specifies that the message that you are trying to send exceeded the allowed limits. |
| ErrorMimeContentConversionFailed | Occurs when the MIME content is not a valid iCal for a CreateItem method. For a GetItem method, this response indicates that the MIME content could not be generated. |
| ErrorMimeContentInvalid | Occurs when the MIME content is invalid. |
| ErrorMimeContentInvalidBase64String | Occurs when the MIME content in the request is not a valid base64 string. |
| ErrorMissingArgument | Specifies that a required argument was missing from the request. The response message text indicates which argument to check. |
| ErrorMissingEmailAddress | Specifies that you specified a distinguished folder ID in the request, but the account that made the request does not have a mailbox on the system. |
| ErrorMissingEmailAddressForManagedFolder | Specifies that you specified a distinguished folder ID in the request, but the account that made the request does not have a mailbox on the system. This response is returned from the CreateManagedFolder method. |
| ErrorMissingInformationEmailAddress | Specifies that the attendee or recipient does not have the EmailAddress property set. The other two EmailAddressType properties, Name and RoutingType, are optional. |
| ErrorMissingInformationReferenceItemId | Occurs if the ReferenceItemId property value is missing from the response object. |
| ErrorMissingItemForCreateItemAttachment | Occurs when you are creating an item attachment if you do not indicate the item that you want to create. |
| ErrorMissingManagedFolderId | Occurs when the policy IDs property, property tag 0x6732, for the folder is missing. You should consider this a corrupted folder. |
| ErrorMissingRecipients | Specifies that you tried to send an item without including recipients. Note that if you call the CreateItem method with a message disposition that causes the message to be sent, you will get the following response code: ErrorInvalidRecipients. |
| ErrorMissingUserIdInformation | Specifies that a user ID has not been fully specified in a permissions set. |
| ErrorMoreThanOneAccessModeSpecified | Specifies that you have specified more than one ExchangeImpersonation or SerializedSecurityContext property value within a request. |
| ErrorMoveCopyFailed | Specifies that the move or copy operation failed. Moving occurs in the CreateItem method when you accept a meeting request that |

| Value | Description |
|--|---|
| | is in the Deleted Items folder. In addition, if you decline a meeting request, cancel a calendar item, or remove a meeting from your calendar, it is moved to the Deleted Items folder. |
| ErrorMoveDistinguishedFolder | Occurs if you try to move a distinguished folder. |
| ErrorNameResolutionMultipleResults | Specifies that the ResolveNames method returned more than one result or that the ambiguous name that you specified matched more than one object in the directory. The response code includes the matched names in the response data. |
| ErrorNameResolutionNoMailbox | Specifies that the caller does not have a mailbox on the system. |
| ErrorNameResolutionNoResults | Occurs if the ResolveNames method returns no results. |
| ErrorNoApplicableProxyCASServersAvailable | This error code MUST be returned when the Web service cannot find a server to handle the request. |
| ErrorNoCalendar | Occurs if there is no Calendar folder for the mailbox. |
| ErrorNoDestinationCASDueToKerberosRequirements | Specifies that the request referred to a mailbox in another Active Directory site, but no Client Access servers in the destination site were configured for Windows Authentication and therefore the request could not be proxied. |
| ErrorNoDestinationCASDueToSSLRequirements | Specifies that the request referred to a mailbox in another Active Directory site, but no Client Access servers in the destination site were configured for SSL connections and therefore the request could not be proxied. |
| ErrorNoDestinationCASDueToVersionMismatch | Specifies that the request referred to a mailbox in another Active Directory site, but no Client Access servers in the destination site were of an acceptable product version to receive the request and therefore the request could not be proxied. |
| ErrorNoFolderClassOverride | Occurs if you set the FolderClass property when you are creating an item other than a generic folder. For typed folders such as CalendarFolderType and TasksFolderType, the folder class is implied. Setting the folder class to a different folder type by using the UpdateFolder method results in the ErrorObjectTypeChanged response. Instead, use a generic folder type but set the folder class to the value that you require. Exchange Web Services will create the correct strongly typed folder. |
| ErrorNoFreeBusyAccess | Specifies that the caller does not have free/busy viewing rights on the Calendar folder in question. |
| ErrorNonExistentMailbox | Specifies one of the following: 1) The e-mail address is empty in the CreateManagedFolder method 2) the SMTP address does not map to a valid mailbox. |
| ErrorNonPrimarySmtpAddress | Occurs when a caller passes in a non-primary SMTP address. The response includes the correct SMTP address to use. |
| ErrorNoPropertyTagForCustomProperties | Specifies that MAPI properties in the custom range, 0x8000 and greater, cannot be referenced by property tags. You must use the PropertySetId property or the DistinguishedPropertySetId |

| Value | Description |
|--|--|
| | together with the PropertyName or PropertyId properties. |
| ErrorNoPublicFolderReplicaAvailable | This response code is not used. |
| ErrorNoPublicFolderServerAvailable | This error code MUST be returned if no public folder server is available or if the caller does not have a home public server. |
| ErrorNoRespondingCASInDestinationSite | Specifies that the request referred to a mailbox in another Active Directory site, but none of the Client Access servers in that site responded and therefore the request could not be proxied. |
| ErrorNotDelegate | Specifies that the user is not a delegate for the mailbox. This error is returned by GetDelegate, RemoveDelegate, and UpdateDelegate method calls when the specified delegate user is not found in the list of delegates. |
| ErrorNotEnoughMemory | Specifies that the operation could not be completed because of insufficient memory. |
| ErrorObjectTypeChanged | Specifies that the object type cannot be changed. For the CreateItem method, the ItemClass property must be consistent with the strongly typed item such as a Message or Contact. |
| ErrorOccurrenceCrossingBoundary | Specifies that the time allotment for a given occurrence overlaps with an earlier or later occurrence. |
| ErrorOccurrenceTimeSpanTooBig | Specifies that the time allotment for a given occurrence overlaps with another occurrence of the same recurring item. This response also occurs if the length in minutes of a given occurrence is larger than Int32.MaxValue. |
| ErrorOperationNotAllowedWithPublicFolderRoot | Specifies that the current operation is not valid to be performed on the public folder root. |
| ErrorParentFolderIdRequired | This response code is not used. |
| ErrorParentFolderNotFound | Occurs in the CreateFolder when the parent folder is not found. |
| ErrorPasswordChangeRequired | Specifies that you must change your password before you can access this mailbox. This occurs when a new account has been created and the administrator indicated that the user must change the password at first logon. You cannot update the password by using Exchange Web Services. You must use a tool such as Outlook Web Access to change your password. |
| ErrorPasswordExpired | Specifies that the password has expired. You cannot change the password by using Exchange Web Services. You must use a tool such as Outlook Web Access to change your password. |
| ErrorPhoneNumberNotDialable | Specifies that the phone number was not in the correct phone form. |
| ErrorPropertyUpdate | Specifies that the update failed because of invalid property values. The response message includes the invalid property paths. |
| ErrorPropertyValidationFailure | This response code is not used. |

| Value | Description |
|--|---|
| ErrorProxiedSubscriptionCallFailure | Specifies that the request referred to a subscription that exists on another Client Access server, but an attempt to proxy the request to that Client Access server failed. |
| ErrorProxyCallFailed | This response code is not used. |
| ErrorProxyGroupSidLimitExceeded | Specifies that the request referred to a mailbox in another Active Directory site, and the original caller is a member of more than 3000 groups. |
| ErrorProxyRequestNotAllowed | Specifies that the request that Exchange Web Services sent to another Client Access server when trying to fulfill a GetUserAvailability request was invalid. This response code likely indicates a configuration or rights error, or that someone is trying unsuccessfully to mimic an availability proxy request. |
| ErrorProxyRequestProcessingFailed | Specifies that Exchange Web Services tried to proxy an availability request to another Client Access server for fulfillment, but the request failed. This response can be caused by network connectivity issues or request time-out issues. |
| ErrorProxyServiceDiscoveryFailed | This error code MUST be returned if the Web service cannot determine whether the request is to run on the target server or will be proxied to another server. |
| ErrorProxyTokenExpired | This response code is not used. |
| ErrorPublicFolderRequestProcessingFailed | Occurs when the recipient passed to GetUserAvailability is located on a computer that is running a server version that is earlier than the 2007 server version and the request to retrieve free/busy information for the recipient from the public folder server failed. |
| ErrorPublicFolderServerNotFound | Occurs when the recipient passed to GetUserAvailability is located on a server that is running a server version that is earlier than the 2007 server version and the request to retrieve free/busy information for the recipient from the public folder server failed because the organizational unit did not have a public folder server associated with it. |
| ErrorQueryFilterTooLong | Specifies that the search folder restriction may be valid, but is not supported by Exchange Web Services. Exchange Web Services limits restrictions to contain a maximum of 255 filter expressions. If you try to bind to an existing search folder that exceeds 255, this response code is returned. |
| ErrorQuotaExceeded | Occurs when the mailbox quota is exceeded. |
| ErrorReadEventsFailed | Specifies that the process for reading events was aborted because of an internal failure. Re-create the event synchronization based on a last known watermark. |
| ErrorReadReceiptNotPending | Occurs when an attempt has been made to suppress a read receipt when the message sender did not request a read receipt on the message. |
| ErrorRecurrenceEndDateTooBig | Occurs when the end date for the recurrence is after 9/1/4500. |

| Value | Description |
|---|--|
| ErrorRecurrenceHasNoOccurrence | Specifies that the recurrence has no occurrence instances in the specified range. |
| ErrorRemoveDelegatesFailed | Specifies that the delegate list failed to be saved after delegates were removed. |
| ErrorRequestAborted | This response code is not used. |
| ErrorRequestStreamTooBig | Specifies that during availability proxying, the request was determined to be too large. |
| ErrorRequiredPropertyMissing | Specifies that one or more of the required properties is missing from a CreateAttachment call. The response indicates which property path was not set. |
| ErrorResolveNamesInvalidFolderType | Specifies that the caller has specified a folder that is not a Contacts folder to ResolveNames. |
| ErrorResolveNamesOnlyOneContactsFolderAllowed | Specifies that the caller has specified more than one Contacts folder to ResolveNames. |
| ErrorResponseSchemaValidation | This response code is not used. |
| ErrorRestrictionTooLong | Occurs when the restriction has more than 255 filters. |
| ErrorRestrictionTooComplex | Specifies that the restriction that was passed cannot be evaluated by Exchange Web Services. |
| ErrorResultSetTooBig | Specifies that the number of calendar entries for a given recipient exceeds the allowed limit of 1000. Reduce the window and try again. |
| ErrorInvalidExchangeImpersonationHeaderData | Specifies that the ExchangeImpersonation header is missing or empty. This error MUST be returned if an <ExchangeImpersonation> element (section 2.2.4.2) is empty. |
| ErrorSavedItemFolderNotFound | Specifies that the folder in which to save the item does not exist. |
| ErrorSchemaValidation | Occurs when the incoming request fails schema validation against types.xsd and messages.xsd. This response code is always returned within a SOAP fault. |
| ErrorSearchFolderNotInitialized | Specifies that the search folder was created, but the search criteria were never set on the folder. This only occurs when you access corrupted search folders that were created by using another API or client. To fix this error, call UpdateFolder and set the SearchParameters to include the restriction that should be on the folder. |
| ErrorSendAsDenied | Occurs when both of the following conditions occur: |
| ErrorSendMeetingCancellationsRequired | Occurs during a DeleteItem call, when the SendMeetingCancellations property is missing from the request and the item to delete is a calendar item. If you are using the proxy objects, make sure that the SendMeetingCancellationsSpecified property is set to true. |

| Value | Description |
|--|--|
| ErrorSendMeetingInvitationsOrCancellationsRequired | Occurs during an UpdateItem method call, when the SendMeetingInvitationsOrCancellations property is missing from the request and the item to update is a calendar item. If you are using the proxy objects, make sure that the SendMeetingInvitationsOrCancellationsSpecified property is set to true. |
| ErrorSendMeetingInvitationsRequired | Occurs during a CreateItem method call, when the SendMeetingInvitations property is missing from the request and the item to create is a calendar item. If you are using the proxy objects, make sure that the SendMeetingInvitationsSpecified property is set to true. |
| ErrorSentMeetingRequestUpdate | Specifies that after the organizer sends a meeting request, the request cannot be updated. To modify the meeting, modify the calendar item, not the meeting request. |
| ErrorSentTaskRequestUpdate | Specifies that after the task initiator sends a task request, that request cannot be updated. |
| ErrorServerBusy | Occurs when the server is busy. |
| ErrorServiceDiscoveryFailed | Specifies that Exchange Web Services tried to proxy a user availability request to the appropriate forest for the recipient, but it could not determine where to send the request because of a service discovery failure. |
| ErrorStaleObject | Occurs in an UpdateItem or SendItem method call when the change key is not up to date or was not supplied. Call GetItem to retrieve an updated change key and then try the operation again. |
| ErrorSubmissionQuotaExceeded | Specifies that a user cannot immediately send more request because the submission quota has been reached. |
| ErrorSubscriptionAccessDenied | Specifies that you tried to access a subscription by using an account that did not create that subscription. Each subscription can only be accessed by the creator of the subscription. |
| ErrorSubscriptionDelegateAccessNotSupported | Specifies that you cannot create a subscription if you are not the owner or do not have owner access to the mailbox. |
| ErrorSubscriptionNotFound | Specifies that the specified subscription does not exist. The subscription may have expired, the Exchange Web Services process may have been restarted, or an invalid subscription was passed in. If the subscription was valid, re-create the subscription with the latest watermark. |
| ErrorSubscriptionUnsubscribed | This error code MUST be returned when a request is made for a subscription that has been unsubscribed. |
| ErrorSyncFolderNotFound | Specifies that the folder ID that was specified in the SyncFolderItems method call does not exist. |
| ErrorTimeIntervalTooBig | Specifies that the time window that was specified is larger than the allowed limit. By default, the allowed limit is 42. |
| ErrorTimeoutExpired | Specifies that the proxied request timed out. |

| Value | Description |
|---------------------------------------|--|
| ErrorTimeZone | Specifies that there is a time zone error. |
| ErrorToFolderNotFound | Specifies that the destination folder does not exist. |
| ErrorTokenSerializationDenied | Occurs if the caller tries to perform a token serialization request but does not have ms-Exch-EPI-TokenSerialization rights on the Client Access server they are calling. |
| ErrorUpdatePropertyMismatch | Occurs when the single property path that is listed in a change description does not match the single property that is being set within the actual ItemType or FolderType object. |
| ErrorUnifiedMessagingDialPlanNotFound | Specifies that a user's dial plan is not available. |
| ErrorUnifiedMessagingRequestFailed | Specifies that the user could not be found. |
| ErrorUnifiedMessagingServerNotFound | Specifies that a valid server for the dial plan can be found to handle the request. |
| ErrorUnableToGetUserOofSettings | This response code is not used. |
| ErrorUnsupportedSubFilter | This response code is not used. |
| ErrorUnsupportedCulture | Occurs if you try to set the Culture property to a value that is not parsable by the System.Globalization.CultureInfo class. |
| ErrorUnsupportedMapiPropertyType | Occurs if a caller tries to use extended properties of types object, object array, error or null. |
| ErrorUnsupportedMimeConversion | Occurs when you are trying to retrieve or set MIME content for an item other than a PostItemType, MessageType, or CalendarItemType object. |
| ErrorUnsupportedPathForQuery | Specifies that the property path cannot be used within a restriction. This value MUST be returned if an Excludes restriction is performed on a non-integer property. |
| ErrorUnsupportedPathForSortGroup | Specifies that the property path cannot be used for sorting or grouping operations. |
| ErrorUnsupportedPropertyDefinition | This response code is not used. |
| ErrorUnsupportedQueryFilter | Specifies that the search folder restriction may be valid, but is not supported by Exchange Web Services. You can still call the FindItem method on the search folder restriction to retrieve the items in the search folder; however, you cannot get the actual restriction clause. |
| ErrorUnsupportedRecurrence | Specifies that the recurrence pattern that was supplied is not supported for tasks. |
| ErrorUnsupportedTypeForConversion | Specifies that Exchange Web Services found a property type in the store but cannot generate XML for the property type. |
| ErrorUpdateDelegatesFailed | Specifies that the delegate list failed to be saved after delegates were updated. |

| Value | Description |
|--|--|
| ErrorUserNotUnifiedMessagingEnabled | Specifies that the requestor is not enabled. |
| ErrorValueOutOfRange | Specifies that a calendar view start date or end date was set to 1/1/0001 12:00:00 AM or 12/31/9999 11:59:59 PM. |
| ErrorVoiceMailNotImplemented | Specifies that voice mail is not implemented. |
| ErrorVirusDetected | Specifies that the database detected a virus in the message. |
| ErrorVirusMessageDeleted | Specifies that the database detected a virus in the message and deleted it. |
| ErrorWebRequestInInvalidState | This response code is not used. |
| ErrorWin32InteropError | Specifies that there was an internal failure during communication with unmanaged code. |
| ErrorWorkingHoursSaveFailed | This response code is not used. |
| ErrorWorkingHoursXmlMalformed | This response code is not used. |
| ErrorWrongServerVersion | Specifies that a request can only be made to a server that is the same version as the mailbox server. This error MUST be returned if a request is made to a server that is not the same version as the mailbox server. |
| ErrorWrongServerVersionDelegate | Specifies that a request was made by a delegate that has a different server version than the principal's mailbox server. This error MUST be returned if a request was made by a delegate that has a different server version than the principal's mailbox server. |
| ErrorMissingInformationSharingFolderId | This error code is never returned. |
| ErrorDuplicateSOAPHeader | Specifies that there are duplicate SOAP headers. |
| ErrorSharingSynchronizationFailed | Specifies that an attempt at synchronizing a sharing folder failed. This error code MUST be returned when: <ul style="list-style-type: none"> ▪ The subscription for a sharing folder is not found. ▪ The sharing folder was not found. ▪ The corresponding directory user was not found. ▪ The user no longer exists. ▪ The appointment is invalid. ▪ The contact item is invalid. ▪ There was a communication failure with the remote server. |
| ErrorSharingNoExternalEwsAvailable | Specifies that the external URL property has not been set in the Active Directory database. This error code MUST be returned if the external URL property has not been set in the Active Directory database. |

| Value | Description |
|---|---|
| ErrorFreeBusyDLLimitReached | Specifies that the maximum group member count has been reached for obtaining free/busy information for a distribution list. This error MUST be returned when the maximum group member count has been reached for obtaining free/busy information for a distribution list. |
| ErrorInvalidGetSharingFolderRequest | Specifies that the DataType and ShareFolderId element are both present in a request. This error code MUST be returned if the DataType and ShareFolderId element are both present in a request. |
| ErrorNotAllowedExternalSharingByPolicy | Specifies that the caller attempted to grant permissions in its calendar or contacts folder to a user in another organization and the attempt failed. This error code MUST be returned when the sharing policy is disabled for the caller or when the sharing policy assigned to the caller disallows sharing for the requested level or the requested folder type. |
| ErrorUserNotAllowedByPolicy | Specifies that the requestor attempted to grant permissions in its calendar or contacts folder to an external user but the sharing policy assigned to the requestor specifies that the domain of the external user is not listed in the policy. |
| ErrorPermissionNotAllowedByPolicy | Specifies that the requestor attempted to grant permissions in its calendar or contacts folder to an external user but the sharing policy assigned to the requestor specifies that the requested permission level is higher than what the sharing policy allows. |
| ErrorOrganizationNotFederated | Specifies that the requestor's organization is not federated so the requestor cannot create sharing messages to send to an external user or cannot accept sharing messages received from an external user. This error code MUST be returned if the requestor's organization is not federated. |
| ErrorMailboxFailover | Specifies that an attempt to access a mailbox failed because the mailbox is in a failover process. |
| ErrorInvalidExternalSharingInitiator | Specifies that the sharing invitation sender did not create the sharing invitation metadata. This error code MUST be returned if the sharing invitation sender did not create the sharing invitation metadata. |
| ErrorMessageTrackingPermanentError | Specifies that the message tracking service cannot track the message. |
| ErrorMessageTrackingTransientError | Specifies that either the message tracking service is down or busy. This error code specifies a transient error. Clients can retry to connect to the server when this error is received. |
| ErrorMessageTrackingNoSuchDomain | Specifies that the given domain cannot be found. |
| ErrorUserWithoutFederatedProxyAddress | Specifies that the requestor's organization has a set of federated domains but the requestor's organization does not have any SMTP proxy addresses with one of the federated domains. |
| ErrorInvalidOrganizationRelationshipForFreeBusy | Specifies that a caller requested free/busy information for a user in another organization but the organizational relationship does |

| Value | Description |
|---------------------------------------|---|
| | not have free/busy enabled. |
| ErrorInvalidFederatedOrganizationId | Specifies that the requestor's organization federation objects are not properly configured. |
| ErrorInvalidExternalSharingSubscriber | Specifies that a sharing message is not intended for the caller. |
| ErrorInvalidSharingData | Specifies that the sharing metadata is not valid. This can be caused by invalid XML. |
| ErrorInvalidSharingMessage | Specifies that the sharing message is not valid. This can be caused by a missing property. |
| ErrorNotSupportedSharingMessage | Specifies that the sharing message is not supported. |
| ErrorApplyConversationActionFailed | This error MUST be returned if an action cannot be applied to one or more items in the conversation. |
| ErrorInboxRulesValidationError | This error MUST be returned if any rule does not validate. |
| ErrorOutlookRuleBlobExists | This error MUST be returned when an attempt to manage Inbox rules occurs after another client has accessed the Inbox rules. |
| ErrorRulesOverQuota | This error MUST be returned when a user's rule quota has been exceeded. |
| ErrorNewEventStreamConnectionOpened | This error MUST be returned to the first subscription connection if a second subscription connection is opened. |
| ErrorMissedNotificationEvents | This error MUST be returned when event notifications are missed. |

2.2.2.21 t:SensitivityChoicesType Simple Type

The **SensitivityChoicesType** simple type specifies the sensitivity level types that are available for an item.

```

<xs:simpleType name="SensitivityChoicesType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="Confidential"
    />
    <xs:enumeration
      value="Normal"
    />
    <xs:enumeration
      value="Personal"
    />
    <xs:enumeration
      value="Private"
    />
  </xs:restriction>
</xs:simpleType>

```

Enumeration

The following values are defined by the **SensitivityChoicesType** simple type:

| Value | Description |
|--------------|-------------------------------------|
| Confidential | Specifies the item as confidential. |
| Normal | Specifies the item as normal. |
| Personal | Specifies the item as personal. |
| Private | Specifies the item as private. |

2.2.2.22 t:UnindexedFieldURIType Simple Type

The **UnindexedFieldURIType** simple type specifies unindexed properties. [<8>](#)

```
<xs:simpleType name="UnindexedFieldURIType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="folder:FolderId"
    />
    <xs:enumeration
      value="folder:ParentFolderId"
    />
    <xs:enumeration
      value="folder:DisplayName"
    />
    <xs:enumeration
      value="folder:UnreadCount"
    />
    <xs:enumeration
      value="folder:TotalCount"
    />
    <xs:enumeration
      value="folder:ChildFolderCount"
    />
    <xs:enumeration
      value="folder:FolderClass"
    />
    <xs:enumeration
      value="folder:SearchParameters"
    />
    <xs:enumeration
      value="folder:ManagedFolderInformation"
    />
    <xs:enumeration
      value="folder:PermissionSet"
    />
    <xs:enumeration
      value="folder:EffectiveRights"
    />
    <xs:enumeration
      value="folder:SharingEffectiveRights"
    />
  </xs:restriction>
</xs:simpleType>
```

```
<xs:enumeration
  value="item:ItemId"
/>
<xs:enumeration
  value="item:ParentFolderId"
/>
<xs:enumeration
  value="item:ItemClass"
/>
<xs:enumeration
  value="item:MimeContent"
/>
<xs:enumeration
  value="item:Attachments"
/>
<xs:enumeration
  value="item:Subject"
/>
<xs:enumeration
  value="item:DateTimeReceived"
/>
<xs:enumeration
  value="item:Size"
/>
<xs:enumeration
  value="item:Categories"
/>
<xs:enumeration
  value="item:HasAttachments"
/>
<xs:enumeration
  value="item:Importance"
/>
<xs:enumeration
  value="item:InReplyTo"
/>
<xs:enumeration
  value="item:InternetMessageHeaders"
/>
<xs:enumeration
  value="item:IsAssociated"
/>
<xs:enumeration
  value="item:IsDraft"
/>
<xs:enumeration
  value="item:IsFromMe"
/>
<xs:enumeration
  value="item:IsResend"
/>
<xs:enumeration
  value="item:IsSubmitted"
/>
<xs:enumeration
  value="item:IsUnmodified"
/>
<xs:enumeration
  value="item:DateTimeSent"
```

```

/>
<xs:enumeration
  value="item:DateTimeCreated"
/>
<xs:enumeration
  value="item:Body"
/>
<xs:enumeration
  value="item:ResponseObjects"
/>
<xs:enumeration
  value="item:Sensitivity"
/>
<xs:enumeration
  value="item:ReminderDueBy"
/>
<xs:enumeration
  value="item:ReminderIsSet"
/>
<xs:enumeration
  value="item:ReminderMinutesBeforeStart"
/>
<xs:enumeration
  value="item:DisplayTo"
/>
<xs:enumeration
  value="item:DisplayCc"
/>
<xs:enumeration
  value="item:Culture"
/>
<xs:enumeration
  value="item:EffectiveRights"
/>
<xs:enumeration
  value="item:LastModifiedName"
/>
<xs:enumeration
  value="item:LastModifiedTime"
/>
<xs:enumeration
  value="item:ConversationId"
/>
<xs:enumeration
  value="item:UniqueBody"
/>
<xs:enumeration
  value="item:WebClientReadFormQueryString"
/>
<xs:enumeration
  value="item:WebClientEditFormQueryString"
/>
<xs:enumeration
  value="message:ConversationIndex"
/>
<xs:enumeration
  value="message:ConversationTopic"
/>
<xs:enumeration

```

```
    value="message:InternetMessageId"
  />
<xs:enumeration
  value="message:IsRead"
  />
<xs:enumeration
  value="message:IsResponseRequested"
  />
<xs:enumeration
  value="message:IsReadReceiptRequested"
  />
<xs:enumeration
  value="message:IsDeliveryReceiptRequested"
  />
<xs:enumeration
  value="message:ReceivedBy"
  />
<xs:enumeration
  value="message:ReceivedRepresenting"
  />
<xs:enumeration
  value="message:References"
  />
<xs:enumeration
  value="message:ReplyTo"
  />
<xs:enumeration
  value="message:From"
  />
<xs:enumeration
  value="message:Sender"
  />
<xs:enumeration
  value="message:ToRecipients"
  />
<xs:enumeration
  value="message:CcRecipients"
  />
<xs:enumeration
  value="message:BccRecipients"
  />
<xs:enumeration
  value="meeting:AssociatedCalendarItemId"
  />
<xs:enumeration
  value="meeting:IsDelegated"
  />
<xs:enumeration
  value="meeting:IsOutOfDate"
  />
<xs:enumeration
  value="meeting:HasBeenProcessed"
  />
<xs:enumeration
  value="meeting:ResponseType"
  />
<xs:enumeration
  value="meetingRequest:MeetingRequestType"
  />
```

```
<xs:enumeration
  value="meetingRequest:IntendedFreeBusyStatus"
/>
<xs:enumeration
  value="calendar:Start"
/>
<xs:enumeration
  value="calendar:End"
/>
<xs:enumeration
  value="calendar:OriginalStart"
/>
<xs:enumeration
  value="calendar:IsAllDayEvent"
/>
<xs:enumeration
  value="calendar:LegacyFreeBusyStatus"
/>
<xs:enumeration
  value="calendar:Location"
/>
<xs:enumeration
  value="calendar:When"
/>
<xs:enumeration
  value="calendar:IsMeeting"
/>
<xs:enumeration
  value="calendar:IsCancelled"
/>
<xs:enumeration
  value="calendar:IsRecurring"
/>
<xs:enumeration
  value="calendar:MeetingRequestWasSent"
/>
<xs:enumeration
  value="calendar:IsResponseRequested"
/>
<xs:enumeration
  value="calendar:CalendarItemType"
/>
<xs:enumeration
  value="calendar:MyResponseType"
/>
<xs:enumeration
  value="calendar:Organizer"
/>
<xs:enumeration
  value="calendar:RequiredAttendees"
/>
<xs:enumeration
  value="calendar:OptionalAttendees"
/>
<xs:enumeration
  value="calendar:Resources"
/>
<xs:enumeration
  value="calendar:ConflictingMeetingCount"
```

```
    />
  <xs:enumeration
    value="calendar:AdjacentMeetingCount"
  />
  <xs:enumeration
    value="calendar:ConflictingMeetings"
  />
  <xs:enumeration
    value="calendar:AdjacentMeetings"
  />
  <xs:enumeration
    value="calendar:Duration"
  />
  <xs:enumeration
    value="calendar:TimeZone"
  />
  <xs:enumeration
    value="calendar:AppointmentReplyTime"
  />
  <xs:enumeration
    value="calendar:AppointmentSequenceNumber"
  />
  <xs:enumeration
    value="calendar:AppointmentState"
  />
  <xs:enumeration
    value="calendar:Recurrence"
  />
  <xs:enumeration
    value="calendar:FirstOccurrence"
  />
  <xs:enumeration
    value="calendar>LastOccurrence"
  />
  <xs:enumeration
    value="calendar:ModifiedOccurrences"
  />
  <xs:enumeration
    value="calendar:DeletedOccurrences"
  />
  <xs:enumeration
    value="calendar:MeetingTimeZone"
  />
  <xs:enumeration
    value="calendar:ConferenceType"
  />
  <xs:enumeration
    value="calendar:AllowNewTimeProposal"
  />
  <xs:enumeration
    value="calendar:IsOnlineMeeting"
  />
  <xs:enumeration
    value="calendar:MeetingWorkspaceUrl"
  />
  <xs:enumeration
    value="calendar:NetShowUrl"
  />
  <xs:enumeration
```

```

    value="calendar:UID"
  />
<xs:enumeration
  value="calendar:RecurrenceId"
  />
<xs:enumeration
  value="calendar:DateTimeStamp"
  />
<xs:enumeration
  value="calendar:StartTimeZone"
  />
<xs:enumeration
  value="calendar:EndTimeZone"
  />
<xs:enumeration
  value="task:ActualWork"
  />
<xs:enumeration
  value="task:AssignedTime"
  />
<xs:enumeration
  value="task:BillingInformation"
  />
<xs:enumeration
  value="task:ChangeCount"
  />
<xs:enumeration
  value="task:Companies"
  />
<xs:enumeration
  value="task:CompleteDate"
  />
<xs:enumeration
  value="task:Contacts"
  />
<xs:enumeration
  value="task:DelegationState"
  />
<xs:enumeration
  value="task:Delegator"
  />
<xs:enumeration
  value="task:DueDate"
  />
<xs:enumeration
  value="task:IsAssignmentEditable"
  />
<xs:enumeration
  value="task:IsComplete"
  />
<xs:enumeration
  value="task:IsRecurring"
  />
<xs:enumeration
  value="task:IsTeamTask"
  />
<xs:enumeration
  value="task:Mileage"
  />

```



```
<xs:enumeration
  value="task:Owner"
/>
<xs:enumeration
  value="task:PercentComplete"
/>
<xs:enumeration
  value="task:Recurrence"
/>
<xs:enumeration
  value="task:StartDate"
/>
<xs:enumeration
  value="task:Status"
/>
<xs:enumeration
  value="task:StatusDescription"
/>
<xs:enumeration
  value="task:TotalWork"
/>
<xs:enumeration
  value="contacts:AssistantName"
/>
<xs:enumeration
  value="contacts:Birthday"
/>
<xs:enumeration
  value="contacts:BusinessHomePage"
/>
<xs:enumeration
  value="contacts:Children"
/>
<xs:enumeration
  value="contacts:Companies"
/>
<xs:enumeration
  value="contacts:CompanyName"
/>
<xs:enumeration
  value="contacts:CompleteName"
/>
<xs:enumeration
  value="contacts>ContactSource"
/>
<xs:enumeration
  value="contacts:Culture"
/>
<xs:enumeration
  value="contacts:Department"
/>
<xs:enumeration
  value="contacts:DisplayName"
/>
<xs:enumeration
  value="contacts:EmailAddresses"
/>
<xs:enumeration
  value="contacts:FileAs"
```

```
    />
  <xs:enumeration
    value="contacts:FileAsMapping"
  />
  <xs:enumeration
    value="contacts:Generation"
  />
  <xs:enumeration
    value="contacts:GivenName"
  />
  <xs:enumeration
    value="contacts:ImAddresses"
  />
  <xs:enumeration
    value="contacts:Initials"
  />
  <xs:enumeration
    value="contacts:JobTitle"
  />
  <xs:enumeration
    value="contacts:Manager"
  />
  <xs:enumeration
    value="contacts:MiddleName"
  />
  <xs:enumeration
    value="contacts:Mileage"
  />
  <xs:enumeration
    value="contacts:Nickname"
  />
  <xs:enumeration
    value="contacts:OfficeLocation"
  />
  <xs:enumeration
    value="contacts:PhoneNumbers"
  />
  <xs:enumeration
    value="contacts:PhysicalAddresses"
  />
  <xs:enumeration
    value="contacts:PostalAddressIndex"
  />
  <xs:enumeration
    value="contacts:Profession"
  />
  <xs:enumeration
    value="contacts:SpouseName"
  />
  <xs:enumeration
    value="contacts:Surname"
  />
  <xs:enumeration
    value="contacts:WeddingAnniversary"
  />
  <xs:enumeration
    value="contacts:HasPicture"
  />
  <xs:enumeration
```

```

    value="distributionlist:Members"
  />
<xs:enumeration
  value="postitem:PostedTime"
  />
<xs:enumeration
  value="conversation:ConversationId"
  />
<xs:enumeration
  value="conversation:ConversationTopic"
  />
<xs:enumeration
  value="conversation:UniqueRecipients"
  />
<xs:enumeration
  value="conversation:GlobalUniqueRecipients"
  />
<xs:enumeration
  value="conversation:UniqueUnreadSenders"
  />
<xs:enumeration
  value="conversation:GlobalUniqueUnreadSenders"
  />
<xs:enumeration
  value="conversation:UniqueSenders"
  />
<xs:enumeration
  value="conversation:GlobalUniqueSenders"
  />
<xs:enumeration
  value="conversation:LastDeliveryTime"
  />
<xs:enumeration
  value="conversation:GlobalLastDeliveryTime"
  />
<xs:enumeration
  value="conversation:Categories"
  />
<xs:enumeration
  value="conversation:GlobalCategories"
  />
<xs:enumeration
  value="conversation:FlagStatus"
  />
<xs:enumeration
  value="conversation:GlobalFlagStatus"
  />
<xs:enumeration
  value="conversation:HasAttachments"
  />
<xs:enumeration
  value="conversation:GlobalHasAttachments"
  />
<xs:enumeration
  value="conversation:MessageCount"
  />
<xs:enumeration
  value="conversation:GlobalMessageCount"
  />

```

```

<xs:enumeration
  value="conversation:UnreadCount"
/>
<xs:enumeration
  value="conversation:GlobalUnreadCount"
/>
<xs:enumeration
  value="conversation:Size"
/>
<xs:enumeration
  value="conversation:GlobalSize"
/>
<xs:enumeration
  value="conversation:ItemClasses"
/>
<xs:enumeration
  value="conversation:GlobalItemClasses"
/>
<xs:enumeration
  value="conversation:Importance"
/>
<xs:enumeration
  value="conversation:GlobalImportance"
/>
<xs:enumeration
  value="conversation:ItemIds"
/>
<xs:enumeration
  value="conversation:GlobalItemIds"
/>
</xs:restriction>
</xs:simpleType>

```

Enumeration

The following values are defined by the **UnindexedFieldURIType** simple type:

| Value | Description |
|---------------------------------|---|
| folder:FolderId | Specifies the FolderId property. |
| folder:ParentFolderId | Specifies the ParentFolderId property. |
| folder:DisplayName | Specifies the DisplayName property. |
| folder:UnreadCount | Specifies the UnreadCount property. |
| folder:TotalCount | Specifies the TotalCount property. |
| folder:ChildFolderCount | Specifies the ChildFolderCount property. |
| folder:FolderClass | Specifies the FolderClass property. |
| folder:SearchParameters | Specifies the SearchParameters property. |
| folder:ManagedFolderInformation | Specifies the ManagedFolderInformation property. |

| Value | Description |
|-------------------------------|---|
| folder:PermissionSet | Specifies the PermissionSet property. |
| folder:EffectiveRights | Specifies the EffectiveRights property. |
| folder:SharingEffectiveRights | Specifies the SharingEffectiveRights property. |
| item:ItemId | Specifies the ItemId property. |
| item:ParentFolderId | Specifies the ParentFolderId property. |
| item:ItemClass | Specifies the ItemClass property. |
| item:MimeContent | Specifies the MimeContent property. |
| item:Attachments | Specifies the Attachments property. |
| item:Subject | Specifies the Subject property. |
| item:DateTimeReceived | Specifies the DateTimeReceived property. |
| item:Size | Specifies the Size property. |
| item:Categories | Specifies the Categories property. |
| item:HasAttachments | Specifies the HasAttachments property. |
| item:Importance | Specifies the Importance property. |
| item:InReplyTo | Specifies the InReplyTo property. |
| item:InternetMessageHeaders | Specifies the InternetMessageHeaders property. |
| item:IsAssociated | Specifies the IsAssociated property. |
| item:IsDraft | Specifies the IsDraft property. |
| item:IsFromMe | Specifies the IsFromMe property. |
| item:IsResend | Specifies the IsResend property. |
| item:IsSubmitted | Specifies the IsSubmitted property. |
| item:IsUnmodified | Specifies the IsUnmodified property. |
| item:DateTimeSent | Specifies the DateTimeSent property. |
| item:DateTimeCreated | Specifies the DateTimeCreated property. |
| item:Body | Specifies the Body property. |
| item:ResponseObjects | Specifies the ResponseObjects property. |
| item:Sensitivity | Specifies the Sensitivity property. |
| item:ReminderDueBy | Specifies the ReminderDueBy property. |
| item:ReminderIsSet | Specifies the ReminderIsSet property. |

| Value | Description |
|------------------------------------|--|
| item:ReminderMinutesBeforeStart | Specifies the ReminderMinutesBeforeStart property. |
| item:DisplayTo | Specifies the DisplayTo property. |
| item:DisplayCc | Specifies the DisplayCc property. |
| item:Culture | Specifies the Culture property. |
| item:EffectiveRights | Specifies the EffectiveRights property. |
| item:LastModifiedName | Specifies the LastModifiedName property. |
| item:LastModifiedTime | Specifies the LastModifiedTime property. |
| item:ConversationId | Specifies the ConversationId property. |
| item:UniqueBody | Specifies the UniqueBody property. |
| item:WebClientReadFormQueryString | Specifies the WebClientReadFormQueryString property. |
| item:WebClientEditFormQueryString | Specifies the WebClientEditFormQueryString property. |
| message:ConversationIndex | Specifies the ConversationIndex property. This property is also valid for postitem. |
| message:ConversationTopic | Specifies the ConversationTopic property. This property is also valid for postitem. |
| message:InternetMessageId | Specifies the InternetMessageId property. This property is also valid for postitem. |
| message:IsRead | Specifies the IsRead property. |
| message:IsResponseRequested | Specifies the IsResponseRequested property. |
| message:IsReadReceiptRequested | Specifies the IsReadReceiptRequested property. |
| message:IsDeliveryReceiptRequested | Specifies the IsDeliveryReceiptRequested property. |
| message:ReceivedBy | Specifies the ReceivedBy property. |
| message:ReceivedRepresenting | Specifies the ReceivedRepresenting property. |
| message:References | Specifies the References property. This property is also valid for postitem. |
| message:ReplyTo | Specifies the ReplyTo property. |
| message:From | Specifies the From property. This property is also valid for postitem. |
| message:Sender | Specifies the Sender property. This property is also valid for postitem. |
| message:ToRecipients | Specifies the ToRecipients property. |
| message:CcRecipients | Specifies the CcRecipients property. |

| Value | Description |
|---------------------------------------|---|
| message:BccRecipients | Specifies the BccRecipients property. |
| meeting:AssociatedCalendarItemId | Specifies the AssociatedCalendarItemId property. |
| meeting:IsDelegated | Specifies the IsDelegated property. |
| meeting:IsOutOfDate | Specifies the IsOutOfDate property. |
| meeting:HasBeenProcessed | Specifies the HasBeenProcessed property. |
| meeting:ResponseType | Specifies the ResponseType property. |
| meetingRequest:MeetingRequestType | Specifies the MeetingRequestType property. |
| meetingRequest:IntendedFreeBusyStatus | Specifies the IntendedFreeBusyStatus property. |
| calendar:Start | Specifies the Start property. |
| calendar:End | Specifies the End property. |
| calendar:OriginalStart | Specifies the OriginalStart property. |
| calendar:IsAllDayEvent | Specifies the IsAllDayEvent property. |
| calendar:LegacyFreeBusyStatus | Specifies the LegacyFreeBusyStatus property. |
| calendar:Location | Specifies the Location property. |
| calendar:When | Specifies the When property. |
| calendar:IsMeeting | Specifies the IsMeeting property. |
| calendar:IsCancelled | Specifies the IsCancelled property. |
| calendar:IsRecurring | Specifies the IsRecurring property. |
| calendar:MeetingRequestWasSent | Specifies the MeetingRequestWasSent property. |
| calendar:IsResponseRequested | Specifies the IsResponseRequested property. |
| calendar:CalendarItemType | Specifies the CalendarItemType property. |
| calendar:MyResponseType | Specifies the MyResponseType property. |
| calendar:Organizer | Specifies the Organizer property. |
| calendar:RequiredAttendees | Specifies the RequiredAttendees property. |
| calendar:OptionalAttendees | Specifies the OptionalAttendees property. |
| calendar:Resources | Specifies the Resources property. |
| calendar:ConflictingMeetingCount | Specifies the ConflictingMeetingCount property. |
| calendar:AdjacentMeetingCount | Specifies the AdjacentMeetingCount property. |
| calendar:ConflictingMeetings | Specifies the ConflictingMeetings property. |

| Value | Description |
|------------------------------------|--|
| calendar:AdjacentMeetings | Specifies the AdjacentMeetings property. |
| calendar:Duration | Specifies the Duration property. |
| calendar:TimeZone | Specifies the TimeZone property. |
| calendar:AppointmentReplyTime | Specifies the AppointmentReplyTime property. |
| calendar:AppointmentSequenceNumber | Specifies the AppointmentSequenceNumber property. |
| calendar:AppointmentState | Specifies the AppointmentState property. |
| calendar:Recurrence | Specifies the Recurrence property. |
| calendar:FirstOccurrence | Specifies the FirstOccurrence property. |
| calendar>LastOccurrence | Specifies the LastOccurrence property. |
| calendar:ModifiedOccurrences | Specifies the ModifiedOccurrences property. |
| calendar:DeletedOccurrences | Specifies the DeletedOccurrences property. |
| calendar:MeetingTimeZone | Specifies the MeetingTimeZone property. |
| calendar:ConferenceType | Specifies the ConferenceType property. |
| calendar:AllowNewTimeProposal | Specifies the AllowNewTimeProposal property. |
| calendar:IsOnlineMeeting | Specifies the IsOnlineMeeting property. |
| calendar:MeetingWorkspaceUrl | Specifies the MeetingWorkspaceUrl property. |
| calendar:NetShowUrl | Specifies the NetShowUrl property. |
| calendar:UID | Specifies the UID property. |
| calendar:RecurrenceId | Specifies the RecurrenceId property. |
| calendar:DateTimeStamp | Specifies the DateTimeStamp property. |
| calendar:StartTimeZone | Specifies the StartTimeZone property. |
| calendar:EndTimeZone | Specifies the EndTimeZone property. |
| task:ActualWork | Specifies the ActualWork property. |
| task:AssignedTime | Specifies the AssignedTime property. |
| task:BillingInformation | Specifies the BillingInformation property. |
| task:ChangeCount | Specifies the ChangeCount property. |
| task:Companies | Specifies the Companies property. |
| task:CompleteDate | Specifies the CompleteDate property. |
| task:Contacts | Specifies the Contacts property. |

| Value | Description |
|---------------------------|---|
| task:DelegationState | Specifies the DelegationState property. |
| task:Delegator | Specifies the Delegator property. |
| task:DueDate | Specifies the DueDate property. |
| task:IsAssignmentEditable | Specifies the IsAssignmentEditable property. |
| task:IsComplete | Specifies the IsComplete property. |
| task:IsRecurring | Specifies the IsRecurring property. |
| task:IsTeamTask | Specifies the IsTeamTask property. |
| task:Mileage | Specifies the Mileage property. |
| task:Owner | Specifies the Owner property. |
| task:PercentComplete | Specifies the PercentComplete property. |
| task:Recurrence | Specifies the Recurrence property. |
| task:StartDate | Specifies the StartDate property. |
| task:Status | Specifies the Status property. |
| task:StatusDescription | Specifies the StatusDescription property. |
| task:TotalWork | Specifies the TotalWork property. |
| contacts:AssistantName | Specifies the AssistantName property. |
| contacts:Birthday | Specifies the Birthday property. |
| contacts:BusinessHomePage | Specifies the BusinessHomePage property. |
| contacts:Children | Specifies the Children property. |
| contacts:Companies | Specifies the Companies property. |
| contacts:CompanyName | Specifies the CompanyName property. |
| contacts:CompleteName | Specifies the CompleteName property. |
| contacts>ContactSource | Specifies the ContactSource property. |
| contacts:Culture | Specifies the Culture property. |
| contacts:Department | Specifies the Department property. |
| contacts:DisplayName | Specifies the DisplayName property. |
| contacts:EmailAddresses | Specifies the EmailAddresses property. |
| contacts:FileAs | Specifies the FileAs property. |
| contacts:FileAsMapping | Specifies the FileAsMapping property. |

| Value | Description |
|--|--|
| contacts:Generation | Specifies the Generation property. |
| contacts:GivenName | Specifies the GivenName property. |
| contacts:ImAddresses | Specifies the ImAddresses property. |
| contacts:Initials | Specifies the Initials property. |
| contacts:JobTitle | Specifies the JobTitle property. |
| contacts:Manager | Specifies the Manager property. |
| contacts:MiddleName | Specifies the MiddleName property. |
| contacts:Mileage | Specifies the Mileage property. |
| contacts:Nickname | Specifies the Nickname property. |
| contacts:OfficeLocation | Specifies the OfficeLocation property. |
| contacts:PhoneNumbers | Specifies the PhoneNumbers property. |
| contacts:PhysicalAddresses | Specifies the PhysicalAddresses property. |
| contacts:PostalAddressIndex | Specifies the PostalAddressIndex property. |
| contacts:Profession | Specifies the Profession property. |
| contacts:SpouseName | Specifies the SpouseName property. |
| contacts:Surname | Specifies the Surname property. |
| contacts:WeddingAnniversary | Specifies the WeddingAnniversary property. |
| contacts:HasPicture | Specifies whether a contact has a picture. |
| distributionlist:Members | Specifies the Members property. |
| postitem:PostedTime | Specifies the PostedTime property. |
| conversation:ConversationId | Specifies the ConversationId property. |
| conversation:ConversationTopic | Specifies the ConversationTopic property. |
| conversation:UniqueRecipients | Specifies the UniqueRecipients property. |
| conversation:GlobalUniqueRecipients | Specifies the GlobalUniqueRecipients property. |
| conversation:UniqueUnreadSenders | Specifies the UniqueUnreadSenders property. |
| conversation:GlobalUniqueUnreadSenders | Specifies the GlobalUniqueUnreadSenders property. |
| conversation:UniqueSenders | Specifies the UniqueSenders property. |
| conversation:GlobalUniqueSenders | Specifies the GlobalUniqueSenders property. |
| conversation>LastDeliveryTime | Specifies the LastDeliveryTime property. |

| Value | Description |
|-------------------------------------|---|
| conversation:GlobalLastDeliveryTime | Specifies the GlobalLastDeliveryTime property. |
| conversation:Categories | Specifies the Categories property. |
| conversation:GlobalCategories | Specifies the GlobalCategories property. |
| conversation:FlagStatus | Specifies the FlagStatus property. |
| conversation:GlobalFlagStatus | Specifies the GlobalFlagStatus property. |
| conversation:HasAttachments | Specifies the HasAttachments property. |
| conversation:GlobalHasAttachments | Specifies the GlobalHasAttachments property. |
| conversation:MessageCount | Specifies the MessageCount property. |
| conversation:GlobalMessageCount | Specifies the GlobalMessageCount property. |
| conversation:UnreadCount | Specifies the UnreadCount property. |
| conversation:GlobalUnreadCount | Specifies the GlobalUnreadCount property. |
| conversation:Size | Specifies the Size property. |
| conversation:GlobalSize | Specifies the GlobalSize property. |
| conversation:ItemClasses | Specifies the ItemClasses property. |
| conversation:GlobalItemClasses | Specifies the GlobalItemClasses property. |
| conversation:Importance | Specifies the Importance property. |
| conversation:GlobalImportance | Specifies the GlobalImportance property. |
| conversation:ItemIds | Specifies the ItemIds property. |
| conversation:GlobalItemIds | Specifies the GlobalItemIds property. |

2.2.3 Complex Types

2.2.3.1 t:AbsoluteMonthlyRecurrencePatternType Complex Type

The **AbsoluteMonthlyRecurrencePatternType** type specifies a monthly recurrence pattern.

```
<xs:complexType name="AbsoluteMonthlyRecurrencePatternType">
  <xs:complexContent>
    <xs:extension
      base="t:IntervalRecurrencePatternBaseType"
    >
      <xs:sequence>
        <xs:element name="DayOfMonth"
          type="xs:int"
        />
      </xs:sequence>
    </xs:extension>
  </xs:complexType>
```

```

    </xs:complexContent>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|------------|------------------------|---|
| DayOfMonth | xs:int | Specifies the day of the month on which a recurring item occurs. This property MUST be present. |

2.2.3.2 t:AbsoluteYearlyRecurrencePatternType Complex Type

The **AbsoluteYearlyRecurrencePatternType** type specifies a yearly recurrence pattern.

```

<xs:complexType name="AbsoluteYearlyRecurrencePatternType">
  <xs:complexContent>
    <xs:extension
      base="t:RecurrencePatternBaseType"
    >
      <xs:sequence>
        <xs:element name="DayOfMonth"
          type="xs:int"
        />
        <xs:element name="Month"
          type="t:MonthNamesType"
        />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|------------|----------------------------------|--|
| DayOfMonth | xs:int | Specifies the day of the month on which a yearly recurring item occurs. This property MUST be present. |
| Month | t:MonthNamesType | Specifies the month in which a yearly recurring item occurs. This property MUST be present. |

2.2.3.3 t:AcceptSharingInvitationType Complex Type

The **AcceptSharingInvitationType** complex type specifies a response object that is used to respond to a sharing invitation request.

```

<xs:complexType name="AcceptSharingInvitationType">
  <xs:complexContent>
    <xs:extension
      base="t:ReferenceItemResponseType"
    />
  </xs:complexContent>

```

```
</xs:complexType>
```

2.2.3.4 t:ArrayOfCalendarPermissionsType Complex Type

The **ArrayOfCalendarPermissionsType** complex type specifies an array of calendar permissions for a folder.

```
<xs:complexType name="ArrayOfCalendarPermissionsType">
  <xs:choice
    maxOccurs="unbounded"
    minOccurs="0"
  >
    <xs:element name="CalendarPermission"
      type="t:CalendarPermissionType"
    />
  </xs:choice>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|--------------------|--|--|
| CalendarPermission | t:CalendarPermissionType | Specifies the access that a delegate has to a calendar folder. This element MUST exist if calendar permissions are set on a calendar folder. |

2.2.3.5 t:ArrayOfEmailAddressesType Complex Type

The **ArrayOfEmailAddressesType** complex type specifies a list of e-mail addresses in the **GetRoomLists** operation ([\[MS-OXWSGTRM\]](#) section 3.1.4.1) and **GetMessageTrackingReport** operation ([\[MS-OXWSMTRK\]](#) section 3.1.4.2) responses.

```
<xs:complexType name="ArrayOfEmailAddressesType">
  <xs:sequence>
    <xs:element name="Address"
      type="t:EmailAddressType"
      maxOccurs="unbounded"
      minOccurs="0"
    />
  </xs:sequence>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|---------|------------------------------------|------------------------------------|
| Address | t:EmailAddressType | Specifies a single e-mail address. |

2.2.3.6 t:ArrayOfPermissionsType Complex Type

The **ArrayOfPermissionsType** complex type specifies a collection of permissions for a folder.

```
<xs:complexType name="ArrayOfPermissionsType">
  <xs:choice
    minOccurs="0"
    maxOccurs="unbounded"
  >
    <xs:element name="Permission"
      type="t:PermissionType"
    />
  </xs:choice>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|------------|----------------------------------|--|
| Permission | t:PermissionType | Specifies a single access permission that a delegate has to a folder. This element can occur zero or more times. |

2.2.3.7 t:ArrayOfRealItemsType Complex Type

The **ArrayOfRealItemsType** complex type specifies an array of items that are returned by search and item operations. This complex type can contain zero or more elements that represent items.

```
<xs:complexType name="ArrayOfRealItemsType">
  <xs:sequence>
    <xs:choice
      minOccurs="0"
      maxOccurs="unbounded"
    >
      <xs:element name="Item"
        type="t:ItemType"
      />
      <xs:element name="Message"
        type="t:MessageType"
      />
      <xs:element name="CalendarItem"
        type="t:CalendarItemType"
      />
      <xs:element name="Contact"
        type="t:ContactItemType"
      />
      <xs:element name="DistributionList"
        type="t:DistributionListType"
      />
      <xs:element name="MeetingMessage"
        type="t:MeetingMessageType"
      />
      <xs:element name="MeetingRequest"
        type="t:MeetingRequestMessageType"
      />
      <xs:element name="MeetingResponse"

```

```

        type="t:MeetingResponseMessageType"
      />
    <xs:element name="MeetingCancellation"
      type="t:MeetingCancellationMessageType"
    />
    <xs:element name="Task"
      type="t:TaskType"
    />
    <xs:element name="PostItem"
      type="t:PostItemType"
    />
  </xs:choice>
</xs:sequence>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|---------------------|--|---|
| Item | t:ItemType | This element MUST NOT be used in response messages. All items of type t:ItemType ([MS-OXWSCORE]) MUST be returned as a t:MessageType type ([MS-OXWSMSG]). |
| Message | t:MessageType | Specifies a message item or other item that is not represented by the <CalendarItem>, <Contact>, <DistributionList>, <MeetingMessage>, <MeetingRequest>, <MeetingResponse>, <MeetingCancellation>, <Task>, or <PostItem> element. |
| CalendarItem | t:CalendarItemType | Specifies a calendar item. |
| Contact | t:ContactItemType | Specifies a contact item. |
| DistributionList | t:DistributionListType | Specifies a distribution list item. |
| MeetingMessage | t:MeetingMessageType | Specifies a meeting message item. |
| MeetingRequest | t:MeetingRequestMessageType | Specifies a meeting request message item. |
| MeetingResponse | t:MeetingResponseMessageType | Specifies a meeting response message item. |
| MeetingCancellation | t:MeetingCancellationMessageType | Specifies a meeting cancellation message item. |
| Task | t:TaskType | Specifies a task item. |
| PostItem | t:PostItemType | Specifies a post item. |

2.2.3.8 t:ArrayOfRecipientsType Complex Type

The **ArrayOfRecipientsType** complex type specifies an array of recipients of an item.

```
<xs:complexType name="ArrayOfRecipientsType">
```

```

<xs:choice
  maxOccurs="unbounded"
  minOccurs="0"
>
  <xs:element name="Mailbox"
    type="t:EmailAddressType"
  />
</xs:choice>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|---------|------------------------------------|--|
| Mailbox | t:EmailAddressType | Specifies a single item recipient by e-mail address. |

2.2.3.9 m:ArrayOfResponseMessagesType Complex Type

The **ArrayOfResponseMessagesType** complex type specifies an array of response messages.

```

<xs:complexType name="ArrayOfResponseMessagesType">
  <xs:choice
    maxOccurs="unbounded"
  >
    <xs:element name="CreateItemResponseMessage"
      type="m:ItemInfoResponseType"
    />
    <xs:element name="DeleteItemResponseMessage"
      type="m:ResponseType"
    />
    <xs:element name="GetItemResponseMessage"
      type="m:ItemInfoResponseType"
    />
    <xs:element name="UpdateItemResponseMessage"
      type="m:UpdateItemResponseType"
    />
    <xs:element name="SendItemResponseMessage"
      type="m:ResponseType"
    />
    <xs:element name="DeleteFolderResponseMessage"
      type="m:ResponseType"
    />
    <xs:element name="EmptyFolderResponseMessage"
      type="m:ResponseType"
    />
    <xs:element name="CreateFolderResponseMessage"
      type="m:FolderInfoResponseType"
    />
    <xs:element name="GetFolderResponseMessage"
      type="m:FolderInfoResponseType"
    />
    <xs:element name="FindFolderResponseMessage"
      type="m:FindFolderResponseType"
    />
    <xs:element name="UpdateFolderResponseMessage"

```



```

    type="m:FolderInfoResponseMessageType"
  />
<xs:element name="MoveFolderResponseMessage"
  type="m:FolderInfoResponseMessageType"
  />
<xs:element name="CopyFolderResponseMessage"
  type="m:FolderInfoResponseMessageType"
  />
<xs:element name="CreateAttachmentResponseMessage"
  type="m:AttachmentInfoResponseMessageType"
  />
<xs:element name="DeleteAttachmentResponseMessage"
  type="m>DeleteAttachmentResponseMessageType"
  />
<xs:element name="GetAttachmentResponseMessage"
  type="m:AttachmentInfoResponseMessageType"
  />
<xs:element name="UploadItemsResponseMessage"
  type="m:UploadItemsResponseMessageType"
  />
<xs:element name="ExportItemsResponseMessage"
  type="m:ExportItemsResponseMessageType"
  />
<xs:element name="FindItemResponseMessage"
  type="m:FindItemResponseMessageType"
  />
<xs:element name="MoveItemResponseMessage"
  type="m:ItemInfoResponseMessageType"
  />
<xs:element name="CopyItemResponseMessage"
  type="m:ItemInfoResponseMessageType"
  />
<xs:element name="ResolveNamesResponseMessage"
  type="m:ResolveNamesResponseMessageType"
  />
<xs:element name="ExpandDLResponseMessage"
  type="m:ExpandDLResponseMessageType"
  />
<xs:element name="GetServerTimeZonesResponseMessage"
  type="m:GetServerTimeZonesResponseMessageType"
  />
<xs:element name="GetEventsResponseMessage"
  type="m:GetEventsResponseMessageType"
  />
<xs:element name="GetStreamingEventsResponseMessage"
  type="m:GetStreamingEventsResponseMessageType"
  />
<xs:element name="SubscribeResponseMessage"
  type="m:SubscribeResponseMessageType"
  />
<xs:element name="UnsubscribeResponseMessage"
  type="m:ResponseMessageType"
  />
<xs:element name="SendNotificationResponseMessage"
  type="m:SendNotificationResponseMessageType"
  />
<xs:element name="SyncFolderHierarchyResponseMessage"
  type="m:SyncFolderHierarchyResponseMessageType"
  />

```

```

<xs:element name="SyncFolderItemsResponseMessage"
  type="m:SyncFolderItemsResponseMessageType"
  />
<xs:element name="CreateManagedFolderResponseMessage"
  type="m:FolderInfoResponseMessageType"
  />
<xs:element name="ConvertIdResponseMessage"
  type="m:ConvertIdResponseMessageType"
  />
<xs:element name="GetSharingMetadataResponseMessage"
  type="m:GetSharingMetadataResponseMessageType"
  />
<xs:element name="RefreshSharingFolderResponseMessage"
  type="m:RefreshSharingFolderResponseMessageType"
  />
<xs:element name="GetSharingFolderResponseMessage"
  type="m:GetSharingFolderResponseMessageType"
  />
<xs:element name="CreateUserConfigurationResponseMessage"
  type="m:ResponseMessageType"
  />
<xs:element name="DeleteUserConfigurationResponseMessage"
  type="m:ResponseMessageType"
  />
<xs:element name="GetUserConfigurationResponseMessage"
  type="m:GetUserConfigurationResponseMessageType"
  />
<xs:element name="UpdateUserConfigurationResponseMessage"
  type="m:ResponseMessageType"
  />
<xs:element name="GetRoomListsResponse"
  type="m:GetRoomListsResponseMessageType"
  />
<xs:element name="GetRoomsResponse"
  type="m:GetRoomsResponseMessageType"
  />
<xs:element name="ApplyConversationActionResponseMessage"
  type="m:ResponseMessageType"
  />
</xs:choice>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|---------------------------|---|--|
| CreateItemResponseMessage | m:ItemInfoResponseMessageType | Specifies the response message for the CreateItem operation ([MS-OXWSCORE] section 3.1.4.2). |
| DeleteItemResponseMessage | m:ResponseMessageType | Specifies the response message for the DeleteItem operation ([MS-OXWSCORE]). |

| Element | Type | Description |
|-----------------------------|--|--|
| | | section 3.1.4.3). |
| GetItemResponseMessage | m:ItemInfoResponseType | Specifies the response message for the GetItem operation ([MS-OXWSCORE] section 3.1.4.4). |
| UpdateItemResponseMessage | m:UpdateItemResponseType | Specifies the response message for the UpdateItem operation ([MS-OXWSCORE] section 3.1.4.7). |
| SendItemResponseMessage | m:ResponseType | Specifies the response message for the SendItem operation ([MS-OXWSCORE] section 3.1.4.6). |
| DeleteFolderResponseMessage | m:ResponseType | Specifies the response message for the DeleteFolder operation ([MS-OXWSFOLD] section 3.1.4.4). |
| EmptyFolderResponseMessage | m:ResponseType | Specifies the response message for the EmptyFolder operation. <9> |
| CreateFolderResponseMessage | m:FolderInfoResponseType | Specifies the response message for the CreateFolder operation ([MS-OXWSFOLD] section 3.1.4.2). |
| GetFolderResponseMessage | m:FolderInfoResponseType | Specifies the response message for the GetFolder operation ([MS-OXWSFOLD] section 3.1.4.6). |
| FindFolderResponseMessage | m:FindFolderResponseType | Specifies the response message for the FindFolder operation ([MS-OXWSSRCH] section 3.1.4.1). |
| UpdateFolderResponseMessage | m:FolderInfoResponseType | Specifies the response message for the UpdateFolder operation ([MS-OXWSFOLD] section 3.1.4.8). |

| Element | Type | Description |
|---------------------------------|---|---|
| MoveFolderResponseMessage | m:FolderInfoResponseMessageType | Specifies the response message for the MoveFolder operation ([MS-OXWSFOLD] section 3.1.4.7). |
| CopyFolderResponseMessage | m:FolderInfoResponseMessageType | Specifies the response message for the CopyFolder operation ([MS-OXWSFOLD] section 3.1.4.1). |
| CreateAttachmentResponseMessage | m:AttachmentInfoResponseMessageTy pe | Specifies the response message for the CreateAttachment operation ([MS-OXWSATT] section 3.1.4.1). |
| DeleteAttachmentResponseMessage | m>DeleteAttachmentResponseMessage Type | Specifies the response message for the DeleteAttachment operation ([MS-OXWSATT] section 3.1.4.2). |
| GetAttachmentResponseMessage | m:AttachmentInfoResponseMessageTy pe | Specifies the response message for the GetAttachment operation ([MS-OXWSATT] section 3.1.4.3). |
| UploadItemsResponseMessage | m:UploadItemsResponseMessageType | Specifies the response message for the UploadItems operation ([MS-OXWSBTRF] section 3.1.4.2).<10> |
| ExportItemsResponseMessage | m:ExportItemsResponseMessageType | Specifies the response message for the ExportItems operation ([MS-OXWSBTRF] section 3.1.4.1).<11> |
| FindItemResponseMessage | m:FindItemResponseMessageType | Specifies the response message for the FindItem operation ([MS-OXWSSRCH] section 3.1.4.2). |
| MoveItemResponseMessage | m:ItemInfoResponseMessageType | Specifies the response message for the MoveItem operation ([MS-OXWSCORE] |

| Element | Type | Description |
|-----------------------------------|---|--|
| | | section 3.1.4.5). |
| CopyItemResponseMessage | m:ItemInfoResponseMessageType | Specifies the response message for the CopyItem operation ([MS-OXWSCORE] section 3.1.4.1). |
| ResolveNamesResponseMessage | m:ResolveNamesResponseMessageType | Specifies the response message for the ResolveNames operation ([MS-OXWSRSLNM] section 3.1.4.1). |
| ExpandDLResponseMessage | m:ExpandDLResponseMessageType | Specifies the response message for the ExpandDL operation ([MS-OXWSDLIST] section 3.1.4.1). |
| GetServerTimeZonesResponseMessage | m:GetServerTimeZonesResponseMessageType | Specifies the response message for the GetServerTimeZones operation ([MS-OXWSGTZ] section 3.1.4.1). |
| GetEventsResponseMessage | m:GetEventsResponseMessageType | Specifies the response message for the GetEvents operation ([MS-OXWSNTIF] section 3.1.4.1). |
| GetStreamingEventsResponseMessage | m:GetStreamingEventsResponseMessageType | Specifies the response message for the GetStreamingEvents operation ([MS-OXWSNTIF] section 3.1.4.2).<12> |
| SubscribeResponseMessage | m:SubscribeResponseMessageType | Specifies the response message for the Subscribe operation ([MS-OXWSNTIF] section 3.1.4.3). |
| UnsubscribeResponseMessage | m:ResponseMessageType | Specifies the response message for the Unsubscribe operation ([MS-OXWSNTIF] section 3.1.4.4). |
| SendNotificationResponseMessage | m:SendNotificationResponseMessageType | Specifies the response message for the SendNotification operation ([MS- |

| Element | Type | Description |
|--|--|---|
| | | OXWSPNTIF section 3.1.4.1). |
| SyncFolderHierarchyResponseMessage | m:SyncFolderHierarchyResponseMessageType | Specifies the response message for the SyncFolderHierarchy operation ([MS-OXWSSYNC] section 3.1.4.1). |
| SyncFolderItemsResponseMessage | m:SyncFolderItemsResponseMessageType | Specifies the response message for the SyncFolderItems operation ([MS-OXWSSYNC] section 3.1.4.2). |
| CreateManagedFolderResponseMessage | m:FolderInfoResponseType | Specifies the response message for the CreateManagedFolder operation ([MS-OXWSFOLD] section 3.1.4.3). |
| ConvertIdResponseMessage | m:ConvertIdResponseType | Specifies the response message for the ConvertId operation ([MS-OXWSCVTID] section 3.1.4.1). |
| GetSharingMetadataResponseMessage | m:GetSharingMetadataResponseType | Specifies the response message for the GetSharingMetadata operation ([MS-OXWSMSHR] section 3.1.4.4). |
| RefreshSharingFolderResponseMessage | m:RefreshSharingFolderResponseType | Specifies the response message for the RefreshSharingFolder operation ([MS-OXWSMSHR] section 3.1.4.5). |
| GetSharingFolderResponseMessage | m:GetSharingFolderResponseType | Specifies the response message for the GetSharingFolder operation ([MS-OXWSMSHR] section 3.1.4.3). |
| CreateUserConfigurationResponseMessage | m:ResponseType | Specifies the response message for the CreateUserConfiguration operation ([MS-OXWSUSRCFG] section 3.1.4.1). |

| Element | Type | Description |
|--|---|--|
| DeleteUserConfigurationResponseMessage | m:ResponseMessageType | Specifies the response message for the DeleteUserConfiguration operation ([MS-OXWSUSRCFG] section 3.1.4.2). |
| GetUserConfigurationResponseMessage | m:GetUserConfigurationResponseMessageType | Specifies the response message for the GetUserConfiguration operation ([MS-OXWSUSRCFG] section 3.1.4.3). |
| UpdateUserConfigurationResponseMessage | m:ResponseMessageType | Specifies the response message for the UpdateUserConfiguration operation ([MS-OXWSUSRCFG] section 3.1.4.4). |
| GetRoomListsResponse | m:GetRoomListsResponseMessageType | Specifies the response message for the GetRoomLists operation ([MS-OXWSGTRM] section 3.1.4.1). |
| GetRoomsResponse | m:GetRoomsResponseMessageType | Specifies the response message for the GetRooms operation ([MS-OXWSGTRM] section 3.1.4.2). |
| ApplyConversationActionResponseMessage | m:ResponseMessageType | Specifies the response message for the ApplyConversationAction operation ([MS-OXWSCONV] section 3.1.4.2).<13> |

2.2.3.10 t:ArrayOfStringsType Complex Type

The **ArrayOfStringsType** complex type specifies a data structure that can contain zero or more strings.

```
<xs:complexType name="ArrayOfStringsType">
  <xs:sequence>
    <xs:element name="String"
      type="xs:string"
      minOccurs="0"
      maxOccurs="unbounded"
    />
  </xs:sequence>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|---------|---------------------------|------------------------------------|
| String | xs:string | Specifies a single string of data. |

2.2.3.11 t:BaseEmailAddressType Complex Type

The **BaseEmailAddressType** type specifies the base type for the **t:EmailAddressType** type (section [2.2.3.25](#)).

```
<xs:complexType name="BaseEmailAddressType" />
```

2.2.3.12 t:BaseItemIdType Complex Type

The **BaseItemIdType** type specifies the base type for identifiers that represent items in a mailbox. The **BaseItemIdType** type MUST NOT be sent in a SOAP message because it is an abstract type.

```
<xs:complexType name="BaseItemIdType"
  abstract="true"
/>
```

2.2.3.13 t:BasePathToElementType Complex Type

The **BasePathToElementType** type specifies the base type to types that specify additional properties. The **BasePathToElementType** type MUST NOT be sent in a SOAP message because it is an abstract type.

```
<xs:complexType name="BasePathToElementType"
  abstract="true"
/>
```

2.2.3.14 t:BaseRequestType Complex Type

The **BaseRequestType** type specifies the base type for requests. The **BaseRequestType** type MUST NOT be sent in a SOAP message because it is an abstract type.

```
<xs:complexType name="BaseRequestType"
  abstract="true"
/>
```


2.2.3.15 t:BaseResponseMessageType Complex Type

The **BaseResponseMessageType** complex type specifies the base response message for responses. The **BaseResponseMessageType** complex type MUST NOT be sent in a SOAP message because it is an abstract type.

```
<xs:complexType name="BaseResponseMessageType">
  <xs:sequence>
    <xs:element name="ResponseMessages"
      type="m:ArrayOfResponseMessagesType"
    />
  </xs:sequence>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|------------------|---|---|
| ResponseMessages | m:ArrayOfResponseMessagesType | Specifies an array of response messages. There MUST be only one <ResponseMessages> element in a response. |

2.2.3.16 t:BodyType Complex Type

The **BodyType** type specifies the body content and body content format of an item.

```
<xs:complexType name="BodyType">
  <xs:simpleContent>
    <xs:extension
      base="xs:string"
    >
      <xs:attribute name="BodyType"
        type="t:BodyTypeType"
      />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
```

Attributes

| Name | Type | Description |
|----------|--------------------------------|---|
| BodyType | t:BodyTypeType | Specifies the body content and format of an item. |

2.2.3.17 t:ConnectingSIDType Complex Type

The **ConnectingSIDType** complex type specifies the account to use for impersonation.

```
<xs:complexType name="ConnectingSIDType">
  <xs:choice>
    <xs:element name="PrincipalName"
      type="t:NonEmptyStringType"
    />
  </xs:choice>
</xs:complexType>
```

```

/>
<xs:element name="SID"
  type="t:NonEmptyStringType"
/>
<xs:element name="PrimarySmtpAddress"
  type="t:NonEmptyStringType"
/>
<xs:element name="SmtpAddress"
  type="t:NonEmptyStringType"
/>
</xs:choice>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|--------------------|--------------------------------------|--|
| PrincipalName | t:NonEmptyStringType | Specifies the user principal name (UPN) for the account to use for impersonation. |
| SID | t:NonEmptyStringType | Specifies the security descriptor definition language (SDDL) form of the security identifier (SID) for the account to be used for impersonation. |
| PrimarySmtpAddress | t:NonEmptyStringType | Specifies the primary SMTP address of the account to be used for impersonation. |
| SmtpAddress | t:NonEmptyStringType | Specifies an SMTP address of the account to be used for impersonation. |

Only one of the elements specified in the **ConnectingSIDType** complex type MUST exist in an impersonation request.

2.2.3.18 t:ConstantValueType Complex Type

The **ConstantValueType** type specifies a constant value for a search restriction.

```

<xs:complexType name="ConstantValueType">
  <xs:attribute name="Value"
    type="xs:string"
    use="required"
  />
</xs:complexType>

```

Attributes

| Name | Type | Description |
|-------|---------------------------|--|
| Value | xs:string | Specifies the value to be compared in a restriction. |

2.2.3.19 t:DailyRecurrencePatternType Complex Type

The **DailyRecurrencePatternType** type specifies the interval, in days, at which a calendar item or a task recurs.

```
<xs:complexType name="DailyRecurrencePatternType">
  <xs:complexContent>
    <xs:extension
      base="t:IntervalRecurrencePatternBaseType"
    />
  </xs:complexContent>
</xs:complexType>
```

2.2.3.20 t:DeletedOccurrenceInfoType Complex Type

The **DeletedOccurrenceInfoType** type specifies a deleted occurrence of a recurring calendar item.

```
<xs:complexType name="DeletedOccurrenceInfoType">
  <xs:sequence>
    <xs:element name="Start"
      type="xs:dateTime"
    />
  </xs:sequence>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|---------|-----------------------------|--|
| Start | xs:dateTime | Specifies the start time of a deleted occurrence of a recurring calendar item. |

2.2.3.21 t:DistinguishedFolderIdType Complex Type

The **DistinguishedFolderIdType** complex type specifies a distinguished folder identified by name.

```
<xs:complexType name="DistinguishedFolderIdType">
  <xs:complexContent>
    <xs:extension
      base="t:BaseFolderIdType"
    >
    <xs:sequence>
      <xs:element name="Mailbox"
        type="t:EmailAddressType"
        minOccurs="0"
      />
    </xs:sequence>
    <xs:attribute name="Id"
      type="t:DistinguishedFolderIdNameType"
      use="required"
    />
    <xs:attribute name="ChangeKey"
      type="xs:string"
      use="optional"
    />
  </xs:complexContent>
</xs:complexType>
```

```

    />
  </xs:extension>
</xs:complexContent>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|---------|------------------------------------|--|
| Mailbox | t:EmailAddressType | Specifies the primary SMTP address of a principal for a delegate access scenario. This element MUST exist to initiate delegate access. |

Attributes

| Name | Type | Description |
|-----------|---|--|
| Id | t:DistinguishedFolderIdNameType | Specifies the identifier of a distinguished folder. This attribute MUST exist. |
| ChangeKey | xs:string | Specifies the change key of a distinguished folder. |

2.2.3.22 t:Duration Complex Type

The **Duration** complex type specifies a time interval.

```

<xs:complexType name="Duration">
  <xs:sequence>
    <xs:element name="StartTime"
      type="xs:dateTime"
      maxOccurs="1"
      minOccurs="1"
    />
    <xs:element name="EndTime"
      type="xs:dateTime"
      maxOccurs="1"
      minOccurs="1"
    />
  </xs:sequence>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|-----------|-----------------------------|---|
| StartTime | xs:dateTime | Specifies the start of a time period. This element MUST be present. |
| EndTime | xs:dateTime | Specifies the end of a time period. This element MUST be present. |

Restriction: The value of the <EndTime> element MUST be greater than the value of the <StartTime> element. Also, the specified times MUST be in **Coordinated Universal Time (UTC)**.

2.2.3.23 t:EffectiveRightsType Complex Type

The **EffectiveRightsType** complex type specifies client rights based on the permission settings for an item or folder.

```
<xs:complexType name="EffectiveRightsType">
  <xs:sequence>
    <xs:element name="CreateAssociated"
      type="xs:boolean"
    />
    <xs:element name="CreateContents"
      type="xs:boolean"
    />
    <xs:element name="CreateHierarchy"
      type="xs:boolean"
    />
    <xs:element name="Delete"
      type="xs:boolean"
    />
    <xs:element name="Modify"
      type="xs:boolean"
    />
    <xs:element name="Read"
      type="xs:boolean"
    />
    <xs:element name="ViewPrivateItems"
      type="xs:boolean"
    />
  </xs:sequence>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|------------------|----------------------------|---|
| CreateAssociated | xs:boolean | Specifies whether a client can create an associated contents table. The xs:boolean type is specified in [XMLSCHEMA2] . |
| CreateContents | xs:boolean | Specifies whether a client can create a contents table. |
| CreateHierarchy | xs:boolean | Specifies whether a client can create a hierarchy table. |
| Delete | xs:boolean | Specifies whether a client can delete a folder or item. |
| Modify | xs:boolean | Specifies whether a client can modify a folder or item. |
| Read | xs:boolean | Specifies whether a client can read a folder or item. |
| ViewPrivateItems | xs:boolean | Specifies whether a client can read private items. <14> |

2.2.3.24 t:EmailAddress

The **EmailAddress** type specifies the name and address of the user.

```
<xs:complexType name="EmailAddress">
  <xs:sequence>
```

```

    <xs:element minOccurs="0" maxOccurs="1" name="Name" type="xs:string" />
    <xs:element minOccurs="1" maxOccurs="1" name="Address" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="RoutingType" type="xs:string" />
  </xs:sequence>
</xs:complexType>

```

| Element | Type | Definition |
|-------------|-----------|--|
| Name | xs:string | Represents the name of the attendee. This element is optional. |
| Address | xs:string | Represents the e-mail address of the attendee. This element MUST be present and MUST be a Simple Mail Transfer Protocol (SMTP) address. |
| RoutingType | xs:string | Represents the routing protocol for the e-mail address. This element is optional. |

2.2.3.25 t:EmailAddressType Complex Type

The **EmailAddressType** complex type specifies an e-mail address.

```

<xs:complexType name="EmailAddressType">
  <xs:complexContent>
    <xs:extension
      base="t:BaseEmailAddressType"
    >
      <xs:sequence>
        <xs:element name="Name"
          type="xs:string"
          minOccurs="0"
        />
        <xs:element name="EmailAddress"
          type="t:NonEmptyStringType"
          minOccurs="0"
        />
        <xs:element name="RoutingType"
          type="t:NonEmptyStringType"
          minOccurs="0"
        />
        <xs:element name="MailboxType"
          type="t:MailboxTypeType"
          minOccurs="0"
        />
        <xs:element name="ItemId"
          type="t:ItemIdType"
          minOccurs="0"
        />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|--------------|--------------------------------------|---|
| Name | xs:string | Specifies the name of the mailbox that is associated with the e-mail address that is specified in the <EmailAddress> element. |
| EmailAddress | t:NonEmptyStringType | Specifies an e-mail address. |
| RoutingType | t:NonEmptyStringType | Specifies the type of routing for the e-mail address that is specified in the <EmailAddress> element. |
| MailboxType | t:MailboxTypeType | Specifies the type of mailbox that is represented by the EmailAddressType complex type (section 2.2.3.25). |
| ItemId | t:ItemIdType | Specifies the item identifier for the e-mail address that is represented by the EmailAddressType complex type (section 2.2.3.25). |

2.2.3.26 t:EndDateRecurrenceRangeType Complex Type

The **EndDateRecurrenceRangeType** type specifies the start date and end date of an item recurrence pattern.

```
<xs:complexType name="EndDateRecurrenceRangeType">
  <xs:complexContent>
    <xs:extension
      base="t:RecurrenceRangeBaseType"
    >
      <xs:sequence>
        <xs:element name="EndDate"
          type="xs:date"
        />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|---------|-------------------------|---|
| EndDate | xs:date | Specifies the end date of a recurrence pattern. |

2.2.3.27 t:ExchangeImpersonationType Complex Type

The **ExchangeImpersonationType** type specifies the user to be impersonated.

```
<xs:complexType name="ExchangeImpersonationType">
  <xs:sequence>
    <xs:element name="ConnectingSID"
      type="t:ConnectingSIDType"
    />
  </xs:sequence>
  <xs:anyAttribute
    namespace="http://schemas.xmlsoap.org/soap/envelope/"
  />
</xs:complexType>
```

```

    />
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|---------------|-------------------------------------|--|
| ConnectingSID | t:ConnectingSIDType | Specifies the account to be impersonated. This element MUST exist for impersonation. |

2.2.3.28 t:FieldURIOrConstantType Complex Type

The **FieldURIOrConstantType** complex type specifies either a property or a constant value to be compared with another property.

```

<xs:complexType name="FieldURIOrConstantType">
  <xs:choice>
    <xs:element
      ref="t:Path"
    />
    <xs:element name="Constant"
      type="t:ConstantValueType"
    />
  </xs:choice>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|----------|-------------------------------------|--|
| t:Path | t:Path | Specifies the property to be used in a two-operand search expression. The <t:Path> element (section 2.2.4.6) specifies a substitutionGroup attribute, as specified in [XMLSCHEMA0] . An element that is represented by the substitutionGroup attribute of the <t:Path> element MUST be present. |
| Constant | t:ConstantValueType | Specifies a constant to be used in a two-operand search expression. |

2.2.3.29 t:FolderIdType Complex Type

The **FolderIdType** complex type specifies a folder identifier.

```

<xs:complexType name="FolderIdType">
  <xs:complexContent>
    <xs:extension
      base="t:BaseFolderIdType"
    >
    <xs:attribute name="Id"
      type="xs:string"
      use="required"
    />
    <xs:attribute name="ChangeKey"

```



```

        type="xs:string"
        use="optional"
    />
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

Attributes

| Name | Type | Description |
|-----------|---------------------------|--------------------------------|
| Id | xs:string | Specifies a folder identifier. |
| ChangeKey | xs:string | Specifies a change key. |

2.2.3.30 t:FolderResponseShapeType Complex Type

The **FolderResponseShapeType** type specifies the properties that are returned in a response in a **SyncFolderHierarchy** operation ([\[MS-OXWSSYNC\]](#) section 3.1.4.1), **GetFolder** operation ([\[MS-OXWSFOLD\]](#) section 3.1.4.6), or **FindFolder** operation ([\[MS-OXWSSRCH\]](#) section 3.1.4.1).

```

<xs:complexType name="FolderResponseShapeType">
  <xs:sequence>
    <xs:element name="BaseShape"
      type="t:DefaultShapeNamesType"
    />
    <xs:element name="AdditionalProperties"
      type="t:NonEmptyArrayOfPathsToElementType"
    />
  </xs:sequence>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|----------------------|---|---|
| BaseShape | t:DefaultShapeNamesType | Specifies the basic configuration of properties to be returned in a response. |
| AdditionalProperties | t:NonEmptyArrayOfPathsToElementType | Specifies the identity of additional properties to be returned in a response. |

2.2.3.31 t:ForwardItemType Complex Type

The **ForwardItemType** complex type specifies a response object for forwarding messages and meeting messages to other recipients.

```

<xs:complexType name="ForwardItemType">
  <xs:complexContent>
    <xs:extension
      base="t:SmartResponseType"
    />
  </xs:complexContent>
</xs:complexType>

```

```

    </xs:complexContent>
</xs:complexType>

```

2.2.3.32 t:InternetHeaderType Complex Type

The **InternetHeaderType** complex type specifies the Internet message header for a specified header within the headers collection.

```

<xs:complexType name="InternetHeaderType">
  <xs:simpleContent>
    <xs:extension
      base="xs:string"
    >
      <xs:attribute name="HeaderName"
        type="xs:string"
        use="required"
      />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>

```

Attributes

| Name | Type | Description |
|------------|---------------------------|-----------------------------------|
| HeaderName | xs:string | Specifies the name of the header. |

2.2.3.33 t:IntervalRecurrencePatternBaseType Complex Type

The **IntervalRecurrencePatternBaseType** type specifies the base type for non-yearly recurrence patterns.

```

<xs:complexType name="IntervalRecurrencePatternBaseType"
  abstract="true"
>
  <xs:complexContent>
    <xs:extension
      base="t:RecurrencePatternBaseType"
    >
      <xs:sequence>
        <xs:element name="Interval"
          type="xs:int"
        />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|----------|------------------------|---|
| Interval | xs:int | Specifies the interval between two consecutive recurring items. |

2.2.3.34 m:ItemInfoResponseMessageType Complex Type

The **ItemInfoResponseMessageType** type specifies the response message for operations that create, update, or delete items.

```
<xs:complexType name="ItemInfoResponseMessageType">
  <xs:complexContent>
    <xs:extension
      base="m:ResponseMessageType"
    >
      <xs:sequence>
        <xs:element name="Items"
          type="t:ArrayOfRealItemsType"
        />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|---------|--|---|
| Items | t:ArrayOfRealItemsType | Specifies an array of real items . |

2.2.3.35 t:ItemResponseShapeType Complex Type

The **ItemResponseShapeType** complex type specifies a set of properties to return in a **GetItem** operation ([\[MS-OXWSCORE\]](#) section 3.1.4.4), **FindItem** operation ([\[MS-OXWSSRCH\]](#) section 3.1.4.2), or **SyncFolderItems** operation ([\[MS-OXWSSYNC\]](#) section 3.1.4.2) response.

```
<xs:complexType name="ItemResponseShapeType">
  <xs:sequence>
    <xs:element name="BaseShape"
      type="t:DefaultShapeNamesType"
    />
    <xs:element name="IncludeMimeContent"
      type="xs:boolean"
      minOccurs="0"
    />
    <xs:element name="BodyType"
      type="t:BodyTypeResponseType"
      minOccurs="0"
    />
    <xs:element name="FilterHtmlContent"
      type="xs:boolean"
      maxOccurs="1"
      minOccurs="0"
    />
    <xs:element name="ConvertHtmlCodePageToUTF8"
```

```

        type="xs:boolean"
        minOccurs="0"
      />
      <xs:element name="AdditionalProperties"
        type="t:NonEmptyArrayOfPathsToElementType"
        minOccurs="0"
      />
    </xs:sequence>
  </xs:complexType>

```

Child Elements

| Element | Type | Description |
|---------------------------|--------------------------------|--|
| BaseShape | t:DefaultShapeNamesType | Specifies the requested base properties to return in a response. This element MUST be present. The DefaultShapeNamesType simple type is specified in section 2.2.2.6 . |
| IncludeMimeContent | xs:boolean | Specifies whether the MIME content of an item is returned in a response. The xs:boolean type is specified in [XMLSCHEMA2] . |
| BodyType | t:BodyTypeResponseType | Specifies the requested body text format for the Body property that is returned in a response. If this element is not present, the server MUST use the default value of "default". The BodyTypeResponseType simple type is specified in section 2.2.2.1 . |
| FilterHtmlContent | xs:boolean | Specifies whether HTML content filtering is enabled. If this value is set to true , script blocks and Web beacons MUST be removed from message bodies that are returned in a response. |
| ConvertHtmlCodePageToUTF8 | xs:boolean | Specifies whether the item HTML body is converted to UTF8. The value of this element MUST be set to true or the element MUST NOT be specified to indicate to the server to convert the HTML code page to UTF8. |

| Element | Type | Description |
|----------------------|---|---|
| | | <15> |
| AdditionalProperties | t:NonEmptyArrayOfPathsToElementType | Specifies a set of requested additional properties to return in a response. |

2.2.3.36 t:MailboxCultureType Complex Type

The **MailboxCultureType** complex type specifies the culture to be used when opening a mailbox.

```
<xs:complexType name="MailboxCultureType">
  <xs:simpleContent>
    <xs:extension
      base="xs:language"
    >
      <xs:anyAttribute
        namespace="http://schemas.xmlsoap.org/soap/envelope/"
      />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
```

The text value indicates the language to be used. The possible values for this element are specified in [RFC3066](#).

2.2.3.37 t:NoEndRecurrenceRangeType Complex Type

The **NoEndRecurrenceRangeType** complex type specifies the start date of an item recurrence pattern that does not have a defined end date.

```
<xs:complexType name="NoEndRecurrenceRangeType">
  <xs:complexContent>
    <xs:extension
      base="t:RecurrenceRangeBaseType"
    />
  </xs:complexContent>
</xs:complexType>
```

2.2.3.38 t:NonEmptyArrayOfAllItemsType Complex Type

The **NonEmptyArrayOfAllItemsType** type specifies an array of store items and response objects.

```
<xs:complexType name="NonEmptyArrayOfAllItemsType">
  <xs:sequence>
    <xs:choice
      minOccurs="1"
      maxOccurs="unbounded"
    >
      <xs:element name="Item"
        type="t:ItemType"
      />
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

```

<xs:element name="Message"
  type="t:MessageType"
/>
<xs:element name="CalendarItem"
  type="t:CalendarItemType"
/>
<xs:element name="Contact"
  type="t:ContactItemType"
/>
<xs:element name="DistributionList"
  type="t:DistributionListType"
/>
<xs:element name="MeetingMessage"
  type="t:MeetingMessageType"
/>
<xs:element name="MeetingRequest"
  type="t:MeetingRequestMessageType"
/>
<xs:element name="MeetingResponse"
  type="t:MeetingResponseMessageType"
/>
<xs:element name="MeetingCancellation"
  type="t:MeetingCancellationMessageType"
/>
<xs:element name="Task"
  type="t:TaskType"
/>
<xs:element name="PostItem"
  type="t:PostItemType"
/>
<xs:element name="ReplyToItem"
  type="t:ReplyToItemType"
/>
<xs:element name="ForwardItem"
  type="t:ForwardItemType"
/>
<xs:element name="ReplyAllToItem"
  type="t:ReplyAllToItemType"
/>
<xs:element name="AcceptItem"
  type="t:AcceptItemType"
/>
<xs:element name="TentativelyAcceptItem"
  type="t:TentativelyAcceptItemType"
/>
<xs:element name="DeclineItem"
  type="t:DeclineItemType"
/>
<xs:element name="CancelCalendarItem"
  type="t:CancelCalendarItemType"
/>
<xs:element name="RemoveItem"
  type="t:RemoveItemType"
/>
<xs:element name="SuppressReadReceipt"
  type="t:SuppressReadReceiptType"
/>
<xs:element name="PostReplyItem"
  type="t:PostReplyItemType"

```

```

    />
    <xs:element name="AcceptSharingInvitation"
      type="t:AcceptSharingInvitationType"
    />
  </xs:choice>
</xs:sequence>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|-----------------------|--|---|
| Item | t:ItemType | Specifies an item. |
| Message | t:MessageType | Specifies a message item. |
| CalendarItem | t:CalendarItemType | Specifies a calendar item. |
| Contact | t:ContactItemType | Specifies a contact item. |
| DistributionList | t:DistributionListType | Specifies a distribution list item. |
| MeetingMessage | t:MeetingMessageType | Specifies a meeting message item. |
| MeetingRequest | t:MeetingRequestMessageType | Specifies a meeting request message item. |
| MeetingResponse | t:MeetingResponseMessageType | Specifies a meeting response message item. |
| MeetingCancellation | t:MeetingCancellationMessageType | Specifies a meeting cancellation message item. |
| Task | t:TaskType | Specifies a task item. |
| PostItem | t:PostItemType | Specifies a post item. |
| ReplyToItem | t:ReplyToItemType | Specifies a ReplyToItem response object. |
| ForwardItem | t:ForwardItemType | Specifies a ForwardItem response object. |
| ReplyAllToItem | t:ReplyAllToItemType | Specifies a ReplyToAllItem response object. |
| AcceptItem | t:AcceptItemType | Specifies an AcceptItem response object. |
| TentativelyAcceptItem | t:TentativelyAcceptItemType | Specifies a TentativelyAcceptItem response object. |
| DeclineItem | t:DeclineItemType | Specifies a DeclineItem response object. |
| CancelCalendarItem | t:CancelCalendarItemType | Specifies a CancelCalendarItem response object. |

| Element | Type | Description |
|-------------------------|---|--|
| RemoveItem | t:RemoveItemType | Specifies a RemoveItem response object. |
| SuppressReadReceipt | t:SuppressReadReceiptType | Specifies a SuppressReadReceipt response object. |
| PostReplyItem | t:PostReplyItemType | Specifies a PostReplyItem response object. |
| AcceptSharingInvitation | t:AcceptSharingInvitationType | Specifies an AcceptSharingInvitation response object. |

2.2.3.39 t:NonEmptyArrayOfAttachmentsType Complex Type

The **NonEmptyArrayOfAttachmentsType** complex type specifies an array of items or files that are attached to an item.

```
<xs:complexType name="NonEmptyArrayOfAttachmentsType">
  <xs:choice
    minOccurs="1"
    maxOccurs="unbounded"
  >
    <xs:element name="ItemAttachment"
      type="t:ItemAttachmentType"
    />
    <xs:element name="FileAttachment"
      type="t:FileAttachmentType"
    />
  </xs:choice>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|----------------|--------------------------------------|-------------------------------|
| ItemAttachment | t:ItemAttachmentType | Specifies an item attachment. |
| FileAttachment | t:FileAttachmentType | Specifies a file attachment. |

2.2.3.40 t:NonEmptyArrayOfPathsToElementType Complex Type

The **NonEmptyArrayOfPathsToElementType** type specifies additional properties to be returned in a response.

```
<xs:complexType name="NonEmptyArrayOfPathsToElementType">
  <xs:choice
    maxOccurs="unbounded"
  >
    <xs:element
      ref="t:Path"
    />
  </xs:choice>
```



```
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|------------------------|------------------------|--|
| t:Path | t:Path | Specifies a property to be returned in a response. |

2.2.3.41 t:NumberedRecurrenceRangeType Complex Type

The **NumberedRecurrenceRangeType** type specifies the start date and number of occurrences of a recurring item.

```
<xs:complexType name="NumberedRecurrenceRangeType">
  <xs:complexContent>
    <xs:extension
      base="t:RecurrenceRangeBaseType"
    >
      <xs:sequence>
        <xs:element name="NumberOfOccurrences"
          type="xs:int"
        />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|---------------------|------------------------|--|
| NumberOfOccurrences | xs:int | Specifies the number of occurrences of a recurring item. |

2.2.3.42 t:PathToExceptionFieldType Complex Type

The **t:PathToExceptionFieldType** complex type specifies errors in a response.

```
<xs:complexType name="PathToExceptionFieldType">
  <xs:complexContent>
    <xs:extension
      base="t:BasePathToElementType"
    >
      <xs:attribute name="FieldURI"
        type="t:ExceptionPropertyURIType"
        use="required"
      />
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Attributes

| Name | Type |
|----------|--|
| FieldURI | t:ExceptionPropertyURIType |

2.2.3.43 t:PathToIndexedFieldType Complex Type

The **PathToIndexedFieldType** complex type specifies individual members of a dictionary property.

```
<xs:complexType name="PathToIndexedFieldType">
  <xs:complexContent>
    <xs:extension
      base="t:BasePathToElementType"
    >
      <xs:attribute name="FieldURI"
        type="t:DictionaryURIType"
        use="required"
      />
      <xs:attribute name="FieldIndex"
        type="xs:string"
        use="required"
      />
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Attributes

| Name | Type | Description |
|------------|-------------------------------------|--|
| FieldURI | t:DictionaryURIType | Specifies the dictionary property. This attribute MUST be present. |
| FieldIndex | xs:string | Specifies the entry index in a dictionary. This attribute MUST be present. |

2.2.3.44 t:PathToUnindexedFieldType Complex Type

The **PathToUnindexedFieldType** type specifies frequently referenced properties.

```
<xs:complexType name="PathToUnindexedFieldType">
  <xs:complexContent>
    <xs:extension
      base="t:BasePathToElementType"
    >
      <xs:attribute name="FieldURI"
        type="t:UnindexedFieldURIType"
        use="required"
      />
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Attributes

| Name | Type | Description |
|----------|---|---|
| FieldURI | t:UnindexedFieldURIType | Specifies frequently referenced field URIs. This attribute MUST be present. |

2.2.3.45 t:RecurrencePatternBaseType Complex Type

The **RecurrencePatternBaseType** type specifies the base type for recurrence patterns.

```
<xs:complexType name="RecurrencePatternBaseType"
  abstract="true"
/>
```

2.2.3.46 t:RecurrenceRangeBaseType Complex Type

The **RecurrenceRangeBaseType** type specifies the base type for all recurrence patterns that have a start date.

```
<xs:complexType name="RecurrenceRangeBaseType"
  abstract="true"
>
  <xs:sequence>
    <xs:element name="StartDate"
      type="xs:date"
    />
  </xs:sequence>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|-----------|-------------------------|---|
| StartDate | xs:date | Specifies the start date of a recurrence range. |

2.2.3.47 t:RelativeMonthlyRecurrencePatternType Complex Type

The **RelativeMonthlyRecurrencePatternType** complex type specifies a relative monthly recurrence pattern.

```
<xs:complexType name="RelativeMonthlyRecurrencePatternType">
  <xs:complexContent>
    <xs:extension
      base="t:IntervalRecurrencePatternBaseType"
    >
    <xs:sequence>
      <xs:element name="DaysOfWeek"
        type="t:DayOfWeekType"
      />
      <xs:element name="DayOfWeekIndex"

```

```

        type="t:DayOfWeekIndexType"
    />
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|----------------|--------------------------------------|--|
| DaysOfWeek | t:DayOfWeekType | Specifies the days of the week that are used in a relative monthly recurrence pattern. |
| DayOfWeekIndex | t:DayOfWeekIndexType | Specifies the week that is used in a relative monthly recurrence pattern. |

2.2.3.48 t:RelativeYearlyRecurrencePatternType Complex Type

The **RelativeYearlyRecurrencePatternType** complex type specifies a relative yearly recurrence pattern.

```

<xs:complexType name="RelativeYearlyRecurrencePatternType">
  <xs:complexContent>
    <xs:extension
      base="t:RecurrencePatternBaseType"
    >
      <xs:sequence>
        <xs:element name="DaysOfWeek"
          type="t:DayOfWeekType"
        />
        <xs:element name="DayOfWeekIndex"
          type="t:DayOfWeekIndexType"
        />
        <xs:element name="Month"
          type="t:MonthNamesType"
        />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|----------------|--------------------------------------|---|
| DaysOfWeek | t:DayOfWeekType | Specifies the days of the week that are used in a relative monthly recurrence pattern. This element MUST be present. |
| DayOfWeekIndex | t:DayOfWeekIndexType | Specifies the week that is used in a relative monthly recurrence pattern. This element MUST be present. |

| Element | Type | Description |
|---------|----------------------------------|--|
| Month | t:MonthNamesType | Specifies the month when a yearly recurring item occurs. This element MUST be present. |

2.2.3.49 t:ReplyAllToItemType Complex Type

The **ReplyAllToItemType** type specifies a response object that is used to reply to the sender and all recipients of an item.

```
<xs:complexType name="ReplyAllToItemType">
  <xs:complexContent>
    <xs:extension
      base="t:SmartResponseType"
    />
  </xs:complexContent>
</xs:complexType>
```

2.2.3.50 t:ReplyBody

The **ReplyBody** complex type specifies the body of the **OOF message** that is sent to users.

```
<xs:complexType name="ReplyBody">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Message" type="xs:string" />
  </xs:sequence>
  <xs:attribute ref="xml:lang" use="optional" />
</xs:complexType>
```

| Element | Type | Definition |
|---------|-----------|--|
| Message | xs:string | An HTML message that forms the body of the OOF message. This element is optional and SHOULD NOT exceed 128000 bytes. |

| Attribute | Definition |
|-----------|--|
| xml:lang | Specifies the language used in the OOF message. This attribute is optional. The possible values of this attribute are defined by [RFC3066] . |

2.2.3.51 t:ReplyToItemType Complex Type

The **ReplyToItemType** complex type specifies a reply response object that is used to reply to the sender of an item.

```
<xs:complexType name="ReplyToItemType">
  <xs:complexContent>
    <xs:extension
      base="t:SmartResponseType"
    />
  </xs:complexContent>
```

```
</xs:complexType>
```

2.2.3.52 m:ResponseMessageType Complex Type

The **ResponseMessageType** complex type specifies information about the response status for a single entity in a request.

```
<xs:complexType name="ResponseMessageType">
  <xs:sequence
    minOccurs="0"
  >
    <xs:element name="MessageText"
      type="xs:string"
      minOccurs="0"
    />
    <xs:element name="ResponseCode"
      type="m:ResponseCodeType"
      minOccurs="0"
    />
    <xs:element name="DescriptiveLinkKey"
      type="xs:int"
      minOccurs="0"
    />
    <xs:element name="MessageXml"
      minOccurs="0"
    >
      <xs:complexType>
        <xs:sequence>
          <xs:any
            process_contents="lax"
            minOccurs="0"
            maxOccurs="unbounded"
          />
        </xs:sequence>
        <xs:attribute name="ResponseClass"
          type="t:ResponseClassType"
          use="required"
        />
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|--------------------|------------------------------------|---|
| MessageText | xs:string | Specifies a text description of the status of a response. |
| ResponseCode | m:ResponseCodeType | Specifies the error code that identifies the specific error that the request encountered, if any. |
| DescriptiveLinkKey | xs:int | This element is not used. |

| Element | Type | Description |
|------------|------|--|
| MessageXml | N/A | Specifies additional error response information. |

Attributes

| Name | Type | Description |
|---------------|-------------------------------------|--|
| ResponseClass | t:ResponseClassType | <p>Represents the status of the response. The following values are valid for this attribute:</p> <ul style="list-style-type: none"> ▪ Success ▪ Warning ▪ Error <p>This attribute MUST be present.</p> |

2.2.3.53 t:ResponseObjectCoreType Complex Type

The **ResponseObjectCoreType** complex type specifies the base type for response objects.

```

<xs:complexType name="ResponseObjectCoreType"
  abstract="true"
>
  <xs:complexContent>
    <xs:extension
      base="t:MessageType"
    >
      <xs:sequence>
        <xs:element name="ReferenceItemId"
          type="t:ItemIdType"
          minOccurs="0"
        />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|-----------------|------------------------------|---|
| ReferenceItemId | t:ItemIdType | Specifies the item identifier that is related to a response object. |

2.2.3.54 t:ResponseObjectType Complex Type

The **ResponseObjectType** type specifies the base type for response objects.

```

<xs:complexType name="ResponseObjectType"
  abstract="true"
>
  <xs:complexContent>

```

```

<xs:extension
  base="t:ResponseObjectCoreType"
  >
  <xs:attribute name="ObjectName"
    type="xs:string"
    use="optional"
  />
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

Attributes

| Name | Type | Description |
|------------|---------------------------|---|
| ObjectName | xs:string | Specifies the name of the reply object class as an English-language string. |

2.2.3.55 t:SingleRecipientType Complex Type

The **SingleRecipientType** complex type specifies the e-mail address information for a single message recipient.

```

<xs:complexType name="SingleRecipientType">
  <xs:choice>
    <xs:element name="Mailbox"
      type="t:EmailAddressType"
    />
  </xs:choice>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|---------|------------------------------------|--|
| Mailbox | t:EmailAddressType | Specifies the e-mail address of a recipient. |

2.2.3.56 t:SuppressReadReceiptType Complex Type

The **SuppressReadReceiptType** complex type specifies the suppress read receipt response object.

```

<xs:complexType name="SuppressReadReceiptType">
  <xs:complexContent>
    <xs:extension
      base="t:ReferenceItemResponseType"
    />
  </xs:complexContent>
</xs:complexType>

```


2.2.3.57 t:UserIdType Complex Type

The **UserIdType** type specifies a user identifier.

```
<xs:complexType name="UserIdType">
  <xs:sequence>
    <xs:element name="SID"
      type="xs:string"
      minOccurs="0"
      maxOccurs="1"
    />
    <xs:element name="PrimarySmtpAddress"
      type="xs:string"
      minOccurs="0"
      maxOccurs="1"
    />
    <xs:element name="DisplayName"
      type="xs:string"
      minOccurs="0"
      maxOccurs="1"
    />
    <xs:element name="DistinguishedUser"
      type="t:DistinguishedUserType"
      minOccurs="0"
      maxOccurs="1"
    />
    <xs:element name="ExternalUserIdentity"
      type="xs:string"
      minOccurs="0"
      maxOccurs="1"
    />
  </xs:sequence>
</xs:complexType>
```

Child Elements

| Element | Type | Description |
|----------------------|---|--|
| SID | xs:string | Specifies the security descriptor definition language (SSDL) form of the security identifier (SID) for a user. |
| PrimarySmtpAddress | xs:string | Specifies the primary SMTP address of an account. |
| DisplayName | xs:string | Specifies the user name for display. |
| DistinguishedUser | t:DistinguishedUserType | Specifies a value that identifies the Anonymous and Default user accounts for delegate access. |
| ExternalUserIdentity | xs:string | Specifies an external user identity. |

2.2.3.58 t:Value Complex Type

The **Value** complex type specifies the name and value of a property that is returned in an error response.

```

<xs:complexType name="Value">
  <xs:simpleContent>
    <xs:extension
      base="xs:string"
    >
      <xs:attribute name="Name"
        type="xs:string"
        use="required"
      />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>

```

Attributes

| Name | Type | Description |
|------|---------------------------|----------------------------|
| Name | xs:string | Specifies a property name. |

2.2.3.59 t:WeeklyRecurrencePatternType Complex Type

The **WeeklyRecurrencePatternType** complex type specifies the interval, in weeks, at which an item recurs, and the days on which the item recurs.

```

<xs:complexType name="WeeklyRecurrencePatternType">
  <xs:complexContent>
    <xs:extension
      base="t:IntervalRecurrencePatternBaseType"
    >
      <xs:sequence>
        <xs:element name="DaysOfWeek"
          type="t:DaysOfWeekType"
        />
        <xs:element name="FirstDayOfWeek"
          type="t:DayOfWeekType"
          minOccurs="0"
        />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|----------------|----------------------------------|---|
| DaysOfWeek | t:DaysOfWeekType | Specifies the days of the week that are in the weekly recurrence pattern. |
| FirstDayOfWeek | t:DayOfWeekType | Specifies the first day of the week. <16> |

2.2.3.60 t:WellKnownResponseType Complex Type

The **WellKnownResponseType** type specifies the base type for calendar item related response objects.

```
<xs:complexType name="WellKnownResponseType">
  <xs:complexContent>
    <xs:restriction
      base="t:ResponseType"
    >
      <xs:sequence>
        <xs:element name="ItemClass"
          type="t:ItemClassType"
          minOccurs="0"
        />
        <xs:element name="Sensitivity"
          type="t:SensitivityChoicesType"
          minOccurs="0"
        />
        <xs:element name="Body"
          type="t:BodyType"
          minOccurs="0"
        />
        <xs:element name="Attachments"
          type="t:NonEmptyArrayOfAttachmentsType"
          minOccurs="0"
        />
        <xs:element name="InternetMessageHeaders"
          type="t:NonEmptyArrayOfInternetHeadersType"
          minOccurs="0"
        />
        <xs:element name="Sender"
          type="t:SingleRecipientType"
          minOccurs="0"
        />
        <xs:element name="ToRecipients"
          type="t:ArrayOfRecipientsType"
          minOccurs="0"
        />
        <xs:element name="CcRecipients"
          type="t:ArrayOfRecipientsType"
          minOccurs="0"
        />
        <xs:element name="BccRecipients"
          type="t:ArrayOfRecipientsType"
          minOccurs="0"
        />
        <xs:element name="IsReadReceiptRequested"
          type="xs:boolean"
          minOccurs="0"
        />
        <xs:element name="IsDeliveryReceiptRequested"
          type="xs:boolean"
          minOccurs="0"
        />
        <xs:element name="From"
          type="t:SingleRecipientType"
          minOccurs="0"
        />
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

```

<xs:element name="ReferenceItemId"
  type="t:ItemIdType"
  minOccurs="0"
  />
</xs:sequence>
<xs:attribute name="ObjectName"
  type="xs:string"
  use="prohibited"
  />
</xs:restriction>
</xs:complexContent>
</xs:complexType>

```

Child Elements

| Element | Type | Description |
|----------------------------|--|--|
| ItemClass | t:ItemClassType | Specifies the item class. |
| Sensitivity | t:SensitivityChoicesType | Specifies the item sensitivity level. |
| Body | t:BodyType | Specifies the body content. |
| Attachments | t:NonEmptyArrayOfAttachmentsType | Specifies the attachments on a response object. |
| InternetMessageHeaders | t:NonEmptyArrayOfInternetHeadersType | Specifies an array of type InternetHeaderType that represents the collection of all Internet message headers that are contained in an item. |
| Sender | t:SingleRecipientType | Specifies the sender of a message. |
| ToRecipients | t:ArrayOfRecipientsType | Specifies a collection of recipients of an item. |
| CcRecipients | t:ArrayOfRecipientsType | Specifies a collection of carbon copy (Cc) recipients of an item. |
| BccRecipients | t:ArrayOfRecipientsType | Specifies a collection of blind carbon copy (Bcc) recipients of an item. |
| IsReadReceiptRequested | xs:boolean | Specifies whether a read receipt is requested. |
| IsDeliveryReceiptRequested | xs:boolean | Specifies whether a delivery receipt is requested. |
| From | t:SingleRecipientType | Specifies the addressee who sent a message. |
| ReferenceItemId | t:ItemIdType | Specifies the item identifier that is related to a response object. |

Attributes

| Name | Type | Description |
|------------|-----------|---|
| ObjectName | xs:string | Specifies the name of the reply object class as an English-language string. |

2.2.4 Elements

2.2.4.1 t:ExceptionFieldURI Element

The <ExceptionFieldURI> element specifies particular errors in a request.

```
<xs:element name="t:ExceptionFieldURI"
  type="t:PathToExceptionFieldType"
/>
```

2.2.4.2 t:ExchangeImpersonation Element

The <ExchangeImpersonation> element is used in the **SOAP header** of a request. When the <ExchangeImpersonation> element is present, the caller is trying to impersonate the account that is specified by the <ConnectingSID> element in the **t:ExchangeImpersonationType** complex type as specified in section [2.2.3.27](#).

```
<xs:element name="t:ExchangeImpersonation"
  type="t:ExchangeImpersonationType"
/>
```

2.2.4.3 t:FieldURI Element

The <FieldURI > element specifies frequently referenced properties by URI.

```
<xs:element name="t:FieldURI"
  type="t:PathToUnindexedFieldType"
/>
```

The full syntax for this element is `<xs:element name="FieldURI" type="t:PathToUnindexedFieldType" substitutionGroup="t:Path"/>`

2.2.4.4 t:IndexedFieldURI Element

The <IndexedFieldURI > element specifies individual members of a dictionary.

```
<xs:element name="t:IndexedFieldURI"
  type="t:PathToIndexedFieldType"
/>
```

The syntax for this element is `<xs:element name="IndexedFieldURI" type="t:PathToIndexedFieldType" substitutionGroup="t:Path" />`.

2.2.4.5 t:MailboxCulture Element

The `<MailboxCulture>` element specifies the culture to be used when opening a mailbox. The `<MailboxCulture>` element occurs in the SOAP header.

```
<xs:element name="t:MailboxCulture"
  type="t:MailboxCultureType"
/>
```

2.2.4.6 t:Path Element

The `<Path>` element specifies the base schema type for all property identifiers. This type is abstract and will never occur directly within instance documents. This type defines a substitution group.

```
<xs:element name="t:Path"
  type="t:BasePathToElementType"
  abstract="true"
/>
```

2.2.4.7 t:RequestServerVersion Element

The `<RequestServerVersion>` element specifies the versioning information that identifies the schema version to be targeted for a request. [<17>](#)

```
<xs:element name="t:RequestServerVersion">
  <xs:complexType>
    <xs:attribute name="Version"
      type="t:ExchangeVersionType"
      use="required"
      fixed="Exchange2010_SP1"
    />
    <xs:anyAttribute
      namespace="http://schemas.xmlsoap.org/soap/envelope/"
    />
  </xs:complexType>
</xs:element>
```

Attributes

| Name | Type |
|---------|---------------------------------------|
| Version | t:ExchangeVersionType |

2.2.4.8 t:ServerVersionInfo Element

The `<ServerVersionInfo>` element specifies the version number of the server.

```

<xs:element name="t:ServerVersionInfo">
  <xs:complexType>
    <xs:attribute name="MajorVersion"
      type="xs:int"
      use="optional"
    />
    <xs:attribute name="MinorVersion"
      type="xs:int"
      use="optional"
    />
    <xs:attribute name="MajorBuildNumber"
      type="xs:int"
      use="optional"
    />
    <xs:attribute name="MinorBuildNumber"
      type="xs:int"
      use="optional"
    />
    <xs:attribute name="Version"
      type="xs:string"
      use="optional"
    />
  </xs:complexType>
</xs:element>

```

Attributes

| Name | Type |
|------------------|---------------------------|
| MajorVersion | xs:int |
| MinorVersion | xs:int |
| MajorBuildNumber | xs:int |
| MinorBuildNumber | xs:int |
| Version | xs:string |

2.2.4.9 Value Element

The <Value> element specifies the value of an extended property.

```

<xs:element name="Value"
  type="t:Value"
/>

```

2.2.5 Attributes

This specification does not define any common XML schema attribute definitions.

2.2.6 Groups

2.2.6.1 t:RecurrencePatternTypes Group

The **RecurrencePatternTypes** group specifies the recurrence pattern for calendar items and meeting requests.

```
<xs:group name="t:RecurrencePatternTypes">
  <xs:sequence>
    <xs:choice>
      <xs:element name="t:RelativeYearlyRecurrence"
        type="t:RelativeYearlyRecurrencePatternType"
      />
      <xs:element name="AbsoluteYearlyRecurrence"
        type="t:AbsoluteYearlyRecurrencePatternType"
      />
      <xs:element name="RelativeMonthlyRecurrence"
        type="t:RelativeMonthlyRecurrencePatternType"
      />
      <xs:element name="AbsoluteMonthlyRecurrence"
        type="t:AbsoluteMonthlyRecurrencePatternType"
      />
      <xs:element name="WeeklyRecurrence"
        type="t:WeeklyRecurrencePatternType"
      />
      <xs:element name="DailyRecurrence"
        type="t:DailyRecurrencePatternType"
      />
    </xs:choice>
  </xs:sequence>
</xs:group>
```

Child Elements

| Element | Type | Description |
|----------------------------|--|---|
| t:RelativeYearlyRecurrence | t:RelativeYearlyRecurrencePatternType | Specifies a relative yearly recurrence pattern. |
| AbsoluteYearlyRecurrence | t:AbsoluteYearlyRecurrencePatternType | Specifies a yearly recurrence pattern. |
| RelativeMonthlyRecurrence | t:RelativeMonthlyRecurrencePatternType | Specifies a relative monthly recurrence pattern for a recurring calendar item. |
| AbsoluteMonthlyRecurrence | t:AbsoluteMonthlyRecurrencePatternType | Specifies a monthly recurrence pattern. |
| WeeklyRecurrence | t:WeeklyRecurrencePatternType | Specifies the interval, in weeks, at which a calendar item recurs, and the days of the week on which it occurs. |
| DailyRecurrence | t:DailyRecurrencePatternType | Specifies the interval, in days, at which a calendar item |

| Element | Type | Description |
|---------|------|-------------|
| | | recurs. |

2.2.6.2 t:RecurrenceRangeTypes Group

The **RecurrenceRangeTypes** group specifies recurrence patterns with numbered recurrences, non-ending recurrence patterns, and recurrence patterns with a set start and end date.

```
<xs:group name="t:RecurrenceRangeTypes">
  <xs:sequence>
    <xs:choice>
      <xs:element name="NoEndRecurrence"
        type="t:NoEndRecurrenceRangeType"
      />
      <xs:element name="EndDateRecurrence"
        type="t:EndDateRecurrenceRangeType"
      />
      <xs:element name="NumberedRecurrence"
        type="t:NumberedRecurrenceRangeType"
      />
    </xs:choice>
  </xs:sequence>
</xs:group>
```

Child Elements

| Element | Type | Description |
|--------------------|---|---|
| NoEndRecurrence | t:NoEndRecurrenceRangeType | Specifies a recurrence pattern that does not have a defined end date. |
| EndDateRecurrence | t:EndDateRecurrenceRangeType | Specifies the start date and the end date of an item recurrence pattern. |
| NumberedRecurrence | t:NumberedRecurrenceRangeType | Specifies the start date and the number of occurrences of a recurring item. |

2.2.6.3 t:TimeChangePatternTypes Group

The **TimeChangePatternTypes** group specifies the date when the time changes from standard time or daylight saving time.

```
<xs:group name="t:TimeChangePatternTypes">
  <xs:sequence>
    <xs:choice>
      <xs:element name="RelativeYearlyRecurrence"
        type="t:RelativeYearlyRecurrencePatternType"
      />
      <xs:element name="AbsoluteDate"
        type="xs:date"
      />
    </xs:choice>
  </xs:sequence>
```

</xs:group>

Child Elements

| Element | Type | Description |
|--------------------------|---|--|
| RelativeYearlyRecurrence | t:RelativeYearlyRecurrencePatternType | Specifies a relative yearly recurrence pattern for a time zone transition date. |
| AbsoluteDate | xs:date | Specifies the date when the time changes from standard time or daylight saving time. |

2.2.7 Attribute Groups

2.2.7.1 t:FindResponsePagingAttributes Attribute Group

The **FindResponsePagingAttributes** attribute group specifies paging and count information for a result set.

```
<xs:attributeGroup name="t:FindResponsePagingAttributes">
  <xs:attribute name="IndexedPagingOffset"
    type="xs:int"
    use="optional"
  />
  <xs:attribute name="NumeratorOffset"
    type="xs:int"
    use="optional"
  />
  <xs:attribute name="AbsoluteDenominator"
    type="xs:int"
    use="optional"
  />
  <xs:attribute name="IncludesLastItemInRange"
    type="xs:int"
    use="optional"
  />
  <xs:attribute name="TotalItemsInView"
    type="xs:int"
    use="optional"
  />
</xs:attributeGroup>
```

Attributes

| Name | Type | Description |
|---------------------|------------------------|--|
| IndexedPagingOffset | xs:int | Specifies the next index that should be used for the next request when using an indexed paging view. |
| NumeratorOffset | xs:int | Specifies the new numerator value to use for the next request when |

| Name | Type | Description |
|-------------------------|------------------------|--|
| | | using fraction page views. |
| AbsoluteDenominator | xs:int | Specifies the next denominator to use for the next request when doing fractional paging. |
| IncludesLastItemInRange | xs:int | Specifies whether the current results contain the last item in the query, such that no further paging is required. |
| TotalItemsInView | xs:int | Specifies the total number of results. |

2.2.8 Messages

This specification does not define any common WSDL message definitions.

3 Protocol Details

This document specifies common XML schema types and elements and does not have any protocol details.

3.1 Server Details

This document specifies common XML schema types and elements and does not have any server protocol details.

3.1.1 Abstract Data Model

None.

3.1.2 Timers

None.

3.1.3 Initialization

None.

3.1.4 Message Processing Events and Sequencing Rules

None.

3.1.5 Timer Events

None.

3.1.6 Other Local Events

None.

3.2 Client Details

This document specifies common XML schema types and elements and does not have any client protocol details.

3.2.1 Abstract Data Model

None.

3.2.2 Timers

None.

3.2.3 Initialization

None.

3.2.4 Message Processing Events and Sequencing Rules

None.

3.2.5 Timer Events

None.

3.2.6 Other Local Events

None.

4 Protocol Examples

None.

5 Security

5.1 Security Considerations for Implementers

The Common Web Service Data Types do not involve any additional security mechanisms.

5.2 Index of Security Parameters

None.

6 Appendix A: Full WSDL

This two **XML** files listed and described in the following table are required for implementing the functionality specified in other protocol documents. The entire contents of both of these files are contained in this section. This specification does not define a WSDL file, but it does define XML schema files that are referenced by other WSDL and XML schema files.

| File name | Description | Section |
|---------------------------|--|---------------------|
| MS-OXWSCDATA-messages.xsd | Contains the XML schema message definitions. | 6.2 |
| MS-OXWSCDATA-types.xsd | Contains the XML schema type definitions. | 6.3 |

These two files have to be placed in a common folder; otherwise, any referencing WSDL or XML schema file won't validate and operate properly. Also, any schema files that are included in or imported into the MS-OXWSCDATA-messages.xsd schema or the MS-OXWSCDATA-types.xsd schema have to be placed in the same folder as MS-OXWSCDATA-messages.xsd and MS-OXWSCDATA-types.xsd.

6.1 WSDL

This protocol specification does not define a WSDL file.

6.2 Messages Schema

This section provides the contents of the MS-OXWSCDATA-messages.xsd file and information about additional files that this schema file requires to operate correctly.

MS-OXWSCDATA-messages.xsd includes or imports the files listed in the following table. To operate correctly, this file has to be present in the folder that contains the types schema file.

| File name | Defining specification/section |
|----------------------------|---|
| MS-OXWSCDATA-types.xsd | Section 6.3 |
| MS-OXWSCORE-messages.xsd | [MS-OXWSCORE] section 6.3 |
| MS-OXWSFOLD-messages.xsd | [MS-OXWSFOLD] section 6.3 |
| MS-OXWSSRCH-messages.xsd | [MS-OXWSSRCH] section 6.3 |
| MS-OXWSATT-messages.xsd | [MS-OXWSATT] section 6.3 |
| MS-OXWSRSLNM-messages.xsd | [MS-OXWSRSLNM] section 6.2 |
| MS-OXWSDLIST-messages.xsd | [MS-OXWSDLIST] section 6.3 |
| MS-OXWSGTZ-messages.xsd | [MS-OXWSGTZ] section 6.3 |
| MS-OXWSNTIF-messages.xsd | [MS-OXWSNTIF] section 6.3 |
| MS-OXWSPSNTIF-messages.xsd | [MS-OXWSPSNTIF] section 6.3 |
| MS-OXWSSYNC-messages.xsd | [MS-OXWSSYNC] section 6.3 |
| MS-OXWSCVTID-messages.xsd | [MS-OXWSCVTID] section 6.2 |

| File name | Defining specification/section |
|--------------------------|---|
| MS-OXWSMSHR-messages.xsd | [MS-OXWSMSHR] section 6.3 |
| MS-OXWSGTRM-messages.xsd | [MS-OXWSGTRM] section 6.3 |
| MS-OXWSBTRF-messages.xsd | [MS-OXWSBTRF] section 6.2 |

```
<?xml version="1.0" encoding="utf-8"?>
<xs:schema xmlns:m="http://schemas.microsoft.com/exchange/services/2006/messages"
xmlns:t="http://schemas.microsoft.com/exchange/services/2006/types"
xmlns:xs="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://schemas.microsoft.com/exchange/services/2006/messages"
elementFormDefault="qualified" version="Exchange2010_SP1" id="messages">
  <xs:import namespace="http://schemas.microsoft.com/exchange/services/2006/types"
schemaLocation="MS-OXWSCDATA-types.xsd"/>
  <xs:include schemaLocation="MS-OXWSCORE-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSFOLD-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSSRCH-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSATT-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSRSLNM-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSDLIST-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSGTZ-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSNTIF-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSPSNTIF-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSSYNC-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSCVTID-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSMSHR-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSGTRM-messages.xsd"/>
  <xs:include schemaLocation="MS-OXWSBTRF-messages.xsd"/>
  <xs:complexType name="ArrayOfResponseMessagesType">
    <xs:choice maxOccurs="unbounded">
      <xs:element name="CreateItemResponseMessage"
type="m:ItemInfoResponseMessageType"/>
      <xs:element name="DeleteItemResponseMessage" type="m:ResponseMessageType"/>
      <xs:element name="GetItemResponseMessage"
type="m:ItemInfoResponseMessageType"/>
      <xs:element name="UpdateItemResponseMessage"
type="m:UpdateItemResponseMessageType"/>
      <xs:element name="SendItemResponseMessage" type="m:ResponseMessageType"/>
      <xs:element name="DeleteFolderResponseMessage" type="m:ResponseMessageType"/>
      <xs:element name="EmptyFolderResponseMessage" type="m:ResponseMessageType"/>
      <xs:element name="CreateFolderResponseMessage"
type="m:FolderInfoResponseMessageType"/>
      <xs:element name="GetFolderResponseMessage"
type="m:FolderInfoResponseMessageType"/>
      <xs:element name="FindFolderResponseMessage"
type="m:FindFolderResponseMessageType"/>
      <xs:element name="UpdateFolderResponseMessage"
type="m:FolderInfoResponseMessageType"/>
      <xs:element name="MoveFolderResponseMessage"
type="m:FolderInfoResponseMessageType"/>
      <xs:element name="CopyFolderResponseMessage"
type="m:FolderInfoResponseMessageType"/>
      <xs:element name="CreateAttachmentResponseMessage"
type="m:AttachmentInfoResponseMessageType"/>
      <xs:element name="DeleteAttachmentResponseMessage"
type="m:DeleteAttachmentResponseMessageType"/>
      <xs:element name="GetAttachmentResponseMessage"
type="m:AttachmentInfoResponseMessageType"/>
    </xs:choice>
  </xs:complexType>
</xs:schema>
```

```

        <xs:element name="UploadItemsResponseMessage"
type="m:UploadItemsResponseMessageType"/>
        <xs:element name="ExportItemsResponseMessage"
type="m:ExportItemsResponseMessageType"/>
        <xs:element name="FindItemResponseMessage"
type="m:FindItemResponseMessageType"/>
        <xs:element name="MoveItemResponseMessage"
type="m:ItemInfoResponseMessageType"/>
        <xs:element name="CopyItemResponseMessage"
type="m:ItemInfoResponseMessageType"/>
        <xs:element name="ResolveNamesResponseMessage"
type="m:ResolveNamesResponseMessageType"/>
        <xs:element name="ExpandDLResponseMessage"
type="m:ExpandDLResponseMessageType"/>
        <xs:element name="GetServerTimeZonesResponseMessage"
type="m:GetServerTimeZonesResponseMessageType"/>
        <xs:element name="GetEventsResponseMessage"
type="m:GetEventsResponseMessageType"/>
        <xs:element name="GetStreamingEventsResponseMessage"
type="m:GetStreamingEventsResponseMessageType"/>
        <xs:element name="SubscribeResponseMessage"
type="m:SubscribeResponseMessageType"/>
        <xs:element name="UnsubscribeResponseMessage" type="m:ResponseMessageType"/>
        <xs:element name="SendNotificationResponseMessage"
type="m:SendNotificationResponseMessageType"/>
        <xs:element name="SyncFolderHierarchyResponseMessage"
type="m:SyncFolderHierarchyResponseMessageType"/>
        <xs:element name="SyncFolderItemsResponseMessage"
type="m:SyncFolderItemsResponseMessageType"/>
        <xs:element name="CreateManagedFolderResponseMessage"
type="m:FolderInfoResponseMessageType"/>
        <xs:element name="ConvertIdResponseMessage"
type="m:ConvertIdResponseMessageType"/>
        <xs:element name="GetSharingMetadataResponseMessage"
type="m:GetSharingMetadataResponseMessageType"/>
        <xs:element name="RefreshSharingFolderResponseMessage"
type="m:RefreshSharingFolderResponseMessageType"/>
        <xs:element name="GetSharingFolderResponseMessage"
type="m:GetSharingFolderResponseMessageType"/>
        <xs:element name="CreateUserConfigurationResponseMessage"
type="m:ResponseMessageType"/>
        <xs:element name="DeleteUserConfigurationResponseMessage"
type="m:ResponseMessageType"/>
        <xs:element name="UpdateUserConfigurationResponseMessage"
type="m:ResponseMessageType"/>
        <xs:element name="GetRoomListsResponse"
type="m:GetRoomListsResponseMessageType"/>
        <xs:element name="GetRoomsResponse" type="m:GetRoomsResponseMessageType"/>
        <xs:element name="ApplyConversationActionResponseMessage"
type="m:ResponseMessageType"/>
    </xs:choice>
</xs:complexType>
<xs:complexType name="BaseRequestType" abstract="true"/>
<xs:complexType name="BaseResponseMessageType">
    <xs:sequence>
        <xs:element name="ResponseMessages" type="m:ArrayOfResponseMessagesType"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="ItemInfoResponseMessageType">
    <xs:complexContent>
        <xs:extension base="m:ResponseMessageType">

```

```

        <xs:sequence>
            <xs:element name="Items" type="t:ArrayOfRealItemsType"/>
        </xs:sequence>
    </xs:extension>
</xs:complexContent>
</xs:complexType>
<xs:complexType name="ResponseMessageType">
    <xs:sequence minOccurs="0">
        <xs:element name="MessageText" type="xs:string" minOccurs="0"/>
        <xs:element name="ResponseCode" type="m:ResponseCodeType" minOccurs="0"/>
        <xs:element name="DescriptiveLinkKey" type="xs:int" minOccurs="0"/>
        <xs:element name="MessageXml" minOccurs="0">
            <xs:complexType>
                <xs:sequence>
                    <xs:any processContents="lax" minOccurs="0"
maxOccurs="unbounded"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
    </xs:sequence>
    <xs:attribute name="ResponseClass" type="t:ResponseClassType" use="required"/>
</xs:complexType>
<xs:simpleType name="ResponseCodeType">
    <xs:restriction base="xs:string">
        <xs:enumeration value="NoError"/>
        <xs:enumeration value="ErrorAccessDenied"/>
        <xs:enumeration value="ErrorAccessModeSpecified"/>
        <xs:enumeration value="ErrorAccountDisabled"/>
        <xs:enumeration value="ErrorAddDelegatesFailed"/>
        <xs:enumeration value="ErrorAddressSpaceNotFound"/>
        <xs:enumeration value="ErrorADOperation"/>
        <xs:enumeration value="ErrorADSessionFilter"/>
        <xs:enumeration value="ErrorADUnavailable"/>
        <xs:enumeration value="ErrorAutoDiscoverFailed"/>
        <xs:enumeration value="ErrorAffectedTaskOccurrencesRequired"/>
        <xs:enumeration value="ErrorAttachmentSizeLimitExceeded"/>
        <xs:enumeration value="ErrorAvailabilityConfigNotFound"/>
        <xs:enumeration value="ErrorBatchProcessingStopped"/>
        <xs:enumeration value="ErrorCalendarCannotMoveOrCopyOccurrence"/>
        <xs:enumeration value="ErrorCalendarCannotUpdateDeletedItem"/>
        <xs:enumeration value="ErrorCalendarCannotUseIdForOccurrenceId"/>
        <xs:enumeration value="ErrorCalendarCannotUseIdForRecurringMasterId"/>
        <xs:enumeration value="ErrorCalendarDurationIsTooLong"/>
        <xs:enumeration value="ErrorCalendarEndDateIsEarlierThanStartDate"/>
        <xs:enumeration value="ErrorCalendarFolderIsInvalidForCalendarView"/>
        <xs:enumeration value="ErrorCalendarInvalidAttributeValue"/>
        <xs:enumeration value="ErrorCalendarInvalidDayForTimeChangePattern"/>
        <xs:enumeration value="ErrorCalendarInvalidDayForWeeklyRecurrence"/>
        <xs:enumeration value="ErrorCalendarInvalidPropertyState"/>
        <xs:enumeration value="ErrorCalendarInvalidPropertyValue"/>
        <xs:enumeration value="ErrorCalendarInvalidRecurrence"/>
        <xs:enumeration value="ErrorCalendarInvalidTimeZone"/>
        <xs:enumeration value="ErrorCalendarIsCancelledForAccept"/>
        <xs:enumeration value="ErrorCalendarIsCancelledForDecline"/>
        <xs:enumeration value="ErrorCalendarIsCancelledForRemove"/>
        <xs:enumeration value="ErrorCalendarIsCancelledForTentative"/>
        <xs:enumeration value="ErrorCalendarIsDelegatedForAccept"/>
        <xs:enumeration value="ErrorCalendarIsDelegatedForDecline"/>
        <xs:enumeration value="ErrorCalendarIsDelegatedForRemove"/>
    </xs:restriction>
</xs:simpleType>

```

```
<xs:enumeration value="ErrorCalendarIsDelegatedForTentative"/>
<xs:enumeration value="ErrorCalendarIsNotOrganizer"/>
<xs:enumeration value="ErrorCalendarIsOrganizerForAccept"/>
<xs:enumeration value="ErrorCalendarIsOrganizerForDecline"/>
<xs:enumeration value="ErrorCalendarIsOrganizerForRemove"/>
<xs:enumeration value="ErrorCalendarIsOrganizerForTentative"/>
<xs:enumeration value="ErrorCalendarOccurrenceIndexIsOutOfRecurrenceRange"/>
<xs:enumeration value="ErrorCalendarOccurrenceIsDeletedFromRecurrence"/>
<xs:enumeration value="ErrorCalendarOutOfRange"/>
<xs:enumeration value="ErrorCalendarMeetingRequestIsOutOfDate"/>
<xs:enumeration value="ErrorCalendarViewRangeTooBig"/>
<xs:enumeration value="ErrorCallerIsInvalidADAccount"/>
<xs:enumeration value="ErrorCannotCreateCalendarItemInNonCalendarFolder"/>
<xs:enumeration value="ErrorCannotCreateContactInNonContactFolder"/>
<xs:enumeration value="ErrorCannotCreatePostItemInNonMailFolder"/>
<xs:enumeration value="ErrorCannotCreateTaskInNonTaskFolder"/>
<xs:enumeration value="ErrorCannotDeleteObject"/>
<xs:enumeration value="ErrorCannotOpenFileAttachment"/>
<xs:enumeration value="ErrorCannotDeleteTaskOccurrence"/>
<xs:enumeration value="ErrorCannotEmptyFolder"/>
<xs:enumeration value="ErrorCannotSetCalendarPermissionOnNonCalendarFolder"/>
<xs:enumeration value="ErrorCannotSetNonCalendarPermissionOnCalendarFolder"/>
<xs:enumeration value="ErrorCannotSetPermissionUnknownEntries"/>
<xs:enumeration value="ErrorCannotUseFolderIdForItemId"/>
<xs:enumeration value="ErrorCannotUseItemIdForFolderId"/>
<xs:enumeration value="ErrorChangeKeyRequired"/>
<xs:enumeration value="ErrorChangeKeyRequiredForWriteOperations"/>
<xs:enumeration value="ErrorClientDisconnected"/>
<xs:enumeration value="ErrorConnectionFailed"/>
<xs:enumeration value="ErrorContainsFilterWrongType"/>
<xs:enumeration value="ErrorContentConversionFailed"/>
<xs:enumeration value="ErrorCorruptData"/>
<xs:enumeration value="ErrorCreateItemAccessDenied"/>
<xs:enumeration value="ErrorCreateManagedFolderPartialCompletion"/>
<xs:enumeration value="ErrorCreateSubfolderAccessDenied"/>
<xs:enumeration value="ErrorCrossMailboxMoveCopy"/>
<xs:enumeration value="ErrorCrossSiteRequest"/>
<xs:enumeration value="ErrorDataSizeLimitExceeded"/>
<xs:enumeration value="ErrorDataSourceOperation"/>
<xs:enumeration value="ErrorDelegateAlreadyExists"/>
<xs:enumeration value="ErrorDelegateCannotAddOwner"/>
<xs:enumeration value="ErrorDelegateMissingConfiguration"/>
<xs:enumeration value="ErrorDelegateNoUser"/>
<xs:enumeration value="ErrorDelegateValidationFailed"/>
<xs:enumeration value="ErrorDeleteDistinguishedFolder"/>
<xs:enumeration value="ErrorDeleteItemsFailed"/>
<xs:enumeration value="ErrorDistinguishedUserNotSupported"/>
<xs:enumeration value="ErrorDistributionListMemberNotExist"/>
<xs:enumeration value="ErrorDuplicateInputFolderNames"/>
<xs:enumeration value="ErrorDuplicateUserIdsSpecified"/>
<xs:enumeration value="ErrorEmailAddressMismatch"/>
<xs:enumeration value="ErrorEventNotFound"/>
<xs:enumeration value="ErrorExceededConnectionCount"/>
<xs:enumeration value="ErrorExceededSubscriptionCount"/>
<xs:enumeration value="ErrorExceededFindCountLimit"/>
<xs:enumeration value="ErrorExpiredSubscription"/>
<xs:enumeration value="ErrorFolderCorrupt"/>
<xs:enumeration value="ErrorFolderNotFound"/>
<xs:enumeration value="ErrorFolderPropertRequestFailed"/>
```

```
<xs:enumeration value="ErrorFolderSave"/>
<xs:enumeration value="ErrorFolderSaveFailed"/>
<xs:enumeration value="ErrorFolderSavePropertyError"/>
<xs:enumeration value="ErrorFolderExists"/>
<xs:enumeration value="ErrorFreeBusyGenerationFailed"/>
<xs:enumeration value="ErrorGetServerSecurityDescriptorFailed"/>
<xs:enumeration value="ErrorImpersonateUserDenied"/>
<xs:enumeration value="ErrorImpersonationDenied"/>
<xs:enumeration value="ErrorImpersonationFailed"/>
<xs:enumeration value="ErrorIncorrectSchemaVersion"/>
<xs:enumeration value="ErrorIncorrectUpdatePropertyCount"/>
<xs:enumeration value="ErrorIndividualMailboxLimitReached"/>
<xs:enumeration value="ErrorInsufficientResources"/>
<xs:enumeration value="ErrorInternalServerError"/>
<xs:enumeration value="ErrorInternalServerErrorTransientError"/>
<xs:enumeration value="ErrorInvalidAccessLevel"/>
<xs:enumeration value="ErrorInvalidArgument"/>
<xs:enumeration value="ErrorInvalidAttachmentId"/>
<xs:enumeration value="ErrorInvalidAttachmentSubfilter"/>
<xs:enumeration value="ErrorInvalidAttachmentSubfilterTextFilter"/>
<xs:enumeration value="ErrorInvalidAuthorizationContext"/>
<xs:enumeration value="ErrorInvalidChangeKey"/>
<xs:enumeration value="ErrorInvalidClientSecurityContext"/>
<xs:enumeration value="ErrorInvalidCompleteDate"/>
<xs:enumeration value="ErrorInvalidContactEmailAddress"/>
<xs:enumeration value="ErrorInvalidContactEmailIndex"/>
<xs:enumeration value="ErrorInvalidCrossForestCredentials"/>
<xs:enumeration value="ErrorInvalidDelegatePermission"/>
<xs:enumeration value="ErrorInvalidDelegateUserId"/>
<xs:enumeration value="ErrorInvalidExcludesRestriction"/>
<xs:enumeration value="ErrorInvalidExpressionTypeForSubFilter"/>
<xs:enumeration value="ErrorInvalidExtendedProperty"/>
<xs:enumeration value="ErrorInvalidExtendedPropertyValue"/>
<xs:enumeration value="ErrorInvalidFolderId"/>
<xs:enumeration value="ErrorInvalidFolderTypeForOperation"/>
<xs:enumeration value="ErrorInvalidFractionalPagingParameters"/>
<xs:enumeration value="ErrorInvalidFreeBusyViewType"/>
<xs:enumeration value="ErrorInvalidId"/>
<xs:enumeration value="ErrorInvalidIdEmpty"/>
<xs:enumeration value="ErrorInvalidIdMalformed"/>
<xs:enumeration value="ErrorInvalidIdMalformedEwsLegacyIdFormat"/>
<xs:enumeration value="ErrorInvalidIdMonikerTooLong"/>
<xs:enumeration value="ErrorInvalidIdNotAnItemAttachmentId"/>
<xs:enumeration value="ErrorInvalidIdReturnedByResolveNames"/>
<xs:enumeration value="ErrorInvalidIdStoreObjectIdTooLong"/>
<xs:enumeration value="ErrorInvalidIdTooManyAttachmentLevels"/>
<xs:enumeration value="ErrorInvalidIdXml"/>
<xs:enumeration value="ErrorInvalidIndexedPagingParameters"/>
<xs:enumeration value="ErrorInvalidInternetHeaderChildNodes"/>
<xs:enumeration value="ErrorInvalidItemForOperationCreateItemAttachment"/>
<xs:enumeration value="ErrorInvalidItemForOperationCreateItem"/>
<xs:enumeration value="ErrorInvalidItemForOperationAcceptItem"/>
<xs:enumeration value="ErrorInvalidItemForOperationDeclineItem"/>
<xs:enumeration value="ErrorInvalidItemForOperationCancelItem"/>
<xs:enumeration value="ErrorInvalidItemForOperationExpandDL"/>
<xs:enumeration value="ErrorInvalidItemForOperationRemoveItem"/>
<xs:enumeration value="ErrorInvalidItemForOperationSendItem"/>
<xs:enumeration value="ErrorInvalidItemForOperationTentative"/>
<xs:enumeration value="ErrorInvalidLogonType"/>
```

```
<xs:enumeration value="ErrorInvalidMailbox"/>
<xs:enumeration value="ErrorInvalidManagedFolderProperty"/>
<xs:enumeration value="ErrorInvalidManagedFolderQuota"/>
<xs:enumeration value="ErrorInvalidManagedFolderSize"/>
<xs:enumeration value="ErrorInvalidMergedFreeBusyInterval"/>
<xs:enumeration value="ErrorInvalidNameForNameResolution"/>
<xs:enumeration value="ErrorInvalidOperation"/>
<xs:enumeration value="ErrorInvalidNetworkServiceContext"/>
<xs:enumeration value="ErrorInvalidOofParameter"/>
<xs:enumeration value="ErrorInvalidPagingMaxRows"/>
<xs:enumeration value="ErrorInvalidParentFolder"/>
<xs:enumeration value="ErrorInvalidPercentCompleteValue"/>
<xs:enumeration value="ErrorInvalidPermissionSettings"/>
<xs:enumeration value="ErrorInvalidPhoneCallId"/>
<xs:enumeration value="ErrorInvalidPhoneNumber"/>
<xs:enumeration value="ErrorInvalidUserInfo"/>
<xs:enumeration value="ErrorInvalidPropertyAppend"/>
<xs:enumeration value="ErrorInvalidPropertyDelete"/>
<xs:enumeration value="ErrorInvalidPropertyForExists"/>
<xs:enumeration value="ErrorInvalidPropertyForOperation"/>
<xs:enumeration value="ErrorInvalidPropertyRequest"/>
<xs:enumeration value="ErrorInvalidPropertySet"/>
<xs:enumeration value="ErrorInvalidPropertyUpdateSentMessage"/>
<xs:enumeration value="ErrorInvalidProxySecurityContext"/>
<xs:enumeration value="ErrorInvalidPullSubscriptionId"/>
<xs:enumeration value="ErrorInvalidPushSubscriptionUrl"/>
<xs:enumeration value="ErrorInvalidRecipients"/>
<xs:enumeration value="ErrorInvalidRecipientSubfilter"/>
<xs:enumeration value="ErrorInvalidRecipientSubfilterComparison"/>
<xs:enumeration value="ErrorInvalidRecipientSubfilterOrder"/>
<xs:enumeration value="ErrorInvalidRecipientSubfilterTextFilter"/>
<xs:enumeration value="ErrorInvalidReferenceItem"/>
<xs:enumeration value="ErrorInvalidRequest"/>
<xs:enumeration value="ErrorInvalidRestriction"/>
<xs:enumeration value="ErrorInvalidRoutingType"/>
<xs:enumeration value="ErrorInvalidScheduledOofDuration"/>
<xs:enumeration value="ErrorInvalidSchemaVersionForMailboxVersion"/>
<xs:enumeration value="ErrorInvalidSecurityDescriptor"/>
<xs:enumeration value="ErrorInvalidSendItemSaveSettings"/>
<xs:enumeration value="ErrorInvalidSerializedAccessToken"/>
<xs:enumeration value="ErrorInvalidServerVersion"/>
<xs:enumeration value="ErrorInvalidSid"/>
<xs:enumeration value="ErrorInvalidSIPUri"/>
<xs:enumeration value="ErrorInvalidSmtAddress"/>
<xs:enumeration value="ErrorInvalidSubfilterType"/>
<xs:enumeration value="ErrorInvalidSubfilterTypeNotAttendeeType"/>
<xs:enumeration value="ErrorInvalidSubfilterTypeNotRecipientType"/>
<xs:enumeration value="ErrorInvalidSubscription"/>
<xs:enumeration value="ErrorInvalidSubscriptionRequest"/>
<xs:enumeration value="ErrorInvalidSyncStateData"/>
<xs:enumeration value="ErrorInvalidTimeInterval"/>
<xs:enumeration value="ErrorInvalidUserOofSettings"/>
<xs:enumeration value="ErrorInvalidUserPrincipalName"/>
<xs:enumeration value="ErrorInvalidUserSid"/>
<xs:enumeration value="ErrorInvalidUserSidMissingUPN"/>
<xs:enumeration value="ErrorInvalidValueForProperty"/>
<xs:enumeration value="ErrorInvalidWatermark"/>
<xs:enumeration value="ErrorIPGatewayNotFound"/>
<xs:enumeration value="ErrorIrresolvableConflict"/>
```

```

<xs:enumeration value="ErrorItemCorrupt"/>
<xs:enumeration value="ErrorItemNotFound"/>
<xs:enumeration value="ErrorItemPropertyRequestFailed"/>
<xs:enumeration value="ErrorItemSave"/>
<xs:enumeration value="ErrorItemSavePropertyError"/>
<xs:enumeration value="ErrorLegacyMailboxFreeBusyViewTypeNotMerged"/>
<xs:enumeration value="ErrorLocalServerObjectNotFound"/>
<xs:enumeration value="ErrorLogonAsNetworkServiceFailed"/>
<xs:enumeration value="ErrorMailboxConfiguration"/>
<xs:enumeration value="ErrorMailboxDataArrayEmpty"/>
<xs:enumeration value="ErrorMailboxDataArrayTooBig"/>
<xs:enumeration value="ErrorMailboxLogonFailed"/>
<xs:enumeration value="ErrorMailboxMoveInProgress"/>
<xs:enumeration value="ErrorMailboxStoreUnavailable"/>
<xs:enumeration value="ErrorMailRecipientNotFound"/>
<xs:enumeration value="ErrorMailTipsDisabled"/>
<xs:enumeration value="ErrorManagedFolderAlreadyExists"/>
<xs:enumeration value="ErrorManagedFolderNotFound"/>
<xs:enumeration value="ErrorManagedFoldersRootFailure"/>
<xs:enumeration value="ErrorMeetingSuggestionGenerationFailed"/>
<xs:enumeration value="ErrorMessageDispositionRequired"/>
<xs:enumeration value="ErrorMessageSizeExceeded"/>
<xs:enumeration value="ErrorMimeContentConversionFailed"/>
<xs:enumeration value="ErrorMimeContentInvalid"/>
<xs:enumeration value="ErrorMimeContentInvalidBase64String"/>
<xs:enumeration value="ErrorMissingArgument"/>
<xs:enumeration value="ErrorMissingEmailAddress"/>
<xs:enumeration value="ErrorMissingEmailAddressForManagedFolder"/>
<xs:enumeration value="ErrorMissingInformationEmailAddress"/>
<xs:enumeration value="ErrorMissingInformationReferenceItemId"/>
<xs:enumeration value="ErrorMissingItemForCreateItemAttachment"/>
<xs:enumeration value="ErrorMissingManagedFolderId"/>
<xs:enumeration value="ErrorMissingRecipients"/>
<xs:enumeration value="ErrorMissingUserIdInformation"/>
<xs:enumeration value="ErrorMoreThanOneAccessModeSpecified"/>
<xs:enumeration value="ErrorMoveCopyFailed"/>
<xs:enumeration value="ErrorMoveDistinguishedFolder"/>
<xs:enumeration value="ErrorNameResolutionMultipleResults"/>
<xs:enumeration value="ErrorNameResolutionNoMailbox"/>
<xs:enumeration value="ErrorNameResolutionNoResults"/>
<xs:enumeration value="ErrorNoApplicableProxyCASServersAvailable"/>
<xs:enumeration value="ErrorNoCalendar"/>
<xs:enumeration value="ErrorNoDestinationCASDueToKerberosRequirements"/>
<xs:enumeration value="ErrorNoDestinationCASDueToSSLRequirements"/>
<xs:enumeration value="ErrorNoDestinationCASDueToVersionMismatch"/>
<xs:enumeration value="ErrorNoFolderClassOverride"/>
<xs:enumeration value="ErrorNoFreeBusyAccess"/>
<xs:enumeration value="ErrorNonExistentMailbox"/>
<xs:enumeration value="ErrorNonPrimarySmtptAddress"/>
<xs:enumeration value="ErrorNoPropertyTagForCustomProperties"/>
<xs:enumeration value="ErrorNoPublicFolderReplicaAvailable"/>
<xs:enumeration value="ErrorNoPublicFolderServerAvailable"/>
<xs:enumeration value="ErrorNoRespondingCASInDestinationSite"/>
<xs:enumeration value="ErrorNotDelegate"/>
<xs:enumeration value="ErrorNotEnoughMemory"/>
<xs:enumeration value="ErrorObjectTypeChanged"/>
<xs:enumeration value="ErrorOccurrenceCrossingBoundary"/>
<xs:enumeration value="ErrorOccurrenceTimeSpanTooBig"/>
<xs:enumeration value="ErrorOperationNotAllowedWithPublicFolderRoot"/>

```

```
<xs:enumeration value="ErrorParentFolderIdRequired"/>
<xs:enumeration value="ErrorParentFolderNotFound"/>
<xs:enumeration value="ErrorPasswordChangeRequired"/>
<xs:enumeration value="ErrorPasswordExpired"/>
<xs:enumeration value="ErrorPhoneNumberNotDialable"/>
<xs:enumeration value="ErrorPropertyUpdate"/>
<xs:enumeration value="ErrorPropertyValidationFailure"/>
<xs:enumeration value="ErrorProxiedSubscriptionCallFailure"/>
<xs:enumeration value="ErrorProxyCallFailed"/>
<xs:enumeration value="ErrorProxyGroupSidLimitExceeded"/>
<xs:enumeration value="ErrorProxyRequestNotAllowed"/>
<xs:enumeration value="ErrorProxyRequestProcessingFailed"/>
<xs:enumeration value="ErrorProxyServiceDiscoveryFailed"/>
<xs:enumeration value="ErrorProxyTokenExpired"/>
<xs:enumeration value="ErrorPublicFolderRequestProcessingFailed"/>
<xs:enumeration value="ErrorPublicFolderServerNotFound"/>
<xs:enumeration value="ErrorQueryFilterTooLong"/>
<xs:enumeration value="ErrorQuotaExceeded"/>
<xs:enumeration value="ErrorReadEventsFailed"/>
<xs:enumeration value="ErrorReadReceiptNotPending"/>
<xs:enumeration value="ErrorRecurrenceEndDateTooBig"/>
<xs:enumeration value="ErrorRecurrenceHasNoOccurrence"/>
<xs:enumeration value="ErrorRemoveDelegatesFailed"/>
<xs:enumeration value="ErrorRequestAborted"/>
<xs:enumeration value="ErrorRequestStreamTooBig"/>
<xs:enumeration value="ErrorRequiredPropertyMissing"/>
<xs:enumeration value="ErrorResolveNamesInvalidFolderType"/>
<xs:enumeration value="ErrorResolveNamesOnlyOneContactsFolderAllowed"/>
<xs:enumeration value="ErrorResponseSchemaValidation"/>
<xs:enumeration value="ErrorRestrictionTooLong"/>
<xs:enumeration value="ErrorRestrictionTooComplex"/>
<xs:enumeration value="ErrorResultSetTooBig"/>
<xs:enumeration value="ErrorInvalidExchangeImpersonationHeaderData"/>
<xs:enumeration value="ErrorSavedItemFolderNotFound"/>
<xs:enumeration value="ErrorSchemaValidation"/>
<xs:enumeration value="ErrorSearchFolderNotInitialized"/>
<xs:enumeration value="ErrorSendAsDenied"/>
<xs:enumeration value="ErrorSendMeetingCancellationsRequired"/>
<xs:enumeration value="ErrorSendMeetingInvitationsOrCancellationsRequired"/>
<xs:enumeration value="ErrorSendMeetingInvitationsRequired"/>
<xs:enumeration value="ErrorSentMeetingRequestUpdate"/>
<xs:enumeration value="ErrorSentTaskRequestUpdate"/>
<xs:enumeration value="ErrorServerBusy"/>
<xs:enumeration value="ErrorServiceDiscoveryFailed"/>
<xs:enumeration value="ErrorStaleObject"/>
<xs:enumeration value="ErrorSubmissionQuotaExceeded"/>
<xs:enumeration value="ErrorSubscriptionAccessDenied"/>
<xs:enumeration value="ErrorSubscriptionDelegateAccessNotSupported"/>
<xs:enumeration value="ErrorSubscriptionNotFound"/>
<xs:enumeration value="ErrorSubscriptionUnsubscribed"/>
<xs:enumeration value="ErrorSyncFolderNotFound"/>
<xs:enumeration value="ErrorTimeIntervalTooBig"/>
<xs:enumeration value="ErrorTimeoutExpired"/>
<xs:enumeration value="ErrorTimeZone"/>
<xs:enumeration value="ErrorToFolderNotFound"/>
<xs:enumeration value="ErrorTokenSerializationDenied"/>
<xs:enumeration value="ErrorUpdatePropertyMismatch"/>
<xs:enumeration value="ErrorUnifiedMessagingDialPlanNotFound"/>
<xs:enumeration value="ErrorUnifiedMessagingRequestFailed"/>
```



```

<xs:enumeration value="ErrorUnifiedMessagingServerNotFound"/>
<xs:enumeration value="ErrorUnableToGetUserOofSettings"/>
<xs:enumeration value="ErrorUnsupportedSubFilter"/>
<xs:enumeration value="ErrorUnsupportedCulture"/>
<xs:enumeration value="ErrorUnsupportedMapiPropertyType"/>
<xs:enumeration value="ErrorUnsupportedMimeConversion"/>
<xs:enumeration value="ErrorUnsupportedPathForQuery"/>
<xs:enumeration value="ErrorUnsupportedPathForSortGroup"/>
<xs:enumeration value="ErrorUnsupportedPropertyDefinition"/>
<xs:enumeration value="ErrorUnsupportedQueryFilter"/>
<xs:enumeration value="ErrorUnsupportedRecurrence"/>
<xs:enumeration value="ErrorUnsupportedTypeForConversion"/>
<xs:enumeration value="ErrorUpdateDelegatesFailed"/>
<xs:enumeration value="ErrorUserNotUnifiedMessagingEnabled"/>
<xs:enumeration value="ErrorVoiceMailNotImplemented"/>
<xs:enumeration value="ErrorValueOutOfRange"/>
<xs:enumeration value="ErrorVirusDetected"/>
<xs:enumeration value="ErrorVirusMessageDeleted"/>
<xs:enumeration value="ErrorWebRequestInInvalidState"/>
<xs:enumeration value="ErrorWin32InteropError"/>
<xs:enumeration value="ErrorWorkingHoursSaveFailed"/>
<xs:enumeration value="ErrorWorkingHoursXmlMalformed"/>
<xs:enumeration value="ErrorWrongServerVersion"/>
<xs:enumeration value="ErrorWrongServerVersionDelegate"/>
<xs:enumeration value="ErrorMissingInformationSharingFolderId"/>
<xs:enumeration value="ErrorDuplicateSOAPHeader"/>
<xs:enumeration value="ErrorSharingSynchronizationFailed"/>
<xs:enumeration value="ErrorSharingNoExternalEwsAvailable"/>
<xs:enumeration value="ErrorFreeBusyDLLimitReached"/>
<xs:enumeration value="ErrorInvalidGetSharingFolderRequest"/>
<xs:enumeration value="ErrorNotAllowedExternalSharingByPolicy"/>
<xs:enumeration value="ErrorUserNotAllowedByPolicy"/>
<xs:enumeration value="ErrorPermissionNotAllowedByPolicy"/>
<xs:enumeration value="ErrorOrganizationNotFederated"/>
<xs:enumeration value="ErrorMailboxFailover"/>
<xs:enumeration value="ErrorInvalidExternalSharingInitiator"/>
<xs:enumeration value="ErrorMessageTrackingPermanentError"/>
<xs:enumeration value="ErrorMessageTrackingTransientError"/>
<xs:enumeration value="ErrorMessageTrackingNoSuchDomain"/>
<xs:enumeration value="ErrorUserWithoutFederatedProxyAddress"/>
<xs:enumeration value="ErrorInvalidOrganizationRelationshipForFreeBusy"/>
<xs:enumeration value="ErrorInvalidFederatedOrganizationId"/>
<xs:enumeration value="ErrorInvalidExternalSharingSubscriber"/>
<xs:enumeration value="ErrorInvalidSharingData"/>
<xs:enumeration value="ErrorInvalidSharingMessage"/>
<xs:enumeration value="ErrorNotSupportedSharingMessage"/>
<xs:enumeration value="ErrorApplyConversationActionFailed"/>
<xs:enumeration value="ErrorInboxRulesValidationErrors"/>
<xs:enumeration value="ErrorOutlookRuleBlobExists"/>
<xs:enumeration value="ErrorRulesOverQuota"/>
<xs:enumeration value="ErrorNewEventStreamConnectionOpened"/>
<xs:enumeration value="ErrorMissedNotificationEvents"/>
</xs:restriction>
</xs:simpleType>
</xs:schema>

```

6.3 Types Schema

This section provides the contents of the MS-OXWSCDATA-types.xsd file and information about additional files that this schema file requires to operate correctly.

MS-OXWSCDATA-types.xsd includes or imports the files listed in the following table. To operate correctly, this file has to be present in the folder that contains the messages schema file.

| File name | Defining specification |
|------------------------|---|
| MS-OXWSMSG-types.xsd | [MS-OXWSMSG] section 6.2. |
| MS-OXWSFOLD-types.xsd | [MS-OXWSFOLD] section 6. |
| MS-OXWSATT-types.xsd | [MS-OXWSATT] section 6.2. |
| MS-OXWSDLIST-types.xsd | [MS-OXWSDLIST] section 6.2. |
| MS-OXWSTASK-types.xsd | [MS-OXWSTASK] section 6.2. |

```
<?xml version="1.0" encoding="utf-8"?>
<xs:schema xmlns:t="http://schemas.microsoft.com/exchange/services/2006/types"
           xmlns:xs="http://www.w3.org/2001/XMLSchema"

targetNamespace="http://schemas.microsoft.com/exchange/services/2006/types"
  elementFormDefault="qualified"
  version="Exchange2010_SP1"
  id="types">
  <xs:import namespace="http://www.w3.org/XML/1998/namespace"/>
  <xs:include schemaLocation="MS-OXWSMSG-types.xsd"/>
  <xs:include schemaLocation="MS-OXWSFOLD-types.xsd"/>
  <xs:include schemaLocation="MS-OXWSATT-types.xsd"/>
  <xs:include schemaLocation="MS-OXWSDLIST-types.xsd"/>
  <xs:include schemaLocation="MS-OXWSTASK-types.xsd"/>
  <xs:complexType name="AbsoluteMonthlyRecurrencePatternType">
    <xs:complexContent>
      <xs:extension base="t:IntervalRecurrencePatternBaseType">
        <xs:sequence>
          <xs:element name="DayOfMonth" type="xs:int"/>
        </xs:sequence>
      </xs:extension>
    </xs:complexContent>
  </xs:complexType>
  <xs:complexType name="AbsoluteYearlyRecurrencePatternType">
    <xs:complexContent>
      <xs:extension base="t:RecurrencePatternBaseType">
        <xs:sequence>
          <xs:element name="DayOfMonth" type="xs:int"/>
          <xs:element name="Month" type="t:MonthNameType"/>
        </xs:sequence>
      </xs:extension>
    </xs:complexContent>
  </xs:complexType>
  <xs:complexType name="AcceptSharingInvitationType">
    <xs:complexContent>
      <xs:extension base="t:ReferenceItemResponseType"/>
    </xs:complexContent>
  </xs:complexType>
  <xs:complexType name="ArrayOfCalendarPermissionsType">
```

```

    <xs:choice minOccurs="0" maxOccurs="unbounded">
      <xs:element name="CalendarPermission" type="t:CalendarPermissionType"/>
    </xs:choice>
  </xs:complexType>
  <xs:complexType name="ArrayOfEmailAddressesType">
    <xs:sequence>
      <xs:element name="Address" type="t:EmailAddressType" minOccurs="0"
maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="ArrayOfPermissionsType">
    <xs:choice minOccurs="0" maxOccurs="unbounded">
      <xs:element name="Permission" type="t:PermissionType"/>
    </xs:choice>
  </xs:complexType>
  <xs:complexType name="ArrayOfRealItemsType">
    <xs:sequence>
      <xs:choice minOccurs="0" maxOccurs="unbounded">
        <xs:element name="Item" type="t:ItemType"/>
        <xs:element name="Message" type="t:MessageType"/>
        <xs:element name="CalendarItem" type="t:CalendarItemType"/>
        <xs:element name="Contact" type="t:ContactItemType"/>
        <xs:element name="DistributionList" type="t:DistributionListType"/>
        <xs:element name="MeetingMessage" type="t:MeetingMessageType"/>
        <xs:element name="MeetingRequest" type="t:MeetingRequestMessageType"/>
        <xs:element name="MeetingResponse" type="t:MeetingResponseMessageType"/>
        <xs:element name="MeetingCancellation" type="t:MeetingCancellationMessageType"/>
        <xs:element name="Task" type="t:TaskType"/>
        <xs:element name="PostItem" type="t:PostItemType"/>
      </xs:choice>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="ArrayOfRecipientsType">
    <xs:choice minOccurs="0" maxOccurs="unbounded">
      <xs:element name="Mailbox" type="t:EmailAddressType"/>
    </xs:choice>
  </xs:complexType>
  <xs:complexType name="ArrayOfStringsType">
    <xs:sequence>
      <xs:element name="String" type="xs:string" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="BaseEmailAddressType"/>
  <xs:complexType name="BaseItemIdType" abstract="true"/>
  <xs:complexType name="BasePathToElementType" abstract="true"/>
  <xs:complexType name="BodyType">
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="BodyType" type="t:BodyTypeType" use="required"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
  <xs:simpleType name="BodyTypeResponseType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="Best"/>
      <xs:enumeration value="HTML"/>
      <xs:enumeration value="Text"/>
    </xs:restriction>
  </xs:simpleType>

```

```

<xs:simpleType name="BodyTypeType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="HTML"/>
    <xs:enumeration value="Text"/>
  </xs:restriction>
</xs:simpleType>
<xs:complexType name="ConnectingSIDType">
  <xs:choice>
    <xs:element name="PrincipalName" type="t:NonEmptyStringType"/>
    <xs:element name="SID" type="t:NonEmptyStringType"/>
    <xs:element name="PrimarySmtpAddress" type="t:NonEmptyStringType"/>
    <xs:element name="SmtpAddress" type="t:NonEmptyStringType"/>
  </xs:choice>
</xs:complexType>
<xs:complexType name="ConstantValueType">
  <xs:attribute name="Value" type="xs:string" use="required"/>
</xs:complexType>
<xs:complexType name="DailyRecurrencePatternType">
  <xs:complexContent>
    <xs:extension base="t:IntervalRecurrencePatternBaseType"/>
  </xs:complexContent>
</xs:complexType>
<xs:simpleType name="DayOfWeekIndexType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="First"/>
    <xs:enumeration value="Second"/>
    <xs:enumeration value="Third"/>
    <xs:enumeration value="Fourth"/>
    <xs:enumeration value="Last"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="DayOfWeekType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="Sunday"/>
    <xs:enumeration value="Monday"/>
    <xs:enumeration value="Tuesday"/>
    <xs:enumeration value="Wednesday"/>
    <xs:enumeration value="Thursday"/>
    <xs:enumeration value="Friday"/>
    <xs:enumeration value="Saturday"/>
    <xs:enumeration value="Day"/>
    <xs:enumeration value="Weekday"/>
    <xs:enumeration value="WeekendDay"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="DaysOfWeekType">
  <xs:list itemType="t:DayOfWeekType"/>
</xs:simpleType>
<xs:simpleType name="DefaultShapeNamesType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="IdOnly"/>
    <xs:enumeration value="Default"/>
    <xs:enumeration value="AllProperties"/>
  </xs:restriction>
</xs:simpleType>
<xs:complexType name="DeletedOccurrenceInfoType">
  <xs:sequence>
    <xs:element name="Start" type="xs:dateTime"/>
  </xs:sequence>

```

```

</xs:complexType>
<xs:simpleType name="DictionaryURIType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="item:InternetMessageHeader"/>
    <xs:enumeration value="contacts:ImAddress"/>
    <xs:enumeration value="contacts:PhysicalAddress:Street"/>
    <xs:enumeration value="contacts:PhysicalAddress:City"/>
    <xs:enumeration value="contacts:PhysicalAddress:State"/>
    <xs:enumeration value="contacts:PhysicalAddress:CountryOrRegion"/>
    <xs:enumeration value="contacts:PhysicalAddress:PostalCode"/>
    <xs:enumeration value="contacts:PhoneNumber"/>
    <xs:enumeration value="contacts:EmailAddress"/>
    <xs:enumeration value="distributionlist:Members:Member"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="DisposalType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="HardDelete"/>
    <xs:enumeration value="SoftDelete"/>
    <xs:enumeration value="MoveToDeletedItems"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="DistinguishedFolderIdNameType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="calendar"/>
    <xs:enumeration value="contacts"/>
    <xs:enumeration value="deleteditems"/>
    <xs:enumeration value="drafts"/>
    <xs:enumeration value="inbox"/>
    <xs:enumeration value="journal"/>
    <xs:enumeration value="notes"/>
    <xs:enumeration value="outbox"/>
    <xs:enumeration value="sentitems"/>
    <xs:enumeration value="tasks"/>
    <xs:enumeration value="msgfolderroot"/>
    <xs:enumeration value="publicfoldersroot"/>
    <xs:enumeration value="root"/>
    <xs:enumeration value="junkemail"/>
    <xs:enumeration value="searchfolders"/>
    <xs:enumeration value="voicemail"/>
    <xs:enumeration value="recoverableitemsroot" />
    <xs:enumeration value="recoverableitemsdeletions" />
    <xs:enumeration value="recoverableitemsversions" />
    <xs:enumeration value="recoverableitemspurges" />
    <xs:enumeration value="archiveroot" />
    <xs:enumeration value="archivemsgfolderroot" />
    <xs:enumeration value="archiveddeleteditems" />
    <xs:enumeration value="archiverecoverableitemsroot" />
    <xs:enumeration value="archiverecoverableitemsdeletions" />
    <xs:enumeration value="archiverecoverableitemsversions" />
    <xs:enumeration value="archiverecoverableitemspurges" />
  </xs:restriction>
</xs:simpleType>
<xs:complexType name="DistinguishedFolderIdType">
  <xs:complexContent>
    <xs:extension base="t:BaseFolderIdType">
      <xs:sequence>
        <xs:element name="Mailbox" type="t:EmailAddressType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

```

        <xs:attribute name="Id" type="t:DistinguishedFolderIdNameType" use="required"/>
        <xs:attribute name="ChangeKey" type="xs:string" use="optional"/>
    </xs:extension>
</xs:complexContent>
</xs:complexType>
<xs:simpleType name="DistinguishedPropertySetType">
    <xs:restriction base="xs:string">
        <xs:enumeration value="Meeting"/>
        <xs:enumeration value="Appointment"/>
        <xs:enumeration value="Common"/>
        <xs:enumeration value="PublicStrings"/>
        <xs:enumeration value="Address"/>
        <xs:enumeration value="InternetHeaders"/>
        <xs:enumeration value="CalendarAssistant"/>
        <xs:enumeration value="UnifiedMessaging"/>
        <xs:enumeration value="Task"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="DistinguishedUserType">
    <xs:restriction base="xs:string">
        <xs:enumeration value="Default"/>
        <xs:enumeration value="Anonymous"/>
    </xs:restriction>
</xs:simpleType>
<xs:complexType name="Duration">
    <xs:sequence>
        <xs:element minOccurs="1" maxOccurs="1" name="StartTime" type="xs:dateTime"/>
        <xs:element minOccurs="1" maxOccurs="1" name="EndTime" type="xs:dateTime"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="EffectiveRightsType">
    <xs:sequence>
        <xs:element name="CreateAssociated" type="xs:boolean"/>
        <xs:element name="CreateContents" type="xs:boolean"/>
        <xs:element name="CreateHierarchy" type="xs:boolean"/>
        <xs:element name="Delete" type="xs:boolean"/>
        <xs:element name="Modify" type="xs:boolean"/>
        <xs:element name="Read" type="xs:boolean"/>
        <xs:element name="ViewPrivateItems" type="xs:boolean" minOccurs="0" maxOccurs="1" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="EmailAddress">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="1" name="Name" type="xs:string"/>
        <xs:element minOccurs="1" maxOccurs="1" name="Address" type="xs:string"/>
        <xs:element minOccurs="0" maxOccurs="1" name="RoutingType" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="EmailAddressType">
    <xs:complexContent>
        <xs:extension base="t:BaseEmailAddressType">
            <xs:sequence>
                <xs:element name="Name" type="xs:string" minOccurs="0"/>
                <xs:element name="EmailAddress" type="t:NonEmptyStringType" minOccurs="0"/>
                <xs:element name="RoutingType" type="t:NonEmptyStringType" minOccurs="0"/>
                <xs:element name="MailboxType" type="t:MailboxTypeType" minOccurs="0"/>
                <xs:element name="ItemId" type="t:ItemIdType" minOccurs="0"/>
            </xs:sequence>
        </xs:extension>
    </xs:complexContent>
</xs:complexType>

```

```

    </xs:complexContent>
</xs:complexType>
<xs:complexType name="EndDateRecurrenceRangeType">
  <xs:complexContent>
    <xs:extension base="t:RecurrenceRangeBaseType">
      <xs:sequence>
        <xs:element name="EndDate" type="xs:date"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
<xs:element name="ExceptionFieldURI" type="t:PathToExceptionFieldType"/>
<xs:simpleType name="ExceptionPropertyURIType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="attachment:Name"/>
    <xs:enumeration value="attachment:ContentType"/>
    <xs:enumeration value="attachment:Content"/>
    <xs:enumeration value="recurrence:Month"/>
    <xs:enumeration value="recurrence:DayOfWeekIndex"/>
    <xs:enumeration value="recurrence:DaysOfWeek"/>
    <xs:enumeration value="recurrence:DayOfMonth"/>
    <xs:enumeration value="recurrence:Interval"/>
    <xs:enumeration value="recurrence:NumberOfOccurrences"/>
    <xs:enumeration value="timezone:Offset"/>
  </xs:restriction>
</xs:simpleType>
<xs:complexType name="ExchangeImpersonationType">
  <xs:sequence>
    <xs:element name="ConnectingSID" type="t:ConnectingSIDType"/>
  </xs:sequence>
  <xs:anyAttribute namespace="http://schemas.xmlsoap.org/soap/envelope"/>
</xs:complexType>
<xs:element name="ExchangeImpersonation" type="t:ExchangeImpersonationType"/>
<xs:simpleType name="ExchangeVersionType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="Exchange2007"/>
    <xs:enumeration value="Exchange2007_SP1"/>
    <xs:enumeration value="Exchange2010"/>
    <xs:enumeration value="Exchange2010_SP1"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="ExcludesAttributeType">
  <xs:restriction base="xs:string">
    <xs:pattern value="((0x|0X) [0-9A-Fa-f]*)|([0-9]*)"/>
  </xs:restriction>
</xs:simpleType>
<xs:element name="FieldURI" type="t:PathToUnindexedFieldType" substitutionGroup="t:Path"/>
<xs:complexType name="FieldURIOrConstantType">
  <xs:choice>
    <xs:element ref="t:Path"/>
    <xs:element name="Constant" type="t:ConstantValueType"/>
  </xs:choice>
</xs:complexType>
<xs:attributeGroup name="FindResponsePagingAttributes">
  <xs:attribute name="IndexedPagingOffset" type="xs:int" use="optional"/>
  <xs:attribute name="NumeratorOffset" type="xs:int" use="optional"/>
  <xs:attribute name="AbsoluteDenominator" type="xs:int" use="optional"/>
  <xs:attribute name="IncludesLastItemInRange" type="xs:boolean" use="optional"/>
  <xs:attribute name="TotalItemsInView" type="xs:int" use="optional"/>

```

```

</xs:attributeGroup>
<xs:complexType name="FolderIdType">
  <xs:complexContent>
    <xs:extension base="t:BaseFolderIdType">
      <xs:attribute name="Id" type="xs:string" use="required"/>
      <xs:attribute name="ChangeKey" type="xs:string" use="optional"/>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
<xs:complexType name="FolderResponseShapeType">
  <xs:sequence>
    <xs:element name="BaseShape" type="t:DefaultShapeNamesType"/>
    <xs:element name="AdditionalProperties" type="t:NonEmptyArrayOfPathsToElementType"
minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="ForwardItemType">
  <xs:complexContent>
    <xs:extension base="t:SmartResponseType"/>
  </xs:complexContent>
</xs:complexType>
<xs:element name="IndexedFieldURI" type="t:PathToIndexedFieldType"
substitutionGroup="t:Path"/>
<xs:complexType name="InternetHeaderType">
  <xs:simpleContent>
    <xs:extension base="xs:string">
      <xs:attribute name="HeaderName" type="xs:string" use="required"/>
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
<xs:complexType name="IntervalRecurrencePatternBaseType" abstract="true">
  <xs:complexContent>
    <xs:extension base="t:RecurrencePatternBaseType">
      <xs:sequence>
        <xs:element name="Interval" type="xs:int"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
<xs:complexType name="ItemResponseShapeType">
  <xs:sequence>
    <xs:element name="BaseShape" type="t:DefaultShapeNamesType"/>
    <xs:element name="IncludeMimeContent" type="xs:boolean" minOccurs="0"/>
    <xs:element name="BodyType" type="t:BodyTypeResponseType" minOccurs="0"/>
    <xs:element name="FilterHtmlContent" type="xs:boolean" minOccurs="0"/>
    <xs:element name="ConvertHtmlCodePageToUTF8" type="xs:boolean" minOccurs="0"
maxOccurs="1"/>
    <xs:element name="AdditionalProperties" type="t:NonEmptyArrayOfPathsToElementType"
minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
<xs:simpleType name="LegacyFreeBusyType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="Free"/>
    <xs:enumeration value="Tentative"/>
    <xs:enumeration value="Busy"/>
    <xs:enumeration value="OOO"/>
    <xs:enumeration value="NoData"/>
  </xs:restriction>

```



```

</xs:simpleType>
<xs:complexType name="MailboxCultureType">
  <xs:simpleContent>
    <xs:extension base="xs:language">
      <xs:anyAttribute namespace="http://schemas.xmlsoap.org/soap/envelope/" />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
<xs:element name="MailboxCulture" type="t:MailboxCultureType"/>
<xs:simpleType name="MailboxTypeType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="Unknown"/>
    <xs:enumeration value="OneOff"/>
    <xs:enumeration value="Mailbox"/>
    <xs:enumeration value="PublicDL"/>
    <xs:enumeration value="PrivateDL"/>
    <xs:enumeration value="Contact"/>
    <xs:enumeration value="PublicFolder"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="MonthNamesType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="January"/>
    <xs:enumeration value="February"/>
    <xs:enumeration value="March"/>
    <xs:enumeration value="April"/>
    <xs:enumeration value="May"/>
    <xs:enumeration value="June"/>
    <xs:enumeration value="July"/>
    <xs:enumeration value="August"/>
    <xs:enumeration value="September"/>
    <xs:enumeration value="October"/>
    <xs:enumeration value="November"/>
    <xs:enumeration value="December"/>
  </xs:restriction>
</xs:simpleType>
<xs:complexType name="NoEndRecurrenceRangeType">
  <xs:complexContent>
    <xs:extension base="t:RecurrenceRangeBaseType"/>
  </xs:complexContent>
</xs:complexType>
<xs:complexType name="NonEmptyArrayOfAllItemsType">
  <xs:sequence>
    <xs:choice maxOccurs="unbounded">
      <xs:element name="Item" type="t:ItemType"/>
      <xs:element name="Message" type="t:MessageType"/>
      <xs:element name="CalendarItem" type="t:CalendarItemType"/>
      <xs:element name="Contact" type="t:ContactItemType"/>
      <xs:element name="DistributionList" type="t:DistributionListType"/>
      <xs:element name="MeetingMessage" type="t:MeetingMessageType"/>
      <xs:element name="MeetingRequest" type="t:MeetingRequestMessageType"/>
      <xs:element name="MeetingResponse" type="t:MeetingResponseMessageType"/>
      <xs:element name="MeetingCancellation" type="t:MeetingCancellationMessageType"/>
      <xs:element name="Task" type="t:TaskType"/>
      <xs:element name="PostItem" type="t:PostItemType"/>
      <xs:element name="ReplyToItem" type="t:ReplyToItemType"/>
      <xs:element name="ForwardItem" type="t:ForwardItemType"/>
      <xs:element name="ReplyAllToItem" type="t:ReplyAllToItemType"/>
      <xs:element name="AcceptItem" type="t:AcceptItemType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

```

    <xs:element name="TentativelyAcceptItem" type="t:TentativelyAcceptItemType"/>
    <xs:element name="DeclineItem" type="t:DeclineItemType"/>
    <xs:element name="CancelCalendarItem" type="t:CancelCalendarItemType"/>
    <xs:element name="RemoveItem" type="t:RemoveItemType"/>
    <xs:element name="SuppressReadReceipt" type="t:SuppressReadReceiptType"/>
    <xs:element name="PostReplyItem" type="t:PostReplyItemType"/>
    <xs:element name="AcceptSharingInvitation" type="t:AcceptSharingInvitationType"/>
  </xs:choice>
</xs:sequence>
</xs:complexType>
<xs:complexType name="NonEmptyArrayOfAttachmentsType">
  <xs:choice maxOccurs="unbounded">
    <xs:element name="ItemAttachment" type="t:ItemAttachmentType"/>
    <xs:element name="FileAttachment" type="t:FileAttachmentType"/>
  </xs:choice>
</xs:complexType>
<xs:complexType name="NonEmptyArrayOfPathsToElementType">
  <xs:choice maxOccurs="unbounded">
    <xs:element ref="t:Path"/>
  </xs:choice>
</xs:complexType>
<xs:simpleType name="NonEmptyStringType">
  <xs:restriction base="xs:string">
    <xs:minLength value="1"/>
  </xs:restriction>
</xs:simpleType>
<xs:complexType name="NumberedRecurrenceRangeType">
  <xs:complexContent>
    <xs:extension base="t:RecurrenceRangeBaseType">
      <xs:sequence>
        <xs:element name="NumberOfOccurrences" type="xs:int"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
<xs:element name="Path" type="t:BasePathToElementType" abstract="true"/>
<xs:complexType name="PathToExceptionFieldType">
  <xs:complexContent>
    <xs:extension base="t:BasePathToElementType">
      <xs:attribute name="FieldURI" type="t:ExceptionPropertyURIType" use="required"/>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
<xs:complexType name="PathToIndexedFieldType">
  <xs:complexContent>
    <xs:extension base="t:BasePathToElementType">
      <xs:attribute name="FieldURI" type="t:DictionaryURIType" use="required"/>
      <xs:attribute name="FieldIndex" type="xs:string" use="required"/>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
<xs:complexType name="PathToUnindexedFieldType">
  <xs:complexContent>
    <xs:extension base="t:BasePathToElementType">
      <xs:attribute name="FieldURI" type="t:UnindexedFieldURIType" use="required"/>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
<xs:complexType name="RecurrencePatternBaseType" abstract="true"/>

```

```

<xs:group name="RecurrencePatternTypes">
  <xs:sequence>
    <xs:choice>
      <xs:element name="RelativeYearlyRecurrence"
type="t:RelativeYearlyRecurrencePatternType"/>
      <xs:element name="AbsoluteYearlyRecurrence"
type="t:AbsoluteYearlyRecurrencePatternType"/>
      <xs:element name="RelativeMonthlyRecurrence"
type="t:RelativeMonthlyRecurrencePatternType"/>
      <xs:element name="AbsoluteMonthlyRecurrence"
type="t:AbsoluteMonthlyRecurrencePatternType"/>
      <xs:element name="WeeklyRecurrence" type="t:WeeklyRecurrencePatternType"/>
      <xs:element name="DailyRecurrence" type="t:DailyRecurrencePatternType"/>
    </xs:choice>
  </xs:sequence>
</xs:group>
<xs:complexType name="RecurrenceRangeBaseType" abstract="true">
  <xs:sequence>
    <xs:element name="StartDate" type="xs:date"/>
  </xs:sequence>
</xs:complexType>
<xs:group name="RecurrenceRangeTypes">
  <xs:sequence>
    <xs:choice>
      <xs:element name="NoEndRecurrence" type="t:NoEndRecurrenceRangeType"/>
      <xs:element name="EndDateRecurrence" type="t:EndDateRecurrenceRangeType"/>
      <xs:element name="NumberedRecurrence" type="t:NumberedRecurrenceRangeType"/>
    </xs:choice>
  </xs:sequence>
</xs:group>
<xs:complexType name="RelativeMonthlyRecurrencePatternType">
  <xs:complexContent>
    <xs:extension base="t:IntervalRecurrencePatternBaseType">
      <xs:sequence>
        <xs:element name="DaysOfWeek" type="t:DayOfWeekType"/>
        <xs:element name="DayOfWeekIndex" type="t:DayOfWeekIndexType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
<xs:complexType name="RelativeYearlyRecurrencePatternType">
  <xs:complexContent>
    <xs:extension base="t:RecurrencePatternBaseType">
      <xs:sequence>
        <xs:element name="DaysOfWeek" type="t:DayOfWeekType"/>
        <xs:element name="DayOfWeekIndex" type="t:DayOfWeekIndexType"/>
        <xs:element name="Month" type="t:MonthNamesType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
<xs:complexType name="ReplyAllToItemType">
  <xs:complexContent>
    <xs:extension base="t:SmartResponseType"/>
  </xs:complexContent>
</xs:complexType>
<xs:complexType name="ReplyBody">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Message" type="xs:string"/>
  </xs:sequence>
</xs:complexType>

```

```

    </xs:sequence>
    <xs:attribute ref="xml:lang" use="optional"/>
  </xs:complexType>
  <xs:complexType name="ReplyToItemType">
    <xs:complexContent>
      <xs:extension base="t:SmartResponseType"/>
    </xs:complexContent>
  </xs:complexType>
  <xs:element name="RequestServerVersion">
    <xs:complexType>
      <xs:attribute name="Version" type="t:ExchangeVersionType" use="required"
fixed="Exchange2010_SP1"/>
      <xs:anyAttribute namespace="http://schemas.xmlsoap.org/soap/envelope/" />
    </xs:complexType>
  </xs:element>
  <xs:simpleType name="ResponseClassType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="Success"/>
      <xs:enumeration value="Warning"/>
      <xs:enumeration value="Error"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:complexType name="ResponseObjectCoreType" abstract="true">
    <xs:complexContent>
      <xs:extension base="t:MessageType">
        <xs:sequence>
          <xs:element name="ReferenceItemId" type="t:ItemIdType" minOccurs="0"/>
        </xs:sequence>
      </xs:extension>
    </xs:complexContent>
  </xs:complexType>
  <xs:complexType name="ResponseObjectType" abstract="true">
    <xs:complexContent>
      <xs:extension base="t:ResponseObjectCoreType">
        <xs:attribute name="ObjectName" type="xs:string" use="optional"/>
      </xs:extension>
    </xs:complexContent>
  </xs:complexType>
  <xs:simpleType name="SensitivityChoicesType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="Normal"/>
      <xs:enumeration value="Personal"/>
      <xs:enumeration value="Private"/>
      <xs:enumeration value="Confidential"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:element name="ServerVersionInfo">
    <xs:complexType>
      <xs:attribute name="MajorVersion" type="xs:int" use="optional"/>
      <xs:attribute name="MinorVersion" type="xs:int" use="optional"/>
      <xs:attribute name="MajorBuildNumber" type="xs:int" use="optional"/>
      <xs:attribute name="MinorBuildNumber" type="xs:int" use="optional"/>
      <xs:attribute name="Version" type="xs:string" use="optional"/>
    </xs:complexType>
  </xs:element>
  <xs:complexType name="SingleRecipientType">
    <xs:choice>
      <xs:element name="Mailbox" type="t:EmailAddressType"/>
    </xs:choice>
  </xs:complexType>

```

```

</xs:complexType>
<xs:complexType name="SuppressReadReceiptType">
  <xs:complexContent>
    <xs:extension base="t:ReferenceItemResponseType"/>
  </xs:complexContent>
</xs:complexType>
<xs:group name="TaskRecurrencePatternTypes">
  <xs:sequence>
    <xs:choice>
      <xs:element name="RelativeYearlyRecurrence"
type="t:RelativeYearlyRecurrencePatternType"/>
      <xs:element name="AbsoluteYearlyRecurrence"
type="t:AbsoluteYearlyRecurrencePatternType"/>
      <xs:element name="RelativeMonthlyRecurrence"
type="t:RelativeMonthlyRecurrencePatternType"/>
      <xs:element name="AbsoluteMonthlyRecurrence"
type="t:AbsoluteMonthlyRecurrencePatternType"/>
      <xs:element name="WeeklyRecurrence" type="t:WeeklyRecurrencePatternType"/>
      <xs:element name="DailyRecurrence" type="t:DailyRecurrencePatternType"/>
      <xs:element name="DailyRegeneration" type="t:DailyRegeneratingPatternType"/>
      <xs:element name="WeeklyRegeneration" type="t:WeeklyRegeneratingPatternType"/>
      <xs:element name="MonthlyRegeneration" type="t:MonthlyRegeneratingPatternType"/>
      <xs:element name="YearlyRegeneration" type="t:YearlyRegeneratingPatternType"/>
    </xs:choice>
  </xs:sequence>
</xs:group>
<xs:group name="TimeChangePatternTypes">
  <xs:sequence>
    <xs:choice>
      <xs:element name="RelativeYearlyRecurrence"
type="t:RelativeYearlyRecurrencePatternType"/>
      <xs:element name="AbsoluteDate" type="xs:date"/>
    </xs:choice>
  </xs:sequence>
</xs:group>
<xs:simpleType name="UnindexedFieldURIType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="folder:FolderId"/>
    <xs:enumeration value="folder:ParentFolderId"/>
    <xs:enumeration value="folder:DisplayName"/>
    <xs:enumeration value="folder:UnreadCount"/>
    <xs:enumeration value="folder:TotalCount"/>
    <xs:enumeration value="folder:ChildFolderCount"/>
    <xs:enumeration value="folder:FolderClass"/>
    <xs:enumeration value="folder:SearchParameters"/>
    <xs:enumeration value="folder:ManagedFolderInformation"/>
    <xs:enumeration value="folder:PermissionSet"/>
    <xs:enumeration value="folder:EffectiveRights"/>
    <xs:enumeration value="folder:SharingEffectiveRights"/>
    <xs:enumeration value="item:ItemId"/>
    <xs:enumeration value="item:ParentFolderId"/>
    <xs:enumeration value="item:ItemClass"/>
    <xs:enumeration value="item:MimeContent"/>
    <xs:enumeration value="item:Attachments"/>
    <xs:enumeration value="item:Subject"/>
    <xs:enumeration value="item:DateTimeReceived"/>
    <xs:enumeration value="item:Size"/>
    <xs:enumeration value="item:Categories"/>
    <xs:enumeration value="item:HasAttachments"/>
  </xs:restriction>
</xs:simpleType>

```

```

<xs:enumeration value="item:Importance"/>
<xs:enumeration value="item:InReplyTo"/>
<xs:enumeration value="item:InternetMessageHeaders"/>
<xs:enumeration value="item:IsAssociated"/>
<xs:enumeration value="item:IsDraft"/>
<xs:enumeration value="item:IsFromMe"/>
<xs:enumeration value="item:IsResend"/>
<xs:enumeration value="item:IsSubmitted"/>
<xs:enumeration value="item:IsUnmodified"/>
<xs:enumeration value="item:DateTimeSent"/>
<xs:enumeration value="item:DateTimeCreated"/>
<xs:enumeration value="item:Body"/>
<xs:enumeration value="item:ResponseObjects"/>
<xs:enumeration value="item:Sensitivity"/>
<xs:enumeration value="item:ReminderDueBy"/>
<xs:enumeration value="item:ReminderIsSet"/>
<xs:enumeration value="item:ReminderMinutesBeforeStart"/>
<xs:enumeration value="item:DisplayTo"/>
<xs:enumeration value="item:DisplayCc"/>
<xs:enumeration value="item:Culture"/>
<xs:enumeration value="item:EffectiveRights"/>
<xs:enumeration value="item:LastModifiedName"/>
<xs:enumeration value="item:LastModifiedTime"/>
<xs:enumeration value="item:ConversationId"/>
<xs:enumeration value="item:UniqueBody"/>
<xs:enumeration value="item:WebClientReadFormQueryString"/>
<xs:enumeration value="item:WebClientEditFormQueryString"/>
<xs:enumeration value="message:ConversationIndex"/>
<xs:enumeration value="message:ConversationTopic"/>
<xs:enumeration value="message:InternetMessageId"/>
<xs:enumeration value="message:IsRead"/>
<xs:enumeration value="message:IsResponseRequested"/>
<xs:enumeration value="message:IsReadReceiptRequested"/>
<xs:enumeration value="message:IsDeliveryReceiptRequested"/>
<xs:enumeration value="message:ReceivedBy"/>
<xs:enumeration value="message:ReceivedRepresenting"/>
<xs:enumeration value="message:References"/>
<xs:enumeration value="message:ReplyTo"/>
<xs:enumeration value="message:From"/>
<xs:enumeration value="message:Sender"/>
<xs:enumeration value="message:ToRecipients"/>
<xs:enumeration value="message:CcRecipients"/>
<xs:enumeration value="message:BccRecipients"/>
<xs:enumeration value="meeting:AssociatedCalendarItemId"/>
<xs:enumeration value="meeting:IsDelegated"/>
<xs:enumeration value="meeting:IsOutOfDate"/>
<xs:enumeration value="meeting:HasBeenProcessed"/>
<xs:enumeration value="meeting:ResponseType"/>
<xs:enumeration value="meetingRequest:MeetingRequestType"/>
<xs:enumeration value="meetingRequest:IntendedFreeBusyStatus"/>
<xs:enumeration value="calendar:Start"/>
<xs:enumeration value="calendar:End"/>
<xs:enumeration value="calendar:OriginalStart"/>
<xs:enumeration value="calendar:IsAllDayEvent"/>
<xs:enumeration value="calendar:LegacyFreeBusyStatus"/>
<xs:enumeration value="calendar:Location"/>
<xs:enumeration value="calendar:When"/>
<xs:enumeration value="calendar:IsMeeting"/>
<xs:enumeration value="calendar:IsCancelled"/>

```

```

<xs:enumeration value="calendar:IsRecurring"/>
<xs:enumeration value="calendar:MeetingRequestWasSent"/>
<xs:enumeration value="calendar:IsResponseRequested"/>
<xs:enumeration value="calendar:CalendarItemType"/>
<xs:enumeration value="calendar:MyResponseType"/>
<xs:enumeration value="calendar:Organizer"/>
<xs:enumeration value="calendar:RequiredAttendees"/>
<xs:enumeration value="calendar:OptionalAttendees"/>
<xs:enumeration value="calendar:Resources"/>
<xs:enumeration value="calendar:ConflictingMeetingCount"/>
<xs:enumeration value="calendar:AdjacentMeetingCount"/>
<xs:enumeration value="calendar:ConflictingMeetings"/>
<xs:enumeration value="calendar:AdjacentMeetings"/>
<xs:enumeration value="calendar:Duration"/>
<xs:enumeration value="calendar:TimeZone"/>
<xs:enumeration value="calendar:AppointmentReplyTime"/>
<xs:enumeration value="calendar:AppointmentSequenceNumber"/>
<xs:enumeration value="calendar:AppointmentState"/>
<xs:enumeration value="calendar:Recurrence"/>
<xs:enumeration value="calendar:FirstOccurrence"/>
<xs:enumeration value="calendar>LastOccurrence"/>
<xs:enumeration value="calendar:ModifiedOccurrences"/>
<xs:enumeration value="calendar:DeletedOccurrences"/>
<xs:enumeration value="calendar:MeetingTimeZone"/>
<xs:enumeration value="calendar:ConferenceType"/>
<xs:enumeration value="calendar:AllowNewTimeProposal"/>
<xs:enumeration value="calendar:IsOnlineMeeting"/>
<xs:enumeration value="calendar:MeetingWorkspaceUrl"/>
<xs:enumeration value="calendar:NetShowUrl"/>
<xs:enumeration value="calendar:UID"/>
<xs:enumeration value="calendar:RecurrenceId"/>
<xs:enumeration value="calendar:DateTimeStamp"/>
<xs:enumeration value="calendar:StartTimeZone"/>
<xs:enumeration value="calendar:EndTimeZone"/>
<xs:enumeration value="task:ActualWork"/>
<xs:enumeration value="task:AssignedTime"/>
<xs:enumeration value="task:BillingInformation"/>
<xs:enumeration value="task:ChangeCount"/>
<xs:enumeration value="task:Companies"/>
<xs:enumeration value="task:CompleteDate"/>
<xs:enumeration value="task:Contacts"/>
<xs:enumeration value="task:DelegationState"/>
<xs:enumeration value="task:Delegator"/>
<xs:enumeration value="task:DueDate"/>
<xs:enumeration value="task:IsAssignmentEditable"/>
<xs:enumeration value="task:IsComplete"/>
<xs:enumeration value="task:IsRecurring"/>
<xs:enumeration value="task:IsTeamTask"/>
<xs:enumeration value="task:Mileage"/>
<xs:enumeration value="task:Owner"/>
<xs:enumeration value="task:PercentComplete"/>
<xs:enumeration value="task:Recurrence"/>
<xs:enumeration value="task:StartDate"/>
<xs:enumeration value="task:Status"/>
<xs:enumeration value="task:StatusDescription"/>
<xs:enumeration value="task:TotalWork"/>
<xs:enumeration value="contacts:AssistantName"/>
<xs:enumeration value="contacts:Birthday"/>
<xs:enumeration value="contacts:BusinessHomePage"/>

```

```
<xs:enumeration value="contacts:Children"/>
<xs:enumeration value="contacts:Companies"/>
<xs:enumeration value="contacts:CompanyName"/>
<xs:enumeration value="contacts:CompleteName"/>
<xs:enumeration value="contacts:ContactSource"/>
<xs:enumeration value="contacts:Culture"/>
<xs:enumeration value="contacts:Department"/>
<xs:enumeration value="contacts:DisplayName"/>
<xs:enumeration value="contacts:EmailAddresses"/>
<xs:enumeration value="contacts:FileAs"/>
<xs:enumeration value="contacts:FileAsMapping"/>
<xs:enumeration value="contacts:Generation"/>
<xs:enumeration value="contacts:GivenName"/>
<xs:enumeration value="contacts:ImAddresses"/>
<xs:enumeration value="contacts:Initials"/>
<xs:enumeration value="contacts:JobTitle"/>
<xs:enumeration value="contacts:Manager"/>
<xs:enumeration value="contacts:MiddleName"/>
<xs:enumeration value="contacts:Mileage"/>
<xs:enumeration value="contacts:Nickname"/>
<xs:enumeration value="contacts:OfficeLocation"/>
<xs:enumeration value="contacts:PhoneNumbers"/>
<xs:enumeration value="contacts:PhysicalAddresses"/>
<xs:enumeration value="contacts:PostalAddressIndex"/>
<xs:enumeration value="contacts:Profession"/>
<xs:enumeration value="contacts:SpouseName"/>
<xs:enumeration value="contacts:Surname"/>
<xs:enumeration value="contacts:WeddingAnniversary"/>
<xs:enumeration value="contacts:HasPicture"/>
<xs:enumeration value="distributionlist:Members"/>
<xs:enumeration value="postitem:PostedTime"/>
<xs:enumeration value="conversation:ConversationId" />
<xs:enumeration value="conversation:ConversationTopic" />
<xs:enumeration value="conversation:UniqueRecipients" />
<xs:enumeration value="conversation:GlobalUniqueRecipients" />
<xs:enumeration value="conversation:UniqueUnreadSenders" />
<xs:enumeration value="conversation:GlobalUniqueUnreadSenders" />
<xs:enumeration value="conversation:UniqueSenders" />
<xs:enumeration value="conversation:GlobalUniqueSenders" />
<xs:enumeration value="conversation:LastDeliveryTime" />
<xs:enumeration value="conversation:GlobalLastDeliveryTime" />
<xs:enumeration value="conversation:Categories" />
<xs:enumeration value="conversation:GlobalCategories" />
<xs:enumeration value="conversation:FlagStatus" />
<xs:enumeration value="conversation:GlobalFlagStatus" />
<xs:enumeration value="conversation:HasAttachments" />
<xs:enumeration value="conversation:GlobalHasAttachments" />
<xs:enumeration value="conversation:MessageCount" />
<xs:enumeration value="conversation:GlobalMessageCount" />
<xs:enumeration value="conversation:UnreadCount" />
<xs:enumeration value="conversation:GlobalUnreadCount" />
<xs:enumeration value="conversation:Size" />
<xs:enumeration value="conversation:GlobalSize" />
<xs:enumeration value="conversation:ItemClasses" />
<xs:enumeration value="conversation:GlobalItemClasses" />
<xs:enumeration value="conversation:Importance" />
<xs:enumeration value="conversation:GlobalImportance" />
<xs:enumeration value="conversation:ItemIds" />
<xs:enumeration value="conversation:GlobalItemIds" />
```



```

    </xs:restriction>
  </xs:simpleType>
  <xs:complexType name="UserIdType">
    <xs:sequence>
      <xs:element name="SID" type="xs:string" minOccurs="0"/>
      <xs:element name="PrimarySmtpAddress" type="xs:string" minOccurs="0"/>
      <xs:element name="DisplayName" type="xs:string" minOccurs="0"/>
      <xs:element name="DistinguishedUser" type="t:DistinguishedUserType" minOccurs="0"/>
      <xs:element name="ExternalUserIdentity" type="xs:string" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="Value">
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="Name" type="xs:string" use="required"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
  <xs:element name="Value" type="t:Value"/>
  <xs:complexType name="WeeklyRecurrencePatternType">
    <xs:complexContent>
      <xs:extension base="t:IntervalRecurrencePatternBaseType">
        <xs:sequence>
          <xs:element name="DaysOfWeek" type="t:DaysOfWeekType"/>
          <xs:element name="FirstDayOfWeek" type="t:DayOfWeekType" minOccurs="0"/>
        </xs:sequence>
      </xs:extension>
    </xs:complexContent>
  </xs:complexType>
  <xs:complexType name="WellKnownResponseObjectType">
    <xs:complexContent>
      <xs:restriction base="t:ResponseObjectType">
        <xs:sequence>
          <xs:element name="ItemClass" type="t:ItemClassType" minOccurs="0"/>
          <xs:element name="Sensitivity" type="t:SensitivityChoicesType" minOccurs="0"/>
          <xs:element name="Body" type="t:BodyType" minOccurs="0"/>
          <xs:element name="Attachments" type="t:NonEmptyArrayOfAttachmentsType"
minOccurs="0"/>
          <xs:element name="InternetMessageHeaders"
type="t:NonEmptyArrayOfInternetHeadersType" minOccurs="0"/>
          <xs:element name="Sender" type="t:SingleRecipientType" minOccurs="0"/>
          <xs:element name="ToRecipients" type="t:ArrayOfRecipientsType" minOccurs="0"/>
          <xs:element name="CcRecipients" type="t:ArrayOfRecipientsType" minOccurs="0"/>
          <xs:element name="BccRecipients" type="t:ArrayOfRecipientsType" minOccurs="0"/>
          <xs:element name="IsReadReceiptRequested" type="xs:boolean" minOccurs="0"/>
          <xs:element name="IsDeliveryReceiptRequested" type="xs:boolean" minOccurs="0"/>
          <xs:element name="From" type="t:SingleRecipientType" minOccurs="0"/>
          <xs:element name="ReferenceItemId" type="t:ItemIdType" minOccurs="0"/>
        </xs:sequence>
        <xs:attribute name="ObjectName" type="xs:string" use="prohibited"/>
      </xs:restriction>
    </xs:complexContent>
  </xs:complexType>
</xs:schema>

```

7 Appendix B: Product Behavior

The information in this specification is applicable to the following Microsoft products:

- Microsoft® Exchange Server 2007
- Microsoft® Exchange Server 2007 Service Pack 1 (SP1)
- Microsoft® Exchange Server 2010
- Microsoft® Exchange Server 2010 Service Pack 1 (SP1)

Exceptions, if any, are noted below. If a service pack number appears with the product version, behavior changed in that service pack. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that product does not follow the prescription.

[<1> Section 2.2.2.9:](#) Exchange 2007 and Exchange 2010 do not include the following enumeration values: recoverableitemsroot, recoverableitemsdeletions, recoverableitemsversions, recoverableitemspurges, archiveroot, archivemsgfolderroot, archiveddeleteditems, archiverecoverableitemsroot, archiverecoverableitemsdeletions, archiverecoverableitemsversions, and archiverecoverableitemspurges.

[<2> Section 2.2.2.13:](#) Exchange 2007 does not include the **ExchangeVersionType** simple type.

[<3> Section 2.2.2.13:](#) Exchange 2007 includes only the target schema that is identified by the Exchange2007 enumeration value.

[<4> Section 2.2.2.13:](#) Exchange 2007 does not include the target schema that is identified by the Exchange2007_SP1 enumeration value.

[<5> Section 2.2.2.13:](#) Exchange 2007 and Exchange 2007 SP1 do not include the target schema that is identified by the Exchange2010 enumeration value.

[<6> Section 2.2.2.13:](#) Exchange 2007, Exchange 2007 SP1, and Exchange 2010 do not include the target schema that is identified by the Exchange2010_SP1 enumeration value.

[<7> Section 2.2.2.20:](#) Exchange 2007 and Exchange 2010 do not include the following response codes: ErrorAccessModeSpecified, ErrorCannotEmptyFolder, ErrorClientDisconnected, ErrorInvalidLogonType, ErrorNoApplicableProxyCASServersAvailable, ErrorNoPublicFolderServerAvailable, ErrorProxyServiceDiscoveryFailed, ErrorSubscriptionUnsubscribed, ErrorOutlookRuleBlobExists, ErrorRulesOverQuota, ErrorInboxRulesValidationError, ErrorNewEventStreamRulesConnectionOpened, ErrorMissedNotificationEvents, and ErrorApplyConversationActionFailed.

[<8> Section 2.2.2.22:](#) Exchange 2007 and Exchange 2010 do not include the following enumeration values: conversation:ConversationId, conversation:ConversationTopic, conversation:UniqueRecipients, conversation:GlobalUniqueRecipients, conversation:UniqueUnreadSenders, conversation:GlobalUniqueUnreadSenders, conversation:UniqueSenders, conversation:GlobalUniqueSenders, conversation:LastDeliveryTime, conversation:GlobalLastDeliveryTime, conversation:Categories, conversation:GlobalCategories,

conversation:FlagStatus, conversation:GlobalFlagStatus, conversation:HasAttachments, conversation:GlobalHasAttachments, conversation:MessageCount, conversation:GlobalMessageCount, conversation:UnreadCount, conversation:GlobalUnreadCount, conversation:Size, conversation:GlobalSize, conversation:ItemClasses, conversation:GlobalItemClasses, conversation:Importance, conversation:GlobalImportance, conversation:ItemIds, and conversation:GlobalItemIds.

[<9> Section 2.2.3.9](#): Exchange 2007 and Exchange 2010 do not include the <EmptyFolderResponseMessage> element.

[<10> Section 2.2.3.9](#): Exchange 2007 and Exchange 2010 do not include the <UploadItemsResponseMessage> element.

[<11> Section 2.2.3.9](#): Exchange 2007 and Exchange 2010 do not include the <ExportItemsResponseMessage> element.

[<12> Section 2.2.3.9](#): Exchange 2007 and Exchange 2010 do not include the <GetStreamingEventsResponseMessage> element.

[<13> Section 2.2.3.9](#): Exchange 2007 and Exchange 2010 do not include the <ApplyConversationActionResponseMessage> element.

[<14> Section 2.2.3.23](#): Exchange 2007 and Exchange 2010 do not include the <ViewPrivateItems> element.

[<15> Section 2.2.3.35](#): Exchange 2007 and Exchange 2010 do not include the <ConvertHtmlCodePageToUTF8> element.

[<16> Section 2.2.3.59](#): Exchange 2007 and Exchange 2010 do not include the <FirstDayOfWeek> element.

[<17> Section 2.2.4.7](#): Exchange 2007 does not include the <RequestServerVersion> element. Exchange 2007 SP1 includes a **fixed** attribute with a value equal to **Exchange2007_SP1**. Exchange 2010 includes a **fixed** attribute with a value equal to **Exchange2010**.

8 Change Tracking

This section identifies changes that were made to the [MS-OXWSCDATA] protocol document between the August 2010 and November 2010 releases. Changes are classified as New, Major, Minor, Editorial, or No change.

The revision class **New** means that a new document is being released.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- Changes made for template compliance.
- Removal of a document from the documentation set.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **Editorial** means that the language and formatting in the technical content was changed. Editorial changes apply to grammatical, formatting, and style issues.

The revision class **No change** means that no new technical or language changes were introduced. The technical content of the document is identical to the last released version, but minor editorial and formatting changes, as well as updates to the header and footer information, and to the revision summary, may have been made.

Major and minor changes can be described further using the following change types:

- New content added.
- Content updated.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.

- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.
- Content removed for template compliance.
- Obsolete document removed.

Editorial changes are always classified with the change type "Editorially updated."

Some important terms used in revision type descriptions are defined as follows:

- **Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.
- **Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

The changes made to this document are listed in the following table. For more information, please contact protocol@microsoft.com.

| Section | Tracking number (if applicable) and description | Major change (Y or N) | Change Type |
|---|---|------------------------------|--------------------|
| 1.1 Glossary | 48030 Added "free/busy" and "Out of Office (OOF) " to the list of terms that are defined in [MS-OXGLOS]. | N | New content added. |
| 2.2.2.20 m:ResponseCodeType Simple Type | 57129 Removed references to product names. | N | Content updated. |

9 Index

A

[Applicability](#) 8

C

[Capability negotiation](#) 8

[Change tracking](#) 172

Client

[abstract data model](#) 140

[initialization](#) 140

[local events](#) 141

[message processing](#) 140

[overview](#) 140

[sequencing rules](#) 140

[timer events](#) 141

[timers](#) 140

F

[Full WSDL](#) 144

G

[Glossary](#) 6

I

[Introduction](#) 6

M

Messages

[overview](#) 9

[syntax](#) 9

[transport](#) 9

O

[Overview \(synopsis\)](#) 8

P

[Preconditions](#) 8

[Prerequisites](#) 8

[Product behavior](#) 170

R

References

[informative](#) 8

[normative](#) 6

[Relationship to other protocols](#) 8

S

Security

[implementer considerations](#) 143

[overview](#) 143

[parameter index](#) 143

Server

[abstract data model](#) 140

[initialization](#) 140

[local events](#) 140

[message processing](#) 140

[overview](#) 140

[sequencing rules](#) 140

[timer events](#) 140

[timers](#) 140

[Standards assignments](#) 8

T

[Tracking changes](#) 172

V

[Vendor-extensible fields](#) 8

[Versioning](#) 8