

[MS-MWBE]: Microsoft Web Browser Federated Sign-On Protocol Extensions

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
03/14/2007	1.0		Version 1.0 release
04/10/2007	1.1		Version 1.1 release
05/18/2007	1.2		Version 1.2 release
06/08/2007	1.2.1	Editorial	Revised and edited the technical content.
07/10/2007	1.2.2	Editorial	Revised and edited the technical content.
08/17/2007	1.2.3	Editorial	Revised and edited the technical content.
09/21/2007	1.2.4	Editorial	Revised and edited the technical content.
10/26/2007	1.2.5	Editorial	Revised and edited the technical content.
01/25/2008	1.2.6	Editorial	Revised and edited the technical content.
03/14/2008	1.2.7	Editorial	Revised and edited the technical content.
06/20/2008	1.2.8	Editorial	Revised and edited the technical content.
07/25/2008	1.2.9	Editorial	Revised and edited the technical content.
08/29/2008	1.2.10	Editorial	Revised and edited the technical content.
10/24/2008	2.0	Major	Updated and revised the technical content.
12/05/2008	3.0	Major	Updated and revised the technical content.
01/16/2009	3.0.1	Editorial	Revised and edited the technical content.
02/27/2009	3.0.2	Editorial	Revised and edited the technical content.
04/10/2009	3.0.3	Editorial	Revised and edited the technical content.
05/22/2009	3.1	Minor	Updated the technical content.
07/02/2009	4.0	Major	Updated and revised the technical content.
08/14/2009	5.0	Major	Updated and revised the technical content.
09/25/2009	5.1	Minor	Updated the technical content.
11/06/2009	5.1.1	Editorial	Revised and edited the technical content.
12/18/2009	5.1.2	Editorial	Revised and edited the technical content.
01/29/2010	5.2	Minor	Updated the technical content.
03/12/2010	5.2.1	Editorial	Revised and edited the technical content.

Date	Revision History	Revision Class	Comments
04/23/2010	5.2.2	Editorial	Revised and edited the technical content.
06/04/2010	5.2.3	Editorial	Revised and edited the technical content.
07/16/2010	6.0	Major	Significantly changed the technical content.
08/27/2010	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
10/08/2010	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
11/19/2010	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
01/07/2011	7.0	Major	Significantly changed the technical content.
02/11/2011	7.0	No change	No changes to the meaning, language, or formatting of the technical content.

Contents

1 Introduction	6
1.1 Glossary	6
1.2 References	7
1.2.1 Normative References	7
1.2.2 Informative References	9
1.3 Overview	9
1.3.1 Query String Response Transfer Protocol	9
1.3.2 SAML 1.1 Assertion Extension	9
1.4 Relationship to Other Protocols	10
1.5 Prerequisites/Preconditions	10
1.6 Applicability Statement	10
1.7 Versioning and Capability Negotiation	10
1.8 Vendor-Extensible Fields	10
1.9 Standards Assignments	11
2 Messages.....	12
2.1 Transport	12
2.1.1 Query String Response Transfer Protocol	12
2.2 Message Syntax	12
2.2.1 XML Namespace References	12
2.2.2 Query String Response Transfer Protocol	12
2.2.2.1 wsignin1.0 Message	12
2.2.2.1.1 Common Parameters	12
2.2.2.1.2 wsignin1.0 Response	13
2.2.2.3 SAML 1.1 Assertion Extension	13
2.2.3.1 SAML Advice Elements	13
2.2.3.2 WindowsIdentifiers Structure	13
2.2.3.2.1 WindowsIdentifierFlags Structure	14
2.2.3.2.2 PACKED_SIDs Structure	14
2.3 Directory Service Schema Elements	15
3 Protocol Details	16
3.1 IP/STS Details	16
3.1.1 Abstract Data Model	16
3.1.1.1 Query String Response Transfer Protocol	16
3.1.1.1.1 Pending Result	16
3.1.1.1.2 Maximum Query String Response Message Length	16
3.1.2 Timers	17
3.1.3 Initialization	17
3.1.4 Higher-Layer Triggered Events	17
3.1.5 Processing Events and Sequencing Rules	17
3.1.5.1 Query String Response Transfer Protocol	17
3.1.5.1.1 Receiving a wsignin1.0 Request That Does Not Specify a ttpindex	17
3.1.5.1.2 Receiving a wsignin1.0 Request That Specifies a ttpindex of 0	17
3.1.5.1.3 Receiving a wsignin1.0 Request That Specifies a ttpindex Other Than 0	18
3.1.5.1.4 Responding to a wsignin1.0 Request That Specifies a ttpindex	18
3.1.5.2 SAML 1.1 Assertion Extension	18
3.1.5.2.1 Responding to a wsignin1.0 Request	18
3.1.5.2.1.1 ClaimSource Element	19
3.1.5.2.1.2 CookieInfoHash Element	19

3.1.5.2.1.3 WindowsUserIdentity Element	19
3.1.5.2.1.4 WindowsUserName Element.....	19
3.1.5.2.1.5 WindowsIdentifiers Element.....	19
3.1.6 Timer Events	19
3.1.7 Other Local Events	19
3.2 Relying Party Details	19
3.2.1 Abstract Data Model	19
3.2.1.1 Query String Response Transfer Protocol	19
3.2.1.1.1 Aggregated Result	19
3.2.2 Timers	20
3.2.3 Initialization	20
3.2.4 Higher-Layer Triggered Events	20
3.2.5 Processing Events and Sequencing Rules.....	20
3.2.5.1 Query String Response Transfer Protocol	20
3.2.5.1.1 Sending a wsignin1.0 Request	20
3.2.5.1.2 Receiving a wsignin1.0 Response That Does Not Specify a ttpindex	20
3.2.5.1.3 Receiving a wsignin1.0 Response That Specifies a ttpindex.....	21
3.2.5.1.4 Processing the Complete Aggregated Result	21
3.2.5.2 SAML 1.1 Assertion Extension	21
3.2.6 Timer Events	22
3.2.7 Other Local Events	22
3.3 Web Browser Requestor Details	22
3.3.1 Abstract Data Model	22
3.3.2 Timers	22
3.3.3 Initialization	22
3.3.4 Higher Layer Triggered Events	22
3.3.5 Processing Events and Sequencing Rules.....	22
3.3.6 Timer Events	23
3.3.7 Other Local Events	23
4 Protocol Examples.....	24
4.1 Query String Response Transfer Protocol	24
4.1.1 Annotated Example	24
4.1.2 Full Network Trace	28
4.2 SAML 1.1 Assertion Extension	43
5 Security.....	46
5.1 Security Considerations for Implementers.....	46
5.1.1 Data Integrity	46
5.1.2 Privacy.....	46
5.1.3 Authorization Validation and Filtering	46
5.2 Index of Security Parameters	46
6 Appendix A: Product Behavior.....	47
7 Change Tracking.....	51
8 Index	52

1 Introduction

This specification extends the [Microsoft Web Browser Federated Sign-On Protocol Specification](#). It is assumed that the reader is familiar with the terms, concepts, and protocol specified in [MS-MWBF].

The extensions defined in this specification enable **Web browser requestors** that do not support scripting (to create POST messages) and enable passing **security identifiers (SIDs)** in Security Assertion Markup Language (SAML) 1.1 assertions. These extensions are referred to, respectively, as the Query String Response Transfer Protocol and the SAML 1.1 Assertion Extension.

The Microsoft Web Browser Federated Sign-On Protocol specifies the use of HTTP POST to transmit the **wsignin1.0** result. The use of HTTP POST requires Web browser requestors to support scripting for automated form submittal, but Web browser requestors do not always have scripting support. The Query String Response Transfer Protocol provides a method for using a series of HTTP GET messages instead of a single HTTP POST to transmit the result of a wsignin1.0 action. This eliminates the scripting requirement for the Web browser requestor. That is, the extension increases the number of messages needed to perform a wsignin1.0 action to avoid the POST message.

The SAML 1.1 Assertion Extension is an extension of the Microsoft Web Browser Federated Sign-On Protocol that specifies a method for transmitting SIDs as elements in **SAML advice**.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

account
Active Directory
base64
domain
forest
global group
Lightweight Directory Access Protocol (LDAP)
little-endian
NetBIOS
relative identifier (RID)
security identifier (SID)
trusted forest
universal group
user agent

The following terms are defined in [\[MS-MWBF\]](#):

claim
identity provider
identity provider/security token service
relying party
requestor IP/STS
resource IP/STS
security realm
security token
security token service (STS)
user

Web browser requestor **Web service (WS) resource**

The following terms are specific to this document:

aggregated result: The assembly of received parts transferred using the Query String Response Transfer Protocol. The **aggregated result** is assembled at a **relying party** and may not represent the complete result if all parts have not been received. Once complete, the **relying party** extracts a **RequestSecurityTokenResponse (RSTR)** from the **aggregated result**. For more information, see section [3.2.1.1.1](#).

pending result: The transformed **RequestSecurityTokenResponse (RSTR)** that an **identity provider/security token service (IP/STS)** maintains for the duration of a Query String Response Transfer Protocol message series. Each message in the Query String Response Transfer Protocol transfers a portion of the **pending result** to the **relying party**, where the portions are assembled into the **aggregated result**. For more information, see section [3.1.1.1.1](#).

RequestSecurityTokenResponse (RSTR): An XML element used to return an issued **security token** and associated metadata. An **RSTR** element is the result of the **wsignin1.0** action in the Web Browser Federated Sign-On Protocol. For more information, see [\[MS-MWBF\]](#) section 2.2.4.1.

SAML advice: The advice element of a **SAML assertion**. The data in the advice element is advisory and can be ignored without affecting the validity of the assertion. See [\[SAMLCore\]](#) section 2.3.2.2. The SAML 1.1 Assertion Extension includes **security identifiers (SIDs)** and related data in the **SAML advice** element.

SAML assertion: The Security Assertion Markup Language (SAML) 1.1 assertion is a standard XML format for representing a **security token**. For more information, see [\[SAMLCore\]](#) section 2.

subject: The entity to which the **claims** and other data in a **SAML assertion** apply. For more information, see [\[SAMLCore\]](#) section 1.3.1.

wsignin1.0: A protocol message exchange defined in [\[WSFedPRP\]](#) sections 2.1 and 3.1. The **wsignin1.0** request and response are the HTTP binding for the WS-Trust Issue action and response; as such, the WS-Trust **RSTR** element is used to return the issued **security token** in the **wsignin1.0** response ([\[WSTrust\]](#) section 3.2). For more information, see [\[MS-MWBF\]](#) section 2.2.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-ADA1] Microsoft Corporation, "[Active Directory Schema Attributes A-L](#)", June 2007.

- [MS-ADA3] Microsoft Corporation, "[Active Directory Schema Attributes N-Z](#)", July 2006.
- [MS-DTYP] Microsoft Corporation, "[Windows Data Types](#)", January 2007.
- [MS-MWBF] Microsoft Corporation, "[Microsoft Web Browser Federated Sign-On Protocol Specification](#)", July 2006.
- [RFC1950] Deutsch, P., and Gailly, J-L., "ZLIB Compressed Data Format Specification version 3.3", RFC 1950, May 1996, <http://www.ietf.org/rfc/rfc1950.txt>
- [RFC1951] Deutsch, P., "DEFLATE Compressed Data Format Specification version 1.3", RFC 1951, May 1996, <http://www.ietf.org/rfc/rfc1951.txt>
- [RFC2045] Freed, N., and Borenstein, N., "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies", RFC 2045, November 1996, <http://ietf.org/rfc/rfc2045.txt>
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>
- [RFC2279] Yergeau, F., "UTF-8, A Transformation Format of ISO10646", RFC 2279, January 1998, <http://www.ietf.org/rfc/rfc2279.txt>
- [RFC2396] Berners-Lee, T., Fielding, R., and Masinter, L., "Uniform Resource Identifiers (URI): Generic Syntax", RFC 2396, August 1998, <http://www.ietf.org/rfc/rfc2396.txt>
- [RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>
- [RFC2965] Kristol, D., and Montulli, L., "HTTP State Management Mechanism", RFC 2965, October 2000, <http://www.ietf.org/rfc/rfc2965.txt>
- [RFC4395] Hansen, T., Hardie, T., and Masinter, L., "Guidelines and Registration Procedures for New URI Schemes", BCP 35, RFC 4395, February 2006, <http://www.ietf.org/rfc/rfc4395.txt>
- [SAMLCore] Maler, E., Mishra, P., Philpott, R., et al., "Assertions and Protocol for the OASIS Security Assertion Markup Language (SAML) V1.1", September 2003, <http://www.oasis-open.org/committees/download.php/3406/oasis-sstc-saml-core-1.1.pdf>
- [WSFederation] Kaler, C., Nadalin, A., Bajaj, S., et al., "Web Services Federation Language (WS-Federation)", Version 1.1, December 2006, <http://specs.xmlsoap.org/ws/2006/12/federation/ws-federation.pdf>
- If you have any trouble finding [WSFederation], please check [here](#).
- [WSFedPRP] IBM, BEA Systems, Microsoft, VeriSign, RSA Security, "WS-Federation: Passive Requestor Profile Version 1.0", July 2003, <http://www-128.ibm.com/developerworks/library/specification/ws-fedpass/>
- If you have any trouble finding [WSFedPRP], please check [here](#).
- [WSTrust] IBM, Microsoft, Nortel, VeriSign, "WS-Trust V1.0", February 2005, <http://specs.xmlsoap.org/ws/2005/02/trust/WS-Trust.pdf>
- [XML] World Wide Web Consortium, "Extensible Markup Language (XML) 1.0 (Fourth Edition)", W3C Recommendation, August 2006, <http://www.w3.org/TR/2006/REC-xml-20060816/>
- [XMLSCHEMA2] Biron, P.V., Ed. and Malhotra, A., Ed., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

1.2.2 Informative References

[FIPS180] Federal Information Processing Standards Publication, "Secure Hash Standard", FIPS PUB 180-1, April 1995, <http://www.itl.nist.gov/fipspubs/fip180-1.htm>

[IANASCHM] Internet Assigned Numbers Authority, "Uniform Resource Identifier (URI) Schemes per RFC4395", November 2006, <http://www.iana.org/assignments/uri-schemes.html>

[MAXURL] Microsoft Corporation, "Maximum URL Length Is 2,083 Characters in Internet Explorer", December 2006, <http://support.microsoft.com/default.aspx?scid=KB;en-us;q208427>

[MS-ADTS] Microsoft Corporation, "[Active Directory Technical Specification](#)", July 2006.

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)", March 2007.

[MS-PAC] Microsoft Corporation, "[Privilege Attribute Certificate Data Structure](#)", July 2006.

[MS-WSO] Microsoft Corporation, "[Windows System Overview](#)", January 2010.

[SIDS] Microsoft Corporation, "How Security Identifiers Work", March 2003,
<http://technet2.microsoft.com/WindowsServer/en/Library/5dbc99be-7404-41a6-9be7-171d40c398db1033.mspx>

1.3 Overview

This document specifies the Query String Response Transfer Protocol and the SAML 1.1 Assertion Extension. These extensions are based on the [Microsoft Web Browser Federated Sign-On Protocol](#). The extensions specified in this document broaden the applicability of the protocol to simpler Web browser requestors and a wider range of protected applications. The extensions in this specification do not change the services of authentication, identity federation, or single sign-on provided by [MS-MWBF].

1.3.1 Query String Response Transfer Protocol

The scripting capability for forms submittal is not specified as part of HTTP [[RFC2616](#)]; consequently, not all Web browser requestor implementations support forms submittal as recommended for wsigin1.0 responses in [[MS-MWBF](#)] section 2.1. In addition, the **RequestSecurityTokenResponse (RSTR)** may be too large to be transferred in a single HTTP GET message. The Query String Response Transfer Protocol addresses these issues by eliminating the Web browser requestor requirement for scripting support.

When using the Query String Response Transfer Protocol, the wsigin1.0 message exchange in [MS-MWBF] is replaced by a series of wsigin1.0 message exchanges. In [MS-MWBF], the RSTR is transmitted using a single HTTP POST message. The Query String Response Transfer Protocol transmits the RSTR in pieces in query string parameters using multiple HTTP GET messages. The **relying party** accumulates the pieces from the responses in the series to produce an **aggregated result**. When the relying party has accumulated all the pieces, it extracts the RSTR from the aggregated result.

1.3.2 SAML 1.1 Assertion Extension

The [Microsoft Web Browser Federated Sign-On Protocol](#) does not specify a method for including SIDs in a **security token**. For applications requiring SIDs, **claims** are not sufficient for authorization.

The SAML 1.1 Assertion Extension provides a method for including SIDs in a **SAML assertion**. How an **identity provider/security token service (IP/STS)** obtains the security identifiers and how a relying party interprets them is implementation-specific.

1.4 Relationship to Other Protocols

The [Web Browser Federated Sign-On Protocol](#) and the extensions specified in this document use standard Web protocols, XML (as specified in [\[XML\]](#)), WS-Federation Passive Requestor Profile (as specified in [\[WSFedPRP\]](#)), and SAML 1.1 (as specified in [\[SAMLCore\]](#)). The reader should be familiar with the specifications listed in [\[MS-MWBF\]](#) section 1.4.

A relying party uses the Query String Response Transfer Protocol instead of the wsigin1.0 messages from Web Browser Federated Sign-On Protocol to avoid the use of HTTP POST messages.

The SAML 1.1 Assertion Extension provides a facility for including security identifiers in SAML assertions. In order to understand the Microsoft Windows® behavior relating to this extension, the reader should be familiar with the Active Directory Technical Specification [\[MS-ADTS\]](#), security concepts in [\[MS-WSO\]](#) section 3.1.2, and security identifiers [\[SIDS\]](#).

The Web Browser Federated Sign-On Protocol and the extensions specified in this document may be applicable where other Web-based authentication protocols are used. For more information, see [\[MS-MWBF\]](#) section 1.4.

1.5 Prerequisites/Preconditions

The SAML 1.1 Assertion Extension requires that an IP/STS have a source of security identifiers and that the relying party have an authorization framework in which to interpret them. The exact methods by which the IP/STS obtains the SIDs, and the methods by which the relying party interprets them, are implementation-specific.[<1>](#) [<2>](#)

1.6 Applicability Statement

The Query String Response Transfer Protocol is applicable where the [Microsoft Web Browser Federated Sign-On Protocol](#) is applicable. The Query String Response Transfer Protocol widens the applicability of the Microsoft Web Browser Federated Sign-On Protocol to include Web browser requestors that do not implement scripting or form submittal via scripting.

The SAML 1.1 Assertion Extension is applicable when the protected HTTP Web application requires SIDs to perform authorization.[<3>](#)

1.7 Versioning and Capability Negotiation

[Web Browser Federated Sign-On Protocol](#) section 1.7 defers all versioning and capability negotiation to [\[WSFederation\]](#), [\[WSFedPRP\]](#), and [\[RFC2616\]](#).

When using the Query String Response Transfer Protocol, an IP/STS uses the presence of the `ttppindex` parameter (as specified in section [2.2.2.1.1](#)) in the request to determine whether the Query String Response Transfer Protocol is used for the response.

The SAML 1.1 Assertion Extension uses SIDs. SIDs have a revision mechanism. For more information, see [\[MS-DTYP\]](#), as specified in section [2.1](#).

1.8 Vendor-Extensible Fields

The extensions specified in this document make use of vendor-extensible fields that are specified as part of [\[MS-MWBF\]](#) section 1.8. Specifically, the Query String Response Transfer Protocol specifies

new message parameters as allowed by [\[WSFedPRP\]](#) section 3.1, and the SAML 1.1 Assertion Extension specifies new elements in the SAML advice as allowed by [\[SAMLCore\]](#) section 2.3.2.2.

The Query String Response Transfer Protocol does not introduce any vendor-extensible fields that are not present in [\[MS-MWBF\]](#) section 1.8.

The SAML 1.1 Assertion Extension introduces the [ClaimSource \(section 3.1.5.2.1.1\)](#) element whose value is a URI that can be extended by vendors. Uniqueness of URIs is scheme-dependent. For more information, see [\[IANASCHEME\]](#) and [\[RFC4395\]](#).

1.9 Standards Assignments

There are no standards assignments beyond those for XML namespaces and standard ports specified in [\[MS-MWBF\]](#) section 1.9.<4>

2 Messages

The Query String Response Transfer Protocol and SAML 1.1 Assertion Extension extend the messages specified in [\[MS-MWBF\]](#) section 2 as described in this section.

2.1 Transport

No additional transport is required other than that provided for in [\[MS-MWBF\]](#) section 2.1.

2.1.1 Query String Response Transfer Protocol

In the Query String Response Transfer Protocol, all wsignin1.0 messages MUST use HTTP GET.

2.2 Message Syntax

The Query String Response Transfer Protocol extends the wsignin1.0 message specified in [\[MS-MWBF\]](#) section 2.2. The SAML 1.1 Assertion Extension extends the SAML assertion specified in [\[MS-MWBF\]](#) section 2.2.4.2.

2.2.1 XML Namespace References

Prefixes and XML namespaces used in this specification include the following:

Prefix	Namespace URI	Reference
saml	"urn:oasis:names:tc:SAML:1.0:assertion"	[SAMLCore]
adfs	"urn:Microsoft:federation"	[MS-MWBE]

2.2.2 Query String Response Transfer Protocol

The Query String Response Transfer Protocol extends the wsignin1.0 message from [\[MS-MWBF\]](#) section 2.2 to enable passing results in pieces rather than using POST. The protocol does not extend any other message types.

2.2.2.1 wsignin1.0 Message

[\[MS-MWBF\]](#) section 2.2 specifies how parameters are encoded in messages, including new parameters added by extensions. Specifically, it describes that in HTTP GET messages, the parameters are encoded as query string parameters for transmission in the URL. It also specifies how invalid values are handled.

Section [2.2.2.1.1](#) specifies parameters included in both wsignin1.0 requests and wsignin1.0 responses that use this protocol.

Section [2.2.2.1.2](#) specifies parameters included only in wsignin1.0 responses that use this protocol.

2.2.2.1.1 Common Parameters

ttptime: The length, in characters, of the aggregated result as a 32-bit unsigned integer in decimal notation.

2.2.2.1.2 wsignin1.0 Response

ttysize: The length in characters of the **pending result** as a 32-bit unsigned integer in decimal notation.

wresult: The current part of the result being transferred, as a string.

2.2.3 SAML 1.1 Assertion Extension

The SAML 1.1 Assertion Extension extends the SAML assertion subset as specified in [\[MS-MWBF\]](#) section 2.2.4.2. This extension uses the SAML advice element specified in [\[SAMLCore\]](#) section 2.3.2.2 as an extensibility point.

The sections that follow define new elements to convey the source of claims, hash data, **user** name, and SIDs. These new elements are included as child elements of the advice element in a SAML assertion. These elements use the XML namespace "urn:microsoft:federation". The element content is described using XML schema data types, as specified in [\[XMLSCHEMA2\]](#) section 3.

2.2.3.1 SAML Advice Elements

[ClaimSource](#) (optional): A Uniform Resource Identifier (URI) identifying a **requestor IP/STS** or other authentication service (such as a local **account** store) that is the source of the claims in the security token. The content is of type any URI (as specified in [\[XMLSCHEMA2\]](#) section 3.2.17).

[CookieInfoHash](#) (optional): A **base64**-encoded implementation-specific hash value. The content is of type base64Binary (as specified in [\[XMLSCHEMA2\]](#) section 3.2.16).[<5>](#)

[WindowsUserIdentity](#) (optional): A SID identifying the **subject** of the SAML assertion. The content is of type string (as specified in [\[XMLSCHEMA2\]](#) section 3.2.1) and MUST follow the restrictions for the string representation of a SID, as specified in [\[MS-DTYP\]](#) section 2.4.2).

[WindowsUserName](#) (optional): A user name associated with the subject of the SAML assertion. The content is of type string (as specified in [\[XMLSCHEMA2\]](#) section 3.2.1) and MUST be of the form "DOMAIN\user name".[<6>](#)

[WindowsIdentifiers](#) (optional): A base64-encoded binary structure that defines a set of SIDs that identify the subject of the SAML assertion and a set of flags that specify the use of the SIDs. The content is of type base64Binary (as specified in [\[XMLSCHEMA2\]](#) section 3.2.16), and the binary data MUST be structured as specified in [WindowsIdentifiers Binary Structure \(section 2.2.3.2\)](#).

2.2.3.2 WindowsIdentifiers Structure

The WindowsIdentifiers structure has variable length. It defines a set of SIDs and flags. To reduce the overall data size, the SIDs are not included in full binary expansion. Rather, [PACKED_SIDS](#) structures are created for each group of SIDs that are identical except for the last subauthority.

0	1	2	3	4	5	6	7	8	9	1	0	1	2	3	4	5	6	7	8	9	2	0	1	2	3	4	5	6	7	8	9	3	0	1
WindowsIdentifierFlags																																		
PackedSidsCount																																		
PackedSids (variable)																																		

...

WindowsIdentifierFlags (4 bytes): A 32-bit **WindowsIdentifierFlags** structure (see [2.2.3.2.1](#)).

PackedSidsCount (4 bytes): A 4-byte, **little-endian**, unsigned integer that defines the number of **PackedSids** fields in this structure. This field MUST NOT be 0.

PackedSids (variable): A sequence of PACKED_SIDS structures of variable size, each of which defines a set of SIDs. The sequence defines a set of SIDs, which is the union of the sets of SIDs defined by all the elements.

2.2.3.2.1 WindowsIdentifierFlags Structure

The WindowsIdentifierFlags structure is a field of 32 bits.

0	1	2	3	4	5	6	7	8	9	1	0	1	2	3	4	5	6	7	8	9	2	0	1	2	3	4	5	6	7	8	9	3	0	1
WindowsIdentifierFlags																																		

WindowsIdentifierFlags (4 bytes): Bits marked 0 MUST be 0. The T and N bits operate independently.

0	1	2	3	4	5	6	7	8	9	1	0	1	2	3	4	5	6	7	8	9	2	0	1	2	3	4	5	6	7	8	9	3	0	1
0	T	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

T (TryLocalAccount): A value of 1 indicates that the SAML NameIdentifier (as specified in [\[SAMLCore\]](#) section 2.4.2.2) takes precedence over the [WindowsIdentifiers structure \(section 2.2.3.2\)](#) element. A value of 0 indicates that the WindowsIdentifiers structure (section [2.2.3.2](#)) element takes precedence over the SAML NameIdentifier (as specified in [\[SAMLCore\]](#) section 2.4.2.2).

N (NoUserId): A value of 1 indicates that a user SID is not encoded in the WindowsIdentifiers structure. A value of 0 indicates that a user SID is encoded in the WindowsIdentifiers structure.

2.2.3.2.2 PACKED_SIDs Structure

The PACKED_SIDs structure encapsulates a set of SIDs that are identical except for the value of the final subauthority, which is called the **relative identifier (RID)**. The identical portion of the SIDs is included in the **DomainSid** field, and each RID is included separately. The PACKED_SIDS (section 2.2.3.2.2) structure has a variable length.

0	1	2	3	4	5	6	7	8	9	1	0	1	2	3	4	5	6	7	8	9	2	0	1	2	3	4	5	6	7	8	9	3	0	1
DomainSid (variable)																																		

...
RidCount
RID (variable)
...

DomainSid (variable): A SID structure of variable size that defines the identical portion of the SIDs encoded in this structure. For details on the SIDs structure, see [\[MS-DTYP\]](#) section 2.4.2.

RidCount (4 bytes): A 4-byte, little-endian, unsigned integer that defines the number of RID fields in this structure. This field MUST NOT be zero.

RID (variable): A sequence of 4-byte, little-endian, unsigned integers that define the RIDs for the SIDs encoded in this structure.

2.3 Directory Service Schema Elements

This protocol accesses the following Directory Service schema classes and attributes listed in the following table.

For the syntactic specifications of the following <Class> or <Class><Attribute> pairs, refer [\[MS-ADTS\]](#), [\[MS-ADA1\]](#), [\[MS-ADA3\]](#).

Class	Attribute
User	All

3 Protocol Details

The following sections specify the IP/STS and relying party protocol details. Each section details role-specific behavior for the extensions specified in this document. There is not a section for the Web browser requestor role because additional protocol details for the Web browser requestor other than those specified in [MS-MWBF] section 3.4 do not exist.

The IP/STS details (see section 3.1) apply to both the requestor IP/STS and **resource IP/STS** roles. The relying party details (see section 3.2) apply to both the resource IP/STS and **Web service (WS) resource** roles.

Because the behavior for issuance and consumption of the SIDs is implementation-specific, an abstract data model is not introduced for the SAML 1.1 Assertion Extension. Hence, sections 3.1.1 and 3.2.1 do not have subsections for that extension.

3.1 IP/STS Details

The following sections specify the protocol details of the IP/STS, including details for the Query String Response Transfer Protocol and SAML 1.1 Assertion Extension. These details apply to both the resource IP/STS and the requestor IP/STS roles.

3.1.1 Abstract Data Model

This section describes a conceptual organization of data that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

3.1.1.1 Query String Response Transfer Protocol

The following sections specify the abstract data model for transmitting the pending result as a series of parts in separate messages that are assembled by a relying party.

3.1.1.1.1 Pending Result

When the Query String Response Transfer Protocol is used, the result of a wsignin1.0 action is transmitted by a series of HTTP 302 responses.

The first message in the exchange establishes the pending result. Each message exchange in the series transmits a portion of the pending result to the relying party until all parts have been delivered. Consequently, the pending result must be available to the IP/STS when processing each message exchange until the series is complete.

The message exchange also includes parameters for the current position and the total length of the result (see section 2.2.2.1) to ensure proper construction and error/completion detection. The method used to maintain the availability of the pending result during the series of exchanges is implementation-specific. The IP/STS MUST discard the pending result when cleaning up local state. See [MS-MWBF] section 3.2.5.3.3 for requestor IP/STS. See [MS-MWBF] section 3.3.5.4.2 for resource IP/STS.<7>

3.1.1.1.2 Maximum Query String Response Message Length

Although the HTTP protocol (as specified in [RFC2616]) does not place a limit on the length of a URL, some Web browser requestor implementations have such a limit. IP/STS implementations

SHOULD use a maximum query string response message length that will allow a broad range of Web browser implementations to act as the Web browser requestor. This is a limit on the length of the URL after escaping, including the scheme, authority, path, and query components (as specified in [RFC2396] section 3). The recommended value is 2,083 octets for all messages. For more information, see [MAXURL].<8>

3.1.2 Timers

There are no timers required other than any specified in [MS-MWBF] section 3.1.2; however, a timer MAY<9> be used to manage state associated with the pending result.

3.1.3 Initialization

There are no new initializations beyond any described in [MS-MWBF] section 3.1.3; however, the pending result is initialized after the protocol has been initiated (see section 3.1.5.1.2).

3.1.4 Higher-Layer Triggered Events

There are no higher-layer triggered events other than any described in [MS-MWBF] section 3.1.4.

3.1.5 Processing Events and Sequencing Rules

3.1.5.1 Query String Response Transfer Protocol

The following sections specify protocol details for the Query String Response Transfer Protocol when receiving wsignin1.0 requests.

Sections 3.1.5.1.1, 3.1.5.1.2, and 3.1.5.1.3 specify how wsignin1.0 requests are processed given the value of the *ttplist* parameter. Section 3.1.5.1.4 specifies common behavior for responding to such requests when the Query String Response Protocol is used.

3.1.5.1.1 Receiving a wsignin1.0 Request That Does Not Specify a *ttplist*

When the IP/STS receives a wsignin1.0 request that does not specify the *ttplist* parameter, the response MUST NOT use the Query String Response Transfer Protocol. The IP/STS MUST discard any pending result, and the IP/STS MUST process the message as specified in [MS-MWBF] section 3.1.5.4.

3.1.5.1.2 Receiving a wsignin1.0 Request That Specifies a *ttplist* of 0

When the IP/STS receives a wsignin1.0 request that specifies a *ttplist* parameter value of 0, the IP/STS MUST process the wsignin1.0 request (as specified in [MS-MWBF] section 3.1.5.4) up to the point where the IP/STS has constructed the RSTR element (as specified in [MS-MWBF] section 3.1.5.4.6). The IP/STS MUST apply the following transforms to the RSTR element to produce the pending result:

1. Convert the XML string to binary data by applying UTF-8 encoding, as specified in [RFC2279].
2. Compress the result from step 1 to the zlib format (as specified in [RFC1950]) by using the deflate algorithm (as specified in [RFC1951]).
3. Base64-encode the result from step 2, as specified in [RFC2045] section 6.8.

The IP/STS MUST respond as specified in section 3.1.5.1.4, by using the result from step 3 as the pending result.

3.1.5.1.3 Receiving a wsigin1.0 Request That Specifies a ttpindex Other Than 0

When the IP/STS receives a wsigin1.0 request that specifies a *ttppindex* parameter value other than 0, the following conditions MUST be evaluated in order:

1. The *ttppindex* value does not conform to message syntax rules (for example, if it is not a number, as specified in section [2.2.2.1.1](#)).
2. The corresponding pending result is not available.
3. The value of *ttppindex* is greater than or equal to the length in characters of the pending result.

If the message meets any of the conditions, the IP/STS MUST reject the message and return an HTTP 500 response. Otherwise, the IP/STS MUST respond as specified in section [3.1.5.1.4](#).

3.1.5.1.4 Responding to a wsigin1.0 Request That Specifies a ttpindex

The IP/STS MUST construct a wsigin1.0 response for the relying party by using the following values as properly escaped query string parameters in the returned status URL, as specified in [\[WSFedPRP\]](#) section 3.

- *ttppindex* MUST be the same value of *ttppindex* as requested.
- *ttysize* MUST be the same length in characters as the pending result.
- *wctx* MUST be the same value of *wctx* as requested.
- *wresult* MUST contain a portion of the pending result, beginning at the character of index *ttppindex* (zero-based), and including as many characters as possible without exceeding the maximum query string response message length. Note that the maximum query string response message length applies after the escaping rules for URL query string parameters.

The IP/STS MUST transmit the message to the Web browser requestor using HTTP 302 as specified in [\[WSFedPRP\]](#) section 3.

3.1.5.2 SAML 1.1 Assertion Extension

The IP/STS uses the SAML 1.1 Assertion Extension when responding to wsigin1.0 requests. Although the protocol details are largely similar, it is necessary in this section to distinguish between the requestor IP/STS and resource IP/STS roles.

The IP/STS is a requestor IP/STS when issuing a token to a relying party that is in a different **security realm** than the IP/STS. Conversely, the IP/STS is a resource IP/STS when issuing a token to a relying party that is in the same security realm as the IP/STS.

3.1.5.2.1 Responding to a wsigin1.0 Request

When responding to a wsigin1.0 request, the IP/STS MAY include any of the [ClaimSource \(section 3.1.5.2.1.1\)](#), [CookieInfoHash \(section 3.1.5.2.1.2\)](#), [WindowsUserIdentity \(section 3.1.5.2.1.3\)](#), [WindowsUserName \(section 3.1.5.2.1.4\)](#), and [WindowsIdentifiers \(section 3.1.5.2.1.5\)](#) elements in the issued SAML assertion. For syntax details, see section [2.2.3](#).

The following sections describe the processing semantics for each of these optional SAML assertion elements.

3.1.5.2.1.1 ClaimSource Element

The IP/STS MAY [<10>](#) include the ClaimSource (section 3.1.5.2.1.1) element in the issued SAML assertion.

3.1.5.2.1.2 CookieInfoHash Element

The IP/STS MAY [<11>](#) include the CookieInfoHash (section 3.1.5.2.1.2) element in the issued SAML assertion.

3.1.5.2.1.3 WindowsUserIdentity Element

The IP/STS MAY [<12>](#) include the WindowsUserIdentity element in the issued SAML assertion.

3.1.5.2.1.4 WindowsUserName Element

The IP/STS MAY [<13>](#) include the WindowsUserName element in the issued SAML assertion.

3.1.5.2.1.5 WindowsIdentifiers Element

The IP/STS MAY [<14>](#) include the WindowsIdentifiers (section 3.1.5.2.1.5) element in the issued SAML assertion.

3.1.6 Timer Events

Timer events are not required other than any specified in [\[MS-MWBF\]](#) section 3.1.6; however, a timer event MAY [<15>](#) be used to manage the state associated with the pending result.

3.1.7 Other Local Events

There are no other local events that impact the operation of this protocol.

3.2 Relying Party Details

These details apply to both the resource IP/STS and WS resource roles (when acting as a relying party for a received security token).

3.2.1 Abstract Data Model

This section describes a conceptual model of a possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

3.2.1.1 Query String Response Transfer Protocol

The following sections specify the abstract data model for receiving and concatenating the aggregated result as a series of messages.

3.2.1.1.1 Aggregated Result

When the Query String Response Transfer Protocol is used, the result of a wsignin1.0 action is transmitted by a series of message exchanges. When an aggregated result is not available, it is

considered to be empty (with size 0). The relying party concatenates each portion of the result to the aggregated result when it is received, so the aggregated result must be available to the relying party when processing each message exchange. The method used to maintain the availability of the aggregated result is implementation-specific. The relying party MUST discard the aggregated result when it receives a wsiginoutcleanup1.0 message (as specified in [MS-MWBF] section 3.3.5.4.2).[<16>](#)

3.2.2 Timers

There are no timers required other than any specified in [MS-MWBF] section 3.3.2; however, a timer MAY[<17>](#) be used to manage a state associated with the aggregated result.

3.2.3 Initialization

There are no new initializations other than any described in [MS-MWBF] section 3.3.3; however, the aggregated result is initialized after the protocol has been initiated (as specified in section 3.2.5.1.3).

3.2.4 Higher-Layer Triggered Events

There are no new higher-layer triggered events other than any described in [MS-MWBF] section 3.3.4.

3.2.5 Processing Events and Sequencing Rules

The Query String Response Transfer Protocol and the SAML 1.1 Assertion Extension introduce new message processing rules.

3.2.5.1 Query String Response Transfer Protocol

The following sections specify protocol details for the Query String Response Transfer Protocol when processing wsigin1.0 messages.

Section 3.2.5.1.1 specifies how to send a wsigin1.0 request by using this protocol. Sections 3.2.5.1.2 and 3.2.5.1.3 specify how to process a wsigin1.0 response given the presence or absence of the *ttppindex* parameter. Section 3.2.5.1.4 specifies how the completed aggregated result is processed.

3.2.5.1.1 Sending a wsigin1.0 Request

When using the Query String Response Transfer Protocol, the relying party sends a wsigin1.0 request to the IP/STS as specified in [MS-MWBF] section 3.3.5.1 and MUST add the *ttppindex* parameter. When included, the value of the *ttppindex* parameter MUST be the length in characters of the aggregated result.

Note If the aggregated result is not available, it is considered to have length 0 (see section 3.2.1.1.1). Therefore, in the first request, the value of *ttppindex* MUST be 0.[<18>](#)

3.2.5.1.2 Receiving a wsigin1.0 Response That Does Not Specify a ttppindex

When the relying party receives a wsigin1.0 response that does not specify the *ttppindex* parameter, the message does not use the Query String Response Transfer Protocol, and the relying party MUST process the message as specified in [MS-MWBF] section 3.3.5.2.

3.2.5.1.3 Receiving a wsignin1.0 Response That Specifies a ttpindex

When the relying party receives a wsignin1.0 response that specifies the *ttpindex* parameter, it MUST evaluate the following conditions in order:

1. The *ttpindex* value does not conform to message syntax rules (for example, it is not a number; as specified in section [2.2.2.1.1](#)).
2. The *ttpindex* parameter is not equal to the length, in characters, of the aggregated result. Note that if the aggregated result is not available, it is considered to have length 0 (as specified in section [3.2.1.1.1](#)).

If the message meets one of these conditions, the relying party MUST reject the message and return an HTTP 500 response.

The relying party MUST construct a new aggregated result. If *ttpindex* is 0, the aggregated result MUST be the value of the *wresult* parameter; otherwise, the aggregated result MUST be constructed by appending the *wresult* parameter to the current aggregated result.

The relying party MUST evaluate the *ttysize* parameter as follows:

- If the length in characters of the new aggregated result is greater than the value of the *ttysize* parameter, the relying party MUST reject the message and return an HTTP 500 response.
- If the length, in characters, of the new aggregated result is equal to the value of the *ttysize* parameter, the relying party MUST process the completed result as specified in section [3.2.5.1.4](#).
- If the length, in characters, of the new aggregated result is less than the value of the *ttysize* parameter, the relying party MUST request the next portion of the result as specified in section [3.2.5.1.1](#).

3.2.5.1.4 Processing the Complete Aggregated Result

When the aggregated result is complete, the relying party MUST apply the following transforms to the aggregated result to produce an XML string:

1. Base64-decode the aggregated result to binary data (as specified in [\[RFC2045\]](#) section 6.8).
2. Decompress the result from step 1 from the zlib format (as specified in [\[RFC1950\]](#)) by using the inflate algorithm (as specified in [\[RFC1951\]](#)).
3. Interpret the binary data from step 2 as a UTF-8-encoded string (as specified in [\[RFC2279\]](#)).

If any error occurs when applying the transforms, the relying party MUST reject the message and return an HTTP 500 response.

The relying party MUST process the wsignin1.0 response (as specified in [\[MS-MWBF\]](#) section 3.3.5.2), substituting the string output from step 3 for the *wresult* parameter.

3.2.5.2 SAML 1.1 Assertion Extension

The method of evaluating SIDs transmitted by using the SAML 1.1 Assertion Extension is implementation-specific. For specifications about SIDs and their semantics in Microsoft Windows®, see [\[MS-DTYP\].<19>](#)

3.2.6 Timer Events

There are no timer events required other than any events specified in [\[MS-MWBF\]](#) section 3.3.6; however, a timer event MAY [<20>](#) be used to manage a state associated with the aggregated result.

3.2.7 Other Local Events

There are no other local events that impact the operation of this protocol.

3.3 Web Browser Requestor Details

This section specifies the Web browser requestor role in transporting protocol messages.

3.3.1 Abstract Data Model

A Web browser requestor does not need to understand any protocol-specific data for the correct operation of the protocol. It MUST be able to support HTTP query string and POST body parameterization. To provide the best end-user experience, it SHOULD be able to support HTTP cookies (for more information, see [\[RFC2965\]](#)).[<21>](#)

3.3.2 Timers

A Web browser requestor does not depend on timers beyond those that are used by the underlying transport to transmit and receive messages over HTTP and SSL/TLS, as specified in section [3.1.2](#).

A Web browser requestor does not need to be aware of an implementation's use of timers to determine when the validity intervals of security tokens and authentication contexts expire.

3.3.3 Initialization

There is no protocol-specific initialization for a Web browser requestor. It only needs to be ready to perform the standard HTTP 1.1 methods required for accessing WS resources. Specifically, it MUST support HTTP GET and POST methods and properly respond to HTTP 1.1 redirection and error responses.

3.3.4 Higher Layer Triggered Events

Protocol messages are exchanged between a requestor IP/STS and a relying party. The only function of the Web browser requestor with respect to the protocol is to transport these messages. The Web browser requestor may be triggered to begin protocol message exchange by receipt of an HTTP/1.1 302 found that includes a location directive, or an HTTP/1.1 200 OK that includes a form with method set to POST.

3.3.5 Processing Events and Sequencing Rules

A Web browser requestor plays a passive role in the operation of the protocol. Its only function is to transport protocol message requests and responses between a requestor IP/STS and one or more relying parties. It is not required to understand the types or content of these protocol messages. The Web browser requestor SHOULD transport all protocol message requests and responses between a requestor IP/STS and a relying party without changing the messages at all.[<22>](#)

3.3.6 Timer Events

A Web browser requestor does not need to interact with any timers, or service any timer events, beyond those that may be used by the underlying transport to transmit and receive messages over HTTP and SSL/TLS, or those specified in section [3.1.6](#).

3.3.7 Other Local Events

A Web browser requestor does not have dependencies on local events beyond those specified in section [3.1.7](#).

4 Protocol Examples

4.1 Query String Response Transfer Protocol

4.1.1 Annotated Example

The following is a protocol example for the Query String Response Transfer Protocol.

The Query String Response Transfer Protocol is best understood as occurring abstractly between an IP/STS and a relying party, because the changes to the Web Browser Federated Sign-On Protocol [MS-MWBF] are applied consistently whether between requestor IP/STS and resource IP/STS or between resource IP/STS and WS resource.

This annotated example shows a Query String Response Transfer Protocol exchange between a requestor IP/STS and a resource IP/STS. It is part of a larger network trace (see section [4.2](#)) that also uses the Query String Response Transfer Protocol between the resource IP/STS and the WS resource.

The following table specifies the protocol roles of the hosts.

Protocol role	Host name
IP/STS	adatumsts-7
Relying party	treysts-7

Each HTTP message is prefaced by an annotation that describes its recipient and purpose. This annotated example omits many elements of the HTTP messages. For example, implementation-specific cookies and superfluous HTTP headers are not included. The full messages are specified in section [4.1.2](#). The following parameters are specified in this document and appear in the HTTP messages that follow:

- *ttptime*
 - *ttysize*
 - *wresult*
1. Just prior to the example, the Web browser requestor made a GET request to the relying party (treysts-7).
 2. The relying party returns an HTTP 302 message that specifies a wsSIGNIN1.0 request for the IP/STS. This wsSIGNIN1.0 request includes the *ttptime=0* parameter, which initiates the Query String Response Transfer Protocol (see section [3.2.5.1](#)). At this time, the relying party's aggregated result is empty, as specified in section [3.2.5.1.1](#).

```
HTTP/1.1 302 Found
Location:
https://adatumsts-7/adfs/ls/?wa=wsignin1.0&
wtrealm=urn%3afederation%3atrey+research&
wct=2006-07-13T07%3a32%3a21Z&
wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%
2ftreyws-test%2fclaims%2fDefault.aspx&ttptime=0
```

- The Web browser requestor relays the wsigin1.0 request to the IP/STS (adatumsts-7) in an HTTP GET message.

```
GET /adfs/ls/?wa=wsigin1.0&wtrealm=urn%3afederation
%3atrey+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%
3a%2f%2ftreyws-test%2fcclaims%2f%5chhttps%3a%2f%2ftreyws-test%
2fcclaims%2fDefault.aspx&ttppindex=0 HTTP/1.1
```

- The IP/STS engages in a series of messages outside the scope of the protocol whereby it ascertains the user identity. These messages are omitted, as they have no bearing on the Query String Response Transfer Protocol. For more details, see [\[MS-MWBF\]](#) section 3.1.5.4.3.
- Once the user's identity has been determined, the IP/STS creates an RSTR, as specified in [\[MS-MWBF\]](#) section 3.1.5.4.6. The RSTR is transformed into the pending result, and the first portion is returned in a wsigin1.0 response (as specified in section [3.1.5.1.4](#)). In this message, the *wresult* parameter is the first 1,727 characters of the pending result. The *ttysize* parameter indicates the length of the full pending result, 2,652.

```
HTTP/1.1 302 Found
Location: https://treyst-7/adfs/ls/?wa=wsigin1.0&
ttysize=2652&ttppindex=0&wctx=https%3a%2f%
2ftreyws-test%2fcclaims%2f%5chhttps%3a%2f%2ftreyws-test%2fcclaims%
2fDefault.aspx&wresult=eNrNWFTzqsoS%
2fiuW6zGVBYg3rCR1hquAAA1yssphOESHVEGRPzle9BoTNYt59R62D4NPW3311%
2f3dDM81DgfWHBXQJzb0CuyOK%2bmaA1TC%2bItSjFsHJJNigdE7bEZ5f12QFHYi2Di
4u9kByN3%2bx11IVViqkXTHYpuUXLW4Lz59HBjGfofbD89YDFZDADGMMtj1DauK1V8
bP436NAMGzD%2bvddps%2fftFuzd91ewc79iu5y7Yv1%2b4HeaDRXjAqopzt2UQCPOu
%2fd0755hp3RvwLYGrZ7zppM9NossHQTh51bOxm4vpsXSBnHuK8om8MME
%2bFjkyGCOP0oOAdfoz0bQS608SB1E4gHuTewgTEaMN
%2fpqgXsJoPkWm4BSP64FuDFGQ8D1MFfoSQKk3SSgSCvsd7q9C86F8YKP4apB0ly8i
z2avtXR59Unj7FnGewamQQQzfzogfqo%2b6n55%2bbpz4Fdnh07
%2bPahOsHmOyidUyyEqChi6M3%2buqdM31J7GUlOyC%2fQdZ8Uqk5vj2Kulay0tQy
KoWL1HhnM8%2fs%2bvGB%2bondK94312%2fg8wimeeydrNq5m8OEPDc%2byv9QMB%
2bVDZhHyP%2bxFD4oDco49VGJLzmyi9Ur9PK3pzEpFdWvtYMYZg0ZZYn7
%2b5Pkdw4wdTsedx8An4SpzFJhpuz7D%2fnsv3uoet%2fo%2fGL6xcAVC
%2f4%2bXCWk4yvSpy%2bHnj3xPGRyN66r%2b22NTStx4A3yf1DZuftzEW9eDXwDZ
%2fOxj7m4K%2bOT%2bHvUn7c%2fSP%2bEWUJKgtF7%2fxdQGQuwydKL87yBVM1Rs
%2fy51od4kCU7inID9d8ME22G919HSf3yXN1xmJIyt5m6hVXWzbfs
%2fYEh3QlmqI5ij4OA6%2fNc%2f%2fgn7d%2bp4eBDdFKTnJm
%2fh406AaYBMiMly5BcmGYqha5P38ODde0w7%2fdzsUDD4vmjmA7IMu
%2fc4cpmTJQsGMKsnR2NmQy%2fNb18b4U8P08xNMRmNCb5Z%2f284YLqHG7SF
%2fj2%2bhHOC9HVzv2ChugUnxiGZif8PT1eOzibOVTPhN2GVHqWsG5S6BHgV4f3E
0eycpnEuV8oK7ckvVtLVyzd1YUYtg1c1Gn%2fJ5011Fmx1mmaTOBae%2bMEojVHb
%2bd96NDIj09jLvrlopNjXwsPNN3kWwtuE2Vj4t90Zram4xtYg1Y2jTyLGrUFmYHmd
V4WW8716VIm9VO3UNaBPOiR5XrV0emvSA5kpm9SXZK7rXmHZ
%2fGWXdBd5mpuJX07Z1qa4ru01X%2fmI6gf4De4zmQG
%2fAPoqzOUS06NCe6uXteCfVLVVCPltLYVFVkREEAWRWCuuVBqOoKGyayCeqlfdJiCMR
%2bud9E6VriS5oE5k4EIHMPySt1cinPTFKWyM3OViTeXiFOS1VmewChtfBAu6XL8C
1hjq1bgFJSGOHZPsuNFJp1kBr88yCKw%2bXA854ExFVryermwmNViTthsVzRqqEhiA
VgR7p9jqihVNqcYBQFsZA1HgY1PnQ1O017uE4uB4smhLvZzth3SxY7QX1thxeQF0p
%2b9W%2bNmJNkfjZb%2fTga7DDMWjyOeTmeZ07vb8EogLjTrK%2bZRq6weJ1WNn02
k9F6RVHa3%2bWqcZXrkt08gHGZR5oZfYq4g72IsKhFxVavFycmf0Eas4dKvg9xCEc
SIOh1rSDYWDpzG7tcUxxz7Q5WOpisAEPGqrPDos7p1%2bKYaES4t%2bBuaQIIsGJIJ
yWhmTexqyJpcka4qzWVXX
```

6. The Web browser requestor relays the wsigin1.0 response to the relying party (treysts-7) in an HTTP GET message.

```
GET /adfs/ls/?wa=wsigin1.0&
ttysize=2652&ttppindex=0&wctx=https%3a%2f%2ft
reyws-test%2fclaims%2f%5chhttps%3a%2f%2ftreyws-test%2fclaims
%2fDefault.aspx&wresult=eNrNWFTzqsoS%2fiuW6zGVBYg3rCR1h
quAaAA1yssphOEShVEGRPz1e9BoTNYT59R62D4NPW3311%2f3dDM81DgfWHBXQJzb0
CuyOK%2bmaA1TC%2b1tsjFsHJJNigdE7bEZ5f12QFHYi2Di4u9kByN3%2bx11IVViq
kXTHYpuUX1W4Lz59HBjGfofbD89Ydf2ADGMMTjl1DauK1V8bP436NAMGzD%2bvddps
%2fftFuzd91ewc79iu5y7Yv1%2b4HeadRXjAqopzt2UQCPOu%2fd0755hp3RvwLYGr
Z7zppM9NossHQTh5lB0xm4vpsXSbNhuK8om8MME%2bFjkyGCOP0oOAdfoz0bQS608
SB1E4ghHuTewgTEaMN%2fpgXsJoPkwmBSP64FuDFGOQ8D1MFf0SQKk3SSgSCvsd7q9
C86F8YKP4apB0ly8iz2avtXR59Unj7FnGewamQQQzfzogfqo%2b6n55%2bbpz4Fdnh
o%2bPahOsHmOyidUyyEqChi6M3%2buqdM31J7GUIoyC%2fQdZ8UqK5vj2Kulay0tQ
yKoWL1HhnM8%2fS%2bvbGB%2bondK94312%2fg8wimeeydrNq5m8OEPDc%2byv9QMB%
2bVDZhHyP%2bxfD4oDco49VGJLzmyi9Ur9PK3pzEpFdWvtMYZg0ZZYn7%2b5Pkbdw
4wdTsedx8An4SpzFJhpuj7D%2fnsv3uoet%2fo%2fGL6xcAVC%2f4
%2bXCWk4yvSpy%2bhnj3xPGR5yN66r%2b22NTStx4A3yf1DZuftzEW9eDXwdZ
%2fOxj7m4K%2bOT%2bHvUn7c%2fSP%2bEWUJKgtF7%2fxdQGQuwydKL87yBVM1Rs
%2fy5Iod4kCU7inID9d8ME222G919HSf3yXN1xmJliyt5m6hVXWzbfs
%2fYEh301mqi51ij40A6%2fNc%2f%2fgn7d%2bp4eBDdFKTnJm%2fh406AaYBMiM1
yj5BcmGYqha5P380De0w7%2fdzsUd4vmjmA7IMu%2fc4cpmtJQsGMKsnR2NmqY
%2fnb18b4U8P08xNMRmNCb5Z%2f284YLqHG7SF%2fj%2bhHOC9HVzv2CHugUnxi
GZif8PT1eOzib0VTPhN2GVHqWs5S6BHgV4f3E0eycpcnEu9V8oK7ckvVtLVyzd1
YUYTg1c1Gn%2fJ5011Fmx1mmaTOBae%2bMEojVHb%2bd96NDIjo9jLvrlopNjXws
PNN3kWwtuE2Vj4t90Zram4XtYg1Y2jTyLGruFmYHmd4WW87i6VIm9VO3UNaBPOi
R5XrV0emvSA5kpm9SXZK7rXmHZ%2fGWxDbd5mpuJX07ZIqa4ru01x%2fmI6gf4De
4zmQG%2fAPoqzoUS06Nce6uXteCfVLVVCPltLYVFVKEERAWRWCuuVBqOoKGyayCe
qfdJiCMR%2bud9E6Vris5oE5k4EIHMPyStlcinPTFKWym30VTeXifOS1VmeWcHtf
BFAu6XL8C1hjq1bGFJSGOHZPsuNFJpk1kr88yCKw%2bXA854ExFVryermwmNViTH
sVzRqqEhiAVgR7p9jqihvNqcYBQFs2A1HgY1PnQ10017uE4uB4smhLvZzth3SxY7
QX1thxeQF0p%2b9W%2bNmJNkfjZb%2fTGa7DDMWjyOeTmeZO7vb8EogLjTrK%2bZ
Rq6weJ1WNn02k9F6RVHa3%2bWqcZXRxkto8gHGZR5oZfYq4g72IsKhFxVavFycmf0E
as4dKvg9xCEcSIOh1rSDYWdpzG7tcUxxz7Q5WOpisAEPGqrPDoS7p1%2bKYaES4t%
2bBuaQIsGJIJyWhmTexqyJpcka4qzWVXX HTTP/1.1
```

7. Because the relying party's aggregated result is empty, the *wresult* parameter becomes the aggregated result. Because the length of the *wresult* parameter was 1,727 characters, which is less than the length of the *ttysize* parameter of 2,652 characters, the relying party needs to request more data from the IP/STS. It does this by sending an HTTP 302 with a wsigin1.0 request that includes the *ttppindex=1727* parameter. For further specifications, see section [3.2.5.1.3](#).

```
HTTP/1.1 302 Found
Location: https://adatumsts-7/adfs/ls/?wa=wsigin1.0&wtrealm=urn
%3afederation%3atrey+research&wct=2006-07-13T07%3a32%3a27Z&wctx=
https%3a%2f%2ftreyws-test%2fclaims%2f%5chhttps%3a%2f%2ftreyws-test
%2fclaims%2fDefault.aspx&ttppindex=1727
```

8. The Web browser requestor relays the wsigin1.0 request to the IP/STS (adatumsts-7) in an HTTP GET message.

```
GET /adfs/ls/?wa=wsigin1.0&wtrealm=urn%3afederation%3atrey+
research&wct=2006-07-13T07%3a32%3a27Z&wctx=https%3a%2f%2ftreyws-
test%2fclaims%2f%5chhttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.
```

aspx&ttppindex=1727 HTTP/1.1

9. The IP/STS returns the remaining 925 characters of the pending result, beginning with character 1,727. For further specifications, see section [3.1.5.1.3](#).

```
HTTP/1.1 302 Found
Location: https://treysts-7/adfs/ls/?wa=wsignin1.0&
ttppsize=2652&ttppindex=1727&wctx=https%3a%2f
%2ftreyws-test%2fclaims%2f%5chhttps%3a%2f%2ftreyws-test%2fclaims
%2fDefault.aspx&wresult=kqNHeG5OcCSAUGEHIEISLri
GRPIJQBEM%2bnGViaAj8ERCSwkseRfLs13wPzbYkh%2bzs6Vn0YZP76zacMJF
GrZbrVe%2fYXvUjtZTKE7YND8pSqH2XS543Z0Piuxye9155PixelBGZyO6WHThaJc9X
t2NPJctVWB2L2TsZNZOTdPugEvtcupyOtikMLOZI7tGhPRPtRa7wh9RP5CwuNEqvq
s7ritXKUCjs16y291pc4gtE1qL3Zmte%2bdK88BIOrwTux%2foje15S1qGDCC9Yqeu
WLWv5UxqSfdkNR3%2bREI0auD%2fKFVTuL%2bf1nbVmTGV8LPf16dhUYvF3PalX
%2fhMzVLC7xzZABdmSjOdqXMuqOK8xbKe4wL6bSWV6m2XykH791vFMyVaOsllrk
%2fuCc7LNmQTigP58D%2fnQOyLk1eXYX3x3GU8rrUsn84LO%2bcGRAtt4eNHY1VD
NEDcGh1%2fYOCujud%2fup3%2bZefDPvB3s91IYB7%2b3VXuK%2bwLyUR23Le07Y
WTLP1D11p62FeOihAQF53jLdrGTc%2b3jPFPkwJFdrk%2b9H1C7ZNDdiyLPcivf
SV2bCmN6ZEmxMRJ0z3KS6G426mlDqL0MYcV1WJ3zzJHR8pWVozlral0wbkuYqT01
eD60fT1hBCVd1cNL1mwcRIKRIAu9QjsGoiff4T63Xg3zIFiq6rSQ%2fRvr29y6LF
oyBn2NHQ6T1oTaG%2f11Je46h3nqJM8dbElFMpNTRKW7SYduLSjlaHXZKO2m0
%2fTykrVn3ny93nGygPpVKC1Jt3qFQfFAfe6Yz8m5m1LXdvvee6%2fvKpfLKxH8
7tJe4u2AtJhNDPEUXb8LbL%2fwXaBdT8Qt2sRedfow4A6k1N%2biOM3f3xwu9ty
v2euTi%2bHppT90wzebb7eAP9x8bzXPTz9gOclvYv3Iy08%2fkzz9A6cx%2fk
%3d
```

10. The Web browser requestor relays the wsignin1.0 response to the relying party (treysts-7) in an HTTP GET message.

```
GET /adfs/ls/?wa=wsignin1.0&
ttppsize=2652&ttppindex=1727
&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chhttps%3a
%2f%2ftreyws-test%2fclaims%2fDefault.aspx&
wresult=kqNHeG5OcCSAUGEHIEISLriGRPIJQBEM
%2bnGViaAj8ERCSwkseRfLs13wPzbYkh%2bzs6Vn0YZP76zacMJFGrZbrVe
%2fYXvUjtZTKE7YND8pSqH2XS543Z0Piuxye9155PixelBGZyO6WHThaJc9Xt2NP
JctVWB2L2TsZNZOTdPugEvtcupyOtikMLOZI7tGhPRPtRa7wh9RP5CwuNEqvq
s7ritXKUCjs16y291pc4gtE1qL3Zmte%2bdK88BIOrwTux%2foje15S1qGDCC9Y
qeuWLWv5UxqSfdkNR3%2bREI0auD%2fKFVTuL%2bf1nbVmTGV8LPf16dhUYvF
3PalX%2fhMzVLC7xzZABdmSjOdqXMuqOK8xbKe4wL6bSWV6m2XykH791vFMyVaO
sllrk%2fuCc7LNmQTigP58D%2fnQOyLk1eXYX3x3GU8rrUsn84LO%2bcGRAtt4
eNHY1VDNEDcGh1%2fYOCujud%2fup3%2bZefDPvB3s91IYB7%2b3VXuK%2bwLyU
R23Le07WTLP1D11p62FeOihAQF53jLdrGTc%2b3jPFPkwJFdrk%2b9H1C7ZND
diyLPcivfSV2bCmN6ZEmxMRJ0z3KS6G426mlDqL0MYcV1WJ3zzJHR8pWVozlral
0wbkuYqT0leD60fT1hBCVd1cNL1mwcRIKRIAu9QjsGoiff4T63Xg3zIFiq6rSQ
%2fRvr29y6LFoyBn2NHQ6T1oTaG%2f11Je46h3nqJM8dbElFMpNTRKW7SYduLS
jlaHXZKO2m0%2fTykrVn3ny93nGygPpVKC1Jt3qFQfFAfe6Yz8m5m1LXdvvee6
%2fvKpfLKxH87tJe4u2AtJhNDPEUXb8LbL%2fwXaBdT8Qt2sRedfow4A6k1N
%2biOM3f3xwu9tyv2euTi%2bHppT90wzebb7eAP9x8bzXPTz9gOclvYv3Iy08
%2fkzz9A6cx%2fk%3d HTTP/1.1
```

11. The relying party appends the *wresult* parameter to the aggregated result. The new aggregated result is 2,652 characters long, which indicates the completion of the Query String Response Transfer Protocol (see section [4.1](#)). The relying party extracts the RSTR from the aggregated

result (as specified in section [3.2.5.1.4](#)) and processes it as specified in [\[MS-MWBF\]](#) section 3.3.5.2. The relying party's next action is outside the scope of the protocol, though in this case the relying party, which was a resource IP/STS, issued a new SAML assertion and used the Query String Response Transfer Protocol to transmit it to a WS resource.

4.1.2 Full Network Trace

The following is the full network trace for the protocol example in [Annotated Example \(section 4.1.1\)](#).

The following table specifies the protocol roles of the hosts.

Protocol role	Host name
Requestor IP/STS	adatumsts-7
Resource IP/STS	treysts-7
WS resource	treyws-test

HTTP requests are prefaced by a line with three right-angle brackets (">>>") and the name of the host to which the request was sent. Requests are followed by the HTTP response, which is prefaced by a line with three left-angle brackets ("<<<"). The final three HTTP messages (HTTP 302, HTTP GET, and HTTP 200 OK) are an internal implementation detail and shown for completeness only. These messages are not necessary for interoperability.

```
>>> treyws-test (WS Resource)
GET /claims/ HTTP/1.1

<<<
HTTP/1.1 302 Found
Location: https://treysts-7/adfs/ls/?wa=wsignin1.0&wreply=https%3a%2f%2ftreyws-test%2fclaims%2f&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttppindex=0

>>> treysts-7 (Resource IP/STS)
GET /adfs/ls/?wa=wsignin1.0&wreply=https%3a%2f%2ftreyws-test%2fclaims%2f&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttppindex=0 HTTP/1.1

<<<
HTTP/1.1 302 Found
Location: https://adatumsts-7/adfs/ls/?wa=wsignin1.0&wtrealm=urn%3afederation%3atrey+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttppindex=0
Set-Cookie: _TTPRealm=urn:federation:adatum; path=/adfs/ls/; secure; HttpOnly

>>> adatumsts-7 (Requestor IP/STS)
GET /adfs/ls/?wa=wsignin1.0&wtrealm=urn%3afederation%3atrey+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttppindex=0 HTTP/1.1

<<<
HTTP/1.1 302 Found
```

```

Location: /adfs/ls/auth/integrated/?wa=wsignin1.0&wtrealm=urn%3afederation%3atrey+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttppindex=0

>>> adatumsts-7 (Requestor IP/STS)
GET /adfs/ls/auth/integrated/?wa=wsignin1.0&wtrealm=urn%3afederation%3atrey+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttppindex=0 HTTP/1.1

<<<
HTTP/1.1 401 Unauthorized
WWW-Authenticate: Negotiate
WWW-Authenticate: NTLM

>>> adatumsts-7 (Requestor IP/STS)
GET /adfs/ls/auth/integrated/?wa=wsignin1.0&wtrealm=urn%3afederation%3atrey+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttppindex=0 HTTP/1.1
Authorization: Negotiate T1RMTVNTUAABAAAAB4IlogAAAAAAAAAAAAAAFAAs4OAAAADw==

<<<
HTTP/1.1 401 Unauthorized
WWW-Authenticate: Negotiate T1RMTVNTUAACAAAAEAAQADgAAAAFgomilZ0tC7za4J0AAAAAAAQQBAFIAAAABQLODgAAA9BAEQARgBTAFYATQAtAEEAAgAQAEEARABGAFMAVgBNAC0AQQAQABABYAAQBEAEEAVABVAE0AUwBUAFMALQA3AAQAOgBhAGQAZgBzAHYAbQAtAGEALgBuAHQAdAB1AHMAdAAuAG0AaQBjAHIAbwBzAG8AZgB0AC4AYwBvAG0AAwBSAGEAZAbAHQAdQBTAHMAdABzAC0AnwAuAGEAZABmAHMAdgBTAC0AYQAUAG4dAb0AGUAcwB0AC4AbQBpAGMAcgBvAHMAbwBmAHQALgBjAG8AbQAFADoAYQBkAGYAcwB2AG0ALQBhAC4AbgB0AHQAZQBzAHQALgBtAGkAYwByAG8AcwBvAGYAdAAuAGMAbwBtAAAAAA=
```

>>> adatumsts-7 (Requestor IP/STS)

```

GET /adfs/ls/auth/integrated/?wa=wsignin1.0&wtrealm=urn%3afederation%3atrey+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttppindex=0 HTTP/1.1
Authorization: Negotiate T1RMTVNTUAADAAAAGAAYAIAAAAAYABgAmAAAABAAEABIAAAAGgAaAFgAAAAOA4AcgAAAAAAAACwAAAABYKIogUCzg4AAAAPYQBkAGYAcwB2AG0ALQBhAGEAZABtAGkAbgBpAHMAdAByAGEAdAbvAHIASgBTAEIALQBEAEUAVgBRfVjBrWkBSQAAAAAAAADZmf/wdoShwGwc7CBCpFNGdUhCLsDZPuu=
```

<<<

```

HTTP/1.1 401 Unauthorized
WWW-Authenticate: Negotiate
WWW-Authenticate: NTLM
```

>>> adatumsts-7 (Requestor IP/STS)

```

GET /adfs/ls/auth/integrated/?wa=wsignin1.0&wtrealm=urn%3afederation%3atrey+research&wct=2006-07-13T07%3a32%3a21Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttppindex=0 HTTP/1.1
Authorization: Negotiate YIIFRwYGKwYBBQUCoIIFOzCCBTegJDAiBgkqhkiC9xIBAgIGCSqGSIB3EgECAgYKKwYBBAGCNwICCqKCBQ0EggUJYIIFBQYJKoZIhvcsAQICAQBguggT0MIIE8KADAgEFoQMCAQ6iBwMFACAAAACjggQDYyID/zCCA/ugAwIBBaEfGx1BREZTVk0tQS5OVFRFU1QuTU1DUk9TT0ZULKNPtaTeMBYgAwIBAQEVMBMbBEhUVFabC2FkYXR1bXN0cy03o4IDsTCCA62gAwIBF6EDAgECooIDnwSCA5syDvJHfsRntPFOoUy00/THHoA
```

eX2fGt0ND8DenGhkYzdIHU4r98+vIgvn+8i06qyZR8r8ZPpqIhEltafOXWnBCckq8XES
ARwj4oX1LNja0i+zoy1vQ1voj8FRVxwiE0Jta5bLNQA+1uMhrRot2F3VAYEZK5kXQFDz
7G9PuBSyhRk6nwd9gORXk5AiH1X7HOg03RHe4hYoJ7jTkt9g7lm0wq7Rvtsn1vvzW6E1
an3UZBjak61Olh1kh/zC4YYFKIRTnL2ES1Q2teVeRSoMLzyRJu46n4SEY2I5X3J+5Svq
+oAwkWUq9B41xqBFEAfI1/4Vc9jwgmmDg8UUvdjiCa4qaAWrsrv2JuxiDxHYwYQyEiuTC
AmZx+AniZ4IAmQATA/iQVOYEKMcUkwBH6YVz3sz/Sw7KOwmug81zhbmpgQdU7GtBkkG7
Dj3e3uQffYLuw5AFkxDJlby+q/TBaOtWq/kUFWKTCg1TziW13wNyj3CmShctPXlxSjU
SUMJJ5uVYm9g17cV0CnaCRM4TJV1Qd+eWcuX1wcMrujg2ktZZHAgmk8VxfqjrUyWJbw
OGqa1Z6OuxTId9k3Rxt1kwBICtWqPgeHsDQ3nMOPpHXF1TNqPQvYMKOncNeJAsqAJ34m
Ohw4D/Q3qfj9PI6DW1fxo1dBM6A1UJ/rpXHGYV3z5EJKLPYqRYPyAm9hRWmu4/SIA1R
+5rzHWb5vRp4jLiHDGb12ReqIPhMvP6CUVJGggbIjyyRx5VoYCIm+uRPP3GFej6C4eX9
fMrwqN3ktk76bRWzf9HKb9VHuYX/k+tM1ktf2VrYAifyQf8oJxMq9XON+Iej3KvqyP3d
ZgZfaw9389iITrdX4YnzFwKAf/ot/dLyGrgqWxR/xMTYzmGpJGGm8ZVhj6M/CZugh7e
mVzS2WrZFWzk2fufFOvcgxHc5hzuWav4VtxD0Kwp1UDnr8DmAK3T65dJ8AsgKpfKaxn
vbzo+0jDWFZVergGqqnJCejuOU9QDm/oAFTGgaruQraUdeAJVUrNE6rott6jMXECVI0
IxtdbAtugbtNhw/9f61Tc0xY+7y/tmY+N5MK1Y/my8a/jJ0+DjFR1UJXUWJMDKun0ITt
1xaAmjjAmGsgkmkhV6MoAd7Jdq3je3oogKcz2rfAavRzt/Gy8Zhvb+QKNFeMWpKq7wXm
fUa9w/z6V6q3VHomzipcSGUkr2RQrpTcIBopGZcY/kbV1G9RqsB0zCB0KADAgEXooH
IBIHFGXJTUh/3yxOaGftyhDxT33t4KCBInzQ/SLH5M/iH4oxfgtJNbJ5tNM3rXlrkY+
36t00GgLjUTaaBS5P0Fms51HiR9PbK4nY7n335HcDVJQXBFIudOkqGU3U80Kuh6UPrS+
ihacMygHCR5B01DgtqvEObraoRR0ct1LvnmMBQG6saajBr80OsqEju1dL77U7W0Aa9I
jDWGReZ+nTZu/rhy+Ab0e2tjgQ8+T+77FUHeYy4B61w7+y5QgnHBbuSP/KAIxAa=

<<<

HTTP/1.1 302 Found
Date: Thu, 13 Jul 2006 07:32:27 GMT
Server: Microsoft-IIS/6.0
X-Powered-By: ASP.NET
WWW-Authenticate: Negotiate oYggMIGdoAMKAQChCwYJKoZIgvcSAQICooGIBIGFYI
GCBgkqhkiG9xIBAgICAG9zMHGhAwIBBaEDAgEPomUwY6ADAgEXolwEWjj9o1jcrPxz9ipQ
kjQo69bf5SYXFD7mxzA1pl8q5jKcV4ETZcxVawsYxvnHGV/wTsl/yg8CHMZNZ8D07cNqsp
IEUkG6joNvB9NQaGa4q5441JbEVaBLzPZ/9w==
Location: https://treysts-7/adfs/ls/?wa=wsignin1.0&ttysize=2652&ttppind
ex=0&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chhttps%3a%2f%2ftreyws
-test%2fclaims%2fDefault.aspx&wresult=eNrNWftzqsoS%2fiuW6zGVBYg3rCR1h
uAaAAlyssphOEshVEGRPzle9BoNTYt59R62D4NPW3311%2f3dDM81DgfWHBXQJzb0CuyOK
%2bmaA1TC%2bItSjFsHJJN1gdE7bEZ5f12QFYi2Di4u9kByN3%2bx11IVViqkXTHYpuUX
1W4Lz59HBjGfofbD89YdfZDADGMMtjlDauK1V8bP436NAMGzD%2bvddps%2fftFuzd91ew
c79iu5y7Yv1%2b4HeaDRXjAqopzt2UQCPOu%2fd0755hp3RvwLYGrZ7zppM9NossHQTQh5
1bOxm4vpsXSbNhuK8om8MME%2bFjkyGCOP0oAdfoz0bQS608SB1E4gHuTewgTEaMN%2fp
gXsJoPkWm4BSP64FuDFGOQ8D1MFfoSQKk3SSgSCvsd7q9C86F8YKP4apB0ly8iz2avtXR5
9Unj7FnGewamQQQzfzogfq%2b6n55%2bbpz4Fdnh7%2bPahtosHmOyidUyyEqChi6M3%2
buqdM31J7GUIoyC%2fQdz8Uqk5vj2KulaytQyKoWL1HhnM8%2fs%2fvGB%2bondK94312
%2fg8wimeeydrNq5m80EPDc%2byv9QMB%2bVDzhHyP%2bxfD4oDco49VGJLzmyi9Ur9PK3
pzEpFdWvtYMYZg0ZYn7%2b5Fkdw4wdTsedx8An4SpzFJhpuj7D%2fnsv3uoet%2fo%2
fGL6xcAVC%2f4%2bXCWk4yvSpy%2bHnj3xPG5yN66r%2b22NTStx4A3yf1DZuftzEW9eD
XwDz%2f0xj7m4K%2bOT%2bHvUn7c%2fSP%2bEWUJKgtF7%2fxdQGQUwydKL87yBVM1Rs%2
fy51od4kCU7inID9d8ME222G919HSf3yXN1xmJIiyt5m6hVXWzbfs%2fYeh3Q1mqI5iij4
OA6%2fNc%2f8f7d%2bp4eBDfKTnJm%2fh406AaYBm1m1yj5BcmGyqha5P38ODde0w7
%2fdzsUDd4vmjmA7IMu%2fc4cpmTJQsGMKsnR2Nm9Y%2fNb18b4U8P08xNMRmNCb5Z%2f2
84YLqHG7SF%2fj2%2bhHOC9HVzv2CHugUnxiGZif8PT1eOzibOVTPhN2GVHqWsG5S6BHgV
4f3E0eycpnEu9V8oK7ckvVtLVyzd1YUYTg1c1Gn%2fJ5011Fmx1mmaTOBae%2bMEOjVhb
%2bd96NDIj9OjLvr1opNjXwsPNN3kWwtuB2Vj4t90Zram4XtYg1Y2jTyLGrUFmYHmdV4WW
87i6VIm9VO3UNaBP0iR5XrV0emvSA5kpm9SXZK7rXmHZ%2fGWXdBd5mpuJX07ZIqA4ru01
X%2fmI6gf4De4zmQG%2fAPoqzOUS06Nce6uXteCfVLVVCPltLYVFVkREEAWRCUuVBqOoK
GyayCeqfdJiCMR%2bud9E6Vris5oE5k4EIHMpystlcinPTFKWym30VTeXIfoSlVmeWcHtf
BFaU6XL8C1hjqlbGFJSGOHZPsuNFJp1kBr88yCKw%2bXA854ExFVryermwmNViTThsVzRqq
EhiAvgR7p9jqihVNqcYBQFsZA1HgY1PnQ10017uE4uB4smhLvZzth3SxY7QX1thxeQF0p%
2b9W%2bNmJNkfjZb%2fTGa7DDMWjyOeTmeZO7vb8EoglJTrK%2bZRq6weJ1WNn02k9F6RV

Ha3%2bWqcZXRkto8gHGZR5oFyq4g72IsKhFxVavFycmf0Eas4dKvg9xCEcSIOh1rSDYWD
 pzG7tcUxxz7Q5WOpisAEPGqrPDoS7p1%2bKYaES4t%2bBuaQIsGJIJyWhmTexqyJpcka4q
 zWVXX
 Set-Cookie: _WebSsoAuth=eNrNV1tz4rgs5qekmMcU4zvYVJI68hXbGGIBCLhO1ZYv8i
 VgG3zBmF+/AkImYSe7c07Nw/pJarW7v/661ZIEsJfdDEFZwqJK8uzufaSKj90/QgYnqJAI
 ej5DUz2ahIMe60Gm51F9zvWogA0DpnunlmUN1ays3Kx67JI43u/hgx5BzfDBkCKH5MB50Y
 keu3WRDUMYwM190Rm6gVvVaffocF/zYgGLEgkfuwQSJNlnwSHdZOxwhPziJHFpBxmbgrL
 YeUPbWCmH8R3fOheA+g+PZXjE/IssE6C8m6SVzwM8Wj+hRIpTLNpAcLqhpWjdDnvVebMK6i
 CBmQ8tWFZF4p/svzu6UXm6ibkqYHtXwBK6hR8/YJ91b+Y/N4/dBHZ1GOyTkwk3CEu0mq8T
 1JUwH711/EbfaeVCX5r4RV7mYfUBWfdJiRf69ijqWkNM8t0fs5Wk51NEEvrxwfsJ3bf8b
 65fgNfxTCrEv9s1a7cCqZofvdZ/g8F81nZgFWcB38tn09KwybJgrwprzmya+8V+tXbbIJK
 RQ1O2mECizs5L1IXeY+ravjEsNKPYeqW3xFPZe5uv+dFhPkbN01LbP486T6BIE2yBCXDrf
 LiP5ey/e7n6Vv8n41fWXkHgP0dL1fWKpRpr67g7cK/J4zPOO/eR6ffHrtS6iYbEASotMvu
 58Vy6/rwF0B2b30s3E0Nn9y/R32jfSv9J9xCnqZ5dhr/XtQGQowydKb89yBVirze/16Qwm
 kRJThNKgT23w0TbLdFvv911NiX+8p0ogwVUQEvvffEdv9M03xvqDad1JRzDOQwpBGUSfete
 /oLBqfU9PQhulmdoJ2+S44cGdQc2UV4kVZx+YZLACPxxksgcPfs8n60xb9w77g0cXzXxCvp
 Rur4xd4mzJgiEsTifH3dxSH7vffu0If3qYFW5WoqMxLT+M/zccMNvDTb6FQa+8hnOG9Ovm
 vmaH+whOTCJ0Jv4/PL1zdDFxqZopv4na7Cgv/bDRJcCrbmfOppdUTg68T5qPmDv3KLxx1
 p4z95FYUyTRzKxEHQsG0j2jzI/zQtPmAkHvjAAi7T2/XbDxIzWJQcHd9xvFx1I+EZ7x+1i2
 ltymrSb1viZn9mZpu6UGLG0W+xY2poX5Qay0XtZp7kScbPdqXuii2BRD7Bm/erIuB+mR3
 Rmb9KdUvnkggnwsugv8T4xe7eSv1hTYjhfbx1j9kYBgf0P14C+QD+QYftJaolg3oIW7mx
 kXC6VIWnows1n1UVCVEQQNFGcFF5EKm6QkWpbILTJx1mYMJH6128ThSuwXlgzmUgAsew/E
 Y2V+LCNEWpYeausmkdmY/9zGlmKbcPRAD1Bm8mr4AyZmprzEBjibP3LDteZdJZZvCrgywC
 m48mCx4YM4GU16ulRXjLce630GwosMgAXBHsnWKRhiWa0gkHALQyAaLAJ6bOR6Zo3Ypxs
 HJdE1LA9K2I7zeEdoLZey4qga6w7pt+ezEm6Pxst/pBmcQI/Eo8tV0rrnT+z2/AuJSw45Y
 NcNo/SBReuJsGPK5Rq3qaLFrHSD0ZbyK4wAUUoafQWp7MXewly2IuLbRktX03mBzSnFwsu
 b3EERJKo5GwtqPhIOvEbuiRFHfujsVFFYAI+p1U+PyLuHbYR18S1hT8Dc4Sh4EQQzRpD
 Mj/GrImNSRni/KSr6rmjxt/gnImgEgAbiJDEK66hoTyCCIRjPhoXoiRifBhgEiKrnkU0T
 w48T0yaUmOzPnKt/DDpgrWNJwSsYZ5q7U3ONIE6uN1JyxhXjQNMLJd7PieXM+Qr6b0Wxt
 leejRs7BXKYzfoQUsbhQXcaeTVcerdg6U1TdebMwz7ohL9HNTOT1XEoiK3ckd2Thvpjvx+
 Rkg+onDpZWPK6t2m+ZV4/SmnFKbFeUtdJLg0EJCPxvUku2kBa1H7K1Z7A/bX+kJ6fNk3k
 5IiXUjnVld9IPK8qE1RPuiGpF+RHIMSVth6MrGaasPvVybYiE4ES3fp5dZyavlou; path
 =/adfs/ls/; secure; HttpOnly
 Set-Cookie: _WebSsoAuth0=cFF+wmdmNhb4wZEBdGWqOFtPmffHLecvlR8xLqXzWPYb
 e8pB/+H3zhckPHWTy1zhfzBBVqnzbpxgN/uA/68D9C+NX1lq19wfjJPM72Pp4hBQgXAKQLH
 eHjTKG61Fjo3AYZANDgro73f7WUBzL4FzseFej6RRyPt7dzC6L7Bq5DFT+c8pNU8XhbrA7
 rW1kIyCKKSg8Jxsqx7pVBx9XBSKDQyy7HY6yGnGyK/f1HkeWVVO61vY1GCjy0pMcaC7lt
 OGt/PxwNtbLWXEWw5htI53xwbZKB4juassXVNuKQwVwdk+HygAz01BCXzcsNP11QSxoKR5
 lb+Cu0EiL58X7Lc2htVYbhS1VktBx5129y6qUm5BKxGjUYpOcX2BrtqxR1zWGRO+syU1ls
 ncznLsWw3ZXBiyS1Hq0/FWT/b5S8vBT33F+v1jpOFnG0jSUn77SsM6wfstmNeJJduir132
 B+99/2ucn28PhGdPzzSpXASvY04d0Pt0dwA73mwz/RcxnVJos+6kPI6ndsXExor7mGQFOj
 CnhdtB4iyvTB64L+fbv4du0f0mB5J9FhqKf6L1smDD4gqt5Ocj2CpfsoyVL9QY/B8U6H6
 PzSu6vzk5dch+mAzudXxxVSh+98dbHvCJ2Pt+eO2JHS7SzvIURdw83cCBZ/AgPdteY=;
 path=/adfs/ls/; secure; HttpOnly
 Set-Cookie: _LSCleanup=2006-07-13:07:32:27Zr0urn:federation:trey
 research; path=/adfs/ls/; secure; HttpOnly
 Set-Cookie: _TTPDest=urn:federation:trey research; path=/adfs/ls/;
 secure; HttpOnly
 Set-Cookie: _TTPData=eNrNWFtzqsoS/iuW6zGVByg3rCR1hquAaAA1yssphOEShVEGR
 Pz1e9BoNTYt59R62D4NPW3311/3dDM81DgfWHBXQJzb0CuyOK+maA1TC+ItSjFsHJJNigd
 E7bEZ5f12QFHYi2Di4u9kByN3+x11IVViqzXTHYpuUX1W4Lz59HBjGfobD89YDFZDADGM
 MtjlDauK1V8bp436NAMGzD+vddps/ftFuzd91ewc79iu5y7Yv1+4HeaDRXjAqopzt2UQCP
 Ou/d0755hp3RvwLYGrZ7zpM9nossHQTQh5lbOxm4vpsXsbNhuK8om8MME+FjkyGCOP0oO
 Adfoz0bQS608SB1E4gHuTeWgTEaMN/pgXsJoPkWm4BSP64FuDFGQ8D1MFf0sQKk3SSgSC
 vsd7q9C86F8YKp4apB0ly8iz2avtXR59Unj7FnGewamQQQzfzogfqo+6n55+bpz4FdnHo
 7+PahOsHmOyidUyyEqChi6M3+uqdM31J7GUIoyC/QdZ8Uqk5vj2Kulay0tQyKoWL1HhnM
 8/S+vGB+ondK94312/g8wimeeydrNq5m8OEPDc+yv9QMB+VDZhHyP+xfD4oDco49VGJLzm
 yi9Ur9PK3pzEpFdWvtYMYZg0ZZYn7+5Pkbw4wdTsedx8An4SpzfJhpuj7D/nsv3uoet/ox
 o/GL6xcAVC/4+XCWk4yvSpy+Hnj3xPGR5yN66r+22NTStx4A3yf1DZuftzEW9eDXwDZ/Ox

j7m4K+OT+HvUn7c/SP+EWUJKgtF7/XdQGQUwydKL87yBVM1Rs/y5Iod4kCU7inID9d8ME2
 22G919HSf3yXN1xmJIiyt5m6hVXWzbfs/SYEh3QlmqI5ij4OA6/Nc//gn7d+p4eBDdFKTn
 Jm/h406AaYBMiMlyj5BcmGYqha5P380Dde0w7/dzsUDd4vmjmA7IMu/c4cpmtJQsGMKsn
 R2NmqY/Nb18b4U8P08xNMRmNCb5Z/284YLqHG7SF/j2+hHOC9HVzv2CHugUnxiGZif8PT
 1eOzibOVTPhN2GVHqWsG5S6BHgV4f3E0eycpnEu9V8oK7ckvVtLVyzd1YUYTg1c1Gn/J
 5011Fmx1mmaTOBae+MEojVHb+d96NDIj09jLvrlopNJXwsPNN3kWtuE2Vj4t90Zram4X
 tYg1Y2jTyLGruUFmYHmdV4WW87i6VIm9VO3UNaBPOiR5XrV0emvSA5kpm9SXZK7rXmHZ/G
 WXdBd5mpuJX07ZIqa4ru01X/m16gf4De4zmQG/APOqzOUS06NCe6uXteCfVLVVCPLtLYV
 FVkJEEAWRWCuuVBqoKGayCeqfdJiCMR+ud9E6VriS5oE5k4EIHMPyStlcinPTFKWyM3
 OVTeXiFOS1VmeWcHtfBFBAu6XL8C1hjq1bGFJSGOHZPsuNFJp1kBr88yCKw+XA854ExFv
 yermwmNViTHsVzRqqEhiAvgr7p9jqihVNqcyBQFsZAIHgY1PnQ10017uE4uB4smhLvZZt
 h3SxY7QX1thxeQF0p+9W+NmJNkfjZb/Tga7DDMWjyOeTmeZO7vb8EogLjTrK+ZRq6weJ1
 WNn02k9F6RVHa3+WqcZXRxkto8gHGZR5oZfYq4g72IsKhFxVavFycmf0Eas4dKvg9xCEcS
 IOh1rSDYWDpzG7tcUxxz7Q5WOpisAEPGqrPDoS7p1+KYaES4t+BuaQIsGJ1JyWhmTexqy
 Jpcka4qzWVXXXkqNheG50ccSAUgEHIEISlriGRPIJQBEM+nGviaAj8ERCSwkseRfLs13wP
 zbYkh+zs6vn0YZP76zacMFGrzbrVe/YXvUjtZTKE7YND8pSqH2XS543Z0Piuxye9155P
 ix1BGZyO6WHTHaJc9xt2NPJctVwbL2TsZNZOTdPugEvtcupyOtIkMLOZI7tGhPRPtRa7
 wh9RP5CwuNEqvws7ritXKUCjs16y291pc4gtE1qL3Zmte+dK88BIOrwTux/oje15s1qG
 DCC9YqeUW; path=/adfs/ls/; secure; HttpOnly
 Set-Cookie: _TTPData0=LyWeV5UxqSfdkNR3+REI0auD/KFVTuL+flnbVmtGV8LPf16
 dhUYvF3Pa1X/hMzVLC7xzZABdmSjOdqXMuqOK8xbKe4wL6bSWV6m2XykH791vFMyVaOs1
 lrkk/uCc7LNmQTigP58D/nQOyLk1eXYX3x3GU8rrUsn84LO+cGRAtt4eNHY1VDNEDcGh1
 /YOCujud/up3+ZefDPvB3s91IYB7+3VxuK+wLyUR23Le07YWTLp1D1p62FeoiHAQuF53
 jLdrGTc+3jPFpkwJFdtk+9H1C7ZNDdiyLPCivfSV2bCmN6ZEmxMRj023KS6G426mlDqL0
 MYcV1WJ3zzJHR8pWvoz1ral0wbkuYqT01eD60fT1hBCVdIcNL1mwcrIKRIAu9QjsGoiff
 4T63Xg3z1FIq6rSQ/Rvr29y6LFOyBn2NHQ6T1oTaG/11Je46h3nqJM8dbE1FMpNTRKW7S
 YduLSj1aHXZK02m0/TykrVn3ny93nGygPpVKC1Jt3qFQfFAfe6Yz8m5m1LXdvvee6/vKp
 fLKxH87tJe4u2AtJhNDPEUXb8LbL/wXabdt8Qt2sRedfow4A6k1N+iOM3f3xwu9tyv2eu
 Ti+HppT90wzebb7eAP9x8bzXPTz9gOclvYv3Iy08/kzz9A6cx/kw=; path=/adfs/ls/
 ; secure; HttpOnly

>>> treysts-7 (Resource IP/STS)
 GET /adfs/ls/?wa=wsignin1.0&tppsize=2652&tppindex=0&wctx=https%3a%2f%
 2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2f
 Default.aspx&wresult=eNrNWFTtzqsoS%2fiuW6zGVBYg3rCR1hquAaAA1yssphOEshV
 EGPRz1e9BoTNyt59R62D4NPW3311%2f3dDM81DgfWHBXQJzb0CuyOK%2bmaA1TC%2bitSj
 FsHJJNigde7bEZ5f12QFYi2Di4u9kByN3%2bx11IVViqkXTHYpuUX1w4Lz59HBjGfofbD
 89YdfZDADGMMTj1dauK1V8bP436NAMgZD%2bvdpps%2fftFuzd91ewc79iu5y7Yv1%2b4
 HeaDRXjAqopzt2UQCPOu%2fd0755hp3RvwLYGrZ7zppM9NossHQTQh51bOxm4vpsXSbNhu
 K8om8MME%2bFjkyGCOP0oOAdfoz0bQS608SB1E4gHuTewgTEaMN%2fgXsJoPkWm4BSP64
 FuDFGOQ8D1MFFoSQKk3SSgSCvsd7q9C86F8YKP4apB0ly8iz2avtXR59Unj7FnGewamQQ
 zfzogfqo%2b6n55%2bbpbz4FdnHo7%2bPahOsHmOyidUyyEqChi6M3%2buqdM31J7GUIoyC
 %2fQdZ8UqK5vj2Kulay0tQyKoWL1HhnM8%2fS%2bvGB%2bondK94312%2fg8wimeeydrNq
 5m80EPDC%2byv9QMB%2bVDzhNyP%2bxfD4oDco49VGJLzmyi9Ur9PK3pzEpFdWvtYMYZg0
 ZZYN7%2b5Pkbdw4wdTsedx8An4SpzFJhpj7D%2fnvs3uoet%2f%2fGL6xcAVC%2f4%2
 bXCWk4yvSpy%2bHnj3xPGR5yN66r%2b22NTStx4A3yf1DZuftzEW9eDXwDZ%2fOxj7m4K%
 2b0t%2bHvUn7c%2fSP%2bEWUJKgtF7%2fxdQGQUwydkL87yBVM1Rs%2fy5Iod4kCU7inID
 9d8ME222G919HSf3yXN1xmJIiyt5m6hVXWzbfs%2fYeh3QlmqI5ij4OA6%2fNc%2f%2fg
 n7d%2bp4eBdFKTnJm%2fh406AaYBMiMlyj5BcmGYqha5P380Dde0w7%2fdzsUDd4vmjmA
 7IMu%2fc4cpmtJQsGMKsnR2NmqY%2fnb18b4U8P08xNMRmNCb5Z%2f284YLqHG7SF%2fj2
 %2bhHOC9HVzv2CHugUnxiGZif8PT1eOzibOVTPhN2GVHqWsG5S6BHgV4f3E0eycpnEu9V
 8oK7ckvVtLVyzd1YUYTg1c1Gn%2fJ5011Fmx1mmaTOBae%2bMEojVHb%2bd96NDIj09jL
 r1opNJXwsPNN3kWtuE2Vj4t90Zram4XtYg1Y2jTyLGruUFmYHmdV4WW87i6VIm9VO3UNaB
 POiR5XrV0emvSA5kpm9SXZK7rXmHZ%2fGWxDb5mpuJX07ZIqa4ru01X%2fmi6gf4De4zm
 QG%2fAPOqzOUS06NCe6uXteCfVLVVCPLtLYVFVkREEAWRWCuuVBqoKGayCeqfdJiCMR%
 2bud9E6VriS5oE5k4EIHMPyStlcinPTFKWym3OVTeeXiFOS1VmeWcHtfBFBAu6XL8C1hjq1b
 GFJSGOHZPsuNFJp1kBr88yCKw%2bXA854ExFVryermwmNViTHsVzRqqEhiAvgr7p9jqihV
 NqcyBQFsZA1HgY1PnQ10017uE4uB4smhLvZZth3SxY7QX1thxeQF0p%2b9W%2bNmJNkfjZ
 b%2fTGa7DDMWjyOeTmeZO7vb8EogLjTrK%2bZrq6weJ1WNn02k9F6RVHa3%2bWqcZXRxkto

```

8gHGZR5oZfYq4g72IsKhFxVavFycmf0Eas4dKvg9xCEcSIOh1rSDYWDpzG7tcUxxz7Q5WO
pisAEPGqrPDoS7p1%2bKYaES4t%2bBuaQIsGJIJyWhmTexqyJpcKa4qzWVXX HTTP/1.1
Accept: image/gif, image/x-bitmap, image/jpeg, image/pjpeg,
application/vnd.ms-excel, application/vnd.ms-powerpoint,
application/msword, application/x-shockwave-flash, */
Accept-Language: en-us
UA-CPU: x86
Accept-Encoding: gzip, deflate
User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.2;
SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727; InfoPath.1)
Host: treysts-7
Connection: Keep-Alive
Cookie: _TTPRealm=urn:federation:adatum

<<<
HTTP/1.1 302 Found
Date: Thu, 13 Jul 2006 07:32:27 GMT
Server: Microsoft-IIS/6.0
X-Powered-By: ASP.NET
X-AspNet-Version: 2.0.50727
Location: https://adatumsts-7/adfs/ls/?wa=wsignin1.0&wtrealm=urn%
3afederation%3atrey+research&wct=2006-07-13T07%3a32%3a27Z&wctx=
https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test
%2fclaims%2fDefault.aspx&ttppindex=1727
Set-Cookie: _TTPData=eNrNWFTtzqsoS/iuW6zGVBYg3rCR1hquAaAA1yssphOEShVEG
RPz1e9BoTNyT59R62D4NPW331t/3dDM81DgfWHBXQJzb0CuyOK+maA1TC+ItSjFsHJJNi
gdE7bEZ5f12QFHYi2Di4u9kByN3+x1lIVViqkXTHYpuUX1W4Lz59HBjGfofbD89YDFZDA
DGMMtj1DauK1v8bP436NAMGzD+vddps/ftFuzd91ewc79iu5y7Yv1+4HeaDRXjAqopzt2
UQCPOu/d0755hp3RvwLYGrZ7zppM9NossHQTh51bOxm4vpsXSbNhuK8om8MME+FjkyGC
OP0oOAdfoz0bQS608SB1E4gHuTewgTEaMN/pgXsJoPkWm4BSP64FuDFGOQ8D1MFfoSQKk
3SSgSCvsd7qC86F8YKP4apB0ly8iz2avtXR59Unj7FnGewamQQQzfzogfqo+6n55+bpz
4Fdnh07+PahOsHmOyidUyyEqChi6M3+uqQM31J7GUitoyC/QdZ8UqK5vj2Kulay0tQyKoW
L1HhnM8/S+vGB+ondK94312/g8wimeeydrNq5m8OEPDc+yv9QMB+VDZhHyP+xfD4oDco4
9VGJLzmyi9Ur9PK3pzEpFdWvtYMYZg0ZZYn7+5Pkbdw4wdTsedx8An4SpzFJhpuj7D/ns
v3uoetQt/o/GL6xcAVC/4+XCWk4yvSpy+Hnj3xPGR5yN66r+22NTStx4A3yf1DZuftzEW9
eDXwDZ/Oxj7m4K+OT+HvUn7c/SP+EWUJKgtF7/XdQGQuwydKL87yBVM1Rs/y5Iod4kCU7
inID9d8ME222G919HSF3yXN1xmJIiyt5m6hvXWzbfs/YEh3Q1mqI5iij4OA6/Nc//gn7d
+tp4eBDdFKTnJm/h406AaYBmIM1yj5BcmGYqha5P38ODde0w7/dzsUDd4vmjmA7IMu/c4c
pmTJQsGMKsnR2NmcyQ/Nb18b4U8P08xNMRmNCb5Z/284YLqHG7SF/j2+hHOC9HVzv2CHug
UnxiGZif8PT1eOzibOVTPPhN2GVHqWsG5S6BhgV4f3E0eycpnEu9V8oK7ckvVtLVyzd1Y
UYTg1c1Gn/J5011Fmx1mmaTOBae+MEojVhb+d96NDIj09jLvrlopNjXwsPNN3kWwtuE2V
j4t90Zram4XtYg1Y2jTyLGrUfmYHmdV4WW87i6VIm9VO3UNaBPOiR5XrV0emvSA5kpm9S
XZK7rXmHZ/GWXdBd5mpuJX07Z1qA4ru01X/mI6gf4De4zmQG/APOqzOUS06NCe6uXteCf
VLVVCPtLYVFVkrEEAWRWCuuVBqOoKGyayCeqfdJiCMR+ud9E6VriSS5oE5k4EIHMPrStl
cinPTFKWyM30VTExIfOS1VmewChtfbFAu6XL8C1hjq1bGFJSGOHZPsuNFJp1kBr88yCKw
+XA854ExxFVryermwmNViTbVzRqqEhiAvqR7p9jqiHVNqcYBQFsZA1HgY1PnQ1O017uE4
uB4smhLvZZth3SxY7QX1thxeQF0p+9W+NmJNkfjZb/TGa7DDMWjyOeTmeZO7vb8EogLjt
rK+ZRq6weJ1WNn02k9F6RVHa3+WqcZXrkt08gHGZR5oZfYq4g72IsKhFxVavFycmf0Eas
4dKvg9xCEcSIOh1rSDYWDpzG7tcUxxz7Q5WOpisAEPGqrPDoS7p1+KYaES4t+BuaQIsGJ
IJyWhmTexqyJpcKa4qzWVXX; path=/adfs/ls/; secure; HttpOnly

>>> adatumsts-7 (Requestor IP/STS)
GET /adfs/ls/?wa=wsignin1.0&wtrealm=urn%3afederation%3atrey+research&
wct=2006-07-13T07%3a32%3a27Z&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chttps%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttppindex=1727
HTTP/1.1 Cookie: _WebSsoAuth=eNrNV1tz4rgS5qekmMcU4zvYVJI68hXbGGIbCLhO1
ZYv8iVgG3zBmF+/AkImYSe7c07Nw/pJarW7v/661ZIeSjfdDEFZwqJk8uzufaSKj90/QgY
nqJAjej5DUz2ahIMe60Gm51F9zvWogA0DpnunlmUNlays3Kx67JI43u/hgx5BzfDBkCKH5
MB50ykeu3WRDUMYwMI9ORm6gVvVaffOcF/zYgGLEgkfuwQSJNlnwSHdZOXwhPZiJHfLpBx

```

mbgrLYeUPbWCMh8R3fOheA+g+PZxjE/IssE6C8m6SVzwM8wJ+hRIpTLNpAcLqhPWjDnvVe
bMK6iCBmQ8tWFZF4p/svzu6UXm6ibkqYHtXwBK6hR8/YJ91b+Y/N4/dBHZ1G0yTkWk3CEu
0mq8T1Juwh711/EbfaeVCX5r4RV7mYfUBWfdJiRf69ijqWkNM8t0fSS5Wk51NPEvrwfsJ
3bf8b65fgNfxTCrEv9s1a7cCqzofvdZ/g8F81nZgFWCb38tn09KwybJgrwprzmya+8V+tx
bbIJKRQ1o2mECizs5L1IXeY+ravjeEsNPKYeqW3xFPZe5uv+dFhPkbN01LbP486T6BIE2yB
CXDrfLiP5ey/e7n6Vv8n41fWXkHgP0dL1fWKpRpr67g7cK/J4zPOO/eR6ffHrtS6iYbEAS
otMvu58Vy6/rwF0B2b30s3E0Nn9y/R32jfSv9J9xCnqZ5dhr/XtQGQowydKb89yBVirze/
16QwmkRJThNKgT23w0TbLdfvv911NiX+8p0ogwVUQEvvfEdv9M03xvqDAd1JRzDOQwpBGU
Sfete/oLBqfU9PQhulmdoJ2+S44cGdQc2UV4kvZx+YZLACPxksgcPfs8n60xb9w77g0cXz
XXCVpRur4xd4mzJgiEsTifH3dxSH7vffu0If3qYFW5WocqMxLT+M/zccMNvDTb6FQa+8hno
G9OvmvmaH+whOTCJ0Jv4/PL1zdDFxqZopv4na7CgV/bDRJcCrebmfOppdUTg68T5qPmDv3
KLxx1p4z95FUYTRzKxEHQsG0j2jzI/zQtPmAkHvjAaI7T2/XbDxIZWJQcHd9xvFx1I+EZ7
x+1i21tymrSb1viZn9mZpu6UGLG0W+xY2poX5QaY0xtZp7kScbPdqXuIi2BRD7Bm/erIu
B+mR3Rmb9KdUvnkggnwsugv8T4xE7eSv11hTYjhfbx1j9kYbgfop14C+QD+QYftJaolg30
iW7mXkXC6VIWnows1n1UVCEQQNFGoff5EKm6QkWpbILTJx1mYMH6128ThSuwXlgzmUgA
sew/EY2V+LCNEWPyeausmkdmY/9zGLmKbcPRAD1Bm8mr4AyZmprzEBjibP3LDteZdJZZvc
rgywCm48mCx4YM4GU16u1RXjLce630GWoSmgAXBHsnWKRHiWa0gkHALQyAaLAJ6bOR6Zor
3YpxsHJdE1LA9K2I7zeEdoLZey4qga6w7pt+ezEm6Pxst/pBmcQI/Eo8tV0rrnT+z2/AuJ
Sw45yNcNo/SBReuJsGPk5Rq3qaLFrHsd0ZbyK4wAUUOafQWp7MXewly2IuLbRktX03mBzs
nFwsub3EERJKo5GwtqPhIOvEb0lxRFHFujysVFFYAI+p1U+PyLuHbYRI8Slht8Dc4Sh4EQ
QzRpDMj/GrImNSRni/KSr6rmjxt/gnImgEgAbiJDEK66hoTyCCIRjPhoXoifBhgEikr
nkU0Tw48T0yaUmOzPnKt/DDpgrWNJwSsYZ5q7U3ONIE6uN1JyxhXjQNMLJd7PieXM+Qr6
b0WxtleejRs7BXKYzfoQUsbhQXcaeTVcerdg6U1DTebMwz7ohL9HNTOT1XEoiK3ckd2Thv
pjvx+Rkg+onDpZWPK6t2m+zV4/SmnFKbFeUtvdJLg0EJCPxvUku2b1h7K1Z7A/bx+kj6
fnK3k5t1xUjnVld9IPK8qE1PruiP+RHIMsVth6MrGaasPvVybYiE4ES3fp5dZyavlou;
_WebSsoAuth0=cFf+wmdmNhb4wZEBdGwqOfTpmffHLeclvR8xLqXzWPYybe8pB/+H3zhc
KPHWTy1zhfzbBVqnzBpxgN/uA/68D9C+Nx1q19wfJp72Pp4hBQgXAkQLHeHjTKG61Fjo
3AYZANDgro73f7WUBzL4FZseFej6RRyPt7dC6L7Bq5Df+c8pNU8XhbrA7rw1kIyCKK5g
8JxsqX7pVBx9XBSKDQyy7H6YgnGyK/f1hkeWVV061vY1GCjy0pMcaC7ltOGt/PxwNtBL
WXEWw5htI53xwbZKB4juassXVNuKQwVwdK+HygAz01BCXzcsNP11QSxoKR51b+Cu0Eil58
X7Lc2htVYbhs1VktBx5129y6qUm5BKxGjUyPocX2BrtxqR1zWGRO+syU11SncznLsWw3ZX
ByiSlHq0/FWT/b5S8vBT33F+v1jpOFnG0jSU77SsM6wfstmNeJjduir132B+99/2ucn28
PhGdPzzSpXASvY04dOPt0dwA73mwz/RcxnVJos+6kPI6ndsXEXor7mGQFOjCnhdtB4iyvT
B64L+fbv4du0f0mB5J9Fhq0Kf6L1smDD4ggT50cj2CpfsoyVL9QY/B8U6H6PzSu6vzk5dc
h+mAzudXxxVSh+98dbHvCJ2Pt+e02JHS7SzvIURDw83cCBZ/AgPdteY=; _LSCleanup=
2006-07-13:07:32:27Zr0urn:federation:trey research; _TTPDest=urn:
federation:trey research; _TTPData=eNrNWFTzqsoS/iuW6zGVBYg3rCR1hquAaAA
1yssphOShVEGRPz1e9BoTNYt59R62D4NPW3311/3dDM81DgfWHBXQJzb0CuyOK+maA1TC
+ItSjFsHJN1ngdE7bEZ5f12QFHYi2Di4u9kByN3+x11IVViqkXTHypuUX1W4Lz59HBjGfo
fbD89YDfZDADGMmtjlDauK1V8bP436NAMGzD+vddps/ftFuzd91ewc79iu5y7Yv1+4HeaD
RXjAqopzt2UQCPOu/d0755hp3RvwLYGrZ7zppM9NossHQTQh51bOxm4vpsXsbNhuK8om8M
ME+FjkyGCOP0OAdfoz0bQS608SB1E4gHuTewgTEaMN/pgXsJoPkWm4BSP64FuDFGQ08D1
MFfoSQKk3SSgSCvsd7q9C86F8YKP4apB0y1y8iz2avtxR59Unj7FnGewamQQQzfzogfqo+6
n55+bpz2Fdnh07+PahOsHmOyidUyyEqChi6M3+uqdM31J7GUiOyc/QdZ8UqK5vj2Kulay0
tQyKoWL1HhnM8+SvGB+ondK94312/g8wimeeydrNq5m80EPDc+yv9QMB+VDZhHyP+xfD4
oDco49VGJLzmyi9Ur9PK3pzEpFdWvtYMYZg0ZZYn7+5Pkbw4wdTsedx8An4SpzFJhpuj7
D/nsv3uoetQ/o/GL6xcAVC/4+XCWk4yvSpy+Hnj3xPGR5yN66r+22NTStx4A3yflDZuftz
EW9eDXwDZ/Oxj7m4K+OT+HvUn7c/SP+EWUJKgt7/XdQGQUwydKL87yBVM1Rs/y5Iod4kC
U7inID9d8ME222G919HSf3yXN1xmJ1iy5m6hVXWzbfs/Yeh3Q1mqI51ij4OA6/Nc/_gn7
d+p4eBDdTfNjm/h406AaYBmim1yj5BcmGyqha5P380Dde0w7/dzsUDd4vmjmA7IMu/c4c
pmTJQsGMKsnR2NmQY/Nb18b4U8P08xNMRmNCb5Z/284YLqHG7SF/j2+hHOC9HVzv2CHugU
nxiGZif8PTleOzibovTPhN2GVHqWsG5S6BHgV4f3E0eypcnEu9V8oK7cvVtLVyzd1YUY
Tg1c1Gn/J5011Fmx1mmaTOBaet+MEojVHb-d96NDIj091jlvrl0pNjXwsPNN3kWwtuE2Vj4t
90Zram4XtYg1Y2jTyLGrUFmVHmdv4WW87i6VIm9V03UNaBPOiR5XrV0emvSA5kpm9SXZK7
rXmHz/GWXdBd5mpuJX07IqA4ru01x/mI6gf4De4zmQG/APOqzOUS06NCe6uXteCfVLVVC
PLtLYVFVkrEEAWRWCuuVBqOoKGyayCeqfdJiCMR+ud9E6VriS5oE5k4EIHMpystlcinPTF
KWYm30VTeXifOS1VmeWchtfBFaU6XL8C1hjqlbGFJSGOHZPsuNFJp1kBr88yCKw+XA854E
xFVryermwmNViTHSVzRqqEhiAVgR7p9jqiHVNqcyBQFsZA1HgY1PnQ1O017uE4uB4smhLv
ZZth3Sxy7QX1thxeQF0p+9W+NmJNkfjZb/Tga7DDMWjyOeTmeZO7vb8EogLjTrK+ZRq6we

J1WNn02k9F6RVHa3+WqcZXRxkto8gHGZR5oZfYq4g72IsKhFxVavFycmf0Eas4dKvg9xCEc
SIOh1rSDYWDpzG7tcUxxz7Q5WOpisAEPGqrPDoS7p1+KYaES4t+BuaQIsGJIJyWhmTexqy
Jpcka4qzWVXXkqNHeG50cCSAUgEHIEISLriGRPIJQBEM+nGViaAj8ERCSwkseRfLs13wFz
bYkh+zs6vn0YZP76zacMJFGrZbrVe/YXvUjtZTKE7YND8pSqH2XS543Z0Piuxye9155Pix
1BGZyO6WHThaJc9xt2NPJctVWbL2TsZNZOTdPugEvtcupyOtIikMLOZI7tGhPRPtRa7wh9
RP5CwuNEqvwsq7ritXKUCJs16y291pc4gtE1qL3Zmte+dK88BIOrwTux/oje15SlqGDCC9
YqeuW; _TTPData0=LyWeV5UxqSfdkNR3+REI0auD/KFVTuL+flnbVmTGV8LPf16dhUYvF
3PalX/hMzVLC7xzZABdmSj0dqXMuqOK8xbKe4wL6bSWV6m2XykH791vFMyVaOsllrk/uC
c7LNmQTigP58D/nQOyLk1eXYX3x3GU8rrUsn84LO+cGRAtt4eNY1VDNEDcGh1/YOCujud
/up3+ZefDPvB3s91IYB7+3VXuK+wLyUR23Le07YTLP1D11p62FeOiHAQuF53jLdrGTc+3
jPFpkwJFdrk+9H1C7ZNDdiyLPciLpSV2bCmN6ZEmxMRJ0z3KS6G426mlDqL0MYcV1WJ3zz
JHR8pWVozlra10wbkuYqT0leD60fT1hBCVdIcNL1mwcRIKRIau9QjsGoiff4T63Xg3zIFi
q6rSQ/RVr29y6LFoyBn2NHQ6T1oTaG/11Je46h3nqJM8dbElFMPnTRKW7SYduLSjlaHXZK
O2mO/TykrVn3ny93nGygPpVKC1Jt3qFQfFAfe6YZ8m5m1LXDvvee6/vKpfLKxH87tJe4u2
AtJhNDPEUXb8LbL/wxaBdT8Qt2sRedfow4A6k1N+iOM3f3xwu9tyv2euTi+HppT90wzebb
7eAP9x8bzXPTz9gOclvYv3Iy08/kzz9A6cx/kw=

<<<

HTTP/1.1 302 Found

Location: https://treysts-7/adfs/ls/?wa=wsignin1.0&ttysize=2652&
ttindex=1727&wctx=https%3a%2f%2ftreyws-test%2fclaims%2f%5chhttps%
3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&wresult=kqNHeG50cCSAUgEH
IEISLriGRPIJQBEM%2bnGViaAj8ERCSwkseRfLs13wPzbYkh%2bzs6vn0YZP76zacMF
GrZbrVe%2FYXvUjtZTKE7YND8pSqH2XS543Z0Piuxye9155Pix1BGZyO6WHThaJc9xt2
NPJctVWbL2TsZNZOTdPugEvtcupyOtIikMLOZI7tGhPRPtRa7wh9RP5CwuNEqvwsq7rit
XKUCJs16y291pc4gtE1qL3Zmte%2bdK88BIOrwTux%2foje15SlqGDCC9YqeuWLyWeV5U
xqSfdkNR3%2bREI0auD%2fKFVTuL%2bf1nbVmTGV8LPf16dhUYvF3PalX%2fhMzVLC7xz
ZABdmSj0dqXMuqOK8xbKe4wL6bSWV6m2XykH791vFMyVaOsllrk%2fuCc7LNmQTigP58
D%2fnQOyLk1eXYX3x3GU8rrUsn84LO%2bcGRAtt4eNY1VDNEDcGh1%2FYOCujud%2fup
3%2bZefDPvB3s91IYB7%2b3VXuK%2bwLyUR23Le07YTLP1D11p62FeOiHAQuF53jLdrG
Tc%2b3jPFpkwJFdrk%2b9H1C7ZNDdiyLPciLpSV2bCmN6ZEmxMRJ0z3KS6G426mlDqL0M
YcV1WJ3zzJHR8pWVozlra10wbkuYqT0leD60fT1hBCVdIcNL1mwcRIKRIau9QjsGoiff4
T63Xg3zIFiq6rSQ%2fRVr29y6LFoyBn2NHQ6T1oTaG%2f11Je46h3nqJM8dbElFMPnTRK
W7SYduLSjlaHXZKO2mO%2fTykrVn3ny93nGygPpVKC1Jt3qFQfFAfe6YZ8m5m1LXDvvee
6%2fvKpfLKxH87tJe4u2AtJhNDPEUXb8LbL%2fwxaBdT8Qt2sRedfow4A6k1N%2biOM3f
3xwu9tyv2euTi%2bHppT90wzebb7eAP9x8bzXPTz9gOclvYv3Iy08%2fkzz9A6cx%2fk
%3d

>>> treysts-7 (Resource IP/STS)

GET /adfs/ls/?wa=wsignin1.0&ttysize=2652&ttindex=1727&wctx=https%3a%
2f%2ftreyws-test%2fclaims%2f%5chhttps%3a%2f%2ftreyws-test%2fclaims%2fd
efault.aspx&wresult=kqNHeG50cCSAUgEHIEISLriGRPIJQBEM%2bnGViaAj8ERCSwk
seRfLs13wPzbYkh%2bzs6vn0YZP76zacMFGrZbrVe%2FYXvUjtZTKE7YND8pSqH2XS54
3Z0Piuxye9155Pix1BGZyO6WHThaJc9xt2NPJctVWbL2TsZNZOTdPugEvtcupyOtIikML
OZI7tGhPRPtRa7wh9RP5CwuNEqvwsq7ritXKUCJs16y291pc4gtE1qL3Zmte%2bdK88BI
OrwTux%2foje15SlqGDCC9YqeuWLyWeV5UxqSfdkNR3%2bREI0auD%2fKFVTuL%2bf1nb
VmTGV8LPf16dhUYvF3PalX%2fhMzVLC7xzZABdmSj0dqXMuqOK8xbKe4wL6bSWV6m2Xyk
H791vFMyVaOsllrk%2fuCc7LNmQTigP58D%2fnQOyLk1eXYX3x3GU8rrUsn84LO%2bcG
RAtt4eNY1VDNEDcGh1%2FYOCujud%2fup3%2bZefDPvB3s91IYB7%2b3VXuK%2bwLyUR
23Le07YTLP1D11p62FeOiHAQuF53jLdrGt%2b3jPFpkwJFdrk%2b9H1C7ZNDdiyLPci
vFsv2bCmN6ZEmxMRJ0z3KS6G426mlDqL0MYcV1WJ3zzJHR8pWVozlra10wbkuYqT0leD6
0fT1hBCVdIcNL1mwcRIKRIau9QjsGoiff4T63Xg3zIFiq6rSQ%2fRVr29y6LFoyBn2NHQ
6T1oTaG%2f11Je46h3nqJM8dbElFMPnTRK7SYduLSjlaHXZKO2mO%2fTykrVn3ny93nG
ygPpVKC1Jt3qFQfFAfe6YZ8m5m1LXDvvee6%2fvKpfLKxH87tJe4u2AtJhNDPEUXb8LbL
%2fwxaBdT8Qt2sRedfow4A6k1N%2biOM3f3xwu9tyv2euTi%2bHppT90wzebb7eAP9x8b
zXPTz9gOclvYv3Iy08%2fkzz9A6cx%2fk%3d HTTP/1.1
Cookie: _TTPRealm=urn:federation:adatum; _TTPData=eNrNWFTzqsoS/iuW6zG
VBYg3rCR1hquAaAAlyssphOEShVEGRPzle9BoTNTy59R62D4NPW3311/3dDM81DgfWHBX
QJzb0CuyOK+maA1TC+ItSjFsHJJNigdE7bEZ5f12QFHYi2Di4u9kByN3+x1lIVViqkXTH

YpuUXlW4Lz59HBjGf0fbD89YDfZDADGMMtj1DauK1V8bP436NAMGzD+vddps/fTfuzd91
ewc79iu5y7Yv1+4HeaDRXjAqopzt2UQCPOu/d0755hp3RvwLYGr7zppM9NossHQTQh51
bOxm4vpsXSbNhuK8om8MME+FjkyGCOP0oOAdfoz0bQS608SB1E4gHuTewgTEaMN/pgXsJ
oPkWm4BSP64FuDFGOQ8D1MFf0sQKK3SSgSCvsd7q9C86F8YKP4apB0ly8iz2avtXR59Unj
7FnGewamQQQzfzogfqo+6n55+bpz4FdnHo7+PahOsHmOyidUyyEqChi6M3+uqdM31J7GUI
oyC/QdZ8UqK5vj2Kulay0tQyKoWL1HhnM8+S+vGB+ondK94312/g8wimeeydrNq5m8OEFD
c+yv9QMB+VDzhHyP+xFD4oDco4VGJLzmyi9Ur9PK3pzEpFdWvtYMYZg0ZZYn7+5Pkbdw4
wdTsedx8An4SpzFJhpuj7D/nsv3uoet/o/GL6xcAVC/4+XCWk4yvSpy+Hnj3xPGR5yN66
r+22NTStx4A3yf1DZuftsEW9eDXwDZ/Oxj7m4K+OT+HvUn7c/SP+EWUJKgtF7/XdQGQUwy
dKL87yBVM1Rs/y5Iod4kCU7inID9d8ME22G919HSf3yXN1xmJIiyt5m6hVXWzbfs/YEh3
QlmqI5ijj4OA6/Nc//gn7d+p4eBDdFKTnJm/h406AaYBmImlj5BcmGYqha5P380Dde0w7
/dZsUDd4vmjmA7IMu/c4cpmTJQsGMKsnR2NmQY/Nb18b4U8P08xNMRmNCb5Z/284YLqHG7
SF/j2+hHOC9HVzv2CHugUnxiGZif8PT1eOzibOVTPhN2GVHqWsG5S6BHgV4f3E0eycpnE
u9V8oK7ckvVtLVyzd1YUYTg1c1Gn/J5011Fmx1mmaTOBae+MEojVhb+d96NDIj09jLvrlo
pNjXwsPNN3kWwtuE2Vj4t90Zram4XtYg1Y2jTyLGruFmYhmdV4WW87i6VIm9VO3UNaBPOi
R5XrV0emvSA5kpm9SXZK7rXmHZ/GWXdBd5mpuJX07ZIqA4ru01X/mi6gf4De4zmQG/APOq
zOUS06NCe6uXteCfVLVVCPltLYVFVkrEEAWRWCuuVBqOoKGayCeQfdJiCMR+ud9E6Vris
5oE5k4EIHMpystlcInPTFKWym3OVTExIfos1VmeWcHtfBFau6XL8C1hjq1bGFJSGOHZPsu
NFJp1kBr88yCKw+XA854ExFvryermwmNVITHsVzRqqEhiAvgR7p9jqihVNqcyBQFsZA1Hg
Y1PnQ10017uE4uB4smhLvZZth3SxY7QX1thxeQF0p+9W+NmJNkfjZb/TGa7DDMWjyOeTme
Z07vb8EogLjTrK+ZRq6weJ1WNn02k9F6RVHa3+WqcZXrkt08gHGZR5oZfYq4g72IsKhFxV
avFycmf0Eas4dKvg9xCecSIoh1rSDYWDpzG7tcUxxz7Q5WOpisAEPGqrPDoS7p1+KYaES4
t+BuaQIsGJ1JyWhmTexqyJpcka4qzWVXX

<<<

HTTP/1.1 302 Found
Date: Thu, 13 Jul 2006 07:32:28 GMT
Location: https://treys-test/claims/?wa=wsignin1.0&ttysize=2708&
ttpinindex=0&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&
wresult=eNrNWFFuTqjoW%2fiuW59HqDd7a3V3TUBRUFAQFX2ZihAuKgkSEPHXT9DW
bfc%2bu6dnaj8cnsLK41vfumQ15CWjSddahxTRZIbsNA63CQ7hA1E14IpKp3CPaZd
pvza9pMk6nIctX0UQvqDzVACox8k9riMcjWeb3J8jUv1Cblt5chZOR8wH57oTDcdw
GlKE4Cgkv3kdx7Lf%2b79VxD9eam%2f1Rttfinhms%2fP3U2z9WnTpu3EXSR7Wwa5Z
JMaYpkTBOIGTVm%2fPmJbz1V6yb6tZr3Vp7%2fa4Tv5bTGHdd5KAYFka6SYzyUowo
grHt10sq3JJ4gWLK517LVSYI8EfBNQYF6SsWgTSgXQxDRLuJ3Z0Bddy%2fuc78OZH
%2bd1FkWAAnKAS0pJFEQC6J0e%2fIMoUJnstATQrKjzrtm84tcKkTIGwj1qMkDuwC%2
f270k8pbkTPKkbl4nNGnhH3C2XsYhJR74T6qfnr%2fe3Tuk183e84xKCCg49KuWODP
SBrbt%2fIpXnfQhYEEdE0rc5Ceh5bdPCYIOTNLwhfuMdsMnZBew3LtkCKn%2fTRM13Y
47sCe5R01PzWSen%2fydkC4c0uZfb5Y%2b4N7j8e7ae3ASH%2bEksC%2boswQmKGTv
pY%2fyL8qyxTL9UV1FiU%2bcX4oUf1DqZgF2SEZvJTBln1tkJ%2b9vGqtE2Sm03QDF
JYnEIfx6vb6XwHyqld%2bAEwY4YMmGCYn%2fdY39D5uE7%2f5%2fBL9F5U6A%2byou
t6glrJI2aY1%2bT%2fxz3PjIs3QffZ%2b51vshDPbAcVjToOWPbzSCNvoGyfJnGwu4
T9Eb%2fJr1J%2b3P0v%2fGWyRhSHAx%2frOsVcaYZegS8j%2fDdBCTNPqzJiv6KYeo
iskRxf9slqwMwyBjVk%2bT%2b%2b26mgUeZkUUv7fe07Esy35k9Qsf1pV4ju9wTMGh
gfdX%2bf0VcorW9%2fyiQkwW8n74PzQoEpg7xG2hfvhyCrXJuviJ%2fQyX6yqw38
V7nEPfD5JswHbzjGFT9SH1QuSgVwUFztTaW7Ir%2bW%2fvndQeHssxY4gp231D%2bjD%
2b33ggfER7EiHnid7cuVD6PtxvosM9kusFHtz%2f5843WN0hbhWjYMb1qkyIaitDM
fgMM09sVbFyT6d2mzHe9R84e6ZePHrhn76qIe4MFMb5xsE6nDdirEdh5gyHJ%2f
uUq67WbrbgcpK1%2fDpYLMKV2YjsJYfU3XYpt%2bnIUoY7SJupI7encWwuk1045HaN
TFLTtsi0ecXPZ332FWa6Z2LKRu53ou1hut6G2%2fpIMTLenu%2fcKwqja9uSbPORq
cnX98odatB%2bePKEQVK5QtZapMturr1ZEHi8j1F%2b9spp8pwcTeB2JxZnNLbYu
1thkuvdvRRHEBw9ksgA8eTRoSERdA8XTP52BJni7g78LBp2MF4A%2b10APrFXDziR9
1Vvoeq%2bfNedwsM%2fXkuDb2GjOw87R6QekZxymbUFdNeVcNfuZ21PgRx%2byeSL
TBX0U38LdMHTFgJQTDey8rW1PztDNDh0oob%2f4dCXAjGIWx1k3moneqs%2bSGP5Gc
9FEHhDX6%2fk00yY7kS0MqU5oBNOqsg5TiZnrjoEB70ipXDQPjaiittxro5Ned0Zz
FxrEqLSRue832FHV2DyUi11%2bPFRLLGGk4TD2dLeWs2phG1nqO01UqknfTWWN66Rzt
Ozu%2bHTsamPDdkdrRx3rEqjAPPKST%2fOnzdN15zshZU%2ba4JyZCSzPgBwIgKoZp
43cFXQGIDq3011fYHL9D7LQ7%2fdE%2fqPPot6u8%2fiV10RF
Set-Cookie: _TTPData=; expires=Wed, 12-Jul-2006 07:32:28 GMT; path=

```

/adfs/ls/Set-Cookie: _WebSsoAuth=eNrNV1uXqrgS9qe4nEeXG/C0q7vXCSAKC
gre0JdZAcJFJSgXEX/9BG3dds/uffqcNQ/DU6hUqr76q1JJXmIY7Hsgj1GU+CEuP0a
S8Fr5s9Ouo0LbNSYTceuNR2rXWPNN1nju7SFoIMs22xWylIcp0jCcQJx8lqp03S7R
ndqTGN0d3qNeq/e3bzrRK+VNMI9B9kogoWTXhKhvByhGMHI8iplBW7DaImimMy9Vhg
i8PFHwTnY47hXgL7ZCmHsxz0MAxT3Eqs3A8q4x/yge/AeR+Xt5RoiH2LbLwRxWQ0TD
jlhhL4CSxQmeBIBJykgP+t07zrvVkfQ+whbSEdxEv1WYf/h6JPkm5ckh7hHUUXMWVx
LyBLK2kM/iKKX6qPqp/9fW6c+xxX3Z5/8wgS0nbjHF/ZnYRpZ6J26QnyjLvCtKIXDj
31KSOxtU4KgDZM0eKE+W7vbD80dT3LvhEMYe990UdesiIWC6JxULZ0ni/zs7Xh+aYd
d+vXu6YPdBx/vob2Tk3gIJ751tTpLYIIC81/+KP9NWZXIpj8qKyjxQvtvRQo/KPUyH
9thFt9LYJaazWQ1738qqUTJlrQdH0V1MwvCSLwXuSepjy0PBTD+QX1KQ3j4EUbuvQQ
WU7XyBuzAxz5JNkzC6D837n9YyfAe/0fd1YeAKjf8XJnLSGVZKYJ+jzx7wnjI87yY
1Qse630A+jvgW2TpfxPK7GB2ihb4CsfpaxhPsUvcHfo/6k/Vn633DzYRCEubj/s6g
Vgphk6Er5P4N0E1xp4Z8FWdRPGRwOUxhC0b8bJSnDwE+S780kvtxXM9/FpIi99b7A
JZ12Y+scCVduhJN0SxFFOzYd/+o3FYhu2h9by88xCEmO3nvX54aVBns3TDyEy/4wiR
DMXRhsobOVs1imviPSp16wvNNMx+QRTGsxR5krpZ05KCoOJnKC116rfzvxYvc28s8g
jgmJ28QP43/NxwIn9A+PCC7Ft/DuUL6vrkv2KGewQm+S87c/4enB0c3E7eqsXHTOFc
nIerKwzE4zrAwVhmc7NOpRU68Z80X6sEtGT/XwiN7N0UsDJahjucX7G+CRTC2iHI7
OHwbJ1zxVG7rQ5cTbKU3vjLzbCeNw/WikLkbruSuvHIkic7GLdSW+pOo2i+TM7Bito
1M1FJNzXpWUvn/XJKx0L+FcoNoppWyP08022DZGsp7R1mIXnBV4mAoNQ5yxphafP
c2UG0Yzpk+TC3eoGoFkyFN5s1Veb4E8gX8ZofwWldGiWQEm8DbiizubUxxdpLFJkkB
veR5ERxdkEgdcATroinLDBCXXP1+Aym707fzB2xGc0BbiEAAG0W3M1Fbc0tNE/pza
wEH+3wjcp6F9dYiYE+2AJCY0zm6BQ11LuXKvJ8pggyvsstdJ111Cqed+lugca665IA
y5w093xj7iz1UEvXCC/hvGPoiABNuq4HMXe94d90HaSS18YIHvJv0tGo+zbjpjfkfru
bgA8YQsq1K0k8mFYobgOK+qKrx0T81Qwd0v8Zzac0Ofug0VsT1pAsv+b5Krq7+ZKR
Yq/FyIhvDSULhbGvtjdZuxJy91PBKrtaHnhJjpqOni/TimHQ6nmuj4wkZa9sZy4cRg
Hn1rB37bbPlhGdraaRt1ZNpbGTWBBoeACVzHUHjgKaA8AsbCHrc1Sm9Uke+12B6z/
HzGvdPugNkxr5/jiYSWD0BSe5Au4AiHDde+6AgckHkgg47K10MqaAnCtjJAKjcKN5
J0sFWRWNixyp9MTj1v3RXwoJ3ZibqpOW7Qm
jnL1kdZ1OknesBRouWKTNU1RQEh8x40iBrhM4RWue52TMm2tcBCIHJJZrg6bGjMbpI
vdJRhuuZ2FqvayV8TFVxeY6R0ln2WzIyeFFTjQBx5tD0F7nLPbjSHTa2NQ761M7GS
rutsbvGtBK7U3Gyopw3WClkyptU9qTPRxPLJHGSn5cA7WIGurcl6tCSyBtFryLEiDS
DhJeLcvshpFgmbGbed; path=/adfs/ls/; secure; HttpOnly
Set-Cookie: _WebSsoAuth0=85y/5fgneQbCdR0OddoSwt04frXt2YYefvazri9ze
yAy9sBzvvBJK33tJ0cXwHtbL4Cr837id0+GeP4zo3gWirG+auVm/Rwbg59+DUYPoSH
vFgMxt4f7mVln6XGg5mRP/X0vAlJhpGSMZGxhr7Ufyh1joS7Enc5yKpzmlBFE4V4Jt
44h64Y9SEORD7DuL6n5eileZik/pAWW96Z43jRpZXox5DHkAdobY09K/FXSddWmq3H
M1Btgme3sZT1Yq055TBqMqtSbx6HcMHWNs0eSYUHA4TEt8U6nzfeNxZoz3E4w97VLJ
7In15FPCU6GeLQKkWh30moibyPRoFdN52L7YLzi80A7dLfLqjwFKp/vJvokX515/uQ
OAmy1W4pGT2kiEyHkyX0xlm0ZkLqhOzwAr96hxt92cRbzKn2oZmxuG8M7Akr7ACr
H57Z8WH43oozOXp2mocWrrH8yiPWWufezvtgtV23e5oOB268x2rZ3BqHraM+0qa6ue
OeZPcuin161A/e+/jrnJ/G78xpT+7dNNqs6ZZY2iTnNzNFqpBx2rVGp02w3QcFjWad
qn0y1dhixXm6VuPpdIvn1+1VgmuVnoql1jSV/fxE196vvSwHnKH6+x9/3GR+wv53Ngf
; path=/adfs/ls/; secure; HttpOnly
Set-Cookie: _LSRealm=urn:federation:adatum; expires=Sat, 12-Aug-2006
07:32:28 GMT; path=/adfs/ls/; secure; HttpOnly
Set-Cookie: _LSCleanup=2006-07-13:07:32:28Zahttps://treyws-test/
claims/; path=/adfs/ls/; secure; HttpOnly
Set-Cookie: _TPPDest=https://treyws-test/claims/; path=/adfs/ls/;
secure; HttpOnly
Set-Cookie: _TPPData=eNrNWFuTqjow/iuW59HqDd7aS3V3TUBRUFAQFX2ZihAuK
gkSEPHXT9DWbfc+u6dnaj8cnsLK41vfumQ15CwjsddAhxTRZIbsNA6S3CQ7hA1EI4I
pKp3CPaZdpvza9pMk6n1ctX0UqvqDzVACox8k9riMcjWeb3J8jUvilCblt5cHZOR8w
H57oTDcdwG1KE4Cgkv3kdx7Lf+79VxD9eam/lRttfinhms/P3U2z9WnTpu3EXSR7Ww
a5ZJMaYpkTBOIGTVm/PmJbz1V6ybf6tZr3Vp7/a4Tv5bTGHdd5KAYFka6SYzyUowog
rHt10sq3J4gWLK517LVSy18EfBNQYF6SsWgTSgXQxDRLuJ3Z0BddyU/c780ZH+d1
FkWAnKAS0pJFEQC6J0e/IMoUJnsTATQrKjzrtm84tcKtIGwj1qMkDuwC/270k8pbk
TPKklb4nNGnhH3C2XsYhJR74T6qfnr/e3Tuk183e84xKCCg49KuWODPSBrbt/IpxNf
QhYEdE0rc5CEh5bdPCYIOTNLwhfuMdsMnZBew3LtkCKn/TRM13Y47sCe5R01PzWSen
/ydKC4c0uZfb5Y+4N7j8e7ae3ASH+EksC+oswQmKGTvpY/yL8qyxTL9UV1FiU+cX4o

```

```

Uf1DqZgF2SEZvJBLN1tkJ+9vGqtE2Sm03QDFJYnEIfx6vb6XwHyqlD+AElwY4YMmGC
Yn/dY39D5uE7/5/BL9F5U6A+yout6glrJI2aYI+T/xz3PjIs3QFFZ+91vshDPbAcVj
ToOWPkzSCNvoGyfJnGwu4T9Eb/Jr1J+3P0v/GWYRhSHAx/rOsVcaYZegS8j/DdBCTN
PqzJIv6KYEoiskRxf9slqwMwyBjvk+T++26mgUeZkUUv7fe07Esy35k9Qsf1pV4ju9
wTMGhgfdX+foVcorW9/YiQkwwW8n74PzQoEpg7xG2hfvhbyCrXJUvIJ/QyX6yqw38V
7nEPFd5JswHZjGFT9SH1QuSgVwUFztTaW7Ir+W/vndQeHsXy4gp231D+jD+33ggfER
7EiHnid7cuVD6PtxvosM9kusFhttZ/5843WN0hbhWjYMB1qkyIaitDMfgMMO9sVbFy
T6d2mzHe9R84e6xZePHWrhn76qIe4MFMbB5xsE6nDdirEdh5gyHJ/uUq67WbrbgcpK
1/DpYLMKV2YjsJYfu3XYpt+nIUoY7SJupI7encWwukl045HaNTFLTtSi0ecXPZ332F
Wa6Z2LKRu53ou1hut6G2/pIMTLenu/Ckwqja9uSbPORqcnX98odatB+ePkLEQVK5Q
tZapMturr1ZEH8i8j1F+9spp8pwcTeB2JxZnNLbYu1thkucdvRRHEBw9ksgA8eTRoS
ErdA8XTP52BJni7g78LBp2MF4A+10APrFXDziR91Vvoeq+fNedwsM/XkuDb2GjOw87
R6QEkeZxymbUFdNeVcNfuZ21PgRXa+yeSLTBX0U38LdmHTFgJQTDey8rW1PztDNDhOo
oB/4dCXAjgIWx1k3moneqs+SGP5Gc9FEHhDX6/k00yY7kS0MqU5oBNOqsg5TiZnrjo
EB7OipXDQPjaiittxro5Ned0ZzdFxreQlSRue832FHV2DyUi11+PFRLGGk4TD2dLeW
s2phG1nqO01UqkNfTWWN66RztOzu+HTsamPDkdkrRx3rEqjAPPKST/0nzdN15zshZU
+a4JyZCSzPgBwIgKoZp43cFXQGIDq3011fYHL9D7LQ7/dE/qPPot6u8/iVi10RfEwm
Mmbek9XRZYv4PVYMDzvptsTgCwCGWRCtpJGWAHPDtjQZJHZC37R1sDmZ0Ni9wZ/EQ
QVn1JGxqJk2zWFfdzsieuGuVib1dbSV63VUG9cFN0XVUBYbbpoKgBIVNFVWhf5uRMX
6kCBJKAlI5Qgw290huk8905HFSEXZDCznmvSvOL7jAzJmo/y2YHQSZ90DAGPu8MwfM
472zXlsKvrAUPxeZug9V0VevktthM4FLN3XtuMZ6; path=/adfs/ls/; secure;
    HttpOnly
Set-Cookie: _TTPData0=IUvGvLZndSztsHLC DLLjYuBHdmj0K/Y9WjBZnenVFarK
A8jiEgteXxJ0m9XNTNiaohBsBFBngGyqgsGhwd9chzXlti+Yxnks51VbZE7A6nqDH
z3Nzz5ta//jNEZiP7WD+HytJ8E7aMlnX76KJ16xdhYNN7UStwU+7VtUg0FJ284GU
O8P9bFPr80NQy9ma+nUtA1ZhrGsZGxjv7kfK1rrs21ndjNuQOiyV41W9dSDM
sZpEQSQ2wEC85cLatzTBIXfK8j+1NsNja80j1byhiKA02ts8nwtJpe1rD04Xq1B9g
pdPaK0Y417zTmDUYTa01Dk0lVf0wRnJlg2BgMe8LLqtZ7FvzVec5bVCM9DPrdiZzE
cB13MzJKI1QZLTSiuJso0li1823LMTgNmyk4d61N4uKsoUaGK+mxiTfHkSxaM3CIWR
oVTgg1M65wxBQqptwhW5y2zp7m0A2wSVEy03Z8kvM7cSiM2rei0s7CsLLEK7P7zzq
bRYTXsmcp0ZdejpuGLIspxx97n/k4/Y+255rR0nA49c9cxMjjdRNuq98qa6ueoeZVc
uy1377A/e/+9rHL7N2aCr64GMhp12aFtHyBqkvvtQ/SN24dGsSNGZB/Y+eX6AXb72I
1IgJofJ4cbHvweXpv9GF40/QH23jHF/wk+/rF+vLy+/ULLIn9w9WNY/vYu5u0//Xcu
dA==; path=/adfs/ls/; secure; HttpOnly

>>> treyws-test (WS Resource)
GET /claims/?wa=wsignin1.0&ttysize=2708&ttpinindex=0&wctx=https%3a%2f%
2ftreyws-test%2fclaims%2fDefault.aspx&wresult=eNrNWFuTqj0W%2fiuW59Hq
Dd7aS3V3TUBRUFAQFX2ZihAuKgkSEPHXT9DWbfc%2bu6dnaj8cnsLK41vfumQl5CWjsd
dAhxTRZIBsNA6S3CQ7hA1E14IpKp3CPaZdpvZa9pMk6nIctX0UqvqDzVACox8k9riMcj
Web3J8jUv1Cblt5cHZOR8wH57oTDcdwG1KE4Cgkv3kdx7Lf%2b79VxD9eam%2f1Rttf
inhms%2fP3U2z9WnTp3EXSR7Wwa5ZJMAYpkTBOIGTVn%2fPmJbz1V6ybf6tZr3Vp7%2
fa4Tv5bTGHdd5KAYFka6SYzyUowogrHt10sq3JJ4gWLK517LVSYI8EFBNQYF6SsWqTSg
XQxDRLuJ3Z0Bddy%2fC78OZH%2bd1FkWAnKAS0pJFEQC6J0e%2fIMoUJnstATQrKjz
rtm84tcKkTIGwj1qMkDwC%2f27ok8pbkTPKklb4nNGnhH3C2XsYhJR74T6qfnr%2fe3
Tuk183e84xKCCg49KuWODPSBrbt%2fIpxFNQhYEEdE0rc5CeH5bdPCYIOTNLwhfuMdsMn
ZBew3LtkCKn%2fTRM13Y47sCe5R01PzWSen%2fydKC4c0uZfb5Y%2b4N7j8e7ae3ASH%
2bEksC%2boswQmKGTVpY%2fyL8qyxTL9UV1FiU%2bcX4oUf1DqZgF2SEZvJBLN1tkj%
2b9vGqte2Sm03QDFJYnEIfx6vb6XwHyqld%2baEWY4YmGcyN%2fdY39D5uE7%2f5%2f
BL9F5U6A%2byout6glrJI2aYI%2bT%2fxz3PjIs3QFFZ%2b91vshDPbAcVjToOWPkzSC
NvoGyfJnGwu4T9Eb%2fJr1J%2b3P0v%2fGWYRhSHAx%2frOsVcaYZegS8j%2fDdBCTNP
qzJIv6KYEoiskRxf9slqwMwyBjvk%2bT%2b%2b26mgUeZkUUv7fe07Esy35k9Qsf1pV4
ju9wTMGhgfdX%2bf0VcorW9%2fYiQkwwW8n74PzQoEpg7xG2hfvhbyCrXJUvIJ%2fQyX
6yqw38V7nEPFd5JswHZjGFT9SH1QuSgVwUFztTaW7Ir%2bW%2fvndQeHsXy4gp231D%2
bjD%2b33ggfER7EiHnid7cuVD6PtxvosM9kusFhttZ%2f5843WN0hbhWjYMB1qkyIait
DMfgMMO9sVbFyT6d2mzHe9R84e6xZePHWrhn76qIe4MFMbB5xsE6nDdirEdh5gyHJ%2f
uUq67WbrbgcpK1%2fDpYLMKV2YjsJYfu3XYpt%2bnIUoY7SJupI7encWwukl045HaNTF
LTtSi0ecXPZ332Fwa6Z2LKRu53ou1hut6G2%2fpIMTLenu%2fCkwqja9uSbPORqcnX9
8odatB%2bePkLEQVK5QtZapMturr1ZEH8i8j1F%2b9spp8pwcTeB2JxZnNLbYu1thkuc

```

```
dvRRHEBw9ksgA8eTRoSERdA8XTP52BJni7g78LBp2MF4A%2b10APrFXDziR91Vvoeq%2  
bfNedwsM%2fXkuDb2GjOw87R6QEkZXymbUFdNeVcNfuZ21PgRXa%2byeSLTBX0U38LdM  
HTFgJQTDey8rW1PztDNdHoooB%2f4dCXAJgIWx1k3moneqs%2bSGP5Gc9FEhDX6%2fk  
00yY7kS0MqU5oBNOqsg5TiZnrjoEB7OipXDQPjaIittxro5Ned0ZzdFxrEqLSRue832F  
HV2DyUi11%2bPFRLLGGk4TD2dLeWs2phG1nqO0lUqkNftWWN66RztOzu%2bHTsamPDkdk  
rRx3rEqjAPPKST%2f0nzdN15zshZU%2ba4JyZCSzPgBwIgKoZp43cFXQGIDq3011fyHL  
9D7LQ7%2fdE%2fqPPot6u8%2fiVi10Rf HTTP/1.1
```

```
<<<  
HTTP/1.1 302 Found  
Cache-Control: private  
Content-Length: 316  
Content-Type: text/html; charset=utf-8  
Location: https://treyststs-7/adfs/ls/?wa=wsignin1.0&wreply=  
https%3a%2f%2ftreyws-test%2fclaims%2f&wct=2006-07-13T07%3a32%3a28Z&  
wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx&ttppindex=1758  
Set-Cookie: _TTPData=eNrNWfUTqjoW/iuW59HqDd7aS3V3TUBRUFAQFX2ZihAuKgk  
SEPHXT9Dwbf+u6dnaj8cnsLK41vfumQ15CWjSddAhxTRZIbsNA6S3CQ7hA1EI4IpKp  
3CPaZdpvZa9pMk6nIctX0UqvqDzVACox8k9riMcjWeb3J8jUvilCblt5cHZOR8wH57o  
TDcdwG1KE4Cgkv3kdx7Lf+79VxD9eam/1Rttfinhms/B3U2z9WnTpu3EXSR7Wwa5ZJM  
aYpkTBOIGTVm/PmJbz1V6yb6tZr3Vp7/a4Tv5bTGHdd5KAYFka6SYzyUowogrHt10sq  
3JJ4gWLK517LVSYI8EfBNQYF6SsWgTSqXQxDRLuJ3Z0Bddy/uC78OZH+d1FkWAnKAS0  
pJFEQC6J0e/IMoUJnsTATQrKjzrtm84tcKkTIGwj1qMkDuwC/27ok8pbkTPKk1b4nNGn  
hH3C2XsYhJR74T6qfnr/e3Tuk183e84KCCg49KuWODPSBrbt/IpxNfQhYEde0rc5CEh  
5bdPCYIOTNLwhfuMdsMnZBew3LtkCKn/TRM13Y47sCe5R01PzWSen/ydKC4c0uZfb5Y+  
4N7j8e7ae3ASH+EksC+oswQmKGTVpY/yL8qyxTL9UV1FiU+cX4oUf1DqZgF2SEZvJTBL  
N1tkJ+9vGqtE2Sm03QDFJYnEIfx6vb6XwHyqld+AEWY4YMmGCYn/dY39D5uE7/5/BL9F  
5U6A+yout6glrJ12aYI+T/xz3PjIs3QfZ+91vshDPbAcVjToOWPkzSCNvogYfJnGwu4  
T9Eb/Jr1J+3P0v/GWyRhSHAx/rOsVcaYZegS8j/DdBCTNPqzJ1v6KYEoiskRxf9slqwM  
wyBjvk+T++26mgUezkUuv7fe07Esy35k9Qsf1pV4ju9wTMGhgfDX+foVcorW9/YiQkww  
W8n74PzQoEpg7xG2hfvhbyCrXJuviJ/QyX6ywq38V7nEPFD5JswHzjGFT9SH1QuSgVwU  
FztTaW7Ir+W/vndQeHsxY4gp231D+jD+3ggfER7EiHnid7cuVD6PtxvosM9kusFHTtz  
/5843WN0hbhWjYMB1qkyIaitDMfgMM09sVbFyT6d2mzHe9R84e6xZePHWrhn76qIe4MF  
MbB5xsE6nDdirEdh5gyHJ/uUq67WbrbgcpK1/DpYLMKV2YjsJYfU3XYpt+nIUoY7SJup  
I7encWwukl045HaNTFLTtSi0ecXPZ332Fwa6Z2LKRu53ouhut6G2/pIMTLenu/Ckwqj  
aa9uSbPORqcnX98odatB+ePkLEQVK5QtZapMturr1ZEH8i8j1F+9spp8pwcteB2JxZnN  
LbYulthkucdvRRHEBw9ksgA8eTRoSERdA8XTP52BJni7g78LBp2MF4A+10APrFXDziR9  
1Vvoeq+fNedwsM/XkuDb2GjOw87R6QEkZXymbUFdNeVcNfuZ21PgRXa+yeSLTBX0U38L  
dMHTFgJQTDey8rW1PztDNdHoooB/4dCXAJgIWx1k3moneqs+SGP5Gc9FEhDX6/k00yY  
7kS0MqU5oBNOqsg5TiZnrjoEB7OipXDQPjaIittxro5Ned0ZzdFxrEqLSRue832FHV2D  
yUi11+PFRLLGGk4TD2dLeWs2phG1nqO0lUqkNftWWN66RztOzu+HTsamPDkdkrRx3rEqj  
APPKST/0nzdN15zshZU+a4JyZCSzPgBwIgKoZp43cFXQGIDq3011fyHL9D7LQ7/dE/qP  
Pot6u8/iVi10Rf; path=/claims; secure; HttpOnly
```

```
>>> treyststs-7 (Resource IP/STS)  
GET /adfs/ls/?wa=wsignin1.0&wreply=https%3a%2f%2ftreyws-test%2fclaims  
%2f&wct=2006-07-13T07%3a32%3a28Z&wctx=https%3a%2f%2ftreyws-test%  
2fclaims%2fDefault.aspx&ttppindex=1758 HTTP/1.1  
Cookie: _TTPRealm=urn:federation:adatum; _WebSSoAuth=eNrNV1uXqrgs9qe4  
nEeXG/COq7vXCSAKCgre0JdZAcJFJSGXEX/9BG3dds/uffqcNQ/DU6hUqr76qlJJXmIY7  
Hsgj1GU+CEuP0a8Fr5s9Ouo0bLbNSYToeuNrr2rXWPNN1Nju7Sf0IMs22xWylIcp0jCcQ  
Jx8lqp03S7RndqTGNod3qNeq/e3bzrRK+VNMI9B9kogoWTXhKhvByhGMHI8iplBW7DaIm  
imMy9Vhg18PFHwTnY47hJg7ZCmHszx0MAxT3Eqs3A8q4x/yge/AeR+xt5RoIh2LbLwRxW  
Q0TDj1lhL4CSxQmeBIBJykgP+t07zrvVkfq+whbSEdxEv1WYf/h6JPKm5ckh7hHUUXMWVx  
LyBLK2km/iKkX6qPqp/9fW6c+xxX3Z5/8wgS0nbjHF/ZnYRpZ6J26QnyjLvcTkixDJ31KS  
OXtU4KgDZM0eKE+W7vbD8OdT3LvhEMYe990UdesiIWC6JxULZ0ni/zs7Xh+aYdd+vXu6YP  
dBx/vob2Tk3gIJ751tTpLYIIC81/+KP9NWZIpj8qKyjxQvtvRQo/KPUyH9thFt9LYJaaw  
2Q1738qqUTJLrQdH0V1MYwCSLwXuSepjy0PBTD+QXiKQ3j4EUbuvQQWU7XyBuzAxz5JNkz  
C6D837n9YYfAe/0fjd1YeAKjf8XJnLSGVZKY+jzx7wnjI87yY1Qse630A+jvgW2TphFXP
```

k7GB2ihb4CsfPaxhPsUvcHfo/6k/Vn633DzYRCEuBj/s6gVgphk6Er5P4N0EIXp4Z8FWdR
PGRwOUXhC0b8bJSnDwE+S780kvtxXM9/FpIii99b7AJZ12Y+scCVduhJN0SxFFOzYd/+o3
FYhu2h9by88xCEmO3nvX54aVBns3TDyEy/4wiRDMXRhsobOVs1imviPSpl6wvNNMx+QRTG
sxR5krpZ05KCoOJnkC116rfzxvYvc28s8gjgmJ28QP43/NxwIn9A+PCC7Ft/DuUL6vrkv2
KGewQm+S87c/4enB0c3E7eqsXHTOFcnIerKwzE4zrAwVhmc7NOpRU68Z80X6sEtGT/XwiN
7N0UsDJahjucX7G+CRTPC2iHI7OHwbJ1zxVG7rQ5cTbKU3vjLzbCeNw/WikLKbruSuvHIk
Ic7GLdSW+pOo2i+TM7Bit01M1FJNzzXpWUvn/XJKx0l+Fc0nOPPWp08022DZGsp7R1mI
XnBV4mAoNQ5yxpahfPc2UG0Yzpk+TC3eoGoFkyFN5s1Veb4E8gX8ZofwWldGiWQEm8Dbi
zubUxxdpLFJkkBver5ERxdkEgdcATroinLDbcXXP1+Aym7o7fzB2xGc0Bb1EAAG0W3M1F
bc0tNE/pZawEH+3wjcp6F9dyiYE+2AJCY0zm6BQ11LuXKvJ8pggyvsstdJ111Cqed+1ugc
a665IAy5w093xj7iz1UEvXcc/hvGPoiABNuq4HMxe94d90HaSS18YIHvjt0tGo+zbjpjkf
rubgA8YQsq1K0k8mFYobgOK+qKRx0T81Qwd0oV8ZzacOOFug0VsTlpAsv+b5Krq7+ZKRYq
/FyIhvDSULhbGVtjdZUxJY91PBKrtahnhJjpqOni/TimHQ6nmuj4wkza9szy4cRghn1rb3
7bbPlhGdraaRtlZNpbGTWBBoeACVzHUjhjkaA8AsbCHrc1Sm9Uke+12B6z/HzGvdPuGNK
XR5/jiYSWZD0BSe5Au4AiHDde+6AgckHkggg47K10MqaAnCtjJAjkjCKN5J0sFWRWNixyp9M
Tjl1v3RXWoJ3ZibqpOW7QmjnLI
kdZ1OknesBRouWKTNU1RQEh8x40iBrhM4RWue52TMm2tcBCIhJJZrg6bGjMbpIvdJRhUu
Z2fQvay8TFVXeY6R01n2WzIyeFftjQBx5tD0F7nLPbjSHTa2NQJ761M7GSrutsbvGtBK7
U3Gyopw3WClkytU9qTPRxPLJHGsn5cA7WIGurc16tCSyBtFryLEiDSDhJeLcvshpFqmbG
bed; _WebSSoAuth0=85y/5fgneQbCdR0OddoSwt04frxt2YYefvazri9zeyAy9sBzvxBj
K33tJ0cXwHtbL4Cr837id0+GeP4zo3gWirG+auVm/Rwbg59+DUYPoSHvFgMxt4f7mVln6X
Gg5mRP/X0vAlJhpGSMZGxhr7Ufyh1jo7Enc5yKpzm1BFE4V4Jt44h64Y9SEORD7DuL6n5
eileZiK/pAWW96Z43jRpZx05DHkAdobY09K/FXSddWmq3HM1Btgme3szt1YqO55TBqMqt
Sbx6HcMHWNs0eSYUHA4TEt8U6nzfeNxZoz3E4w97VLJ7Ini5FPCU6GeLQKkWh30moibyPR
oFDn52L7YLZi80A7dLfLqjwFKp/vJvokX515/uQOAm6ky1W4pGT2kiEYhkyX0xlm0ZkLqh
OzwAr96hxt92cRbzKn0zmxuG8M7Akr7AcR57Z8WH43oozOxp2mocWrrH8yiPWWufefzvt
gtV23e5oOB268x2rZ3BqHraM+0qa6ue0eZpcuin16LA/e/+jrnJ/G78xpT+7dNNqs6ZZY2
iTnNzNFqBx2rVGp02w3QcfjWadqn0y1dhixM6VuPpdIvn1+lVgmUvnoqlLjSV/fxE196
vvSWhNKH6+X9/3GR+wv53Ngf; _LSRealm=urn:federation:adatum; _LSCleanup=
2006-07-13:07:32:28Zahhttps://treyws-test/claims/; _TTPDest=
https://treyws-test/claims/; _TTPData=eNrNWFUTqjow/iuW59HqDd7aS3V3TUB
RUFAQFX2ZihAuKgkSEPHXT9Dwbfct+u6dnaj8cnsLk41vfumQ15CWjsSddAhxTRZIbsNA6S
3CQ7hA1E14IpKp3CPaZdpvza9pmk6nIctx0UqvqDzVACox8k9rimcjWeb3J8jUv1Cb1t
5cHZOR8wh57oTDcdwGlKE4Cgkv3kdx7Lf+79VxD9eam/1Rttfinhms/P3U2z9WnTpu3EX
SR7Wwa5ZJMaYpkTBOIGTVm/PmJbz1V6ybf6tZr3Vp7/a4Tv5bTGHdd5KAYFka6SYzyUow
ogrHt10sq3JJ4gWLk517LVSYI8EfBNQYF6SsWgTSgXqxDRLuJ3Z0Bddy/uC780ZH+d1F
kWAAnKAS0pJFEQC6J0e/IMOUJnsTATQRkjzrtm84tcKkTIGwj1qMkDuwC/27ok8pbkTPKK
1b4nNGnhH3C2XsYhJR74T6qfnr/e3Tuk183e84xKCCg49KuWODPSBrbt/IpxNfQhYEdE0
rc5CEh5bdPCYIOTNLwhfuMdsMnZBew3LtkCKn/TRM13Y47sCe5R01PzWSen/ydKC4c0uZ
fb5Y+4N7j8e7ae3ASH+EksC+oswQmKGTVpY/yL8qyxTL9UV1FiU+cX4oUf1DqZgF2SEZv
JTBLN1tkJ+9vGqtE2Sm03QDFJYnEIfx6vb6XwHyqld+AewY4YMmGCYn/dY39D5uE7/5/B
L9F5U6A+yout6glrJI2aYI+t/xz3PjIs3QfZ+91vshDPbAcVjToOWPkzSCNvoGyfJnGw
u4T9Eb/Jr1J+3P0v/GWyRhSHAx/rOsVcaYzegs8j/DdBCTNPqzJ1v6KEYoiskRxf9slqw
MwyBjvk+T+26mgUeZkUUv7fe07Esy35k9Qsf1pV4ju9wTMGhgfDx+foVcorW9/YiQkww
W8n74PzQoePeg7xG2hfvhbyCrXJuVIJ/Qyx6yqw38V7nEPfD5JswHzjGFT9Sh1QuSgVwUF
ztTaW7Ir+W/vndQeHsxY4gp231D+j+33ggfER7EiHnid7cuVD6PtxvosM9kusFHttp/
5843WN0hbhWjYmb1qkyIatDMfgMM09sVbFyT6d2mzHe9R84e6xzePHwrhn76qIe4MFMb
B5xsE6nDdirEdh5gyHJ/uQg67WbrbgcpK1/DpYLMKV2YjsJYfU3XYpt+nIUoY7Sjup17e
ncWwuk1045HaNTFLTtsi0ecXPz332FWa6Z2LKrU53ou1hut6G2/pIMTLenu/Ckwqja9u
SbPORqcnX98odatB+ePkleQVK5QtZapMturr1ZEH8i8j1F+9spp8pwcTeB2JxZnNLbYu1
thkucdvRRHEBw9ksgA8eTRoSERdA8XTP52Bjni7g78Lbp2MF4A+10APrFXDziR91Vvoeq
+fNedwsM/XkuDb2Gj0w87R6QEkZxymbUFdNeVcNfuZ21PgRXa+yeSLTBX0U38LdMHTFgJ
QTdEy8rW1PztDNDh0ooB/4dCXAJgIWx1k3moneqs+SGP5Gc9FEhHDx6/k00yY7kS0MgU5
oBNOqsg5TiZnrjoEB7OipXDQFjaIittxro5Ned0ZzdFxerEqLSRue832FHV2DyUi11+PFR
LGGk4TD2dLeWs2phG1nq001UqkNfTWWN66RztOzu+HTsamPDkdkrRx3rEqjAPPKST/0nz
dN15zshZU+a4JyZCSzPgBwgKoZp43cFXQGIDq3011fYHL9D7LQ7/dE/qPPot6u8/iVi1
0RfEwmMmbek9XRZYv4PVYMDzvptsTgCwCGWRCTpJGwaMHPDtjQZJHZC37R1sDmZ0Ni9wZ
/EQQVn1JGxqjK2zWFFdzsieGuVIB1dbSV63VUG9cFN0XVUBYbbpoKgBIVNFVWhf5uRMX
6kCBJKAL15Qgw29ohuk8905HFSEXZDCznmvSvOL7jAzJmo/y2YHQsz90DAGPu8MwfM472

```

zXlsKvrAUPxeZug9V0VevktthM4FLLN3XtuMz6; _TTPData0=IUvGvLZndSztshlcDLL
jYuBHDmjoK/Y9WjBZnenVFarKA8jiEgteXxJ0m9XNTNiaohBsBffBngGyqsGhwds9chzX
Lti+Yxnks51VbZE7A6nqDHZ3Nzz5ta//jNEZiP7WD+HytJ8E7aMlnX76KJ16xdhYNvNN7
UStwU+7vtUg0FJ284GUO8P9bFPr8ONQy9ma+nUtAlzHrGssZGxjv7kfKi1rrs21ndERND
jNuQOiyV41W9dSDMsZpEQSQ2wEC85cLaTzTBIXfK8j+1NsNja80j1byhiKAO2tsS8nwTJ
pe1rD04Xq1B9gpdPaK0Y417zTmDUYTa01DkOlvjF0wRnJlg2BgMe8LLqtZ7FvzVeC5bVC
M9DPrdiZzEcB13MzJKI1QZLTSiuJso011i823LMTgNmyk4d61N4uKsoUaGK+mxiTfHk5x
aM3CIWRoVTgg1M65wxBQqptwahW5y2zp7m0A2wSVEy03Z8kvM7cSiM2rei0
s7CsLLEK7P7zzqbRYTXsmcp0ZdejpuGLIsppx97n/k4/Y+255rR0nA49c9cxMjjdRNuq9
8qa6ueOeZVcuy1377A/e+/9rHl7N2aCr64GMhp12aFtHyBqkvvtQ/SN24dGsSNGZB/Y+e
X6AXb72I1IgJofJ4cbHvweXpv9GF4O/QH23jHf/wk+/rf+VLY+/ULLIn9w9WNY/vYu5u0
//XcudA==
```

<<<

HTTP/1.1 302 Found

```

Location: https://treyws-test/claims/?wa=wsignin1.0&ttysize=2708&
ttindex=1758&wctx=https%3a%2f%2ftreyws-test%2fclaims%2fDefault.aspx
&wresult=EwmMmbek9XRZyv4PVYMDzvptsTgCwCGWRCTpJGWAHPDtjQZJHZC37R1sDm
Z0Ni9wZ%2fEQQVn1JGxqjk2zWFfdZsieuGuVIB1dbSV63VUG9cFN0XVUBYbbpoKgBIVN
FVWhf5uRMX6kCBJKAlI5Qgw29Ohuk8905HFSEXZDCznmvSvOL7jAzJmo%2fy2YHQsz90
DAGPu8MwfM472zX1sKvrAUPxeZug9V0VevktthM4FLIN3xtuMz6IUVgVLZndSztshlcD
LLjYuBHDmjoK%2fY9WjBZnenVFarKA8jiEgteXxJ0m9XNTNiaohBsBffBngGyqsGhwds
9chzXlti%2bYxnks51VbZE7A6nqDHZ3Nzz5ta%2f%2fjNEZiP7WD%2bHytJ8E7aMlnX7
6KJ16xdhYNvNN7UStw%2b7vtUg0FJ284GUO8P9bFPr8ONQy9ma%2bnUtAlzHrGssZGx
jv7kfKi1rrs21ndERNDjNuQOiyV41W9dSDMsZpEQSQ2wEC85cLaT
zTBIXfK8j%2b1nsNja80j1byhiKAO2tsS8nwTJpe1rD04Xq1B9gpdPaK0Y417zTmDUYt
a01DkOlvjF0wRnJlg2BgMe8LLqtZ7FvzVeC5bVCM9DPrdiZzEcB13MzJKI1QZLTSiuJ
s011i823LMTgNmyk4d61N4uKsoUaGK%2bmxiTfHkSxaM3CIWRoVTgg1M65wxBQqptwah
W5y2zp7m0A2wSVEy03Z8kvM7cSiM2rei0s7CsLLEK7P7zzqbRYTXsmcp0ZdejpuGLIspp
px97n%2fk4%2fy%2b255rR0nA49c9cxMjjdRNuq98qa6ueOeZVcuy1377A%2fe%2b%2f
9rHl7N2aCr64GMhp12aFtHyBqkvvtQ/SN24dGsSNGZB%2fy%2beX6Axb72I1IgJofJ
4cbHvweXpv9GF4O%2fQH23jHf%2fwK%2b%2frF%2bVLY%2b%2fULLIn9w9WNY%2fvYu5
u0%2f%2fXcudA%3d%3d
```

>>> treyws-test (WS Resource)

```

GET /claims/?wa=wsignin1.0&ttysize=2708&ttindex=1758&wctx=https%3a%2f
%2ftreyws-test%2fclaims%2fDefault.aspx&wresult=EwmMmbek9XRZyv4PVYMDzv
ptsTgCwCGWRCTpJGWAHPDtjQZJHZC37R1sDmZ0Ni9wZ%2fEQQVn1JGxqjk2zWFfdZsieuG
uVIB1dbSV63VUG9cFN0XVUBYbbpoKgBIVNFWhf5uRMX6kCBJKAlI5Qgw29Ohuk8905HFS
EXZDCznmvSvOL7jAzJmo%2fy2YHQsz90DAGPu8MwfM472zX1sKvrAUPxeZug9V0Vevktth
M4FLIN3xtuMz6IUVgVLZndSztshlcDLLjYuBHDmjoK%2fY9WjBZnenVFarKA8jiEgteXxJ
0m9XNTNiaohBsBffBngGyqsGhwds9chzXlti%2bYxnks51VbZE7A6nqDHZ3Nzz5ta%2f%2
fjNEZiP7WD%2bHytJ8E7aMlnX76KJ16xdhYNvNN7UStw%2b7vtUg0FJ284GUO8P9bFPr8
ONQy9ma%2bnUtAlzHrGssZGxjv7kfKi1rrs21ndERNDjNuQOiyV41W9dSDMsZpEQSQ2wEC
85cLaTzTBIXfK8j%2b1nsNja80j1byhiKAO2tsS8nwTJpe1rD04Xq1B9gpdPaK0Y417zTm
DUYTa01DkOlvjF0wRnJlg2BgMe8LLqtZ7FvzVeC5bVCM9DPrdiZzEcB13MzJKI1QZLTSiu
Jso011i823LMTgNmyk4d61N4uKsoUaGK%2bmxiTfHkSxaM3CIWRoVTgg1M65wxBQqptwah
W5y2zp7m0A2wSVEy03Z8kvM7cSiM2rei0s7CsLLEK7P7zzqbRYTXsmcp0ZdejpuGLIsppx
97n%2fk4%2fy%2b255rR0nA49c9cxMjjdRNuq98qa6ueOeZVcuy1377A%2fe%2b%2f9rHl
7N2aCr64GMhp12aFtHyBqkvvtQ/SN24dGsSNGZB%2fy%2beX6Axb72I1IgJofJ4cbHvw
eXpv9GF4O%2fQH23jHf%2fwK%2b%2frF%2bVLY%2b%2fULLIn9w9WNY%2fvYu5u0%2f%2f
XcudA%3d%3d HTTP/1.1
Cookie: _TTPData=eNrNWFuTqjoW/iuW59HqDd7aS3V3TUBRUFAQFX2ZihAuKgkSEPHXT
9DWbfct+u6dnaj8cnSLK41vfumQ15CWjsddAhxTRZIbsNA6S3CQ7hA1E14IpKp3CPaZdpvZ
a9pMk6nIctX0UQvgDzVACox8k9riMcjWeb3J8jUv1Cblt5cHZOR8wh57oTDCdwG1KE4Cg
kv3kdx7Lf+79VxD9eam/lRttfinhms/P3U2z9WnTp3EXSR7Wwa5ZJMaYpkTBOIGTVm/Pm
Jbz1V6ybf6tzr3Vp7/a4Tvb5TGHdd5KAYFka6SYzyUowogrHt10sq3JJ4gWLK517LVSYI8
EfBNQYF6SsWgTSgXQxDRLuj3Z0Bddy/uC780ZH+d1FkWAnKAS0pJFEQC6J0e/IMoUJnst
ATqrKjzrtm84tcKktIGwj1qMkDuwC/27ok8pbkTPkk1b4nNGnhH3C2XsYhJR74T6qfnr/e
```

3Tuk183e84xKCCg49KuWODPSBrb/IpxFnFQhYEdE0rc5CEh5bdPCYIOTNLwhfuMdsMnZBe
w3LtkCKn/TRM13Y47sCe5R01PzWSen/ydKC4c0uZfb5Y+4N7j8e7ae3ASH+EksC+oswQmK
GTvpY/yL8qyxTL9UV1Fi+cx4oUf1DqZgF2SEZvJTBLN1tkJ+9vGqtE2Sm03QDFJYnEIfx
6vb6XwHyqld+AEwY4YMmGCYn/dY39D5uE7/5/BL9F5U6A+yout6glrJI2aYI+T/xz3PjIs
3QffZ+91vshDPbAcvJToOWPkzSCNvoGyfJnGwu4T9Eb/Jr1J+3P0v/GWyRhSHAx/rOsVca
YZegS8j/DdBCTNPqzJ1v6KYEoiskRxf9s1qwMwyBjvk+T+26mgUeZkUUv7feO7Esy35k9
Qsf1pV4ju9wTMGhgfdX+foVcorW9/YiQkwW8n74PzQoEpg7xG2hfvhbyCrXJUvIJ/QyX6
yqw38V7nEPfD5JswHZjGFT9SH1QuSgVwUFztTaW7Ir+W/vndQeHsxY4gp231D+jD+33ggf
ER7EiHnid7cuVD6PttxvosM9kusFHttp/5843WN0hbhWjYMB1qkyIaitDMfgMM09sVbFyT6
d2mzHe9R84e6xzePHWrhn76qIe4MFMbB5xsE6nDdirEdh5gyHJ/uUq67WbrbgcpK1/DpYL
MKV2YjsJYfU3XYpt+nIUoY7SJupI7encWwukl045HaNTFLttSi0ecXPZ332FWa6Z2LKRu5
3ou1hut6G2/pIMTLenu/Ckwqja9uSbPORqcnX98odatB+ePkLEQVK5QtZapMturr1ZEH8
i8j1F+9spp8pwcTeB2JxZnNLbYu1thkuvcdrRHEBw9ksgA8eTROSeRdA8XTP52BJni7g78
LBp2MF4A+10APrFXDziR91Vvceq+fNedwsM/XkuDb2GjOw87R6QEKeZxymbUFdNeVcNfuZ2
1PgRXa+yeSLTBX0U38LdMHTFgJQTdEy8rW1PztDNdHooOB/4dCXAjgIWx1k3moneqs+SGP
5Gc9FEHhDX6/k00yy7ks0MqU5oBNOqsg5TiznrjoEB70ipXDQPjaIittxro5Ned0ZzdFxr
EqLSRue832FHV2DyUi11+PFRLGGk4TD2dLeWs2phG1nqO01UqkNFTWWN66RztOzu+HTsam
PDkdkrRx3rEQjAPPST/0nzdN15zshZU+a4JyZCSzPgBwIgKoZp43cFXQGIDq3O11fyHL9
D7LQ7/dE/qPPot6u8/iVi10Rf

<<<

HTTP/1.1 302 Found

Location: https://treyws-test/claims/Default.aspx

Set-Cookie: _TTPData=; expires=Wed, 12-Jul-2006 07:32:28 GMT;
path=/claims

Set-Cookie: _WebSsoAuth=eNrNV9uSosoS/RXDeTR6wLsY3R2nAEFQUBAVfd1RQnFRq
VIuIn79Lr1unvOzOmzYx62T0WyKnPlyisrfE5gt0+DJEFxGhJceawU8aX6V7fTQM32pv
1U73bZp5bndJ64Taf+xPVYB0EPo6mVa0oSzIhBScpx0LltcGynSe2+1RvWmy332z0G73
1GyZ+qWYx7nvIRTEsg/TTGBWVGCUixk5QrWhwS+IFihP67qVap4YQfzScoz10+iXpmry8C
kzDpYxihpJ86/RnQxv36d7Y7P731UX5+vKQoEu2FpSCo6SXnkkRj9iiwFTPAkBl5aUn6P6
d0xb15B5oY1O8hESRqHTun/EegT5DVI00PS25gy5zx5SuKwxtnDMEqYz+Yj9NPzf/fOfM
rrRs89haUL6HpJXyj9z0gWO+hNutJ8ky4KnZgkxEvfFaT6+q1a0IVpFj0zn73d/ROyC2n
tPTKESfDFAE3DiTkost5JNz1rnRfnYCCIC5f02Jd7pa9+H3q8pfYmThognIb0lesskSmK
6HPlo/03bdmllf4I11AaEPenJoUfQP08xC7Jk3sLzLLNFjnp25N001FxS7QXorgikTiCN
HpZe1r6xAlQBjPvVKeEwMN3Evv3FphP9eorcKMqh7TYMCXxf27af3di9Jb/R+d3VR4EmN
/pclctpz20yVL0+cW/J42PPCuPVbntpTqIYlgHrkUHR1L9+DI5QAd9gWT1c4wF3GfoFF6
e9sf0Z+v/4i2QKCK4XP9z1hp1Tct0lfzPMJVjkh3+LMmyfyrgcIjJCCx/bpa0DaMwTb90
k/nldzULfUybKH4bvQ9ieZ5/z5tXPnQqsQzLMRTgJqH/rXrbhdxy9L0+CxATTl/kfXh5N
6AqYO+TOEyD6Bcu60ydLV0+obPz5NRb+Fu1wrzj80U3H5jFCxxKAli/ejKRh+LyZKrMTe
Wl+u1rF4XXZyuGOKEnb5S8W/9/PBA+oT051PcpuadzpfR1d79Qh31PTgx9eub+E50eGt1
c3LrGxS37XjsQ1FOHY3CcYXGs13G6z6YOPfHeI5+Zh7Z0/b4XHtW7AbEoL4iJrQsO19G8
FWFpjEOXucHh2zoXm6b12Fy4necauw8UiWlmtg7NkkLbbLp
VeMrLV4Q4m7cxVetM4thbp0Voyu1Yuadla4HusGhszad2FKfzCLMuAu6wPU7X22jbHK1
mzjrzXXTW4GEqNm1pxm2M5BwYG7VptxL2NLnwh5odKbY6VSdb7eWWyDvyzyNU3LKy2ywn
whTeVkJ5Z/PKo4sONkUR2a0ggPjog1zhga+M5JdkNn1q/gbnC9B5f3cMdqHM5SwPj1kER
LDWTCeXjJW4MAXxkLfnUN4xa4kPHGy25xF3ckWApJzN9S1oapZSaNYg10QVxm2Xu0252j
TeOA+2wOB9fcEDzRJss1jb+4s71FL9IvD4Jw4DCYAjvza7q92gr8agCxWOnugNAfBka
tmOb8dCeg1SXNQ7JhpJpS4
HRyYepDcLrqeb13qlFNnyLC21sKWTuNEensSYtJj14KfY1enUNJyPNWY4XE9UeT1IG50
tna7enEnbcoYGXaq0xDLRY2XhmNs8u3obNxpYxOp6QvXK9sXoYAVjUzsZx0Nm0PXJ2Fnb
W0Xn1REnmAwDgRABQy31f9jTQkkF97or5gGdyY0DrMoij/OB9zoLRG1Dd6iVWEI7yTNk0
RUMTaL2AL11xfP+OFXmgCEABOZ+vpFHeEhv5FQkZUTWSnBydJA7+bCsnclOeH41kPShm
brpZ13zOpIz8bRDgYxevZsWTufjtSs31TA0DRaaO5HLHuBzTdD43vWdkhsrjYdA4pHK8Q
3YMuozOZvvLpFc43dhBrnLxpPmV+wwNyfaIM9nR14hAyibcsC6Q9AZF9x2bavsy16wUGj
vNljLVg2ucIR2Cpd6sWnqzpU2S1s6ZvU97TNpg9XTrs5PCzk40JFprOh+tKC2JsU11URT
ZEh1iX1/IPGQQ/tmxm8tgQ+3; path=/claims; secure; HttpOnly
Set-Cookie: _WebSsoAuth=0=vPDONGoyasChyToIOY0bV9+Ba5vkc5xVY1G4s1R35cD7
RUXWGxg/NLoAIdgGEVye950wd7K1848cpbNYrs1lu9g0zokt/4hr100CbXU316XCHe5nm
wbHjiO9oN/Uz98ioh1EW8Zoxw4O2vuh2rXn+lzamRyvw2nBHEFM9hrZerZq2q6cEUmlsB

```

kuGGu1kC4zSViwIicEU2y1Nqw2vdjqgGAoA7e1xoKThMu35ess3+Po0kLHKdfeqGc11/zY
mA0bXGq3jUG1uTIN3R4rtQMDjMasIXrcjD0z5irf9bmSFxqUbu5P5KGREL0cCWhIkud2s
lqrWLLZZcu7uCGYLbkiMg697aKmToEuFLuJOSmWZ0E4+XLEj0y1BheMy11yBAmp93izX
p93LVH3Eg44JKxZaLs/S3ide7VWbNmH887GirrEGnAGnZ2THI6roWip05XTPLTNQBBQkX
DOvgh2xgXrnYbbNXA29K0dZ+Zwujls6/4LHaqfJ+bNcpumzGPC/pi9j7vK/b/x69+bsI8T
; path=/claims; secure; HttpOnly

>>> treyws-test (WS Resource)
GET /claims/Default.aspx HTTP/1.1
Cookie: _WebSsoAuth=eNrNV9uSosoS/RxDDeTR6wLsY3R2nAEFQUBAVfd1RQnFRqVIuIn
79LrR1unvOzOmzYx62T0WyKnPlyiSrfE5gtO+DJEFxGhJceawU8aX6V7ftQm32pv1U73bz
p5bndJ64Taf+xPVYB0EPOe6mVa0oSzIhBScpx01LtcGynSe2+1RvWmy332z0G731GyZ+qW
Yx7nvIRTEsg/TTGBWVGCU1xk5QrWhwS+IFihP67qVap4YQfzScoz10+iXpmY8CkzDpYxih
pJ86/RnQxv36d7YP731UX5+vKQoEu2FpSc06SXnkkRj9iwiFTPAkB15aUn6P6d0xb15B5o
YIO8hESRqHTun/EegT5DVi00PSZ5gy5zx5SukWxtnDMEqYZ+Yj9NPzf/fOfMrrHs89haUL
6HpJXyj9z0gWO+hNutJ8ky4KnZgkxEvfFaT6+q1A0IVpFj0zn73d/RoyC2ntPTKESfDFEA
3DiTkost5JNzIrnRfnYCcIC5f02Jd7pA9+H3q8pfYmThognIb0lessShmK6HPlo/03bdml
lf4i11AaEPenJoUfpQP08xC7jk3sLzLLnfjnp25NOO1Fx7QXorgikTiCNhpZe1r6xA1QBj
PvVKeEwMN3Evv3FphP9eorcKMqh7TYMCxxf27af3dI9Jb/R+d3VR4EmN/pclctpZ20yVL0
+cW/J42PPCuPvbntpTqIYLgHrkHrL9+D15QAd9gWT1c4wF3GfoFF6e9Sf0Z+v/4i2QKC
K4XP9Z1hp1TCt0lfzPMJVkjh3+LMmyfyrgcIjJCCx/bpa0DaMwTb9Ok/nldzULfUyKH4b
vQ9ieZ5/z5tXPnQqsQzLMrtgJqH/rXrbhdy9L0+CxATTl/kfXh5N6AqYO+TOEyD6Bcu60
ydLV0+obPz5NRb+Fulwrzj80U3H5jFCxxKAl/jejKRh+LyZKrMTeWl+u1rF4XXZyuGOKE
b5S8W/9/PBA+oT05IPcpuadzpfR1d79Qn31PTgx9eub+E50eGt1c3Lgxs37XjsQ1FOHY3
CcYXGs13G6z6YOPfHe15+zH7Z0/b4XHtw7AbEoL4iJrQs019G8FWPjEOXucHh2zoXm6b12
Fy4necau8UiWlmtg7NkkLbbLpVeMrLV4Q4m7cxVetM4thbpOvoyulYuadla4HusGhszAd
2FKfZCLMUsAu6wPU7X22jbHkLmzjrzXXTW4GEqNm1pxm2M5BwYg7VptxL2Lnwh5odKbY6
VSdb7eWWyDvyzyNU3LKy2ywnwhTeVkJ5Z/Pko4sONkUR2a0ggPjog1zhga+M5JakNn1Q/g
bnC9B5f3cMdqHM5SwPjLkERLDWTCeXjJW4MAXxkLfnUN4Xa4kPHGy25xF3ckWAjJzN9S1o
apZSaNYg10QVXm2Xu0252jTeOA+2wOB9fcEDzRJss1jb+4s71FL9IvD4Jw4DCYAJvzVA7q
92gr8agCxWOnugNAfBkamOb8dCeg1sXNQJTjhPjP44HRyYepDclRqegb13q1FNNyLC21s
KWtuNEensSYtJj14KfY1enUNJyPNWY4X9UeT1IG50tna7enEnbcoYXaq0xDLRY2XhmNs
8u3obNxpYxOp6QvXK9sXoYAVjUzsZx0Nm0PXJ2FnBw0Xn1REnmAwDgRABQy31f9jTQkkF9
7or5gGdyY0DrMOiJ/OB9zoLRG1Dd6iVWEI7yTNk0RUMTaL2AL1IxfP+OFXmgCEABOZ+vpF
HeEoHv5FQkZUTWSnBydJA7+bCsnclOeH41kPShmbrpZ13zOpIz8bRDgYxevZsWTufjtSs3
1TA0DRAaO5HLHuBzTdD43vWdkhsrjYdA4pHK8Q3YMuozOZvvLpFc43dhBrnLxpPmV+wwNy
faIM9nR14hAyibcsc6Q9AZF9x2bavsy16wUGjvNljLvg2uc1R2Cpd6sWnqpzu2Sls6ZvU9
7TNpg9XTRs5PCzk40JFprOh+tKC2JsU11URTZEh1iX1/IPGGQ/tmxm8tgQ+3; _WebSso
uth0=vPDOnOyasChyToiOY0bV9+Ba5vkc5xVY1G4s1R35cD7RUXWGxg/NLoAIdgGEVye9
50wd7K1848cpbNYrs1lu9g0zokt/4hr100CbXU316XCHe5nmwbHjiO9oN/Uz98ioH1EW8Z
Oxw402vh2rXn+lzamRyvw2nBHEFM9hrZerZq2q6cEUmisBkuGGu1kC4zSViwIicEU2y1N
qw2vdjqgA0A7e1xoKThMu35ess3+Po0kLHKdfeqGc11/zymA0bXGq3jUG1uTIN3R4rtQMD
jMasIXrcjD0z5irf9bmSFxqUbu5P5KGREL0cCWhIkud2slqrbWLLZZcu7uCGYLbkiMg697
aKmToEuFLuJOSmWZ0E4+XLEj0y1BheMy11yBAmp93izXp93LVH3Eg44JKxZaLs/S3ide7V
WbNmH887GirrEGnAGnZ2THI6roWip05XTPLTNQBBQkXD0vgh2xgXrnYbbNXA29K0dZ+Zwu
jls6/4LHaqfJ+bNcpumzGPC/pi9j7vK/b/x69+bsI8T

<<<
HTTP/1.1 200 OK

[Application specific content]

```

4.2 SAML 1.1 Assertion Extension

Following is a SAML assertion fragment that illustrates the message syntax of the SAML 1.1 Assertion Extension elements in the advice element, as specified in section [2.2.3](#).

```

<saml:Advice xmlns:adfs="urn:microsoft:federation">
    <adfs:WindowsIdentifiers>
        AAAAAAEEAAABAAAAAAABRUAAAUVU+0xvWJxlc9CDm4GAAAA9AEAAAYCAAAHAgAACAIAA
        AECAAAAAGAA
    </adfs:WindowsIdentifiers>
    <adfs:CookieInfoHash>
        K6GNTL15/jljtype53+FFRAiOfek=
    </adfs:CookieInfoHash>
    <adfs:WindowsUserIdentity>
        S-1-5-21-837636885-2507236029-1846428367-500
    </adfs:WindowsUserIdentity>
    <adfs:WindowsUserName>
        ADFSVM-A\Administrator
    </adfs:WindowsUserName>
</saml:Advice>

```

The raw octets of the [WindowsIdentifiers \(section 3.1.5.2.1.5\)](#) binary structure, after base64 decoding are as follows.

```

00 00 00 00 01 00 00 00 01 04 00 00 00 00 00 05 15 00 00 00 15 53 ED
31 BD 62 71 95 CF 42 0E 6E 06 00 00 00 F4 01 00 00 06 02 00 00 07 02
00 00 08 02 00 00 01 02 00 00 00 02 00 00

```

The octet stream is structured as follows (see section [2.2.3.2](#)).

```

00 00 00 00 WindowsIdentifierFlags = 0
                  TryLocalAccount = 0
                  NoUserSid = 0
01 00 00 00 PackedSidsCount = 1 (0x00000001)
                  PackedSids1
                      DomainSid
01                 Revision = 1 (0x01)
04                 SubAuthorityCount = 4 (0x04)
00 00             IdentifierAuthority[0..1] = {0, 0, ...}
00 00 00 05         IdentifierAuthority[2..5] = {0, 0, 0, 5
(0x05)}
15 00 00 00         SubAuthority1 = 21 (0x00000015)
15 53 ED 31         SubAuthority2 = 837636885 (0x31ED5315)
BD 62 71 95         SubAuthority3 = 2507236029 (0x957162BD)
CF 42 0E 6E         SubAuthority4 = 1846428367 (0x6E0E42CF)
06 00 00 00         RidCount = 6 (0x00000006)
F4 01 00 00         Rid1 = 500 (0x000001F4)
06 02 00 00         Rid2 = 518 (0x00000206)
07 02 00 00         Rid3 = 519 (0x00000207)
08 02 00 00         Rid4 = 520 (0x00000208)
01 02 00 00         Rid5 = 513 (0x00000201)
00 02 00 00         Rid6 = 512 (0x00000200)

```

The SIDs encoded in the structure are as follows:

- S-1-5-21-837636885-2507236029-1846428367-500
- S-1-5-21-837636885-2507236029-1846428367-518

- S-1-5-21-837636885-2507236029-1846428367-519
- S-1-5-21-837636885-2507236029-1846428367-520
- S-1-5-21-837636885-2507236029-1846428367-513
- S-1-5-21-837636885-2507236029-1846428367-512

5 Security

5.1 Security Considerations for Implementers

Security considerations for the Microsoft Web Browser Federated Sign-On Protocol Extensions are specified in the following subsections. Additionally, the security considerations outlined in [\[MS-MWBF\]](#) section 5 apply to the Microsoft Web Browser Federated Sign-On Protocol Extensions.

5.1.1 Data Integrity

Data integrity concerns, as described in [\[MS-MWBF\]](#) section 5.1.1, apply to the extensions specified in this document. Of particular concern are the SAML advice elements specified by the SAML 1.1 Assertion Extension. These elements are included in the SAML assertion, which is signed to prevent tampering (see [\[MS-MWBF\]](#) section 2.2.4.2.2).

5.1.2 Privacy

The privacy considerations in [\[MS-MWBF\]](#) section 5.1.5 apply to the extensions in this document. The extensions also introduce new privacy concerns.

The Query String Response Transfer Protocol is used to communicate security tokens from one party to another by using the query string of the HTTP request URL. The use of Secure Sockets Layer/Transport Layer Security (SSL/TLS) prevents the exposure of user information outside the services participating in the protocol (see [\[MS-MWBF\]](#) section 5.1.3); however, a GET message might provide a lesser degree of confidentiality than a POST message due to URL tracking concerns. For example, Web browser requestor implementations might track URL history, or Web proxy servers might log URLs.

The SAML 1.1 Assertion Extension provides a method for including SIDs in a SAML assertion. These SIDs MAY identify user identity, capabilities, or affiliations. For this reason, SIDs SHOULD NOT be included indiscriminately; rather, their distribution SHOULD be limited to specific relying parties.[<23>](#)

5.1.3 Authorization Validation and Filtering

When processing SIDs from an IP/STS, relying parties must ensure that the IP/STS is authorized to issue SIDs that fall under a particular set of subauthorities. This is similar to namespace collision concerns with UPN and EmailAddress claims (as specified in [\[MS-MWBF\]](#) section 5.1.6).[<24>](#)

5.2 Index of Security Parameters

Because the Microsoft Web Browser Federated Sign-On Protocol Extensions is an authentication protocol, the security details are in the message processing rules section.

Security parameter	Section
WindowsUserIdentity	2.2.3.1
WindowsUserName	2.2.3.1
WindowsIdentifiers	2.2.3.1

6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft Windows® 2000 operating system
- Windows® XP operating system
- Windows Server® 2003 operating system
- Windows Vista® operating system
- Windows Server® 2008 operating system
- Windows® 7 operating system
- Windows Server® 2008 R2 operating system

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

<1> Section 1.5: The Windows implementation of the SAML 1.1 Assertion Extension is integrated with Windows **Active Directory**. All SIDs that are transmitted in the SAML assertion correspond to Active Directory accounts. In order to transmit SIDs between a requestor IP/STS and a resource IP/STS that reside in different **forests**, the requestor IP/STS forest must be a **trusted forest** of the resource IP/STS forest.

<2> Section 1.5: Local configuration is used to modify several of the Windows behaviors described in this document. In all cases, the local configuration must exist before the protocol is initiated. Specific instances where local configuration is used are listed below.

By default, an IP/STS does not issue security tokens with SIDs (see section [3.1.5.2](#)). The issuance of SIDs (that is, including the [WindowsUserIdentity \(section 3.1.5.2.1.3\)](#), [WindowsUserName \(section 3.1.5.2.1.4\)](#), and [WindowsIdentifiers \(section 3.1.5.2.1.5\)](#) elements in issued SAML assertions) can be enabled for specific relying parties by using local configuration.

By default, when a user authenticates to a resource IP/STS by using a security token from a requestor IP/STS (see section [3.1.5.2](#)), any SIDs in the SAML assertion are ignored (that is, the [WindowsUserIdentity \(section 3.1.5.2.1.3\)](#), [WindowsUserName \(section 3.1.5.2.1.4\)](#), and [WindowsIdentifiers \(section 3.1.5.2.1.5\)](#) elements). Processing these SIDs (as described in section [3.1.5.2](#)) can be enabled for specified requestor IP/STSs using local configuration. In this case, the local configuration also specifies a Windows **domain** associated with the IP/STS, so that SID filtering may be performed (as specified in section [5.1.3](#)).

When a user authenticates to a resource IP/STS by using a security token from a requestor IP/STS (as specified in section [3.1.5.2](#)), claims can be mapped to SIDs based on local configuration. In this case, the local configuration also specifies the desired value of the TryLocalAccount flag (as specified in [WindowsIdentifierFlags Structure \(section 2.2.3.2.1\)](#)).

A special algorithm is used to determine when the Query String Response Protocol is used (as specified in section [3.2.5.1.1](#)). This algorithm uses local configuration to force the use of the protocol and for the FileExtensionBypassList flag.

<3> Section 1.6: All Windows behavior documented in this specification applies to Windows Server 2003 R2 and Windows Server 2008. The Windows behavior does not apply to Windows Vista, because the software that implements the protocol extensions described in this document is included only as part of Windows Server.

<4> Section 1.9: The following URIs are used as local assignments in fields specified by the SAML 1.1 Assertion Extension: "urn:federation:activedirectory" and "urn:microsoft:federation".

<5> Section 2.2.3.1: Support for this field is conditional, as specified in [CookieInfoHash Element \(section 3.1.5.2.1.2\)](#).

<6> Section 2.2.3.1: WindowsUserName Element (section 3.1.5.2.1.4) specifies how Windows constructs the [WindowsUserName](#) value.

<7> Section 3.1.1.1.1: The pending result is maintained in secure session cookies written using Set-Cookie headers (as specified in [\[RFC2965\]](#)), which are added to the HTTP 302 response to the Web browser requestor.

<8> Section 3.1.1.1.2: The recommended value is used.

<9> Section 3.1.2: There are no new timers. The pending result is stored by using secure session cookies (see section [3.1.1.1.1](#)).

<10> Section 3.1.5.2.1.1: The IP/STS only includes this element when it is a resource IP/STS. The value identifies Active Directory, a **Lightweight Directory Access Protocol (LDAP)** service, or a security realm. If the user authenticated by using Active Directory, the [ClaimSource \(section 3.1.5.2.1.1\)](#) value is "urn:federation:activedirectory". If the user authenticated by using an LDAP service, the [ClaimSource \(section 3.1.5.2.1.1\)](#) value is a URI associated with the LDAP service, for example "LDAP://ldap.example.com". If the user authenticated by using a SAML assertion from a Requestor IP/STS, the [ClaimSource \(section 3.1.5.2.1.1\)](#) value is the value of the Security Assertion Markup Language (SAML) issuer. For more information about user authentication, see [\[MS-MWBF\]](#) section 3.1.5.4.3.

<11> Section 3.1.5.2.1.2: The IP/STS includes the [CookieInfoHash \(section 3.1.5.2.1.2\)](#) element when an authentication cookie is issued at the same time as a SAML assertion. The authentication cookie is a base64-encoded binary structure. Windows includes the base64-encoded SHA-1 hash value (as described in [\[FIPS180\]](#)) of the raw octets.

<12> Section 3.1.5.2.1.3: By default, the IP/STS does not include the [WindowsUserIdentity \(section 3.1.5.2.1.3\)](#) element. It can be enabled for specific relying parties (see section [1.5](#)). A requestor IP/STS populates this field only if the user authenticated by using Active Directory. A resource IP/STS populates this field only if the user authenticated by using a security token from a requestor IP/STS, in which case the value, if present, is copied from that security token.

<13> Section 3.1.5.2.1.4: By default, the IP/STS does not include the [WindowsUserName \(section 3.1.5.2.1.4\)](#) element. It can be enabled for specific relying parties (see section [1.5](#)). Windows constructs the user name by including the **NetBIOS** domain name (as it is always available in this context) and Active Directory account name, separated by a backslash (for example, "DOMAIN\user name"). A requestor IP/STS populates this field only if the user authenticated by using Active Directory. A resource IP/STS populates this field only if the user authenticated by using a security token from a requestor IP/STS, in which case the value, if present, is copied from that security token.

[<14> Section 3.1.5.2.1.5:](#) By default, the IP/STS does not include the [WindowsIdentifiers \(section 3.1.5.2.1.5\)](#) element. It can be enabled for specific relying parties (see section [1.5](#)).

A requestor IP/STS populates this field only if the user authenticated by using Active Directory. In this case, a [WindowsIdentifiers \(section 3.1.5.2.1.5\)](#) binary structure is constructed that contains a subset of the security identifiers (SIDs) associated with the Active Directory account. The subset consists of the user SIDs, the **global group** SIDs, and the **universal group** SIDs. That structure is base64-encoded and included in this field.

A resource IP/STS populates this field only if the user authenticated by using a security token from a requestor IP/STS. If the SAML assertion issued by the requestor IP/STS contains a **WindowsIdentifiers** field, its value is copied to this field. Otherwise, the resource IP/STS maps claims from the SAML assertion of the requestor IP/STS to SIDs based on local configuration (see section [1.5](#)). If any claims are mapped to SIDs, those SIDs are encoded in a [WindowsIdentifiers \(section 3.1.5.2.1.5\)](#) binary structure with the NoUserSid flag set to 1 and the TryLocalAccount flag set based on local configuration (see section [1.5](#)). The structure is base64-encoded and included in the **WindowsIdentifiers** field.

[<15> Section 3.1.6:](#) There are not any new timer events. The pending result is stored by using secure session cookies (see section [3.1.1.1.1](#)).

[<16> Section 3.2.1.1.1:](#) The aggregated result is maintained in secure session cookies written using Set-Cookie headers (as specified in [\[RFC2965\]](#)), which are added to the HTTP 302 response to the Web browser requestor.

[<17> Section 3.2.2:](#) There are no new timers. The aggregated result is stored using secure session cookies (see section [3.2.1.1.1](#)).

[<18> Section 3.2.5.1.1:](#) A special algorithm (described later) determines whether to use the Query String Response Transfer Protocol or not.

The algorithm is presented in pseudocode.

Let KnownClients be a constant set composed of the following strings, which specify **user agent** string fragments that are known to identify user agents that do not support scripting:

- "Microsoft FrontPage"
- "Microsoft Office"
- "Test for Web Form Existence"
- "Microsoft Data Access Internet Publishing Provider"
- "Microsoft-WebDAV"

Let FileExtensionBypassList be a set of strings retrieved from local configuration (see section [1.5](#)) that identify file name extensions.

The algorithm is as follows.

```
IF local configuration forces Query String Response Transfer
Protocol
OR User-Agent is empty
OR User-Agent is in KnownClients
OR NOT User-Agent contains "Mozilla"
OR NOT Http-Verb is in (GET,POST) THEN
```

```

    Use Query String Response Transfer Protocol
ELSE
    IF local machine state indicates Windows Sharepoint Services
    AND NOT Request-URL's file extension is in
    FileExtensionBypassList THEN
        Use Query String Response Transfer Protocol
    ELSE
        Use the base protocol specified in [MS-MWBF]
    END IF
END IF

```

[**<19> Section 3.2.5.2:**](#) By default, the resource IP/STS ignores these fields and processes the security token as though the extension elements are absent. Their processing can be enabled for specific requestor IP/STSs (as specified in section [1.5](#)). Section [3.1.5.2.1](#) specifies how the resource IP/STS includes the fields. The Web service resource uses the fields to provide authorization services to a Web-based application on the same machine by using methods that are outside the scope of this protocol.

[**<20> Section 3.2.6:**](#) There are no new timer events. The aggregated result is stored by using secure session cookies (as specified in section [3.1.1.1.1](#)).

[**<21> Section 3.3.1:**](#) Internet Explorer supports the use of session and persistent HTTP cookies (for more information, see [\[RFC2965\]](#)). The Windows implementation of this protocol requires that Web browser requestor support at least session cookies. It uses persistent cookies to preserve security realm identifiers if they are supported by the Web browser requestor.

[**<22> Section 3.3.5:**](#) The Internet Explorer in Windows XP, Windows Server 2003 R2, Windows Vista, Windows Server 2008, Windows 7 and Windows Server 2008 R2 always passes through, protocol messages unaltered. The RMS 2.0 client in Windows Vista SP1, Windows Server 2008, Windows 7 and Windows Server 2008 R2 adds a *whr* parameter to the [wssignin 1.0 Request Message \(section 2.2.3\)](#). If the [wssignin 1.0 Request Message](#) does not already contain a *whr* parameter.

[**<23> Section 5.1.2:**](#) The inclusion of SIDs can be enabled for specific relying parties (as specified in section [1.5](#)).

[**<24> Section 5.1.3:**](#) A relying party that accepts security identifiers from an IP/STS in another security realm performs SID filtering based on local configuration that associates the IP/STS with a Windows domain (as specified in section [1.5](#)). For more information about SID filtering, see [\[MS-PAC\]](#) section 4.2.2.

7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

8 Index

A

Abstract data model
[IP/STS](#) 16
[relying party](#) 19
[Aggregated result](#) 19
[Applicability](#) 10
[Assertion extension example](#) 43
[Assertion Extension syntax](#) 13
[Authorization validation security](#) 46

C

[Capability negotiation](#) 10
[Change tracking](#) 51
[ClaimSource element](#) 19
[CookieInfoHash element](#) 19

D

[Data - security integrity](#) 46
Data model - abstract
[IP/STS](#) 16
[relying party](#) 19

E

Examples
[full network trace](#) 28
[Query String Response Transfer Protocol](#) 24
[Query String Response Transfer protocol example](#) 24
[Security Assertion Markup Language \(SAML\) v1.1 assertion extension example](#) 43

F

[Fields - vendor-extensible](#) 10
[Filtering - security](#) 46

G

[Glossary](#) 6

H

Higher-layer triggered events
[IP/STS](#) 17
[relying party](#) 20

I

[Implementer security considerations](#) 46
[Index security parameters](#) 46
[Informative references](#) 9
Initialization
[IP/STS](#) 17
[relying party](#) 20
[Integrity - data](#) 46

Introduction

6
IP/STS
[abstract data model](#) 16
[higher-layer triggered events](#) 17
[initialization](#) 17
[local events](#) 19
[message processing](#) 17
[overview](#) 16
[sequencing rules](#) 17
[timer events](#) 19
[timers](#) 17

L

Local events
[IP/STS](#) 19
[relying party](#) 22

M

[Maximum query string response message length](#) 16
Message processing
[IP/STS](#) 17
[relying party](#) 20
Messages
[overview](#) 12
[Query String Response Transfer protocol](#) 12
[syntax](#) 12
[transport](#) 12
[XML namespace](#) 12

N

[Normative references](#) 7

O

[Overview \(synopsis\)](#) 9

P

[PACKED_SIDS packet](#) 14
[Parameters - security](#) 46
[Pending result](#) 16
[Preconditions](#) 10
[Prerequisites](#) 10
[Privacy - security considerations](#) 46
[Processing - complete aggregated result](#) 21
[Product behavior](#) 47

Q

Query String Response Transfer Protocol ([section 1.3.1](#) 9, [section 3.1.1.1](#) 16, [section 3.1.5.1](#) 17, [section 3.2.1.1](#) 19, [section 3.2.5.1](#) 20)
[syntax](#) 12
[transport](#) 12
[Query String Response Transfer protocol example](#) 24

R

References
 [informative](#) 9
 [normative](#) 7
[Relationship to other protocols](#) 10
Relying Party
 [abstract data model](#) 19
 [higher-layer triggered events](#) 20
 [initialization](#) 20
 [local events](#) 22
 [message processing](#) 20
 [overview](#) 19
 [sequencing rules](#) 20
 [timer events](#) 22
 [timers](#) 20

S

[SAML advice elements](#) 13
[SAML v1.1](#) 9
 [assertion extension example](#) 43
 [Assertion Extension syntax](#) 13
Security
 [authorization validation and filtering](#) 46
 [data integrity](#) 46
 [implementer considerations](#) 46
 [parameter index](#) 46
 [privacy](#) 46
[Security Assertion Markup Language \(SAML\) V1.1 - assertion extension](#) 21
Security Assertion Markup Language (SAML) v1.1
 Assertion Extension ([section 1.3.2](#) 9, [section 3.1.5.2](#) 18)
 [syntax](#) 13
[Security Assertion Markup Language \(SAML\) v1.1 assertion extension example](#) 43
Sequencing rules
 [IP/STS](#) 17
 [relying party](#) 20
[Standards assignments](#) 11
Syntax
 [messages](#) 12
 [Query String Response Transfer protocol](#) 12
 [Security Assertion Markup Language \(SAML\) V1.1 Assertion Extension](#) 13

T

Timer events
 [IP/STS](#) 19
 [relying party](#) 22
Timers
 [IP/STS](#) 17
 [relying party](#) 20
[Tracking changes](#) 51
[Transport](#) 12
Triggered events - higher-layer
 [IP/STS](#) 17
 [relying party](#) 20

V

[Vendor-extensible fields](#) 10
[Versioning](#) 10
W
[WindowsIdentifierFlags packet](#) 14
[WindowsIdentifiers element](#) 19
[WindowsIdentifiers packet](#) 13
[WindowsUserIdentity element](#) 19
[WindowsUserName element](#) 19
[wsignin1.0 message](#) 12
 [common parameters](#) 12
 [response](#) 13
[wsignin1.0 request](#)
 receiving - [ttindex not specified](#) ([section 3.1.5.1.1](#) 17, [section 3.2.5.1.2](#) 20)
 receiving - [ttindex of 0 specified](#) 17
 receiving - [ttindex other than 0 specified](#) 18
 receiving - [ttindex specified](#) 21
 responding - [ttindex specified](#) 18
[wsignin1.0 request - sending](#) 20
[wsignin1.0 request response](#) 18

X

[XML namespace message](#) 12